

PRO•LINE
BOATS

**PRODUCT
INFORMATION
GUIDE**

1999

***Beyond
Fishing!***



A Message From the Executive Vice President and Founder

When Pro-Line Boats was founded in 1968, we had no idea it would become the number one selling tough water fiberglass fishing boat in the United States. Our philosophy of delivering a high, top quality, affordable fishing boats worked! And that same successful philosophy continues today.

The Product Information Guide is your most important sales tool. Hundreds of man-hours have gone into this manual to assist you in presenting the product to your customers. I firmly believe that a sale is made or broken at the initial contact with you, the salesperson. If you know your product, you will instantly become an assistant to the buyer. And that's what customers want in today's marketplace.

Our 1999 product line has been expanded to offer more models than any other fish boat company. Our focus has remained simple. We will continue to build the most fishable rough water boats with more amenities than our competition at an affordable price.

Not only are we excited about our product, the marine industry is as well. Last year we were featured in more magazines articles than any other fish boat company. And the results were all complimentary and very positive.

Rest assured that we will do everything possible to make your job easier on the showroom floor. We will never rest on our laurels and we will always give the customer more than they expect!

Sincerely,
Pro-Line Boats

Dan Atwood
Vice President & Founder

TABLE OF CONTENTS
& AMORTIZATION CHART

THE PRO-LINE
STORY

GENERAL FEATURES
AND BENEFITS



Table of Contents

• Amortization Chart	2
• The Pro-Line Story	3
• General Feature & Benefits	5-6
• Sportsman Series Introduction	7
170 Sportsman	8-11
180 Sportsman	12-15
183 Flats	16-19
190 Sportsman	20-23
200 Sportsman	24-27
202 Sportsman	28-31
210 Sportsman	32-35
220 Sport	36-39
230 Sport Utility	40-43
240 Sportsman	44-47
2700 Sportsman	48-51
3000 Super Sport	52-55
3400 Super Sport	56-59
3400 Super Sport Cuddy	60-63
3400 Bimini Cuddy	64-67
• Walkaround Series Introduction	69
201 Walkaround	70-73
221 Walkaround	74-77
241 Walkaround	78-81
251 Walkaround	82-85
2610 Walkaround	86-89
2810 Walkaround	90-93
2950 Walkaround	94-97
3250 Express	98-101
3310 Sportfish	102-105
• Performance Specifications	107-119

*Amortization*EQUAL MONTHLY PAYMENTS
TO AMORTIZE A LOAN OF \$1,000.

TERM	5 YRS	7 YRS	10 YRS	12 YRS	15 YRS	20 YRS
RATE						
8%	20.28	15.59	12.14	10.83	9.56	8.37
8-1/4	20.40	15.72	12.27	10.97	9.71	8.53
8-1/2	20.52	15.84	12.40	11.11	9.85	8.68
8-3/4	20.64	15.97	12.54	11.24	10.00	8.84
9	20.76	16.09	12.67	11.39	10.15	9.00
9-1/4	20.88	16.22	12.81	11.53	10.30	9.16
9-1/2	21.01	16.35	12.94	11.67	10.45	9.33
9-3/4	21.13	16.48	13.08	11.81	10.60	9.49
10	21.25	16.51	13.22	11.96	10.75	9.66
10-1/4	21.38	16.74	13.36	12.10	10.90	9.82
10-1/2	21.50	16.87	13.50	12.25	11.06	9.99
10-3/4	21.62	17.00	13.64	12.39	11.21	10.16
11	21.75	17.13	13.78	12.54	11.37	10.33
11-1/4	21.87	17.26	13.92	12.69	11.53	10.50
11-1/2	22.00	17.39	14.06	12.84	11.69	10.67
11-3/4	22.12	17.52	14.21	12.99	11.85	10.84
12	22.25	17.66	14.35	13.14	12.01	11.02
12-1/4	22.38	17.79	14.50	13.29	12.17	11.19
12-1/2	22.50	17.93	14.64	13.44	12.33	11.37
12-3/4	22.63	18.06	14.79	13.60	12.49	11.54
13	22.76	18.20	14.94	13.75	12.66	11.72
13-1/4	22.89	18.33	15.08	13.91	12.82	11.90
13-1/2	23.01	18.47	15.23	14.06	12.99	12.08
13-3/4	23.14	18.61	15.38	14.22	13.15	12.26
14	23.27	18.75	15.53	14.38	13.32	12.44



The Pro-Line Story

In 1968, Dan Atwood started a fishing boat company that would eventually take the market by storm. The first model was a 24-foot twin console that was designed for the professional fishing guides in Inglis and Crystal River, Florida. Since Dan's target market was the local fishing Pros, the new company name came naturally - Pro-Line Boats.

Customers and boat dealers alike began to take notice of the little manufacturer in Florida. There was no escaping the fact every Pro-Line was built by fishermen for fishermen. Other models soon came off the line such as the Pro 17 and the Pro 20. Pro-Line now had dealers throughout Florida, Georgia and Alabama.

As the orders grew so did their need for larger quarters and in 1970 Dan moved his crew to the present facility in Homosassa, Florida. In the late 70's and early 80's Pro-Line introduced cuddy cabins and walkarounds.

In 1986 Dan Atwood, along with Wall Street investors, Lee Kimmell and Lewis Ranieri of Salomon Brothers fame, formed American Marine Holdings, Inc. This infusion of working capital gave Dan the necessary funds to take Pro-Line worldwide.

The year of change for Pro-Line was 1989. Pro-Line's had grown and models now ranged from 16 to 28 feet. And the introduction of the new 230 Walkaround secured Pro-Line's position as the producer of boats offering the best value on the market.

Today Pro-Line offers over 25 models from 17 to 34 feet. The line includes center consoles, walkarounds, performance fishing boats, sportfish boats, bay boats and flats boats. More articles by boating publications were written last year about Pro-Line than any other fishing boat company. Excitement is in the air (and on the water)!

CEO and Chairman Lee Kimmell, President Mike Collins and Dan Atwood owe their success to the simple but important philosophy of building the best boat for the money. Nowhere is there a better value on the water. That's why an independent survey found over 97% of existing Pro-Line owners said they would buy another Pro-Line.

From a small boat company in Inglis, Florida to the largest manufacturer of rough water fish boats in the United States, Pro-line Boats has become the ultimate fishing boat company and more. This year's tag line says it all. "Pro-Line Boats - Beyond Fishing."

General Features & Benefits

- Feature: Pro-Line History
Benefit: Solidifies our position in the fishing boat market.
- Feature: 10 Year transferable hull warranty.
Benefit: Warranty may be transferred to new owner. Aids in higher resale value.
- Feature: 22 mils of N.P.G. ISO Polyester Gelcoat.
Benefit: Strong yet flexible gel. Cracking and chalking is almost non-existent.
- Feature: 3610 hand laid knitted Tri-axial and Bi-axial fiberglass.
Benefit: Stronger than conventional fiberglass mat. Will not delaminate due to stitching.
- Feature: Deep Vee with reversed chines (excluding the 183).
Benefit: Stable, dry ride. Gets on plane quicker and enables better overall performance.
- Feature: F.I.S.T. Construction (Fiberglass Integrated Structural Technology).
Benefit: Anti wood construction using Divinycell PVC core and closed cell injected foam. No wood, no rot.
- Feature: Hull and deck bonded with Plexus Sealant.
Benefit: Same sealant used to hold the tiles on the space shuttle. Chemically bonds the two parts together.
- Feature: 32 oz. UV protected vinyl.
Benefit: High grade of vinyl with UV protectants to ensure long life.
- Feature: Sunbrella Canvas (optional).
Benefit: The finest marine canvas. Comes with a 5-year warranty against rotting and breakage.
- Feature: 316-L Stainless Steel hardware.
Benefit: Highest marine grade stainless. Ensures great looking hardware for the life of the boat.
- Feature: Thru bolted hardware fastened with Airline locking nuts.
Benefit: Hardware will take all kinds of punishment. Never comes loose.

Feature:	Premium interior fabrics with Scotchguard.
Benefit:	Low maintenance and easy to clean cushion covers.
Feature:	N.M.M.A., U.S.C.G. AND C.E. Certified.
Benefit:	All Pro-Lines exceed N.M.M.A., Coast Guard and European C.E. requirements. This guarantees a safe, well built boat for your peace of mind.
Feature:	Largest cabins and widest beams.
Benefit:	More room inside and out. Stabler ride in rough conditions.
Feature:	Foam insulated fishboxes.
Benefit:	Ice and fish stay cold throughout the day.
Feature:	Self bailing cockpit.
Benefit:	Rainwater runs overboard immediately, not into the bilge.
Feature:	Large foam insulated baitwells.
Benefit:	Plenty of space for your bait that will last the entire day.
Feature:	Deep interior Freeboard.
Benefit:	Safe ride in any condition. Makes fighting the fish easier.
Feature:	Heat shrink wiring.
Benefit:	All wire connections are heat shrunk to eliminate breakage and corrosion.
Feature:	Deep, wide walkarounds.
Benefit:	Allow the angler to fish the entire boat from stern to bow.
Feature:	Labeled bus-bars.
Benefit:	Makes adding future equipment easy and worry free.

Sportsman Series

170 • 180 SU • 183 Flats • 190
200 • 202 • 210 • 220 • 230 SU
240 • 2700 • 3000 • 3400 SS
• 3400 BC • 3400 SSC

Pro-Line's first Sportsman was produced in 1968 and instantly became a hit with professional anglers. This new line of center consoles has everything your prospect could want and more.

The first thing that you should point out is the spaciousness of the cockpit. By using CAD (computer assisted design) programs every feature on the Pro's are designed in long before the first model is ever produced. This ensures the best placement of the necessary features while still maintaining plenty of room to fight the fish.


All fishboxes are foam insulated and drain overboard. Rod storage is abundant and the casting decks are large enough to allow the angler to spread out. Foam insulated bait boxes are close by and gunnel mount rod holders are strategically placed for serious fishermen.

The consoles are designed to offer plenty of storage while still allowing room enough to fish the entire boat, not just at the transom. Hardware is stainless steel and thru-bolted with backing plates. Grab rails are located in the proper place to ensure a safe ride even in the most precarious situations.

Wiring is color coded and heat shrunk at every connection to ensure no corrosion or breakage. Bus-bars are placed under the console and at the transom with labels to take away all the guesswork of adding additional equipment.

Whether your customers want to head offshore in search of the biggest fish or just cruise the backwaters, Pro-Line has a Sport for them!

170 Sportsman



SPECIFICATIONS

Length Overall	17'0" (5.18m)
Beam	7'6" (2.29m)
Draft (Hull)	12" (.30m)
Fuel Capacity	30 Gal. (113.6L)
Weight (hull - approx)	1530 Lbs. (694.0kg)
Weight (for trailering)	2500 Lbs. (1134.0kg)
Cockpit Area	50 Sq. Ft. (4.6m ²)
Cockpit Depth	22" (.56m)
Bridge Clearance	3'8" (1.1m)
Max HP	125 HP (126.75kw)
Baitwell Capacity	10 Gal. (37.9L)
Fish Box Capacity	20 Gal. (75.7L)

ENGINE OPTIONS

ENGINE	HP
Force 90 ELPT	90
Mercury 125 ELPTO	125
OMC 90 TSLU	90
OMC 90 FICHT	90
OMC 115 SLEU	115
OMC 115 FICHT	115
Force 120 ELPT	120

STANDARD EQUIPMENT

- 10 Years Transferable Hull Warranty
- Accessory Bus Bar Under Dash
- Battery Tray
- Bilge Pump
- Casting Deck w/Storage Box Insulated
- Cleats - 6" (3)
- Drink Holders
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell

- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Gel Coat - Premium
- Grab Rail - Windshield (Stainless Steel)
- Gunnel Trim - Rigid Vinyl
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches
- Horn - Electric
- Illuminated Switch and Breaker Panel
- Navigational Lights
- Non-Skid Deck & Gunnels
- Rod Holders - 1 Pair
- Rod Racks - Cockpit (6)
- Rope Locker Storage
- Seats - Flip Flop Cooler
- Self-Bailing Cockpit
- Steering - No Feed Back
- Steering Wheel - Stainless Steel
- Storage - Center Console
- Striping - Green, Blue, Classic Blue, Black
- Tackle Box
- Windshield - Plexiglass

OPTIONAL EQUIPMENT

- Compass
- Console Cover
- Cooler - Forward Console Seat
- Dive Ladder - Armstrong
- Lift Kit
- Rod Holders - 1 Pair
- Seats - Captain's Chair
- Shrink Wrap
- Steering - Hydraulic
- Stereo AM/FM Cassette w/2 Speakers
- Stereo AM/FM/CD w/2 Speakers
- Top - Bimini

CONVENIENCE PACKAGE

- Bow Cushion
- Cockpit Lights (1 Pair)
- Half Dive Platform w/Ladder
- 12 Volt Receptacle
- Springline Cleats 6" (2)

FISH PACKAGE

- Baitwell, Recirculating (No Wash Down)
- Cooler w/Backrest (94 qt.)
- Rod Holders (1 Pair)




Notes

[illegible]

- Compass
- Depth Finder/Fish Finder
- VHF Radio w/Antenna

- Compass
- GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna

99' 180 Sport Utility

**SPECIFICATIONS**

Length Overall	18'10" (5.7m)
Beam	8'0" (2.4m)
Draft (Hull)	13" (.33m)
Fuel Capacity	50 Gal. (189.3L)
Weight (hull - approx)	1700 Lbs. (771.1kg)
Weight (for trailering)	2500 Lbs. (1134.0kg)
Cockpit Area	80 Sq. Ft. (7.4m ²)
Cockpit Depth	21" (.53m)
Bridge Clearance	4'7" (1.4m)
Max HP	125 HP (126.75kw)
Baitwell Capacity	10 Gal. (37.9L)

ENGINE OPTIONS

<u>ENGINE</u>	<u>HP</u>
Force 90 ELPT	90
Force 120 ELPT	120
Merc. 125 ELPTO	125
OMC 90 TSLEC	90
OMC 115 TSLEC	115
OMC 90 FICHT	90
OMC 115 FICHT	115
OMC 130 TLEC	130

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Accessory Buss Bar Under Dash
- Battery Trays
- Bilge Pump
- Casting Deck w/Storage Box - Insulated
- Cleats - 8" (4)
- Drink Holders
- F.I.S.T. Fiberglass Stringer System

- Flotation Foam - Closed Cell
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Gel Coat - Premium
- Grab Rail - Windshield (Stainless Steel)
- Gunnel Trim - Rigid Vinyl
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Horn-Electric
- Illuminated Switch and Breaker Panel
- Navigational Lights
- Non-Skid Deck & Gunnels
- Rod Storage - Vertical (6)
- Seats - Flip Flop Cooler
- Self-Bailing Cockpit
- Steering Wheel - Stainless Steel
- Steering - No Feedback
- Storage - Center Console
- Striping - Green, Blue, Classic Blue, Black
- Tackle Box
- Windshield - Plexiglass

OPTIONAL EQUIPMENT

- Compass
- Console Cover
- Cooler - Forward Console Seat
- Dive Ladder - Armstrong
- Lift Kit
- Poling Platform
- Poling Platform Leaning Post
- Pre-Wiring - Trolling Motor
- Shrink Wrap
- Seats - Captain's Chair
- Steering - Hydraulic
- Stereo - AM/FM Cassette w/2 Speakers
- Stereo - AM/FM/CD w/2 Speakers
- Top - Bimini

CONVENIENCE PACKAGE

- Bow Cushion
- Cockpit Lights (1 Pair)
- Dive Platform, Half w/Ladder
- 12 Volt Receptacle
- Springline Cleats 8" (2)

Continued...



180 Sport Utility

Continued...

FISH PACKAGE

- Baitwell - Recirculating (No Wash Down)
- Rod Holder, 2 set, Vertical (Console)
- Cooler w/Backrest (94 qt.)

ELECTRONICS PACKAGE

- Compass
- Depth Finder/Fish Finder
- VHF Radio w/Antenna

DELUXE ELECTRONICS PACKAGE


- Compass
- GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna



Notes

This image shows a single page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or printed text on the page.

183 Flats



SPECIFICATIONS

Length Overall	18'4" (5.6m)
Beam	8'0" (2.4m)
Draft (Hull)	9" (.23m)
Fuel Capacity	45 Gal. (170.3L)
Weight (hull - approx)	1,170 Lbs. (530.7kg)
Weight (for trailering)	2,200 Lbs. (997.9kg)
Cockpit Area	30 Sq. Ft. (2.8m ²)
Bridge Clearance	2'6" (.76m)
Cockpit Depth	11" (.28m)
Max HP - O/B	150 HP (152.1kw)
Fish Box Capacity	37 Gal. (140.0L)
Baitwell Capacity	14.5 Gal. (54.9L)
Casting Platform Storage	.45 Gal.(170.3L)

ENGINE OPTIONS

ENGINE	HP
Merc. 125 ELPTO	125
Merc. 135L	135
Merc. 150 L	150
OMC 115 TSLEC	115
OMC 115 FICHT	115
OMC 130 TLEC	130
OMC 150 SLEC OCEAN	150

STANDARD EQUIPMENT

- 10 Years Transferable Hull Warranty
- 12 Volt Dash Receptacle
- Baitwell/Recirculating - Insulated
- Battery Tray
- Bilge Pump
- Catch & Release Well - Insulated
- Cleats - Pop-Up 4 1/2" (3)

- Cockpit Lights - 2
- Cushion - Helm Seating
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volts
- Gel Coat - Premium
- Hardware - Thru Bolted, Stainless Steel
- Hatches w/True Gutter System
- Horn - Electric
- Illuminated Switch and Breaker Panel
- Lights - Baitwell and Livewell
- N.M.M.A. Certified
- Navigational Lights
- Non-Skid Deck & Gunnels
- Rod Racks - Horizontal (6)
- Self-Bailing Cockpit
- Steering - No Feed Back
- Steering - Hydraulic (Std. on 135 & 150HP)
- Steering Wheel - Stainless Steel
- Storage - Bow and Stern (Dry/Insulated)
- Striping - Green, Blue, Classic Blue, Black

OPTIONAL EQUIPMENT

- Battery Charger - 12/24 Volt
- Battery Switch -Dual
- Compass
- Console Cover
- Dive Ladder -Armstrong
- Hull Color - Premium Gel Coat
- Jackplate
- Lift Kit
- Poling Platform
- Poling Platform Leaning Post
- Pop-Up Pole Holders
- Pre-Wiring for Trolling Motor
- Shrink Wrap
- Steering - Hydraulic
- Stereo - AM/FM Cassette w/2 Speakers
- Stereo - AM/FM CD w/2 Speakers
- Trim Tabs

183 Flats*Continued...***ELECTRONICS PACKAGE**


- Compass
- Depth Finder/Fish Finder
- VHF Radio w/Antenna

DELUXE ELECTRONICS PACKAGE

- Compass
- GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna

Notes

1499 190 Sportsman

**SPECIFICATIONS**

Length Overall	19'2" (5.8m)
Beam	7'6" (2.3m)
Draft (Hull)	12" (.30m)
Fuel Capacity	50 Gal. (189.3L)
Weight (hull - approx)	1,950 Lbs. (884.5kg)
Weight (for trailering)	3,000 Lbs. (1360.8kg)
Cockpit Area	61 Sq. Ft. (5.7m ²)
Cockpit Depth	22" (.56m)
Bridge Clearance	4'8" (1.4m)
Max HP	150 HP (152.1kw)
Baitwell Capacity	13 Gal. (49.2L)

ENGINE OPTIONS

ENGINE	HP
Force 120 ELPT	120
Merc. 125 ELPTO	125
Merc. 150 L	150
OMC 115 TSLEC	115
OMC 115 FICHT	115
OMC 130 TLEC	130
OMC 150 SLEC OCEAN	150

STANDARD EQUIPMENT

- 10 Years Transferable Hull Warranty
- Accessory Buss Bar Under Dash
- Battery Tray
- Bilge Pump
- Bow Pulpit - Molded
- Bow Rail - Stainless Steel
- Casting Deck Fish/Storage Box Insulated
- Cleats - 8" (3)
- Dive Platform w/Fold Down Ladder - Integrated

- Drink Holders
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Gel Coat - Premium
- Glove Box w/Lock
- Grab Rail - Windshield (Stainless Steel)
- Gunnel Trim - Rigid Vinyl
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches - True Gutter System
- Horn - Electric
- Illuminated Switches & Breaker Panel
- N.M.M.A. Certified
- Navigational Lights
- Non-Skid Decks & Gunnels
- Rod Holders - 1 Pair
- Rod Racks - 6
- Rope Locker Storage
- Seat - Flip Flop w/Cooler
- Self-Bailing Cockpit
- Steering - No Feed Back
- Steering Wheel - Stainless Steel
- Storage - Center Console
- Striping - Green, Blue, Classic Blue, Black
- Tackle Box
- Transom Baitwell
- Windshield - Curved Plexiglass

OPTIONAL EQUIPMENT

- Compass
- Console Cover
- Cooler - Console (Forward Seat)
- Dive Ladder - Armstrong
- Lift Kit
- Rod Holders - 1 Pair, Set Vertical on Console
- Seats - Captain's Chairs
- Shrink Wrap
- Steering - Hydraulic
- Stereo AM/FM Cassette w/2 Speakers
- Stereo - AM/FM/CD w/2 Speakers
- Top - Bimini

CONVENIENCE PACKAGE

- Bow Cushion
- Cockpit Lights (1 Pair)
- 12 Volt Receptacle
- Springline Cleats 8" (2)



Continued...

FISH PACKAGE

- Baitwell, Recirculating (No Wash Down)
- Cooler w/Backrest (94 qt.)
- Tackle Box
- Vertical Rod Storage (Console), 1 set

ELECTRONICS PACKAGE

- Compass
- Depth Finder/Fish Finder
- VHF Radio w/Antenna

DELUXE ELECTRONICS PACKAGE


- Compass
- GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna



Notes

[illegible]

1999 200 Sportsman

**SPECIFICATIONS**

Length Overall	20'2" (6.1m)
Beam	8'0" (2.4m)
Draft (Hull)	12" (.30m)
Fuel Capacity	70 Gal. (265.0L)
Weight (hull - approx)	2,250 Lbs. (1020.6kg)
Weight (for trailering)	3,500 Lbs. (1587.6kg)
Cockpit Area	97 Sq. Ft. (9.0m ²)
Cockpit Depth	22.5" (6.8m)
Bridge Clearance	5'10" (1.8m)
With Tee Top	7'4" (2.2m)
Max HP - O/B	175 HP (177.45kw)
Baitwell Capacity	38 Gal. (143.8L)
Fish Box Capacity	18.5 Gal. (70.0L)

ENGINE OPTIONS

ENGINE	HP
Merc. 135 XL	135
Merc. 150 XL	150
Merc. 150 XL OPTIMAX	150
OMC 130 TXZC	130
OMC 150 EXEC OCEAN	150
OMC 150 FSXEC FICHT	150

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Accessory Buss Bar Under Dash
- Battery Tray
- Bilge Pump
- Casting Deck Fish/Storage Box Insulated
- Center Console w/Storage
- Cleats - 8" (3)
- Drink Holders
- F.I.S.T. Fiberglass Stringer System

- Flotation Foam - Closed Cell
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Gel Coat - Premium
- Glove Box w/Lock
- Grab Rail - Windshield (Stainless Steel)
- Gunnel Trim - Rigid Vinyl
- Hardware - Thru Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Horn - Electric
- Illuminated Switches & Breaker Panel
- N.M.M.A. Certified
- Navigational Lights
- Non-Skid Decks & Gunnels
- Rod Holders - 1 Pair
- Rod Racks - 6
- Rope Locker Storage
- Seats - Aft Jump - 2
- Seats - Molded w/Flip-Flop
- Self-Bailing Cockpit
- Steering - No Feed Back
- Steering Wheel - Stainless Steel
- Storage - Center Console
- Striping - Green, Blue, Classic Blue, Black
- Tackle Box
- Windshield - Plexiglass

OPTIONAL EQUIPMENT

- Battery Switch for Dual Batteries
- Compass
- Console Cover
- Cooler - w/Backrest - Forward
- Dive Ladder - Armstrong
- Lift Kit
- Outriggers - Gunnel Mount
- Rod Holders - 1 Pair
- Shrink Wrap
- Spreader Lights - T-Top
- Steering - Hydraulic
- Stereo - AM/FM Cassette w/2 Speakers
- Stereo - AM/FM/CD w/2 Speakers
- Top - Bimini
- Top - T-Top w/Electronics Box

ELECTRONICS PACKAGE

- Compass
- Depth Finder/Fish Finder
- VHF Radio w/Antenna



200 Sportsman

Continued...

DELUXE ELECTRONICS PACKAGE

- Compass
- GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna

CONVENIENCE PACKAGE

- Bow Cushion
- Cockpit Lights (1 Pair)
- Dive Platform - Half w/Ladder
- 12 Volt Receptacle
- Springline Cleats 8" (2)

FISH PACKAGE


- Baitwell, Recirculating w/Washdown
- Cooler w/Backrest (94 qt.)
- Rod Holders (1 pair)



Notes

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no text or other markings on the paper.

202 Sportsman



SPECIFICATIONS

Length Overall	20'2" (6.1m)
Beam	8'0" (2.4m)
Draft (Hull)	12" (.30m)
Fuel Capacity	70 Gal.(265.0m)
Weight (hull - approx)	2,500 Lbs.(1134.0kg)
Weight (for trailering)	3,500 Lbs.(1587.6kg)
Cockpit Area	29 Sq. Ft.(2.7m ²)
Cockpit Depth	22.5" (6.8m)
Bridge Clearance	6'2" (1.9m)
With Bimini	7'6" (2.3m)
Max HP - O/B	175 HP(177.45kw)
Baitwell Capacity	9.75 Gal.(36.9L)
Fish Box Capacity	9.75 Gal.(36.9L)
Fresh Water Capacity	15 Gal (56.8L)

ENGINE OPTIONS

ENGINE	HP
Merc. 135 XL	135
Merc. 150 XL	150
Merc. 150 XL OPTIMAX	150
OMC 130 TXAC	130
OMC 150 EXEC OCEAN	150
OMC 150 FSXEC FICHT	150
Merc. 4.3L	190
Volvo 4.3 GLDP	190

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Accessory Buss Bar Under Dash
- Battery Tray
- Bilge Pump
- Casting Deck Fish/Storage Box Insulated

- Console - Dual w/Storage
- Cleats - 8" (3)
- Drink Holders
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Gel Coat - Premium
- Glove Box w/Lock
- Gunnel Trim - Rigid Vinyl
- N.M.M.A. Certified
- Hardware - Thru Bolted (Stainless Steel)
- Hatches w/True Gutter Systems
- Horn-Electric
- Navigational Lights
- Non-Skid Decks & Gunnels
- Rod Holders - 1 Pair
- Rod Racks - 6
- Rope Locker Storage
- Seats - Aft Jump - 2
- Seat - Captain's Chairs
- Self-Bailing Cockpit
- Steering - No Feed Back
- Steering Wheel - Stainless Steel
- Striping - Green, Blue, Classic Blue, Black
- Tackle Box
- Windshield - Plexiglass


OPTIONAL EQUIPMENT

- Battery Switch for Dual Batteries
- Compass
- Cushion - Motor Box (I/O only)
- Dive Ladder - Armstrong
- Lift Kit
- Outriggers - Gunnel Mount
- Rod Holders - 1 Pair
- Shrink Wrap
- Steering - Hydraulic
- Stereo - AM/FM Cassette w/2 Speakers
- Stereo - AM/FM CD w/2 Speakers
- Top - Bimini w/Windscreen

CONVENIENCE PACKAGE

- Bow Cushion
- Cockpit Lights (1 Pair)
- Dive Platform, Half w/Ladder
- 12 Volt Receptacle
- Springline Cleats 8" (2)

210 Sportsman



SPECIFICATIONS

Length Overall	20'6" (6.2m)
Beam	8'6" (2.6m)
Draft (Hull)	14" (.36m)
Fuel Capacity	95 Gal.(359.6L)
Weight (hull - approx)	2,800 Lbs.(1270.1kg)
Weight (for trailering)	4,000 Lbs.(1814.4kg)
Cockpit Area	80 Sq. Ft.(7.4m²)
Cockpit Depth	28.7" (.73m)
Max HP - O/B	225 HP(228.15kw)
Bridge Clearance	5'5" (1.7m)
w/Tee Top	7'8" (2.3m)
Fish Box Capacity	40 Gal.(151.4L)
Baitwell Capacity	11.25 Gal.(42.6L)
Casting Deck Storage	14.5 Gal.(54.9L)

ENGINE OPTIONS

ENGINE	HP
Merc. 150 XL	150
Merc. 150 XL OPTIMAX	150
Merc. 200 XL	200
Merc. 200 XL OPTIMAX	200
Merc. 225XL	225
Merc. 225XL EFI	225
Merc. 225 XL OPTIMAX	225
OMC 150 EXEC OCEAN	150
OMC 150 FSXEC FICHT	150
OMC 200 TXEC	200
OMC 225 TXEC	225

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Accessory Bus Bar Under Dash
- Battery Tray
- Bilge Pump
- Bow Rails - Stainless Steel
- Casting Deck w/Fish Box
- Casting Deck Storage
- Center Console w/Storage
- Cleats - 8" (3)
- Drink Holders
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Gel Coat - Premium
- Grab Rail - Windshield (Stainless Steel)
- Gunnel Trim - Rigid Vinyl Insert
- Hardware - Thru Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Horn - Electric
- Illuminated Switches & Breaker Panel
- Insulated Aft Baitwell
- Insulated Fish Box - Stern
- N.M.M.A. Certified
- Navigation Lights
- Non-Skid Decks & Gunnels
- Remote Oil Deck Fill (Engine Package Only)
- Rod Holders - 1 Pair
- Rod Racks - 6
- Rope Locker Storage
- Seat - Molded-In Forward Console
- Seats - Captain's Chairs
- Self-Bailing Cockpit
- Steering - Hydraulic (200HP and Higher)
- Steering - No Feed Back
- Steering Wheel - Stainless Steel
- Striping - Green, Blue, Classic Blue, Black
- Tackle Box
- Windshield - Plexiglass

OPTIONAL EQUIPMENT

- Battery Switch - Dual
- Bracket - +2 Single
- Cockpit Shower
- Compass
- Console Cover

210 Sportsman

Continued...

- Cushions - Transom Seat 2 (Open Transom Only)
- Dive Ladder - Armstrong
- Leaning Post (2700 Style)
- Lift Kit
- Lights - Remote Control Spot (T-Top Required)
- Lights - Spreader (Tee Top Req.)
- Outriggers - Gunnel Mount
- Outriggers - Top Gun (T-Top Req.)
- Rod Holders - 1 pair
- Seat - Removable Rear Bench (Full Transom Only)
- Shrink Wrap
- Steering - Hydraulic
- Stereo - AM/FM/Cassette w/2 Speakers
- Stereo - AM/FM/CD w/2 Speakers
- Storm Hood
- Top - Bimini
- Top - Tee w/Electronics Box
- Top - Tee w/Top Gunn Outriggers
- Trim Tabs

CONVENIENCE PACKAGE

- Bow Cushion
- Cockpit Bolster Cushions
- 12 Volt Receptacle
- Spring Line Cleats
- 1 Pair Cockpit Lights
- 1/2 Dive Platform w/Ladder

DELUXE CONVENIENCE PACKAGE

(Requires +2 Bracket)

- Full Dive Platform w/Full Transom
- Bow Cushion
- Cockpit Bolster Cushions
- 12 Volt Receptacles
- Springline Cleats
- 1 Pair Cockpit Lights

FISH PACKAGE

- Baitwell - Recirculating
- Raw Washdown System
- Rod Holders (1 Pair)

ELECTRONICS PACKAGE


- Compass
- Depth Finder/Fish Finder
- VHF Radio w/Antenna

DELUXE ELECTRONICS PACKAGE

- Compass
- GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna

Notes

220 Sport



SPECIFICATIONS

Length Overall	22'6" (6.9m)
Beam	8'4" (2.5m)
Draft (Hull)	16" (.41m)
Fuel Capacity	95 Gal. (359.6L)
Weight (hull - approx)	3,100 Lbs. (1406.2kg)
Weight (for trailering)	4,500 Lbs. (2041.2kg)
Cockpit Area	58 Sq. Ft. (5.4m ²)
Cockpit Depth	27" (.69m)
Max HP - O/B	225 HP (228.15kw)
Bridge Clearance	5'5" (1.7m)
Fish Box Capacity	27.25 Gal. (103.1L)
Baitwell Capacity	27.25 Gal. (103.1L)

ENGINE OPTIONS

ENGINE	HP
Merc. 150 XL	150
Merc. 150 XL Optimax	150
Merc. 200 XL	200
Merc. 200 XL Optimax	200
Merc. 225XL	225
Merc. 225XL EFI	225
Merc. 225 XL Optimax	225
OMC 150	150
OMC 150 FICHT	150
OMC 200	200
OMC 225	225

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Aft Jump Seats
- Anchor Locker Storage
- Battery Tray
- Bilge Pump - 1250 GPH
- Bow Rail - Stainless Steel
- Casting Deck Storage Box
- Cleats - 8" (3)
- Drink Holders
- Electric Horn
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Glove Box w/Locker
- Gunnel Trim - Rigid Vinyl Insert
- Hatches w/True Gutter System
- Illuminated Switches & Breaker Panels
- Navigation Lights
- Head - Enclosed in Center Console
- N.M.M.A Certified
- Non-Skid Decks & Gunnels
- Plexiglass Windshield w/Grab Rail
- Porta-Potti
- Premium Gel-Coat
- Remote Oil Fill
- Rod Holders - 1 Pair
- Rod Racks - 6
- Rope Locker Storage
- Seat - Molded w/Flip-Flop Backrest
- Stainless Steel Bowrail
- Stainless Steel Deck Hardware (Thru-Bolted)
- Self-Bailing Cockpit
- Steering - No Feed Back
- Steering Wheel - Stainless Steel
- Striping - Blue, Classic Blue, Green, Black
- Terminal Bar Helm and Transom
- Vertical Rod Storage on Console

OPTIONAL EQUIPMENT

- Battery Switch - Dual
- Bimini Top
- Compass
- Console Cover
- Curtain Package (T-Top Required)
- Dive Ladder - Armstrong
- Lift Kit



220 Sport

- Porta-Potti w/Discharge
- Rod Holders - 1 pair
- Shrink Wrap
- Spreader Lights (T-Top Required)
- Steering - Hydraulic
- Stereo - AM/FM/Cassette w/2 **Speakers**
- Stereo - AM/FM/CD w/2 Speakers
- Top Gun Outriggers (Gunnel or T-Top **Mount**)
- T-Top w/Electronics Box
- 94 Qt. Cooler w/Cushion
- 12/24 Volt Battery Charger

- Baitwell - Recirculating Pump w/Washdown
- Rod Holders (1 Pair)
- Tackle Box

- Bow Cushion
- Cockpit Lights
- Springline Cleats 8" (2)
- 12 Volt Receptacle
- Cockpit Bolsters
- Half Dive w/Ladder

- Compass
- Depth Finder/Fish Finder
- VHF Radio w/Antenna

- Compass
- GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna




Notes

[illegible]

1999 WALKAROUND SERIES

1999 230 Sport Utility



SPECIFICATIONS

Length Overall	23'2" (7.1m)
Beam	8'5" (2.6m)
Draft (Hull)	15" (.38m)
Fuel Capacity	70 Gal. (265.0L)
Weight (hull - approx)	3,200 Lbs. (1451.5kg)
Cockpit Area	127 Sq. Ft. (11.8m ²)
Bridge Clearance	5'1" (1.5m)
Max HP	225 HP (1228.15kw)
Max Persons/Wt.	..12 / 1700 Lbs. (771.1kg)
Baitwell Capacity	10 Gal. (37.9L)
Fish Box Capacity	24 Gal. (90.8L)

ENGINE OPTIONS

ENGINE	HP
Merc. 150 XL	150
Merc. 150 XL OPTIMAX	150
Merc. 200 XL	200
Merc. 200 XL OPTIMAX	200
Merc. 225XL	225
Merc. 225XL EFI	225
Merc. 225 XL OPTIMAX	225
OMC 150 EXEC OCEAN	150
OMC 150 FSXEC FICHT	150
OMC 200 TXEC	200
OMC 225 TXEC	225

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Accessory Bus Bar Under Dash
- Battery Tray
- Bilge Pump
- Casting Deck w/Rod Storage Box
- Cleats - 8" (4)
- Drink Holders
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Gel Coat - Premium
- Glove Box w/Lock
- Grab Rail - Windshield (Stainless Steel)
- Gunnel Trim - Rigid Vinyl
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Head - Porta Potti - Enclosed in Console
- Horn-Electric
- Illuminated Switches & Breaker Panel
- N.M.M.A. Certified
- Navigational Lights
- Non-Skid Decks & Gunnels
- Rod Holders - 1 Pair
- Rod Storage - 6
- Rope Locker Storage
- Seat - Flip-Flop w/Cooler
- Seats - Aft Jump
- Self-Bailing Cockpit
- Steering - Hydraulic (200HP and Higher)
- Steering - No Feed Back
- Steering Wheel - Stainless Steel
- Striping - Green, Blue, Classic Blue, Black
- Windshield - Curved Plexiglass

OPTIONAL EQUIPMENT

- Battery Charger - Trolling Motor 12/24 V
- Compass
- Console Cover
- Cooler - Forward
- Dive Ladder - Folding
- Lift Kit
- Pre-Wire - Trolling Motor w/Panel
- Seats - Captain's Chair
- Seats - Pedestal Removable
- Shrink Wrap
- Steering - Hydraulic



230 Sport Utility

Continued...

- Stereo - AM/FM Cassette w/2 Speakers
- Stereo - AM/FM CD w/2 Speakers
- Tackle Boxes - Maximum of 2
- Top-Bimini
- Head - Porta Potti w/Dockside Discharge

CONVENIENCE PACKAGE

- Bow Cushion
- Cockpit Lights
- Springline Cleats 8" (2)
- 12 Volt Receptacle

FISH PACKAGE

- Baitwell, Recirculating (No Washdown)
- Catch and Release Well
- Tackle Box - 1

ELECTRONICS PACKAGE

- Compass
- Depth Finder/Fish Finder
- VHF Radio w/Antenna


DELUXE ELECTRONICS PACKAGE

- Compass
- GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna



Notes

240 Sportsman



SPECIFICATIONS

Length Overall	25'5" (7.7m)
Beam	8'6" (2.6m)
Draft (Hull)	14" (.36m)
Fuel Capacity O/B	144 Gal.(545.0L)
Weight (hull approx)	3,600 Lbs.(1633.0kg)
Weight (for trailering)	5,700 Lbs.(2585.5kg)
Cockpit Area	94 Sq. Ft.(8.7m ²)
Cockpit Depth	29" (.74m)
Max HP - O/B	300 HP(304.20kw)
Fresh Water Capacity	15 Gal.(56.8L)
Bridge Clearance	6'9" (2.1m)
w/Tee Top	8'1" (2.5m)
Fish Box Capacity	40 Gal.(151.4L)
Baitwell Capacity	16.25 Gal.(61.5L)
Total Floor Storage	25.5 Gal.(96.5L)
Console Cooler Capacity	16.25 Gal.(61.5L)

ENGINE OPTIONS

ENGINE	HP
Merc. 200 XL	200
Merc. 200 XL OPTIMAX	200
Merc. 225XL	225
Merc. 225XL EFI	225
Merc. 225 XL OPTIMAX	225
Merc. 250 XL EFI	250
Merc. T-150 XL	150 EA
Merc. T-150 XL OPTIMAX	150 EA
OMC 200 TXEC	200
OMC 225 TXEC	225
OMC T-150 EXEC	150 EA
OMC T-150 FSXEC FICHT	150 EA

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Accessory Bus Bar Under Dash
- Battery Tray
- Bilge Pump
- Bow Pulpit Molded w/Anchor Roller
- Bow Rail - Stainless Steel
- Bracket - Single +2
- Casting Deck w/Storage
- Casting Deck Fish Box - Insulated
- Cleats - 8" (5)
- Drink Holders
- F.I.S.T. Fiberglass Stringer System
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Gel Coat - Premium
- Grab Rail - Windshield (Stainless Steel)
- Gunnel Trim - Rigid Vinyl w/Stainless Steel Insert
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Head - Porta Potti - Enclosed in Console
- Horn - Electric
- Illuminated Switches & Breaker Panel
- Leaning Post w/Baitwell & Sink
- N.M.M.A. Certified
- Navigation Lights
- Non-Skid Decks & Gunnels
- Remote Oil Deck Fill
- Rod Holders - 2 Pair
- Rod Racks - 6
- Rope Locker Storage
- Self-Bailing Cockpit
- Steering - Hydraulic
- Steering Wheel - Stainless Steel
- Striping - Green, Blue, Classic Blue, Black
- Tackle Storage
- Transom Door
- Transom Bait Station
- Windshield - Plexiglass

OPTIONAL EQUIPMENT

- Battery Switch - Dual
- Battery Switch - Dual For Twin Engines
- Bracket - +2 Twin
- Cockpit Shower
- Compass
- Console Cover
- Curtain Package - T-Top

240 Sportsman

Continued...

- Dive Ladder - Armstrong
- Graphics - Custom
- Head - w/Dockside Discharge
- Head - Electric Macerator, Holding Tank and Pump Out
- Hull Color - Premium Gel Coat
- Leaning Post - Backrest
- Leaning Post w/Baitwell Station - 50 Gallons: Deluxe Includes Transom Sink w/Faucet
- Lift Kit - (N/A w/Windlass)
- Lights - Remote Control Spot (T-Top Req.)
- Lights - Spreader (T-Top Req.)
- Outriggers - Gunnel Mount
- Seat - Rear Bench Removable
- Shrink Wrap
- Stereo - AM/FM Cassette w/2 Speakers
- Stereo - AM/FM CD w/2 Speakers
- Storm Hood
- Top - Bimini
- Top - Tee w/Electronics Box
- Top - Tee w/Top Gun Outriggers
- Trim Tabs
- Windlass - w/Bow Protector, Rope & Chain

CONVENIENCE PACKAGE

- Bow Cushions
- Cockpit Bolster Cushions
- Cockpit Lights (1 Pair)
- Dive Platform - Half w/Ladder
- Springline Cleats
- 12 Volt Receptacle

DELUXE CONVENIENCE PACKAGE

- Bow Cushions
- Cockpit Bolster Cushions
- Cockpit Lights (1 Pair)
- 12 Volt Receptacle
- Springline Cleats
- Full Dive Platform w/Ladder

ELECTRONICS PACKAGE


- Compass
- Depth Finder/Fish Finder
- VHF Radio w/Antenna

DELUXE ELECTRONICS PACKAGE

- Compass
- GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna

Notes

2700 Sportsman



SPECIFICATIONS

Length Overall	27'6" (8.4m)
Beam	9'10" (3.0m)
Draft (Hull)	20" (.51m)
Fuel Capacity	200 Gal.(757.0L)
Weight (hull - approx)	540 4,750 Lbs.(2154.6kg)
Weight (for trailering)	7,300 Lbs.(3311.3kg)
Cockpit Area	115 Sq. Ft.(10.7m ²)
Cockpit Depth	30" (.76m)
Max HP	500 HP(507.0kw)
Fresh Water Capacity	15 Gal.(56.8L)
Bridge Clearance	6'4" (1.9m)
w/Tee Top	7'6" (2.3m)
w/Arch	7'8" (2.352m)
Baitwell Capacity	20 Gal.(75.7L)
Fish Boxes Cap. (2)	.57 Gal ea(215.7L ea)
Console Cooler Capacity	16.25 Gal.(61.5L)

ENGINE OPTIONS

ENGINE	HP
Merc. T-150 XL	150 EA
Merc. T-150 XL OPTIMAX	150 EA
Merc. T-200 XL	200 EA
Merc. T-200 XL OPTIMAX	200 EA
Merc. T-225 XL	225 EA
Merc. T-225 XL EFI	225 EA
Merc. T-225 XL OPTIMAX	225 EA
Merc. T-250 XL EFI	250 EA
OMC T-150 EXEC	150 EA
OMC T-150 FSXEC FICHT	150 EA
OMC T-200 TXEC	200 EA
OMC T-225 TXEC	225 EA
OMC T-250 TXEC	250 EA

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Accessory Bus Bar Under Dash
- Bait & Tackle Station w/Recirculating Baitwell, Raw Water Washdown, Selector Panel, Freshwater Faucet
- Battery Trays (27 Series)
- Bilge Pump - 1250 GPH
- Bow Pulpit Molded w/Anchor Roller
- Bracket - Dual +2
- Casting Deck Fish Box - Insulated
- Casting Deck Storage
- Cleats - 8" (3), 10" (2)
- Cockpit Shower
- Dive Platform - Full w/Ladder
- Drink Holders
- Fish Boxes - Insulated
- F.I.S.T. Fiberglass Stringer System
- Foam Flotation - Closed Cell
- Fresh Water System
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Gel Coat - Premium
- Gunnel Trim - Rigid Vinyl w/Stainless Steel Insert
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Head - Porta Potti - Enclosed in Console
- Head Storage
- Horn - Electric
- Illuminated Switches & Breaker Panels
- Leaning Post w/Rod Holders
- N.M.M.A. Certified
- Navigation Lights
- Non-Skid Decks & Gunnels
- Remote Oil Deck Fill (Engine Pkg. Only)
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (6)
- Rope Locker Storage
- Seat - Forward Console
- Self-Bailing Cockpit
- Steering - Hydraulic
- Striping - Green, Blue, Classic Blue, Black
- Tackle Box
- Transom Door
- Transom - Knife & Pliers Holder
- Trim Tabs
- Windshield - Plexiglass



2700 Sportsman

Continued...

OPTIONAL EQUIPMENT

- Console Cover
- Curtain Package - T-Top
- Dive Ladder - Armstrong
- Graphics - Custom
- Head - w/Dockside Discharge
- Head - Electric w/Macerator, Pump Out, and Holding Tank
- Hull Color - Premium Gel Coat
- Leaning Post - Backrest
- Leaning Post - Deluxe (3400 Style)
- Leaning Post - w/Scuba Rack
- Lift Kit - (N/A w/Windlass)
- Lights - Remote Control Spot (Requires T-Top)
- Lights - Spreader (Requires T-Top)
- Outriggers - Gunnel Mount
- Seat - Rear Bench Removable
- Shrink Wrap
- Stereo - AM/FM Cassette w/2 Speakers
- Stereo - AM/FM CD w/2 Speakers
- Storm Hood
- Top - Bimini
- Top - T-Top w/Electronics Box
- Top - T-Top w/Outriggers
- Windlass - w/Bow Protector, Rope & Chain

CONVENIENCE PACKAGE

- Bow Cushion
- Cockpit Bolsters & Cushions
- Cockpit Lights (1 Pair)
- Spring Line Cleats
- 12 Volt Receptacle

ELECTRONICS PACKAGE

- Compass
- Depth Finder/Fish Finder
- VHF Radio w/Antenna

DELUXE ELECTRONICS PACKAGE


- Compass
- GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna



Notes

This image shows a single page of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

3000 Sport



SPECIFICATIONS

Length Overall	29'6" (9.0m)
Beam	8'6" (2.6m)
Draft, Down	20" (.51m)
Up	25" (.64m)
Deadrise	22 DEG. (22°)
Fuel Capacity	200 GAL (757.0L)
Weight	4,300 LBS (3311.3kg)
Max HP	600 (608.40kw)
Cockpit Area	112 SQ. FT. (10.4m²)
Cockpit Depth	27" (.69m)
Bridge Clearance	7'2" (2.2m)
w/Radar Arch	7'10" (2.4m)
w/T-Top	8'10" (2.7m)
Fresh Water Capacity	21 Gal. (79.5L)
Baitwell Capacity	50 Gal. (189.3L)

ENGINE OPTIONS

ENGINE	HP
Merc. T-200 XL	200 EA
Merc. T-225 XL	225 EA
Merc. T-225 XL OPTIMAX	225 EA
Merc. T-225 EFI	225 EA
Merc. T-250 EFI	250 EA
OMC T-200 TXEC	200 EA
OMC T-225 TXEC	225 EA
OMC T-250	250 EA

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- 12 Volt Receptacle
- Accessory Buss Bar Under Dash

- Anchor Roller
- Baitwell - Recirculating
- Battery Trays 27 Series
- Battery Switch - Dual
- Bilge Pumps - (1250 GPH)
- Bow Rail - Stainless Steel
- Cabin Cushions
- Cabin Lights
- Cleats - 8" Pop-Up (4), Stainless Steel
- Cleats - 10" Aft (2) Under Gunnel, Stainless Steel
- Cockpit Lights
- Cockpit Bolster Cushions
- Console Cooler - Forward
- Compass
- Companion Way Door (Acrylic Bi-Fold)
- Dive Ladder - Armstrong
- Electronics Box w/Lock
- Fish Boxes - Foam Insulated
- F.I.S.T. Construction
- Fuel/Water Separators
- Full Faria Instrumentation
- Gelcoat - Premium Colored Gelcoat Hullsides
- Grab Rail - Center Console, Stainless Steel
- Gunnel Trim - Stainless Steel Insert
- Hardware - Stainless Steel
- Hatches w/True Gutter System
- Head - Porta Potti
- Horn - Electric
- Illuminated Switch & Breaker Panel
- Integrated Bracket and Dive Platform
- Knee Cushion on Console
- N.M.M.A. Certified
- Navigational Lights
- Non-Skid Decks & Gunnels
- Raw Water Washdown
- Rod Holders - 2 Pair
- Rod Racks - 6 Horizontal Cockpit
- Rod Racks - 4 Cabin
- Rope Locker Storage
- Seat - Forward Console
- Seat - Leaning Post
- Self-Bailing Cockpit
- Steering - Hydraulic
- Steering Wheel - Stainless Steel w/Molded Grip
- Striping Package - Ribbon Tape
- Tackle Box - 4 Drawer
- Thru-Hulls - Chrome Plated
- Transom Door
- Trim Tabs (Insta Trim)
- Windshield - Curved Plexiglass

3000 Sport

Continued...

OPTIONAL EQUIPMENT

- Bilge Pump - Highwater w/Alarm
- Backup Baitwell Pump - 1100 GPH
- Battery Charger
- Canvas - Arch Enclosure w/Top
- Console Cover
- Downrigger Holders in Cabin
- Graphics Package - Custom
- Hull Color - Premium Gelcoat
- Leaning Post - Baitwell Donzi Series 50 Gal.
- Leaning Post - Backrest for Donzi Series
- Leaning Post - Backrest Pro-Line Style
- Light - Remote Spot (T-Top Required)
- Outriggers - Gunnel Mount
- Radar Arch w/Rod Holders
- Rod Holders - 1 Pair (Additional)
- Seat - Rear Bench (Removable w/Backrest)
- Stereo - AM/FM Cassette w/4 Speakers
- Stereo - AM/FM CD w/4 Speakers
- Spreader Light - Top or Arch Req.
- Tilt Steering
- Top - Bimini
- T-Top Enclosure
- T-Top w/Electronics Box
- T-Top w/Grab Rail (Pro Series)
- T-Top w/Top Gun Outriggers
- Windlass - W/Bow Protector, Rope & Chain
- Windshield Extended (Pro Series)
- Head w/Dockside Discharge

ELECTRONICS PACKAGE

- Depth Finder/Fish Finder
- VHF Radio w/Antenna

DELUXE ELECTRONICS PACKAGE

- GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna


PRO SERIES PACKAGE

- Back-Up Baitwell Pump - 1100 GPH
- Chaffing Rings For Gaffs
- Trim Tabs
- T-Top - Pro Series w/Grab Rail
- Baitwell - 50 Gal. w/Chart Holder
- Bilge Pump - Highwater Alarm
- Console Cushions - Thru Bolted

- Non-Skid (Cabin Top)
- Rod Holders - (12) Lees, (4) 15 Degree on Leaning Post, (8) 30 Degree on Deck
- Windshield - Extended

Notes

3400 Super Sport



SPECIFICATIONS

Length Overall	34'10" (10.6m)
Beam	9'2" (2.8m)
Draft (Hull)	25" (.64m)
Hull Type	22 Deg. (22°)
Fuel Capacity	300 Gal. (1135.5L)
Weight (hull - approx)	7,500 Lbs. (3402.0kg)
Weight (trailer)	11,000 Lbs. (4989.6kg)
Cockpit Area	112 Sq. Ft. (10.4m²)
Cockpit Depth	27" (.69m)
Bridge Clearance	7'2" (2.2m)
w/T-Top	7'10" (2.4m)
w/Radar Arch	7'10" (2.4m)
Max HP - O/B	675 HP (684.45kw)
Baitwell Capacity	38.5 Gal. (145.7L)
Fish Box Capacity (2)	39.25 Gal. (148.6L)
Fresh Water Capacity	30 Gals. (113.6L)
Console Cooler Capacity	17.25 Gal. (65.3L)

ENGINE OPTIONS

ENGINE	HP
Merc. T-225XXL	225 EA
Merc. T-225XXL EFI	225 EA
Merc. T-225XXL OPTIMAX	225 EA
Merc. T-250 XXL EFI	250 EA
Merc. Trp-225 XL EFI	225 EA
OMC T-225 TZEC	225 EA
OMC T-250 TZEC	250 EA
OMC Trp-225 TXEC	225 EA

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- 12 Volt Receptacle
- Accessory Buss Bar Under Dash

- Baitwell - Recirculating and Raw Water Washdown, Fresh Water Faucet
- Battery Switch - Dual
- Battery Trays
- Bilge Pumps - (2 @ 1250 GPH)
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- Bracket/Dive Platform - Integrated
- City Water Hook-Up
- Cleats - 8" Pop-Up (4), 10" Aft (2) Under Gunnel
- Cockpit Lights
- Cockpit Shower
- Cockpit Bolster Cushions
- Cockpit Shower
- Console Cooler - Forward
- Compass
- Dive Ladder - Armstrong
- Electronics Box w/Lock
- Fish Boxes Port & Starboard Insulated
- F.I.S.T. Construction
- Foam Flotation - Closed Cell
- Fuel/Water Separators
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Gunnel Trim - w/Stainless Steel Insert
- Hardware - Stainless Steel
- Hatches w/True Gutter System
- Head - Porta Potti
- Head - Enclosed in Center Console w/Fresh Water Shower/Sink/Light
- Horn - Electric
- Illuminated Switches & Breaker Panel
- Leaning Post w/Rod Holders
- N.M.M.A. Certified
- Navigational Lights
- Non-Skid Decks & Gunnels
- Premium Gelcoat
- Rod Holders - 2 Pair
- Rod Holders - Casting Deck
- Rod Racks - 8 (Cockpit)
- Rod Storage - Forward Deck (Locking)
- Rope Locker Storage
- Seat - Forward Console
- Self-Bailing Cockpit
- Steering - Hydraulic
- Steering Wheel - Stainless Steel w/Molded Grip
- Storage - Casting Deck
- Striping Package - Ribbon Tape
- Thru-Hulls - Chrome Plated
- Transom Door
- Transom Sink w/Fresh Water System

3400 Super Sport

Continued...

- Trim Tabs
- Windshield - Curved Plexiglass

OPTIONAL EQUIPMENT

- Arch Radar w/Rod Holders
- Arch Radar w/Top Gun Outriggers
- Battery Charger
- Canvas - Arch Enclosure w/Top
- Console Cover
- Curtain Package - T-Top
- Graphics Package - Custom
- Head - w/Dockside Discharge
- Head - Electric w/Macerator Pump Out and Holding Tank
- Hull Color - Premium Gelcoat
- Leaning Post - Backrest
- Leaning Post w/Scuba Racks
- Lights - Docking
- Light - Remote Control Spot (Requires T-Top)
- Lights - Spreader (Top or Arch Req.)
- Outriggers - Gunnel Mount
- Seat - Helm, Drop Down
- Seats - Rear Bench (Removable w/Backrest)
- Shrink Wrap
- Stereo - AM/FM Cassette w/4 Speakers
- Stereo - AM/FM CD w/4 Speakers
- Storm Hood
- Top - Bimini
- Top - Tee w/Electronics Box
- Top - Tee w/Top Gun Outriggers
- Windlass - w/Bow Protector, Rope & Chain

ELECTRONICS PACKAGE

- Depth Finder/Fish Finder
- VHF Radio w/Antenna

DELUXE ELECTRONICS PACKAGE

- GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna


PRO SERIES PACKAGE

- Back-Up Baitwell Pump - 1100 GPH
- K-Planes
- T-Top - Pro Series w/Grab Rail
- Windshield - Extended
- Trim Tab Pumps in Console
- Bow Rail - Low Profile

- 350 Gallon Fuel Tank
- Baitstation - 50 Gallon w/Chart Holder

Notes

3400 Super Sport Cuddy



SPECIFICATIONS

Length Overall	34'10" (10.6m)
Beam	9'2" (2.8m)
Draft (Hull)	25" (.64m)
Hull Type	22 Deg. (22°)
Fuel Capacity	300 Gal. (1135.5L)
Weight (hull - approx)	7,500 Lbs. (3402.0kg)
Weight (trailer)	11,000 Lbs. (4989.6kg)
Cockpit Area	112 Sq. Ft. (10.4m²)
Cockpit Depth	27" (.69m)
Bridge Clearance	7'2" (2.2m)
T-Top	7'10" (2.4m)
Radar Arch	7'10" (2.4m)
Max HP - O/B	675 HP (684.45kw)
Baitwell Capacity	38.5 Gal. (145.7L)
Fish Box Capacity (2)	39.25 Gal (148.6L)
Fresh Water Capacity	30 Gals. (113.6L)
Console Cooler Capacity	17.25 Gal. (65.3L)
Sleeping Capacity	2

ENGINE OPTIONS

ENGINE	HP
Merc. T-225XXL	225 EA
Merc. T-225XXL EFI	225 EA
Merc. T-225XXL OPTIMAX	225 EA
Merc. T-250 XXL EFI	250 EA
Merc. Trp-225 XL EFI	225 EA
OMC T-225 TZEC	225 EA
OMC T-250 TZEC	250 EA
OMC Trp-225 TXEC	225 EA

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- 12 Volt Receptacle

- Accessory Buss Bar Under Dash
- Baitwell - Recirculating and Raw Water Washdown, Fresh Water Faucet
- Battery Switch - Dual
- Battery Trays - 27 Series
- Bilge Pumps - (2 @ 1250 GPH)
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- Bracket/Dive Platform - Integrated
- Cabin Cushions
- Cabin Filler Cushion
- Cabin Hatches
- Cabin Lights
- Cabin Table and Pedestal
- City Water Hook-Up
- Cleats - 8" Pop-Up (4), 10" Aft (2) Under Gunnel
- Cockpit Lights
- Cockpit Shower
- Cockpit Bolster Cushions
- Console Cooler - Forward
- Compass
- Dive Ladder - Armstrong
- Door - Companionway - Acrylic
- Electrical Distribution Panel w/Circuit Breakers
- Electronics Box w/Lock
- Fish Boxes Port & Starboard Insulated
- F.I.S.T. Construction
- Foam Flotation - Closed Cell
- Fuel/Water Separators
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Gunnel Trim - Rigid Vinyl w/Stainless Steel Insert
- Hardware - Stainless Steel
- Hatches w/True Gutter System
- Head - Porta Potti
- Head - Enclosed in Center Console w/Fresh Water Shower/Sink/Light
- Horn - Electric
- Illuminated Switches & Breaker Panel
- Leaning Post w/Rod Holders
- N.M.M.A. Certified
- Navigational Lights
- Non-Skid Decks & Gunnels
- Premium Gelcoat
- Rod Holders - 2 Pair
- Rod Racks - 8
- Rope Locker Storage
- Seat - Forward Console
- Self-Bailing Cockpit
- Steering - Hydraulic
- Steering Wheel - Stainless Steel w/Molded Grip

3400 Super Sport Cuddy

Continued...

- Striping Package - Ribbon Tape
- Thru-Hulls - Chrome Plated
- Transom Door
- Transom Sink w/Fresh Water System
- Trim Tabs
- Windshield - Curved Plexiglass

OPTIONAL EQUIPMENT

- Arch Radar w/Rod Holders
- Arch Radar w/Top Gun Outriggers
- Battery Charger
- Canvas - Arch Enclosure w/Top
- Console Cover
- Curtain Package - T-Top
- Graphics Package - Custom
- Head - w/Dockside Discharge
- Head - Electric w/Macerator Pump Out and Holding Tank
- Hull Color - Premium Gelcoat
- Leaning Post - Backrest
- Leaning Post w/Scuba Racks
- Lights - Docking
- Lights - Remote Control Spot
- Lights - Spreader (Top or Arch Req.)
- Outriggers - Gunnel Mount
- Seat - Helm, Drop Down
- Seats - Rear Bench (Removable w/Backrest)
- Shrink Wrap
- Stereo - AM/FM Cassette w/4 Speakers
- Stereo - AM/FM CD w/4 Speakers
- Top - Bimini
 - Top - Tee w/Electronics Box
 - Top - Tee w/Top Gun Outriggers
- Windlass - w/Bow Protector, Rope & Chain

ELECTRONICS PACKAGE

- Depth Finder/Fish Finder
- VHF Radio w/Antenna

DELUXE ELECTRONICS PACKAGE

- GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna


PRO SERIES PACKAGE

- Back-Up Baitwell Pump - 1100 GPH
- Chaffing Rings For Gaffs
- K-Planes

- T-Top - Pro Series w/Grab Rail
- 350 Gallon Fuel Tank
- Baitstation - 50 Gallon w/Chart Holder
- Bow Rail - Low Profile
- Tall Windshield

Notes

3400 Bimini Cuddy



SPECIFICATIONS

Length Overall	34'10" (10.6m)
Beam	9'2" (2.8m)
Draft (Hull)	25" (.64m)
Hull Type	22 Deg. (22°)
Fuel Capacity	300 Gal. (1135.5L)
Weight (hull - approx)	7,500 Lbs. (3402.0kg)
Weight (trailer)	11,000 Lbs. (4989.6kg)
Cockpit Area	112 Sq. Ft. (10.4m²)
Cockpit Depth	27" (.69m)
Bridge Clearance	7'2" (2.2m)
W/T-Top	7'10" (2.4m)
W/Radar Arch	7'10" (2.4m)
Max HP - O/B	675 HP (684.45kw)
Baitwell Capacity	38.5 Gal. (145.7L)
Fish Box Capacity (2)	39.25 Gal (148.6L)
Fresh Water Capacity	...30 Gals. (113.6L)
Console Cooler Capacity	17.25 Gal. (65.3L)
Sleeping Capacity	2

ENGINE OPTIONS

Merc. T-225XXL	225 EA
Merc. T-225XXL EFI	225 EA
Merc. T-225XXL OPTIMAX	225 EA
Merc. T-250 XXL EFI	250 EA
Merc. Trp-225 XL EFI	225 EA
OMC T-225 TZEC	225 EA
OMC T-250 TZEC	250 EA
OMC Trp-225 TXEC	225 EA

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- 12 Volt Receptacle
- Accessory Buss Bar Under Dash

- Baitwell - Recirculating and Raw Water Washdown
- Battery Switch - Dual
- Battery Trays - 27 Series
- Bilge Pumps - (2)
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- Bracket/Dive Platform - Integrated
- Cabin Cushions
- Cabin Filler Cushion
- Cabin Hatches
- Cabin Lights
- Cabin Table and Pedestal
- City Water Hook-Up
- Cleats - 8" Pop-Up (4), 10" Aft (2) Under Gunnel
- Cockpit Lights
- Cockpit Shower
- Cockpit Bolster Cushions
- Console Cooler - Forward
- Compass
- Door - Companionway - Acrylic
- Electrical Distribution Panel w/Circuit Breakers
- Electronics Box w/Lock
- Fish Boxes Port & Starboard Insulated
- F.I.S.T. Construction
- Foam Flotation - Closed Cell
- Fuel/Water Separators
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Gunnel Trim - Rigid Vinyl w/Stainless Steel Insert
- Hardware - Stainless Steel
- Hatches w/True Gutter System
- Head - Porta Potti
- Head - Enclosed in Center Console w/Fresh Water Shower/Sink/Light
- Horn - Electric
- Illuminated Switches & Breaker Panel
- Leaning Post w/Rod Holders
- N.M.M.A. Certified
- Navigational Lights
- Non-Skid Decks & Gunnels
- Premium Gelcoat
- Rod Holders - 2 Pair
- Rod Racks - 8
- Rope Locker Storage
- Seat - Forward Console
- Self-Bailing Cockpit
- Shore Power w/Cord
- Steering - Hydraulic
- Steering Wheel - Stainless Steel w/Molded Grip

3400 Bimini Cuddy

Continued...

- Striping Package - Ribbon Tape
- Thru-Hulls - Chrome Plated
- Transom Door
- Transom Sink w/Fresh Water System
- Trim Tabs
- Windshield - Curved Plexiglass
- Zinc Saver

OPTIONAL EQUIPMENT

- Air Conditioning
- Arch Radar w/Rod Holders
- Arch Radar w/Top Gun Outriggers
- Arch Enclosure w/Top
- Battery Charger
- Canvas - Arch Enclosure w/Top
- Console Cover
- Curtain Package - T-Top
- Dive Ladder - Armstrong
- Generator w/Carbon Monoxide Detector
- Graphics Package - Custom
- Head - w/Dockside Discharge
- Head - Electric w/Macerator Pump Out and Holding Tank
- Hull Color - Premium Gelcoat
- Ladder - 3 Step Folding
- Leaning Post - Backrest
- Leaning Post w/Scuba Racks
- Lights - Docking
- Lights - Remote Control Spot
- Lights - Spreader (Top or Arch Req.)
- Outriggers - Gunnel Mount
- Seat - Helm, Drop Down
- Seats - Rear Bench (Removable w/Backrest)
- Shrink Wrap
- Stereo - AM/FM Cassette w/4 Speakers
- Stereo - AM/FM CD w/4 Speakers
- Top - Bimini
- Top - Tee w/Electronics Box
- Top - Tee w/Top Gun Outriggers
- Water Heater
- Windlass - w/Bow Protector, Rope & Chain

ELECTRONICS PACKAGE

- Depth Finder/Fish Finder
- VHF Radio w/Antenna

DELUXE ELECTRONICS PACKAGE

- GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna

WEEKENDER PACKAGE

- Battery Charger
- Ice Maker

Notes



Walkaround Series

201 • 221 • 241 • 251

2610 • 2810 • 2950

3250 EXP • 3310 SF

The new 1999 line of Pro-Line Cabin Boats are truly phenomenal. Demand for these fishing machines have been outstanding and, with the addition of new product, this line offers more models than any of the competition.


When presenting the Pro-Line cabin boats, be sure and get your prospects into the boat. Point out the deep interior freeboard, the placement of all the necessary fishing equipment, the deep wide walkarounds, collapsible hinges on the floor hatches, thru-bolted stainless steel hardware with backing plates, large cleats, molded bow pulpit (where applicable) and more.

Inside the cabins, your customers will find the most spacious and accommodating interiors of any on the market. Fabrics are made of high grade Scotchguarded materials that zip open to allow the covers to be washed. Hardware down below is second to none and the models with enclosed heads give your prospects plenty of room to make even the largest angler comfortable. Storage is abundant and headliners are made of premium foam backed vinyl for ease of maintenance.

Every Pro-Line model comes with full instrumentation and a complete set of weather resistant rocker switches. Wiring is color coded and every connection is heat shrunk to ensure no corrosion or breakage. Pro-Line even goes as far as labeling the bus-bars to make adding future equipment as easy as 1, 2, 3!

The hulls are all built with rough water capabilities in mind. Boasting deep vee hulls with reversed chines, the ride is stable, dry and feels like a much bigger boat.

If your prospects are looking for a true cabin boat with amenities that no other offers, then a Pro-Line cabin boat is for them!

1999 **201 Walkaround****SPECIFICATIONS**

Length Overall	20'2" (6.1m)
Beam	8'0" (2.4m)
Draft (Hull)	12" (.30m)
Fuel Capacity	70 Gal.(265.0m)
Weight (hull - approx)	2,500 Lbs.(1134.0kg)
Weight (trailer)	3,500 Lbs.(1587.6kg)
Cockpit Area	29 Sq. Ft.(2.7m ²)
Cockpit Depth	22.5" (.57m)
Bridge Clearance	5'5" (1.7m)
Hard Top	7'6" (2.3m)
Max HP - O/B	175 HP (177.45kw)
I/O	190 HP (192.66kw)
Baitwell Capacity	27.25 Gal.(103.1L)
Fish Box Capacity	27.25 Gal.(103.1L)
Cabin Head Room	4'7" (1.4m)
Sleeping Capacity	2

ENGINE OPTIONS

<u>ENGINE</u>	<u>HP</u>
Merc. 150 OPTI-MAX	150
Merc. 150 XL	150
OMC 150 EXEC OCEAN	150
OMC 150 FSXEC FICHT	150
Merc. 4.3LA I/O	190
Volvo 4.3 GLDP	190

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Accessory Buss Bar Under Dash
- Battery Tray
- Bilge Pump - 1250 GPH
- Cabin Cushions

- Cabin Portholes - 2
- Carbon Monoxide Detector with I/O Package Only
- Cleats - 8" (3) - Stainless Steel
- Cushion - Forward Filler
- Door - Acrylic Bi-Fold
- Drink Holders
- F.I.S.T. Fiberglass Stringer System
- Foam Flotation - Closed Cell
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Gel Coat - Premium
- Gunnel Trim - Rigid Vinyl
- Hardware - Thru Bolted (Stainless Steel)
- Hatches
- Horn - Electric
- Illuminated Switches & Breaker Panel
- N.M.M.A. Certified
- Navigation Lights
- Non-Skid Decks & Gunnels
- Rod Holders - 1 Pair
- Rod Racks - 6
- Rope Locker Storage
- Seats - Aft Jump
- Seats - Captain's Chairs
- Self-Bailing Cockpit
- Steering Wheel - Stainless Steel
- Steering - No Feed Back (Manual with I/O)
- Steering - Pre-Rig, No Feed Back
- Striping - Blue, Classic Blue, Green, Black
- Tackle Storage
- Vinyl Headliner
- Windshield - Curved Tempered Glass

OPTIONAL EQUIPMENT

- Battery Switch for Dual Batteries
- Compass
- Curtain Package - Bimini
- Curtain Package - Hard Top
- Cushions - Cabin Aft Filler
- Cushions - Fish Box
- Cushion - Motor Box (I/O)
- Dive Ladder - Armstrong
- Lift Kit
- Lights - Spreader (HT Only)
- Outriggers - Gunnel Mount
- Rod Holders - 1 Pair
- Shrink Wrap
- Steering - Hydraulic



201 Walkaround

Continued...

- Stereo - AM/FM Cassette w/ 2 Speakers
- Stereo - AM/FM CD w/ 2 Speakers
- Top - Bimini w/Windscreen
- Top - Hard Top w/Electronics Box

CONVENIENCE PACKAGE

- Cockpit Lights (1 Pair)
- Dive Platform - Half w/Ladder
- Spring Line Cleats 8" (2)
- Porta Potti
- 12 Volt Receptacle

DELUXE ELECTRONICS PACKAGE

- Compass
- GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna

ELECTRONICS PACKAGE

- Compass
- Depth Finder/Fish Finder
- VHF Radio w/Antenna

FISH PACKAGE


- Baitwell - Recirculating
- Raw Water Washdown
- Rod Holders (1 Pair)



Notes

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

221 Walkaround



SPECIFICATIONS

Length Overall	22'6" (6.9m)
Beam	8'4" (2.5m)
Draft (Hull)	16" (.41m)
Fuel Capacity	95 Gal. (359.6L)
Weight (hull - approx)	3,100 Lbs. (1406.2kg)
Weight (for trailering)	4,500 Lbs. (2041.2kg)
Cockpit Area	58 Sq. Ft. (5.4m ²)
Cockpit Depth	27" (.69m)
Max HP - O/B	225 HP (228.15kw)
Fresh Water Capacity (std)	..7 Gal. (26.5L)
Bridge Clearance	5'5" (1.7m)
Cabin Head Room	4'6" (1.4m)
Fish Box Capacity	27.25 Gal. (103.1L)
Baitwell Capacity	27.25 Gal. (103.1L)
Sleeping Capacity	2

ENGINE OPTIONS

ENGINE	HP
Merc. 150 XL	150
Merc. 150 XL OPTIMAX	150
Merc. 200 XL	200
Merc. 200 XL OPTIMAX	200
Merc. 225 XL	225
Merc. 225 XL EFI	225
Merc. 225 XL OPTIMAX	225
OMC 150 OCEAN	150
OMC 150 FSXEC FICHT	150
OMC 200 TXEC	200
OMC 225 TXEC	225

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Aft Jump Seats (2)
- Anchor Locker Storage
- Battery Tray
- Bilge Pump - 1250 GPH
- Cabin Cushion
- Cabin Hatch
- Cabin Porthole Windows - 2
- Cleats - 8" (4)
- Cushion - Fwd. Filler
- Door - Acrylic Bi-Fold
- Drink Holders (2)
- Electric Horn
- F.I.S.T. Fiberglass Stringer System
- Foam Flotation - Closed Cell
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Garboard Drain
- Gelcoat Premium
- Gunnel Trim - Rigid Vinyl w/Stainless Steel Insert
- Hardware - Stainless Steel Thru-Bolted
- Hatches w/True Gutter System
- Illuminated Switch & Breaker Panel
- N.M.M.A. Certified
- Navigation Lights
- Non-Skid Decks
- Rod Holders - 1 Pair
- Rod Racks - Cockpit (6)
- Rope Locker Storage
- Seats - Captain's Chairs
- Self-Bailing Cockpit
- Stainless Steel Bowrail
- Stainless Steel Deck Hardware (Thru-Bolted)
- Steering Wheel - Stainless Steel
- Steering - No Feedback
- Striping - Blue, Classic Blue, Green, Black
- Terminal Bar Helm and Transom
- Windshield - Curved Tempered Glass

OPTIONAL EQUIPMENT

- Battery Charger - 12/24 Volt
- Battery Switch For Dual Batteries
- Compass
- Curtain Package - Bimini
- Curtain Package - Hard Top
- Cushions - Fish Box
- Dive Ladder - Armstrong



221 Walkaround

Continued...

- Head - Porta Potti w/Dockside Discharge
- Lift Kit
- Remote Spot Light (Requires Hard Top)
- Rod Holders - 1 Pair
- Shrink Wrap
- Stereo - AM/FM Cassette w/2 Speakers
- Stereo - AM/FM/CD w/2 Speakers
- Steering - Hydraulic
- Spreader Lights
- Top - Bimini w/Windscreen
- Top -Hard Top w/Electronics Box
- Top Gun Outriggers (Gunnel or T-Top Mount)

CONVENIENCE PACKAGE

- Cockpit Lights (1 Pair)
- Dive Platform - Half w/Ladder
- Spring Line Cleats 8" (2)
- Porta-Potti w/Aft Filler Cushion
- 12 Volt Receptacle
- Cockpit Bolsters

DELUXE ELECTRONICS PACKAGE

- Compass
- GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna

ELECTRONICS PACKAGE


- Compass
- Depth Finder/Fish Finder
- VHF Radio w/Antenna

FISH PACKAGE

- Baitwell - Recirculating/Washdown System
- Rod Holders (1 Pair)



Notes

1999 **241 Walkaround****SPECIFICATIONS**

Length Overall	25'5" (7.7m)
Beam	8'6" (2.6m)
Draft (Hull)	14" (.36m)
Fuel Capacity - O/B	138 Gal.(522.3L)
I/O	138 Gal.(522.3L)
Weight (hull - approx)	3,740 Lbs.(1696.5kg)
Weight (for trailering)	5,500 Lbs.(2494.8kg)
Cockpit Area	53 Sq. Ft.(4.9m ²)
Cockpit Depth	28" (.71m)
Max HP - O/B	300 HP(304.20kw)
Fresh Water Capacity	15 Gal.(56.8L)
Bridge Clearance	5'8" (1.7m)
w/Hard Top	8'4" (2.5m)
Cabin Head Room	4'9" (1.4m)
Fish Box Capacity	30 Gal. (113.6L)
Baitwell Capacity	15.5 Gal. (58.7L)
Sleeping Capacity	2

ENGINE OPTIONS

<u>ENGINE</u>	<u>HP</u>
Merc. 200 XL	200
Merc. 200 XL OPTIMAX	200
Merc. 225XL	225
Merc. 225XL EFI	225
Merc. 225 XL OPTIMAX	225
Merc. 250 XL EFI	250
Merc. T-150XL	150 EA
Merc. T-150XL OPTIMAX	150 EA
OMC 200 TXEC	200
OMC 225 TXEC	225
OMC 250 TXEC	250

OMC T-150 EXEC	150 EA
OMC T-150 FICHT	150 EA
Merc. 5.7L B2	250
Merc. 5.7L B3	250
Merc. 5.7L EFI B3	250
Volvo 5.0 GIDP	250
Volvo 5.7 GSIDP	280

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Accessory Bus Bar Under Dash
- Bilge Pumps - 1250 GPH Aft, 500 GPH Forward
- Battery Tray
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- Bracket - Single +2 (O/B)
- Cabin Cushions & Bolsters
- Cabin Door - Acrylic
- Cabin Hatch
- Cabin Lights
- Cabin V-Berth Carpeted Storage
- Cabin Opening Porthole Windows & Screens (2)
- Carbon Monoxide Detector (I/O)
- Cleats - 8" (5)
- Drink Holders
- F.I.S.T. Fiberglass Stringer System
- Foam Flotation - Closed Cell
- Forward Cabin Shelves w/Mirrored Doors
- Fresh Water Cabin Sink
- Fuel/Water Separator
- Full Galley w/Sink, Ice Box & Butane Stove
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Gel Coat - Premium
- Gunnel Trim - Rigid Vinyl w/Stainless Steel Insert
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Hawse Pipes - Aft (Port/Stbd.)
- Horn - Electric
- Illuminated Switch and Breaker Panel
- Insulated Aft Baitwell
- Insulated Fish Storage Box (Dual Mid-Cockpit)
- N.M.M.A. Certified
- Navigation Lights
- Non-Skid Decks & Gunnels
- Remote Oil Deck Fills (Engine Pkg as Required)
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (6)

241 Walkaround

Continued...

- Rope Locker Storage
- Seats - Captain's Chairs
- Self Bailing Cockpit
- Steering - Hydraulic (O/B Only)
- Steering Wheel - Stainless Steel
- Striping - Blue, Classic Blue, Green, Black
- Tackle Storage
- Transom Door
- Windshield - Tempered Glass w/Vent

OPTIONAL EQUIPMENT

- Battery Switch-Dual
- Battery Switches - Dual For Twin Engines
- Bracket - Twin + 2
- Cockpit Shower
- Compass
- Curtain Package - Bimini
- Curtain Package - Hard Top
- Cushion - Cabin Aft Filler
- Cushions - Forward Fish Box
- Dive Ladder - Armstrong
- Head - Porta Potti w/Dockside Discharge
- Lift Kit
- Lights - Remote Control Spot (Hard Top Req.)
- Lights - Spreader (Hard Top Required.)
- Outriggers - Gunnel Mount
- Seat-Rear Bench Removable
- Shrink Wrap
- Stereo - AM/FM Cassette w/4 Speakers
- Stereo - AM/FM CD w/4 Speakers
- Top - Bimini w/Windscreen
- Top - Hard w/Electronics Box
- Trim Tabs
- Wiper - Port and/or Stbd.

CONVENIENCE PACKAGE

- Cockpit Bolster Cushions
- Windshield Wiper
- Porta Potti
- Cockpit Lights (1 Pair)
- Dive Platform - Half
- Spring Line Cleats
- 12 Volt Receptacle
- Cabin Table w/Pedestal & Forward Filler Cushion

DELUXE CONVENIENCE PACKAGE

- Cockpit Bolster Cushions
- Windshield Wiper
- Porta Potti
- Cockpit Lights (1 Pair)
- Full Dive Platform w/Ladder
- Spring Line Cleats
- 12 Volt Receptacle
- Cabin Table w/Pedestal & Forward Filler Cushion

DELUXE ELECTRONICS PACKAGE

- Compass
- GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna

ELECTRONICS PACKAGE

- Compass
- Depth Finder/Fish Finder
- VHF Radio w/Antenna

FISH PACKAGE


- Baitwell - Recirculating
- Raw Water Washdown
- Faucet for Transom Sink

SEAT PACKAGE (I/O ONLY)

- Motorbox Cushions
- Mid-Ship Seat Cushions

Notes

1999 251 Walkaround

**SPECIFICATIONS**

Length Overall	27'4" (8.3m)
Beam	8'6" (2.6m)
Draft (Hull)	17" (.43m)
Fuel Cap - O/B	175 Gal.(662.4L)
I/O	175 Gal.(662.4L)
Diesel I/O	165 Gal.(624.5L)
Weight (hull - approx)	4,250 Lbs.(1927.8kg)
Weight (for trailering)	6,000 Lbs.(2721.6kg)
Cockpit Area	62 Sq. Ft.(5.8m ²)
Cockpit Depth	29" (.74m)
Max HP - O/B	300 HP(304.20kw)
Bridge Clearance	6'11" (2.1m)
w/Hard Top	8'8" (2.6m)
Cabin Head Room	6'2" (1.9m)
Fish Box (Floor)	..108 Qts. Ea.(102.2L ea)
Fish Box (Mid-Ckpit)	65 Qts. Ea.(61.5L ea)
Baitwell Capacity	51 Qts.(48.3L)
Freshwater Capacity	20 Gal.(75.7L)
Sleeping Capacity	2

ENGINE OPTIONS

ENGINE	HP
Merc. 200 XL	200
Merc. 200 XL OPTIMAX	200
Merc. 225 XL	225
Merc. 225 XL EFI	225
Merc. 225 XL OPTIMAX	225
Merc. 250 XL EFI	250
Merc. T-150 XL	150 EA
Merc. T-150 XL OPTIMAX	150 EA

OMC 200 TXEC	200 EA
OMC 225 TXEC	225 EA
OMC T-150 EXEC	150 EA
OMC T-150 FICHT	150 EA
Merc. 5.7L B3	250
Merc. 5.7L EFI B3	250
Merc 7.4L MPI	300
Volvo 5.0 GIDP	250
Volvo 5.7 GSIDP	280
Volvo 7.4 GIDP	300
Volvo AD 41P/DP	188

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Accessory Bus Bar Under Dash
- Battery Tray
- Bilge Pumps: 2, 1250 GPH Aft, 500 GPH Forward
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- Bracket - +2 (O/B)
- Cabin Cushions & Bolsters
- Cabin Door - Sliding Plexiglass
- Cabin Hatch
- Cabin Lights
- Cabin Table w/Single Pedestal Support
- Cabin V-Berth Storage - Carpeted
- Cabin Porthole Windows & Screens - 4
- Carbon Monoxide Detector (I/O)
- Cleats - 8" (5)
- Cockpit Bolster Cushions
- Drink Holders
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Forward Cabin Shelves w/Mirrored Doors
- Fuel/Water Separator
- Full Galley w/Sink, Ice Box & Butane Stove
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Gel Coat - Premium
- Glove Box w/Lock
- Gunnel Trim - Rigid Vinyl w/Stainless Steel Insert
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Hawse Pipes - Aft (Port/Stbd.)

251 Walkaround

Continued...

- Head - Full Stand-up w/Shower
- Head - Porta Potti
- Horn - Electric
- Hydraulic Steering (O/B Only)
- Illuminated Switch and Breaker Panel
- Insulated Aft Baitwell
- Insulated Fiberglass Fish Storage Box (2 In Floor w/Macerator)
- N.M.M.A. Certified
- Navigation Lights
- Non-Skid Decks & Gunnels
- Remote Oil Deck Fills (Engine Pkg. as Required)
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (6)
- Rope Locker Storage
- Seats - Captain's Chairs
- Self-Bailing Cockpit
- Steering Wheel - Stainless Steel
- Striping - Blue, Classic Blue, Green, Black
- Tackle Storage
- Transom Door
- Windshield - Tempered Glass w/Vents

OPTIONAL EQUIPMENT

- Air Conditioning (5000 BTU)
- Battery Switch - Dual
- Battery Switch - Dual for Twin Engines
- Bracket - Twin + 2
- Cockpit Shower
- Compass
- Curtain Package - Bimini
- Curtain Package - Hard Top
- Cushions - Cabin Aft Filler
- Cushions - Mid Ship Fish Boxes
- Dive Ladder - Armstrong
- Head - w/Dockside Discharge
- Head - Electric w/Macerator, Holding Tank, Pump Out & Overboard Discharge
- Lift Kit (NA w/Windlass)
- Lights - Remote Control Spot
- Lights - Spreader (Hard Top Required)
- Outriggers - Gunnel Mount
- Seat - Rear Bench Removable
- Shrink Wrap
- Stereo - AM/FM Cassette w/4 Speakers
- Stereo - AM/FM CD w/4 Speakers

- Top - Bimini w/Windscreen
- Top - Hard w/Electronics Box
- Trim Tabs
- Windlass - w/Bow Protector, Rope and Chain
- Wiper - Port and/or Stbd.

CONVENIENCE PACKAGE

- Windshield Wiper
- Cockpit Lights (1 Pair)
- 1/2 Dive Platform
- Spring Line Cleats
- 12 Volt Receptacle

DELUXE CONVENIENCE PACKAGE

- Windshield Wiper
- Cockpit Lights (1 Pair)
- Full Dive Platform w/Ladder
- Spring Line Cleats
- 12 Volt Receptacle

FISH PACKAGE

- Baitwell - Recirculating
- Raw Water Washdown
- Faucet for Transom Sink

ELECTRONICS PACKAGE

- Compass
- Depth Finder/Fish Finder
- VHF Radio w/Antenna

DELUXE ELECTRONICS PACKAGE

- Compass
- GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna


WEEKENDER PACKAGE

- DC Refrigerator
- Battery Charger
- Alcohol/Electric Stove
- Shore Power w/Cord
- 110v Outlets (2), GFI protected
- Electrical Dist. Panel
- Zinc Saver

SEAT PACKAGE

- Midship Fish Box Cushions
- Motor Box Cushion (I/O Only)

1999

2610 Walkaround**SPECIFICATIONS**

Length Overall	27'6" (8.4m)
Beam	9'10" (3.0m)
Draft (Hull)	21" (.53m)
Fuel Capacity - O/B	200 Gals. (757.0L)
I/O	165 Gals. (624.5L)
Weight (hull- approx)	5,900 Lbs. (2676.2kg)
Trailer Wt. (approx)	9,000 Lbs. (4082.4kg)
Cockpit Area	65 Sq. Ft. (6.0m ²)
Cockpit Depth	25" (.64m)
Bridge Clearance	7'3" (2.0m)
w/Hard Top	9'1" (2.8m)
Max HP - O/B	450 HP (456.30kw)
I/O	330 HP 334.62kw)
Baitwell Capacity (I/O)	54 QT (51.1L)
Baitwell Capacity (O/B)	154 QT (146.7L)
Fish Box Capacity (2)	100 Qts. ea. (94.6L ea)
Fresh Water Capacity	...30 Gals. (113.6L)
Sleeping Capacity	2

ENGINE OPTIONS

<u>ENGINE</u>	<u>HP</u>
Merc. T-150 XL	150 EA
Merc. T-150 XL OPTIMAX	150 EA
Merc. T-200 XL	200 EA
Merc. T-200 XL OPTIMAX	200 EA
Merc. T-225 XL	225 EA
Merc. T-225 XL EFI	225 EA
Merc. T-225 XL OPTIMAX	225 EA
OMC T-150 EXEC	150 EA
OMC T-150 FICHT	150 EA

OMC T-200 TXEC	200 EA
OMC T-225 TXEC	225 EA
Merc. 7.4 MPI B2	300
Merc. 7.4 MPI B3	300
Volvo 7.4 GL/DP	310
Volvo KAD 44P	243
Yanmar 300 DIESEL	300

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- 12 Volt Dash Receptacle
- Accessory Buss Bar Under Dash
- Bait & Tackle Station w/Aft Recirculating Baitwell, Raw Water Washdown, Freshwater Sink
- Battery Switch
- Battery Trays
- Bilge Pumps: 2, 1250 GPH Aft, 500 GPH Forward
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- Bracket - Twin +2
- Cabin Portholes
- Cabin Lights
- Cabin Cushions and Bolsters
- Cabin V-Berth Carpeted Storage
- Carbon Monoxide Detector (I/O)
- Cleats - 8" (3)
- Cleats - 10" (2)
- Cockpit Lights
- Cockpit Bolsters
- Cockpit Shower
- Cockpit Storage Boxes
- Companionway Door - Sliding
- Compass
- Control - Binnacle Mount
- Cooler - Cockpit Seat
- Dive Platform w/Ladder - Full
- Drink Holders
- Electronics Box w/Lock
- Fish Boxes Port and Starboard - Insulated
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Fuel/ Water Separators
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Galley - Sink, Ice Box and Butane Stove
- Grab Rail - S/S (Not Available w/Hard Top)
- Gelcoat - Premium
- Gunnel Trim - Rigid Vinyl w/Stainless Insert



2610 Walkaround

Continued...

- Hardware - Thru-Bolted (Stainless Steel)
- Hawse Pipes - (2) Aft
- Head - Stand-up Shower
- Head - Porta Potti
- Horn - Electric
- Illuminated Switch and Breaker Panel
- Lights - Navigational
- N.M.M.A. Certified
- Non-Skid Decks & Gunnels
- Remote Oil and Deck Fills
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (6)
- Rope Locker Storage
- Seats - Captain Chairs
- Self-Bailing Cockpit
- Shore Power Cord
- Steering Wheel - Stainless Steel w/Molded Grip
- Steering - Hydraulic
- Striping - Blue, Classic Blue, Green, Black
- Storage - Port/ Starboard
- Tackle Box
- Thru-Hull Fittings - Chromed
- Transom Door
- Trim Tabs
- Windshield - Curved Front w/Side Vents
- 110 Volt Outlets GFI Protected
- Zinc Saver

OPTIONAL EQUIPMENT

- Air Conditioning - 7,000 BTU
- Cleats - 8" Springline (2)
- Curtain Package - Bimini Top
- Curtain Package - Hard Top
- Cushion - Motor Box (I/O)
- Dive Ladder - Armstrong
- Generator - (O/B only w/Carbon Monoxide Det.)
- Graphics - Ribbon Tape or Paint
- Head - w/Dockside Discharge
- Head - Electric with Macerator and Holding Tank w/Pump Out
- Hull Color - Premium Gelcoat
- Lift Kit - (NA w/Windlass)
- Light - Remote Spot (Required Hard Top)
- Light - Spreader (Required Hard Top)
- Microwave



- Outriggers - Gunnel Mount
- Seat - Rear Bench (Removable - O/B Only)
- Seats - Mid-Ship Removable
- Shrink Wrap
- Stereo - AM/FM Cassette w/4 Speakers
- Stereo - AM/FM CD w/4 Speakers
- Top - Bimini w/Windscreen
- Top - Hard w/Electronics Box and Rocket Launchers
- Top - Hard w/Top Gun Outriggers
- Water Heater
- Windlass w/Rope and Chain
- Wiper - Port and/or Stbd.

WEEKENDER PACKAGE

- Battery Charger
- DC Refrigerator
- Alcohol/Electric Stove

ELECTRONICS PACKAGE


- VHF Radio w/Antenna
- Depth Finder/Fish Finder

DELUXE ELECTRONICS PACKAGE

- VHF Radio w/Antenna
- GPS/Depth Finder/Fish Finder

Notes

1999 2810 Walkaround



SPECIFICATIONS

Length Overall	29'6"(9.0m)
Beam	10'2"(3.1m)
Draft (Hull)	25"(.64m)
Fuel Capacity	200 Gals.(757.0L)
Weight (hull- approx)	6,500 Lbs.(2948.4kg)
Weight (for trailering)	8,500 Lbs.(3855.6kg)
Cockpit Area	72 Sq. Ft.(6.7m ²)
Bridge Clearance (Hard Top)	10'2"(3.1m)
Max HP	500 HP(507.0kw)
Cabin Headroom	6'3"(1.9m)
Baitwell Cap	42 Gal.(159.0L)
Fish Box Cap.	.2@ 120 Qts. Ea.(113.6L ea)
Storage Box Cap.	.2@ 150 Qts.(141.9L ea)
Fresh Water Cap	21 Gal.(79.5L)
Sleeping Capacity	2

ENGINE OPTIONS

ENGINE	HP
Merc. T-200 XL	200 EA
Merc. T-200 XL OPTIMAX	200 EA
Merc. T-225XL	225 EA
Merc. T-225XL EFI	225 EA
Merc. T-225 XL OPTIMAX	225 EA
Merc. T-250 XL EFI	250 EA
OMC T-200 TXEC	200 EA
OMC T-225 TXEC	225 EA
OMC T-250 TXEC	250 EA

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- 12 Volt Dash Receptacle

- Accessory Buss Bar Under Dash
- Bait & Tackle Station - Recirculating Baitwell, Raw Water Washdown, Selector Panel, Freshwater Sink
- Battery Trays - 27 Series
- Battery Switches
- Bilge Pumps: , 1250 GPH Aft, 500 GPH Forward
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- Bracket/Dive Platform - Integrated
- Cleats - 8" (5)
- Cleats - 10" (2)
- Cockpit Lights
- Cockpit Bolsters Cushions
- Cockpit Shower
- Cockpit Storage Boxes - Foam Insulated
- Companionway Door - Sliding (Acrylic)
- Compass
- Cooler - Cockpit Seat (Integrated)
- Cushions - Cabin Bolsters and Filler
- Drink Holders
- Electrical Dist. Panel w/Circuit Breakers
- Electronics Box w/Lock
- Flotation Foam - Closed Cell
- Fish Boxes Port and Starboard - Insulated w/Macerator
- F.I.S.T. Fiberglass Stringer System
- Fuel/ Water Separators
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Galley - Sink, Ice Box and Butane Stove
- Gelcoat - Premium
- Grab Rail - Stainless Steel (Not Available w/Hard Top)
- Gunnel Trim - Rigid Vinyl w/Stainless Insert
- Hardware - Thru-Bolted (Stainless Steel)
- Hawse Pipes - Aft (Port/Stbd.)
- Head - Porta Potti
- Head - Stand-up Shower
- Horn - Electric
- Illuminated Switch and Breaker Panel
- Ladder - Recessed
- Lights - Navigational
- N.M.M.A. Certified
- Non-Skid Decks & Gunnels
- Outlets - (2) 110 V - GFI Protected
- Remote Oil and Deck Fills (Engine Pkg. as Required)
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (6)

2810 Walkaround

Continued...

- Rope Locker Storage
- Seats - Captain's Chairs
- Self-Bailing Cockpit
- Shore Power w/Cord
- Steering - Hydraulic
- Steering Wheel - Stainless Steel w/Molded Grip (Stainless Steel)
- Striping Pkg - Blue, Classic Blue, Green, Black
- Storage Compartments - Port/ Stbd. Wings
- Tackle Box
- Thru-Hull Fittings - Chrome Plated
- Transom Door
- Trim Tabs
- Windshield - Curved Tempered Glass w/Side Vents
- Zinc Saver

OPTIONAL EQUIPMENT

- Air Conditioning - 7,000 BTU
- Curtain Package - Bimini
- Curtain Package - Hard Top
- Dive Ladder - Armstrong
- Generator - w/Carbon Monoxide Detector
- Graphics - Custom (Tape or Paint)
- Head - w/Dockside Discharge
- Head - Electric w/Macerator and Holding Tank w/Pump Out , Overboard Discharge
- Head - Vaccu-Flush
- Hull Color - Premium Gelcoat
- Lift Kit - (N/A w/Windlass)
- Light - Remote Control Spot (Requires Hard Top)
- Lights - Spreader (Requires Hard Top)
- Microwave
- Outriggers - Gunnel Mount
- Seat - Rear Bench (Removable)
- Shrink Wrap
- Stereo - AM/FM Cassette w/4 Speakers
- Stereo - AM/FM CD w/4 Speakers
- Top - Bimini w/Windscreen
- Top - Hard Top w/Electronics Box
- Top - Hard Top w/Top Gun Outriggers
- Water Heater
- Windlass - Bow Protector, w/Rope and Chain
- Wiper - Port and/or Stbd.

WEEKENDER PACKAGE

- Battery Charger
- DC Refrigerator
- Alcohol/Electric Stove

ELECTRONICS PACKAGE


- VHF Radio w/Antenna
- Depth Finder/Fish Finder

DELUXE ELECTRONICS PACKAGE

- VHF Radio w/Antenna
- GPS/Depth Finder/Fish Finder

Notes

1999 2950 Walkaround

**SPECIFICATIONS**

Length Overall	30'0" (9.1m)
Beam	10'9" (3.3m)
Draft, Up	22" (.56m)
Down	38" (.97m)
Fuel Capacity -	
O/B (Saddle Tanks -2)	..300 Gal.(1135.5L)
I/O (Dual Tanks)	220 Gal.(832.7L)
Weight (hull - approx)	7,500 Lbs.(3402.0kg)
Weight (for trailering)	10,760 Lbs.(4880.7kg)
Cockpit Area	80 Sq. Ft.(7.4m²)
Cockpit Depth	30" (.76m)
Max HP - O/B	500 HP (507.00kw)
I/B	560 HP (567.84kw)
Fresh Water Capacity	42 Gal.(159.0L)
Bridge Clearance	7'1" (2.2m)
w/Hard Top	9'6" (2.9m)
Cabin Head Room	6'6" (2.0m)
Fish Box	50 Gal.(189.3L)
Baitwell	100 Qts.(94.6L)
Sleeping Capacity	4

ENGINE OPTIONS

ENGINE	HP
Merc. T-200 XL	200 EA
Merc. T-200 XL OPTIMAX	200 EA
Merc. T-225XL	225 EA
Merc. T-225XL EFI	225 EA
Merc. T-225 XL OPTIMAX	225 EA
Merc. T-250 XL EFI	250 EA
OMC T-200 TXEC	200 EA
OMC T-225 TXEC	225 EA

OMC T-250 TXEC	250 EA
Merc. T-5.7L B2	250 EA
Merc. T-5.7L B3	250 EA
Merc. T-5.7L EFI B2	250 EA
Merc. T-5.7L EFI B3	250 EA
Volvo T-5.0 GIDP	250 EA
Volvo T-5.7 GSIDP	280 EA

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- 12 Volt Dash Receptacle
- Accessory Bus Bar Under Dash
- Battery Tray - Dual - 27 Series
- Battery Switches
- Bait & Tackle Station - Recirculating Baitwell, Raw Water Washdown, Selector Panel, Fresh Water Sink
- Bench Seat - Helm Command
- Bilge Pumps - 2
- Bow Pulpit - w/Anchor Roller
- Bow Seat w/Cushion
- Cabin Cushions & Bolsters
- Cabin Hatch
- Cabin Lights
- Cabin Rod Racks
- Cabin Shelves w/Mirrored Doors
- Cabin Table - Single Pedestal Support
- Cabin Windows w/Curtains
- Carbon Monoxide Detector (I/O and or Gen.)
- City Water Hook-Up
- Cleats - 10" (4)
- Cleats - 8" (5)
- Cockpit Shower
- Cockpit Bolster Cushions
- Cockpit Recessed Rod Racks
- Cockpit Seat with Cushion
- Cockpit Lights
- Compass
- Dive Platform w/Ladder - Full
- Door - Cabin - Acrylic Bi-Fold
- Drink Holders
- Electrical Dist. Panel w/Circuit Breakers
- Glove Box w/Lock - Helm
- Fish Boxes Port and Starboard - Insulated w/Macerator
- Fish Storage Box - Insulated Fiberglass (Single Mid-Cockpit)

2950 Walkaround

Continued...

- F.I.S.T. Fiberglass Stringer System
- Foam Flotation - Closed Cell
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Full Galley w/Sink, Ice Box & Butane Stove
- Gel Coat - Premium
- Gunnel Trim - Rigid Vinyl w/Stainless Steel Insert
- Hardware - Thru Bolted (Stainless Steel)
- Hatches with True Gutter System
- Hawse Pipes - Aft
- Head - Full Stand-up Shower
- Head - Porta Potti
- Horn - Electric
- Hydraulic Steering - O/B Only
- Illuminated Switch and Breaker Panel
- Knife & Pliers Holder - Transom
- Mid-Cabin Berth
- Mid-Cabin Window & Screen
- N.M.M.A. Certified
- Navigation Light
- Non-Skid Decks & Gunnels
- Outlets - 110 V (2) - GFI Protected
- Remote Oil Deck Fills (Engine Package as Required)
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (6)
- Rope Locker Storage
- Self-Bailing Cockpit
- Shore Power w/Cord • Steering - Hydraulic
- Steering Wheel - Stainless Steel w/Molded Grip
- Storage - Compartments (Port & Stbd. Wing)
- Storage - V-Berth (Carpeted)
- Striping Pkg - Blue, Classic Blue, Green, Black
- Tackle Box
- Thru-Hull Fittings - Chrome Plated
- Transom Door
- Trim Tabs
- Windshield - Curved Tempered Glass w/Center Vent
- Zinc Saver

OPTIONAL EQUIPMENT

- Air Conditioning - 9,000 BTU

- Curtain Package - Bimini Top
- Curtain Package - Hard Top
- Dive Ladder - Armstrong
- Generator - w/Carbon Monoxide Detector
- Graphics - Custom (Tape or Paint)
- Head - w/Dockside Discharge
- Head - Electric w/Macerator, Holding Tank, Pump Out, Overboard Discharge
- Hull Color - Premium Gelcoat
- Lift Kit (N/A w/Windlass)
- Lights - Remote Control Spot (Requires Hard Top)
- Lights - Spreader (Requires Hard Top)
- Microwave
- Outriggers - Gunnel
- Seat - Rear Bench (Removable)
- Shrink Wrap
- Stereo - AM/FM Cassette w/4 Speakers
- Stereo - AM/FM CD w/4 Speakers
- Top - Bimini w/Windscreen
- Top - Hard w/Electronics Box
- Top - Hard w/Top Gun Outriggers
- Water Heater
- Windlass - Bow Protector w/Rope and Chain
- Wiper - Port and/or Stbd.

ELECTRONICS PACKAGE

- Depth Finder/Fish Finder
- VHF Radio w/Antenna

DELUXE ELECTRONICS PACKAGE


- GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna

WEEKENDER PACKAGE

- Battery Charger
- Alcohol/Electric Stove
- DC Refrigerator

Notes

3250 Express



SPECIFICATIONS

Length Overall	33'8" (10.3m)
Beam	11' (3.4m)
Draft (Hull)	25" (.64m)
Fuel Capacity	250 Gal. (946.3L)
Weight (approx.)	...12,000 Lbs. (5443.2kg)
Cockpit Area	75 Sq. Ft. (7.0m ²)
Cockpit Depth	26" (.66m)
Max HP	660 HP (669.24kw)
Cabin Head Room	6'8" (2.0m)
Baitwell Capacity	35 Gal. (132.5L)
Fish Box Capacity	50 Gal. (189.3L)
Sleeping Capacity	6

ENGINE OPTIONS

ENGINE	HP
Merc. T-5.7L B3	250 EA
Merc. T-7.4 MPI B1	300 EA
Merc. T-7.4 MPI B3	300 EA
Merc. T-5.7L V-Drive I/B	250 EA
Merc. T-7.4L MPI V-Drive I/B	...310 EA
Volvo T-7.4 GL/DP	310 EA

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- 12 Volt Receptacle
- 32 Oz. UV Protected Vinyl
- Baitwell - Recirculating & Raw Water Wash Down w/Transom Fresh Water Sink & Control
- Battery Switch - Mid-Cabin
- Battery Charger
- Bilge Blowers
- Bilge lights
- Bilge Pump - 1500 GPH

- Bow Rails - Stainless Steel
- Bow Roller
- Bow & Stern Eyes - Stainless Steel
- Cabin Entry - 3 Step w/Storage Below and Grab Rail
- Cabin Lighting - Indirect
- Carbon Monoxide Detector
- Circuit Breakers
- City Water hookup
- Cleats - 10" Springline (Stainless Steel)
- Cockpit Courtesy Lights
- Compass
- Crossover Fuel System
- Dash - Full Instrumentation
- Depth Finder
- Dinette w/Storage
- Dinette Conversion To Sleeping Area
- Door - Sliding Plexiglass w/Lock
- Drink Holders
- Engine Hatches Access - 3
- Engine Alarm
- Foam Flotation - Closed Cell
- Forward berth - Private w/Inner Spring Mattress
- Galley - 2 Burner Electric Stove, Refrigerator (AC/DC), Pressurized Water (Hot & Cold), Stainless Steel Round Sink & Hi-Rise Faucet, Microwave, Cabinets - 12 Volt Lighting, Coffee Maker
- Gelcoat - Premium
- Grab Rails - Stainless Steel
- Grab Rails - Transom (Stainless Steel)
- Gunnel Trim - Rigid Vinyl w/Stainless Steel Insert
- Hatches - Deck (3)
- Head - Vacuum Flush W/Overboard Discharge
- Head - Hot & Cold Shower & Vanity, Stainless Steel Oval Sink w/Storage, Tinted Plexiglass Skylight, Wall Mirror
- Helm Seat - Double Wide w/Storage (Adjustable)
- Horn - Electric
- Hour Meters
- Mid Cabin Berth w/Inner Spring Mattress
- N.M.M.A. Certified
- Navigation Lights
- Non-Skid Decks & Gunnels
- Outlet - 110 V - In Head - G.F.I. Protected
- Port Light - (6)
- Rod Storage - Lockable
- Self-Bailing Cockpit
- Shore Power w/Cord
- Steering Wheel - Stainless Steel

3250 Express

Continued...

- Stereo - AM/FM Cassette w/6 Speakers
- Tackle Box - Built-In
- Television w/Video Cassette Player
- Transom Shower - Cold
- Trim Tabs
- Water Heater
- Water Resistant Rocker Switches
- Water & Waste Tank Indicator
- Windlass
- Windshield - Custom Curved Glass w/Powder Coated Aluminum Frame

OPTIONAL EQUIPMENT

- 110 Volt Outlet - Cockpit
- Air Conditioning - Reverse Cycle w/Heater
- Beverage Dispenser
- Cockpit Carpet
- Cockpit Cover
- Compass - Digital
- Controls - Electric (Tower Only)
- Curtain Package - Bimini
- Curtain Package - Hard Top
- Curtain Package - Tower
- Dive Platform w/Ladder - Full
- Generator - Gas - 6.5
- Generator - Diesel - 4.0
- GPS Plotter w/Antenna
- Graphics - Custom (Tape or Paint)
- Grey Water System
- Hull Color - Premium Gelcoat
- Lights - Remote Control Spot (Requires Hard Top)
- Lights - Spreader (Requires Hard Top, Tower or Arch)
- Outriggers - Lee Towers
- Outriggers - Top Guns For Hard Top
- Outriggers - For Cabin Mount
- Radar - Deluxe Color w/Depth Finder
- Seat - Rear Bench (Removable)
- Shower - Cockpit (Hot and Cold)
- Shrink Wrap
- Stereo - AM/FM CD w/6 Speakers
- Stereo - Ultimate AM/FM CD w/7 Speakers
- Sun Pad - Forward
- Telephone/TV Jacks
- Television - Mid Berth

- Top - Bimini w/Windscreen
- Top - Hard Top w/Radio Box & Rocket Launchers
- Top - Radar Arch
- Top - Tower w/Buggy
- Top - Tower w/Dual Station Cable Controls
- VHF Radio
- Wall Vacuum
- Water Filter
- Wiper - Port or Stbd

ELECTRONICS PACKAGE


- Depth Finder/Fish Finder
- VHF Radio w/Antenna

DELUXE ELECTRONICS PACKAGE

- GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna

Notes

3310 Sportfish



SPECIFICATIONS

Length Overall	33'0" (10.1m)
Beam	12'6" (3.81m)
Draft (Hull)	41" (1.04m)
Fuel Capacity	300 Gal. (1,135.5L)
Weight (approx.)	..14,500 Lbs. (6,577.2kg)
Cockpit Area	115 Sq. Ft. (10.7m²)
Cockpit Depth	25" (.64m)
Max HP	840 HP (851.76kw)
Cabin Head Room	6'3" (1.91m)
Baitwell Capacity	35 Gal. (132.5L)
Fish Box Capacity	74.8 Gal. (283.12L)
Sleeping Capacity	4

ENGINE OPTIONS

ENGINE	HP
Merc. T-7.4L MPI B1	310 EA
Merc. T-454 MAG MPI	385 EA
Merc. T-8.2 MPI	400 EA
Caterpillar T-3116TA	300 EA
Caterpillar T-3116TA	350 EA
Yanmar T-300	300 EA
Yanmar T-350	350 EA
Yanmar T-420	420 EA

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- 32 Oz. UV Protected Vinyl
- 110 Volt Outlet - Head
- Baitwell - Recirculating & Saltwater Wash Down w/Transom Fresh Water Sink & Control
- Battery Charger
- Bilge Blowers
- Bilge Pumps - Three Auto/Manual

- Bow Rails - Stainless Steel
- Cleats - 10" Bow & Stern (Stainless Steel)
- Bow Pulpit - Molded In
- Bow Roller
- Bow Rail - Stainless Steel
- Cabin Entry - Steps w/Storage
- Cabin Lighting - Indirect and direct
- Carbon Monoxide Detector
- Circuit Breakers
- City Water hookup
- Cleats - 10" Springline (Stainless Steel)
- Cockpit Courtesy Lights
- Compass
- Dash - Full Instrumentation
- Depth Finder
- Dinette w/Storage
- Dinette - Berth
- Drink Holders
- Engine Alarm
- F.I.S.T Fiberglass Construction
- Foam Flotation - Closed Cell
- Forward berth - Private w/Mattress
- Galley - 2 Burner Electric Stove, Refrigerator (AC/DC), Pressurized Water (Hot & Cold), Stainless Steel Round Sink & Hi-Rise Faucet, Microwave, Cabinets - 12 Volt Lighting, Coffee Maker, Drawers
- Grab Rails - Stainless Steel
- Grab Rails - Transom (Stainless Steel)
- Gunnel Trim - Rigid Vinyl
- Hatches - Deck w/Gutter System
- Head - Vacuum Flush W/Overboard Discharge
- Head - Hot & Cold Shower & Vanity, Molded Sink w/Storage, Tinted Plexiglass, Skylight, Wall Mirror
- Helm Seat - Adjustable
- Horn - Dual Electric Trumpet
- Hour Meters
- N.M.M.A. Certified
- Navigation Lights
- Non-Skid Decks & Gunnels - Diamond Pattern
- Port Light - (6)
- Rod Storage - Lockable
- Seacocks and All Underwater Thru-Hull Fittings - Bronze
- Self-Bailing Cockpit
- Shore Power w/Cord
- Steering - Hydraulic
- Steering Wheel - Stainless Steel
- Stereo - AM/FM Cassette w/6 Speakers



3310 Sportfish

Continued...

- Perma-Grid Fiberglass Stringers System
- Tackle Box - Built-In
- Television w/Video Cassette Player
- Transom - Divinycell
- Trim Tabs
- Water Heater
- Water Resistant Rocker Switches
- Water & Waste Tank Indicator
- Windshield - Custom Curved Glass w/Painted Aluminum Frame
- Windshield Wiper (Starboard Only)

OPTIONAL EQUIPMENT

- 110 Volt Outlet - Cockpit
- Air Conditioning - Reverse Cycle w/Heater
- Auto pilot
- Cockpit Cover
- Compass - Digital
- Controls - Electric (Tower Only)
- Corian Counter Top
- Curtain Package - Bimini
- Curtain Package - Hard Top
- Curtain Package - Tower
- Deluxe Depth Finder/Radar - Color
- Dive Platform w/Ladder
- Generator - Gas or Diesel
- GPS Plotter w/Antenna
- Graphics Package
- Grey Water System
- Hull Color - Premium Gelcoat
- Lights - Remote Control Spot
- Lights - Spreader (Requires Hard Top, Tower or Arch)
- Oil Change Pump
- Outriggers - Lee Towers
- Outriggers - Top Guns For Hard Top
- Outriggers - For Cabin Mount
- Seats - Aft Facing Cockpit Port and Starboard
- Shaft Seals - Dripless
- Shrink Wrap
- Stereo - AM/FM CD w/6 Speakers
- Teak and Holly Sole in Lieu of Carpet
- Telephone/TV Jacks
- Top -Bimini w/Windscreen
- Top - Hard Top w/Radio Box & Rocket Launchers
- Top - Radar Arch



- Top - Tower w/Buggy
- Top - Tower w/Dual Station Cable Controls
- VHF Radio
- Water Filter
- Wiper - Port or Stbd
- Windlass

ELECTRONICS PACKAGE

- Depth Finder/Fish Finder
- VHF Radio w/Antenna

DELUXE ELECTRONICS PACKAGE

- GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna

Notes



Performance

*PRO-LINE BOATS advises that the performance figures are merely an estimate of what you can expect based on our factory testing program. Boat speeds vary depending on weight, fuel load, number of passengers, air temperature, altitude, humidity, barometric pressure, water conditions, wind, engine tuning, horsepower (HP) variance from engine to engine, propellers, and numerous other factors beyond our control. All speeds are obtained by professional test boat drivers in optimum conditions.

170 SPORTSMAN

<u>ENGINE</u>	<u>*MPH</u>
FORCE 90 ELPT	33 - 35
FORCE 120 ELPT	36 - 37
MERC. 125 ELPTO	39 - 40
OMC 90 TSLU	34 - 35
OMC 90 FITCH	37 - 35
OMC 115 SLEU	TBD
OMC 115 FICHT	TBD

180 SPORT UTILITY

<u>ENGINE</u>	<u>*MPH</u>
FORCE 90 ELPT	35 - 37
FORCE 120 ELPT	37 - 38
MERC. 125 ELPTO	40 - 41
OMC 90 TSLU	36 - 37
OMC 90 FITCH	39 - 40
OMC 115 SLEU	TBD
OMC 115 FICHT	TBD
OMC 130	40 - 41

183 FLATS

<u>ENGINE</u>	<u>*MPH</u>
MERC. 115 L	46 - 47
MERC. 125 ELPTO	TBD
OMC 115 TSLEC	37 - 38
OMC 115 FICHT	TBD
OMC 130 TLEC	41 - 42
OMC 150 SLEC (OCEAN)	47 - 48

190 SPORTSMAN

<u>ENGINE</u>	<u>*MPH</u>
FORCE 120 ELPT	38 - 39
MERC. 115 ELPTO	40 - 41
MERC. 150 L	44 - 45
OMC 115 TSLEU	35 - 36
OMC 115 FITCH	TBD
OMC 130 TLEC	36 - 37
OMC 150 SLEC (OCEAN)	48 - 49

200 SPORTSMAN

<u>ENGINE</u>	<u>*MPH</u>
MERC. 150 XL	45 - 46
MERC. 150 XL OPTIMAX	TBD
OMC 150 EXEC (OCEAN)	41 - 42
OMC 150 FSXEC (FICHT)	TBD

202 SPORTSMAN

<u>ENGINE</u>	<u>*MPH</u>
MERC. 150 XL	43 - 44
MERC. 150 XL OPTIMAX	TBD
OMC 150 EXEC (OCEAN)	43 - 44
OMC 150 FSXEC (FICHT)	TBD
MERC. 4.3L	44 - 45
VOLVO 4.3 GLDP	41 - 42

210 SPORTSMAN

<u>ENGINE</u>	<u>*MPH</u>
MERC. 150 XL	45 - 46
MERC. 150 XL OPTIMAX	TBD
MERC. 200 XL	46 - 47
MERC. 200 XL OPTIMAX	TBD
MERC. 225XL	50 - 51
MERC. 225XL EFI	48 - 49
MERC. 225 XL OPTIMAX	TBD
OMC 150 EXEC (OCEAN)	38 - 39
OMC 150 FSXEC (FICHT)	TBD
OMC 200 TXEC	47 - 48
OMC 225 TXEC	50 - 51

220 SPORT

<u>ENGINE</u>	<u>*MPH</u>
MERC. 150	TBD
MERC. 150 XL OPTIMAX	TBD
MERC. 200	47 - 48
MERC. 200 XL OPTIMAX	TBD
MERC. 225	TBD
MERC. 225XL EFI	TBD
MERC. 225 XL OPTIMAX	TBD
OMC 150	TBD
OMC 150 (FICHT)	TBD
OMC 200	45 - 46
OMC 225	TBD

230 SPORT UTILITY

<u>ENGINE</u>	<u>*MPH</u>
MERC. 150 XL	39 - 40
MERC. 150 XL OPTIMAX	TBD
MERC. 200 XL	46 - 47
MERC. 200 XL OPTIMAX	TBD
MERC. 225 XL	50 - 51
MERC. 225 XL EFI	48 - 49
MERC. 225 XL OPTIMAX	TBD
OMC 150 EXEC (OCEAN)	38 - 39
OMC 150 (FICHT)	TBD
OMC 200 TXEC	47 - 48
OMC 225 TXEC	50 - 51

3000 SPORT

<u>ENGINE</u>	<u>* MPH</u>
MERC. T-200 XL	TBD
MERC. T-225 XL	62 - 63
MERC. T-225 XL OPTIMAX	TBD
MERC. T-225 EFI	TBD
MERC. T-250 EFI	64 - 65
OMC T-200 TXEC	TBD
OMC T- 225 TXEC	TBD
OMC T-250	TBD

240 SPORTSMAN

<u>ENGINE</u>	<u>*MPH</u>
MERC. 200 XL	40 - 42
MERC. 200 XL OPTIMAX	TBD
MERC. 225 XL	45 - 47
MERC. 225 XL EFI	47 - 49
MERC. 225 XL OPTIMAX	46 - 48
MERC. 250 XL EFI	48 - 50
MERC. T-150 XL	51 - 53
MERC. T-150 XL OPTIMAX ...	49 - 51
OMC 200 TXEC	40 - 42
OMC 225 TXEC	44 - 45
OMC T-150 EXEC	48 - 49
T-150 FSXEC FFI	48 - 50

2700 SPORTSMAN

<u>ENGINE</u>	<u>*MPH</u>
MERC. T-150 XL	39 - 41
MERC. T-150 XL OPTIMAX	TBD
MERC. T-200 XL	52 - 53
MERC. T-200 XL OPTIMAX	TBD
MERC. T-225 XL	48 - 50
MERC. T-225 XL EFI	49 - 51
MERC. T-225 XL OPTIMAX	TBD
MERC. T-250 XL EFI	58 - 60
OMC T-150 EXEC	38 - 40
OMC T-150 FSXEC FFI	TBD
OMC T-200 TXEC	47 - 49
OMC T-225 TXEC	49 - 50

3000 PRO-SERIES

<u>ENGINE</u>	<u>*MPH</u>
MERC. T-200 XL	TBD
MERC. T-225 XL	TBD
MERC. T-225 XL OPTIMAX	TBD
MERC. T-225 EFI	TBD
MERC. T-250 EFI	.64 - 65
OMC T-200 TXEC	TBD
OMC T- 225 TXEC	.62 - 64
OMC T-250	TBD

3400 BIMINI CUDDY

<u>ENGINE</u>	<u>*MPH</u>
MERC. T-225 XXL	.48 - 50
MERC. T-225 XXL EFI	.49 - 52
MERC. T-225 XXL OPTIMAX	TBD
MERC. T-250 XXL EFI	.52 - 54
MERC. TRP. 225 XL EFI	.60 - 62
OMC T- 225 TZEC	.47 - 50
OMC TRP. 225 TXEC	.55 - 57

3400 SUPER SPORT

<u>ENGINE</u>	<u>*MPH</u>
MERC. T-225 XXL	.43 - 45
MERC. T-225 XXL EFI	.48 - 50
MERC. T-225 XXL OPTIMAX	TBD
MERC. T-250 XXLEFI	.52 - 54
MERC. TRP. 225 XL EFI	.58 - 60
OMC T- 225 TZEC	.49 - 50
OMC TRP. 225 TXEC	TBD

3400 SUPER SPORT CUDDY

<u>ENGINE</u>	<u>*MPH</u>
MERC. T-225 XXL	.43 - 45
MERC. T-225 XXL EFI	.48 - 50
MERC. T-225 XXL OPTIMAX	TBD
MERC. T-250 XXLEFI	.52 - 54
MERC. TRP. 225 XL EFI	.58 - 60
OMC T- 225 TZEC	.49 - 50
OMC TRP. 225 TXEC	TBD

201 WALKAROUND

<u>ENGINE</u>	<u>*MPH</u>
MERC. 150 OPTI-MAX	TBD
MERC. 150 XL	.39 - 41
OMC 150 EXEC (OCEAN)	.39 - 40
OMC 150 FSXEC (FICHT)	TBD
VOLVO 4.3 GLDP	.43 - 44

221 WALKAROUND

<u>ENGINE</u>	<u>*MPH</u>
MERC. 150	.40 - 42
MERC. 150 OPTIMAX	TBD
MERC. 200	.46 - 48
MERC. 200 OPTIMAX	TBD
MERC. 225	.50 - 52
OMC 150 (FICHT)	TBD

241 WALKAROUND

<u>ENGINE</u>	<u>*MPH</u>
MERC. 200 XL	.40 - 41
MERC. 200 XL OPTIMAX	TBD
MERC. 225XL	.44 - 45
MERC. 225XL EFI	.45 - 47
MERC. 225 XL OPTIMAX	.44 - 46
MERC. 250 XL EFI	.46 - 48
MERC. T-150 XL	.48 - 50
MERC. T-150 XL OPTIMAX	.43 - 45
OMC 200 TXEC	.41 - 43
OMC 225 TXEC	.43 - 45
OMC T-150 EXEC	.45 - 46
OMC T-150 FSXEC FFI	.46 - 48
OMC 250 TXEC	TBD
MERC. 5.7L B2	.42 - 43
MERC. 5.7L B3	.44 - 45
MERC. 5.7L EFI B3	.45 - 47
VOLVO 5.0 GIDP	.44 - 45
VOLVO 5.7 GSIDP	.45 - 47
VOLVO KAD 32 PI/DP EFI	.33 - 35

251 WALKAROUND

<u>ENGINE</u>	<u>*MPH</u>
MERC. 200 XL	.39 - 40
MERC. 200 XL OPTIMAX	TBD
MERC. 225XL	.42 - 43
MERC. 225XL EFI	.43 - 44
MERC. 225 XL OPTIMAX	TBD
MERC. 250 XL EFI	.45 - 46
MERC. T-150 XL	.45 - 47
MERC. T-150 XL OPTIMAX	.44 - 45
OMC 225 TXEC	.42 - 43
OMC 250 TXEC	TBD
OMC T-150 EXEC	.42 - 44
OMC T-150 FSXEC FFI	TBD
MERC. 5.7L B3	.39 - 40
MERC. 5.7L EFI B3	.41 - 42
MERC. 7.4 MPI	.43 - 44
VOLVO 5.0 GIDP	.36 - 38
VOLVO 5.7 GSIDP	.44 - 46
VOLVO 7.4 GODP	.45 - 47
VOLVO AD 41P DP	.31 - 32

2610 WALKAROUND

<u>ENGINE</u>	<u>*MPH</u>
MERC. T-150 XL	41 - 43
MERC. T-150 XL OPTIMAX	45 - 46
MERC T-200 XL	45 - 47
MERC. T-200XL OPTIMAX	TBD
MERC. T-225 XLTBD	45 - 46
MERC. T-225 XL EFI	47 - 49
MERC. T-225 XL OPTIMAX	47 - 49
OMC T-150 EXEC	TBD
OMC T-150 FSXEC FFI	41 - 42
OMC T-200 TXEC	TBD
OMC T-225 TXEC	41 - 42
MERC. 7.4 MPI B2	37 - 38
MERC. 7.4 MPI B3	38 - 40
VOLVO 7.4 GL/DP	43 - 44
VOLVO KAD 44P	34 - 36
YANMAR 300 HP DIESEL	42 - 43

3250 EXPRESS

<u>ENGINE</u>	<u>*MPH</u>
MERC. T-5.7L B3	TBD
MERC. T-7.4 MPI B1	47 - 49
MERC. T-5.7L V-DRIVE I/B	TBD
MERC. T-7.4 MPI V-DRIVE I/B	TBD
VOLVO 7.4 GL/DP	46 - 48

2810 WALKAROUND

<u>ENGINE</u>	<u>*MPH</u>
MERC. T-200 XL	45 - 46
MERC. T-200 XL OPTIMAX	45 - 46
MERC. T-225 XL	46 - 48
MERC. T-225 XL EFI	46 - 48
MERC. T-225 XL OPTIMAX	TBD
MERC. T-250 EFI	47 - 49
OMC T-200 TXEC	44 - 46
OMC T-225 TXEC	48 - 49
OMC T-250 TXEC	TBD

2950 WALKAROUND

<u>ENGINE</u>	<u>*MPH</u>
MERC. T-200 XL	43 - 45
MERC. T-200 XL OPTIMAX	45 - 47
MERC. T-225XL	46 - 48
MERC. T-225XL EFI	50 - 52
MERC. T-225 XL OPTIMAX	48 - 50
MERC. T-250 XL EFI	52 - 53
MERC. T-5.7L B2 I/O	42 - 44
MERC. T-5.7L B3	47 - 48
MERC. T-5.7 EFI B2	42 - 44
MERC. T-5.7 EFI B3	47 - 48
OMC T-200 TXEC	42 - 43
OMC T-225 TXEC	45 - 47
OMC T-250 TXEC	TBD
VOLVO T-5.0 GIDP	45 - 46
VOLVO T-5.7 GSIDP	46 - 47
VOLVO T-AD 44P	TBD

**3310 SPORTFISH**

<u>ENGINE</u>	<u>*MPH</u>
MERC. T-7.4 MPI	TBD
MERC. T-454 MAG MPI	TBD
MERC. T-8.2 MPI	TBD
CAT. T-311 6TA	TBD
CAT T-311 6TA	TBD
YANMAR T-300	TBD
YANMAR T-350	TBD
YANMAR T-420	TBD

*Notes*



SALESMAN'S NAME:

ADDRESS:

PHONE:

DEALER:



PRO•LINE BOATS

P.O. Box 1348

Crystal River, FL 34423

352.795.4111 800.344.1281

www.prolineboats.com
