

PRO·LINE

BOATS

BEYOND FISHING



PRO·LINE 

**2000
PRODUCT
INFORMATION
GUIDE**

J. Gubbins

***A Message From the
Vice Chairman & Founder***

When Pro-Line Boats was founded in 1968, we had no idea it would become the number one selling rough water fiberglass fishing boat in the United States. Our philosophy of delivering a high quality, well thought out fishing boat has worked! And that same successful philosophy continues today.

This Product Information Guide is your most important sales tool. Hundreds of man-hours have gone into this manual to assist you in presenting the product to your customers. I firmly believe that a sale is made or broken at the initial contact with you, the salesperson. If you know your product, you will instantly become an assistant to the buyer. And that's what customers want in today's marketplace.

Our 2000 product line has been expanded to offer more models than any other fish boat company. Our focus has remained simple. We will continue to build the most fishable rough water boats with more amenities than any of our competitors.

Not only are we excited about our product, the marine industry is as well. Last year we were featured in more magazine articles than any other fish boat company. And the results were all complimentary and very positive.

Rest assured, we will do everything possible to make your job easier on the showroom floor. We will never rest on our laurels and we will always give the customer more than they expect!

Sincerely,
Pro-Line Boats

Dan Atwood
Vice Chairman & Founder

TABLE OF CONTENTS
& AMORTIZATION CHART

THE PRO-LINE
STORY

GENERAL FEATURES
AND BENEFITS

TABLE OF CONTENTS
& AMORTIZATION CHART

THE PRO-LINE
STORY

GENERAL FEATURES
AND BENEFITS



Table of Contents

• <i>Amortization Chart</i>	2
• <i>The Pro-Line Story</i>	3
• <i>Pro-Care 5 Year Limited Warranty</i>	5
• <i>General Features & Benefits</i>	7-8
• <i>Sport Series Introduction</i>	9
17 Sport	11-14
18 SU	15-18
18 Flats	19-22
19 Sport	23-26
20 Sport	27-30
20 DC	31-34
22 Sport	35-38
23 Sport	39-42
23 SU	43-46
24 Sport	47-50
26 Sport	51-54
27 Sport	55-58
2700 Sport	59-62
30 Sport	63-66
30 SSC	67-70
34 SS	71-74
34 SSC	75-78
34 BC	79-82
• <i>Walk Series Introduction</i>	83
20 Walk	85-88
22 Walk	89-92
23 Walk	93-96
24 Walk	97-100
25 Walk	101-104
26 Walk	105-108
27 Walk	109-112
27 Express	113-116
28 Walk	117-120
29 Walk	121-124
30 Walk	125-128
30 Express	129-132
32 Express Fish	133-136
33 Express	137-140
• <i>Performance Disclaimer</i>	141
• <i>Performance Specifications</i>	143-153
• <i>Graphics Introduction</i>	154
• <i>Graphics Packages</i>	156-169

Amortization

EQUAL MONTHLY PAYMENTS
TO AMORTIZE A LOAN OF \$1,000.

TERM	5 YRS	7 YRS	10 YRS	12 YRS	15 YRS	20 YRS
RATE						
8%	20.28	15.59	12.14	10.83	9.56	8.37
8-1/4	20.40	15.72	12.27	10.97	9.71	8.53
8-1/2	20.52	15.84	12.40	11.11	9.85	8.68
8-3/4	20.64	15.97	12.54	11.24	10.00	8.84
9	20.76	16.09	12.67	11.39	10.15	9.00
9-1/4	20.88	16.22	12.81	11.53	10.30	9.16
9-1/2	21.01	16.35	12.94	11.67	10.45	9.33
9-3/4	21.13	16.48	13.08	11.81	10.60	9.49
10	21.25	16.51	13.22	11.96	10.75	9.66
10-1/4	21.38	16.74	13.36	12.10	10.90	9.82
10-1/2	21.50	16.87	13.50	12.25	11.06	9.99
10-3/4	21.62	17.00	13.64	12.39	11.21	10.16
11	21.75	17.13	13.78	12.54	11.37	10.33
11-1/4	21.87	17.26	13.92	12.69	11.53	10.50
11-1/2	22.00	17.39	14.06	12.84	11.69	10.67
11-3/4	22.12	17.52	14.21	12.99	11.85	10.84
12	22.25	17.66	14.35	13.14	12.01	11.02
12-1/4	22.38	17.79	14.50	13.29	12.17	11.19
12-1/2	22.50	17.93	14.64	13.44	12.33	11.37
12-3/4	22.63	18.06	14.79	13.60	12.49	11.54
13	22.76	18.20	14.94	13.75	12.66	11.72
13-1/4	22.89	18.33	15.08	13.91	12.82	11.90
13-1/2	23.01	18.47	15.23	14.06	12.99	12.08
13-3/4	23.14	18.61	15.38	14.22	13.15	12.26
14	23.27	18.75	15.53	14.38	13.32	12.44

2000 SPORTSMAN SERIES

THE PRO-LINE
STORY

GENERAL FEATURES
AND BENEFITS



The Pro-Line Story

In 1968, Dan Atwood started a fishing boat company that would eventually take the market storm. The first model was a 24 foot twin console that was designed for the professional fishing guides in Inglis and Crystal River, Florida. Since Dan's target market was the local fishing Pro's the new company name came naturally-Pro-Line Boats.

Customers and boat dealers alike began to take notice of the little manufacturer in Florida. There was no escaping the fact every Pro-Line was built by fishermen for fishermen. Other models soon came off line such as the Pro 17 and the Pro 20. Pro-Line now had dealers throughout Florida, Georgia and Alabama.

As the orders grew so did their need for larger quarters and in 1970 Dan moved his crew to the present facility in Homosassa, Florida. In the late 70's and early 80's Pro-Line introduced cuddy cabins and walkarounds.

In 1986 Dan Atwood, along with Wall Street investors, Lee Kimmell and Lewis Ranieri of Salomon Brothers fame, formed American Marine Holdings, Inc. This infusion of working capital gave Dan the necessary funds to take Pro-Line worldwide.

The year of change for Pro-Line was 1989. Pro-Line had grown and models now ranged from 16 to 28 feet. The introduction of the new 230 Walk secured Pro-Line's position in the marketplace. Orders rushed in and more and more dealers signed-up to carry this unbelievable product. People around the world had come to know the Pro-Line name.

Today, Pro-Line offers over 30 models from 17 to 34 feet. The line includes center consoles, walkarounds, performance fishing boats, sportfish boats, bay boats and flats boats. More articles by boating publications were written last year about Pro-Line than any other fishing boat company. Excitement is in the air (and on the water)!

CEO and Chairman Lee Kimmell, President Mike Collins and Dan Atwood owe their success to the simple but important philosophy of building the highest quality boat in the world. Nowhere is their a better boat on the water. That's why an independent survey found over 97% of existing Pro-Line owners said they would buy another Pro-Line.

From a small boat company in Inglis, Florida to the largest manufacturer of rough water fish boats in the United States, Pro-line Boats has become the ultimate fishing boat company and more. This year's tag line says it all.- "Pro-Line Boats - Beyond Fishing."

2000 SPORTSMAN SERIES

2000 WALKAROUND SERIES

GENERAL FEATURES
AND BENEFITS

PRO-CARE

5-Year Limited Warranty

The most important feature and benefit Pro-Line has ever offered is here. For 2000 we are pleased to include a 5-year limited warranty, called Pro-Care, on all factory installed accessories, factory installed electronics, engines, out-drives, mechanical systems, electrical systems, controls, and more!

Quite simply put, Pro-Line offers peace of mind to your customer. Be sure and explain to every prospect that comes into your store that Pro-Line is the only fishing boat manufacturer that offers anything like this. The number one reason people leave the sport of boating is due to the high cost of maintaining a boat. Pro-Line has attacked the problem head on!

The revolutionary 5 year limited warranty is transferable, comes with a 24-hour, 1-800 emergency Hotline, and much more. See your manager for all the details. This is the one feature and benefit that you want to share with all of your prospects.

For 2000 the #1 selling saltwater fishing boat in America is now the best backed boat in the world!!

2000 SPORTSMAN SERIES

2000 WALKAROUND SERIES

GENERAL FEATURES
AND BENEFITS

THE PRO•LINE
STORY

TABLE OF CONTENTS
& AMORTIZATION CHART

4

2000 SPORTSMAN SERIES

2000 WALKAROUND SERIES

GENERAL FEATURES
AND BENEFITS

General Features & Benefits

- | | |
|----------|--|
| Feature: | Pro-Line History |
| Benefit: | Solidifies our position in the fishing boat market. |
| Feature: | Pro-Care 5 Year Limited Warranty. |
| Benefit: | Peace of mind boating with extended engine coverage and factory installed accessories coverage. |
| Feature: | 10 Year transferable hull warranty. |
| Benefit: | Warranty may be transferred to new owner. Aids in higher resale value. |
| Feature: | 22 mils of N.P.G. ISO Polyester Gelcoat. |
| Benefit: | Strong yet flexible gel. Crazing and chalking is almost non-existent. |
| Feature: | 3610 hand laid knitted Tri-axial and Bi-axial fiberglass. |
| Benefit: | Stronger than conventional fiberglass mat. Will not delaminate due to stitching. |
| Feature: | Deep Vee with reversed chines (excluding the 18 Flats and the 18 SU). |
| Benefit: | Stable, dry ride. Gets on plane quicker and enables better overall performance. |
| Feature: | F.I.S.T. Construction (Fiberglass Integrated Structural Technology). |
| Benefit: | Anti wood construction using Divinycell PVC core and closed cell injected foam. No wood, no rot. |
| Feature: | 32 oz. UV protected vinyl. |
| Benefit: | High grade of vinyl with UV protectants to ensure long life. |
| Feature: | Sunbrella Canvas (optional). |
| Benefit: | The finest marine canvas. Comes with a 5-year warranty against rotting and breakage. |
| Feature: | 316-L Stainless Steel hardware. |
| Benefit: | Highest marine grade stainless. Ensures great looking hardware for the life of the boat. |
| Feature: | Thru-bolted hardware fastened with Airline locking nuts. |
| Benefit: | Hardware will take all kinds of punishment. Never comes loose. |

Feature:	Premium interior fabrics with Scotchguard.
Benefit:	Low maintenance and easy to clean cushion covers.
Feature:	N.M.M.A., U.S.C.G. AND C.E. Certified.
Benefit:	All Pro-Lines exceed N.M.M.A., Coast Guard and European C.E. requirements. This guarantees a safe, well built boat for your peace of mind.
Feature:	Largest cabins and widest beams.
Benefit:	More room inside and out, with a more stable ride in rough conditions.
Feature:	Foam insulated fishboxes.
Benefit:	Ice and fish stay cold throughout the day.
Feature:	Self bailing cockpit.
Benefit:	Rainwater runs overboard immediately, not into the bilge.
Feature:	Large foam insulated baitwells.
Benefit:	Plenty of space for your bait that will last the entire day.
Feature:	Deep interior Freeboard.
Benefit:	Safe ride in any condition. Makes fighting the fish easier.
Feature:	Heat shrink wiring.
Benefit:	All wire connections are heat shrunk to eliminate breakage and corrosion.
Feature:	Deep, wide walkarounds.
Benefit:	Allow the angler to fish the entire boat from stern to bow.
Feature:	Labeled bus-bars.
Benefit:	Makes adding future equipment easy and worry free.



Sport Series

17 • 18 SU • 18 Flats • 19 • 20
20 DC • 22 • 23 • 23 SU • 24
26 • 27 • 2700 • 30 • 30 SSC
34 SS • 34 SSC • 34 BC

Pro-Line's first Sportsman was produced in 1968 and instantly became a hit with professional anglers. The new line of center consoles have everything your prospect could want and more.

The first thing that you should point out is the spaciousness of the cockpit. By using CAD (computer assisted design) programs every feature on the Pro's are designed long before the first model is ever produced. This ensures the best placement of the necessary features while still maintaining plenty of room to fight the fish.


All fishboxes are foam insulated and drain overboard. Rod storage is abundant and the casting decks are large enough to allow the angler room to spread out. Foam insulated bait boxes are close by and gunnel mount rod holders are strategically placed for serious fishermen.

The consoles are designed to offer plenty of storage while still allowing room enough to fish the entire boat, not just at the transom. Hardware is stainless steel and thru-bolted with backing plates. Grab rails are located in the proper place to ensure a safe ride even in the most precarious situations.

Wiring is color coded and heat shrunk at every connection to ensure no corrosion or breakage. Bus-bars are placed under the console and at the transom with labels to take away all the guesswork of adding additional equipment.

Whether your customers want to head offshore in search of the biggest fish or just cruise the backwaters, Pro-Line has a Sport for them!

17 Sport



SPECIFICATIONS

Length Overall	17'0" (5.18m)
Beam	7'6" (2.29m)
Draft (Hull)	12" (.30m)
Fuel Capacity	30 Gal. (113.6L)
Weight (Hull - approx)	1,530 Lbs. (694.0kg)
Weight (Trail - appr)	2,500 Lbs. (1134.0kg)
Cockpit Area	50 Sq. Ft. (4.6m ²)
Cockpit Depth	22" (.56m)
Bridge Clearance	3'8" (1.1m)
Max HP	130 HP (131.82kw)
Baitwell Capacity	10 Gal. (37.9L)
Fish Box Capacity	20 Gal. (75.7L)

ENGINE OPTIONS

ENGINE	HP
Mercury 90	90
Mercury 125	125
OMC 90	90
OMC 90 FICHT	90
OMC 115	115
OMC 115 FICHT	115
OMC 130	130

STANDARD EQUIPMENT

- 10 Years Transferable Hull Warranty
- Accessory Bus Bar Under Dash
- Battery Tray
- Bilge Pump
- Casting Deck w/Storage Box Insulated
- Cleats - 6" (3)
- Drink Holders
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell

- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Grab Rail - Windshield (Stainless Steel)
- Gunnel Trim - Rigid Vinyl
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches
- Horn - Electric
- Illuminated Switch and Breaker Panel
- Navigational Lights
- Non-Skid Deck & Gunnels
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Rod Holders - 1 Pair
- Rod Racks - Cockpit (6)
- Rope Locker Storage
- Seats - Flip Flop Cooler
- Self-Bailing Cockpit
- Steering - No Feed Back
- Steering Wheel - Stainless Steel
- Storage - Center Console
- Striping - Green, Blue, Black
- Tackle Box
- Windshield - Plexiglass

OPTIONAL EQUIPMENT

- Compass
- Console Cover
- Cooler - Forward Console Seat
- Depth Finder/Fish Finder
- Dive Ladder
- Hull Color - Blue, Black, Green
- Lift Kit
- Rod Holders - 1 Pair
- Seats - Captain's Chair
- Shrink Wrap
- Steering - Hydraulic
- Stereo AM/FM Cassette w/2 Speakers
- Stereo AM/FM/CD w/2 Speakers
- Top - Bimini
- VHF Radio

CONVENIENCE PACKAGE

- Bow Cushion
- Cockpit Lights (1 Pair)
- Half Dive Platform w/Ladder
- 12 Volt Receptacle
- Springline Cleats 6" (2)

17 Sport


Continued...

FISH PACKAGE

- Baitwell, Recirculating w/Wash Down
- Cooler w/Backrest (94 qt.)
- Rod Holders (1 Pair)

Notes

18 SU



SPECIFICATIONS

Length Overall	18'10" (5.7m)
Beam	8'0" (2.4m)
Draft (Hull)	13" (.33m)
Fuel Capacity	50 Gal. (189.3L)
Weight (Hull - approx)	1,700 Lbs. (771.1kg)
Weight (Trail - appx)	2,750 Lbs. (1247.4kg)
Cockpit Area	80 Sq. Ft. (7.4m ²)
Cockpit Depth	21" (.53m)
Bridge Clearance	4'7" (1.4m)
Max HP	130 HP (131.82kw)
Baitwell Capacity	10 Gal. (37.9L)

ENGINE OPTIONS

ENGINE	HP
Mercury 90	90
Mercury 125	125
OMC 90	90
OMC 90 FICHT	90
OMC 115	115
OMC 115 FICHT	115
OMC 130	130

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Accessory Buss Bar Under Dash
- Battery Trays
- Bilge Pump
- Casting Deck w/Storage Box - Insulated
- Cleats - 8" (4)
- Drink Holders
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Fuel/Water Separator

- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Grab Rail - Windshield (Stainless Steel)
- Gunnel Trim - Rigid Vinyl
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Horn-Electric
- Illuminated Switch and Breaker Panel
- Navigational Lights
- Non-Skid Deck & Gunnels
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Rod Storage - Vertical (6)
- Seats - Flip Flop Cooler
- Self-Bailing Cockpit
- Steering Wheel - Stainless Steel
- Steering - No Feedback
- Storage - Center Console
- Striping - Green, Blue, Black
- Tackle Box
- Windshield - Plexiglass

OPTIONAL EQUIPMENT

- Compass
- Console Cover
- Cooler - Forward Console Seat
- Depth Finder/Fish Finder
- Dive Ladder
- Hull Colors - Blue, Black, Green
- Lift Kit
- Poling Platform
- Poling Platform Leaning Post
- Pre-Wiring - Trolling Motor
- Shrink Wrap
- Seats - Captain's Chair
- Steering - Hydraulic
- Stereo - AM/FM Cassette w/2 Speakers
- Stereo - AM/FM/CD w/2 Speakers
- Top - Bimini
- VHF Radio

CONVENIENCE PACKAGE

- Bow Cushion
- Cockpit Lights (1 Pair)
- Dive Platform, Half w/Ladder
- 12 Volt Receptacle
- Springline Cleats 8" (2)


Continued...

FISH PACKAGE

- Baitwell - Recirculating (No Wash Down)
- Rod Holder, 2 set, Vertical (Console)
- Cooler w/Backrest (94 qt.)

Notes

18 Flats



SPECIFICATIONS

Length Overall	18'4" (5.6m)
Beam	8'0" (2.4m)
Draft (Hull)	9" (.23m)
Fuel Capacity	45 Gal. (170.3L)
Weight (Hull - approx)	1,170 Lbs. (530.7kg)
Weight (Trail - appx)	2,950 Lbs. (1338.0kg)
Cockpit Area	30 Sq. Ft. (2.8m ²)
Bridge Clearance	2'6" (.76m)
Cockpit Depth	11" (.28m)
Max HP - O/B	200 HP (152.1kw)
Fish Box Capacity	37 Gal. (140.0L)
Baitwell Capacity	14 Gal. (54.9L)
Casting Platform Storage	.45 Gal.(170.3L)

ENGINE OPTIONS

ENGINE	HP
Merc. 125	125
Merc. 150	150
Merc. 150 OPTIMAX	150
OMC 115	115
OMC 115 FICHT	115
OMC 130	130
OMC 150	150
OMC 150 FICHT	150

STANDARD EQUIPMENT

- 10 Years Transferable Hull Warranty
- 12 Volt Dash Receptacle
- Baitwell/Recirculating - Insulated
- Battery Tray
- Bilge Pump
- Catch & Release Well - Insulated
- Cleats - Pop-Up 4 1/2" (3)

- Cockpit Lights - 2
- Cushion - Helm Seating
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volts
- Hardware - Thru Bolted, Stainless Steel
- Hatches w/True Gutter System
- Horn - Electric
- Illuminated Switch and Breaker Panel
- Lights - Baitwell and Livewell
- N.M.M.A. Certified
- Navigational Lights
- Non-Skid Deck & Gunnels
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Rod Racks - Horizontal (6)
- Self-Bailing Cockpit
- Steering - No Feed Back
- Steering - Hydraulic (Std. on 135 & 150HP)
- Steering Wheel - Stainless Steel
- Storage - Bow and Stern (Dry/Insulated)
- Striping - Green, Blue, Black

18 Flats

OPTIONAL EQUIPMENT


- Battery Charger - 12/24 Volt
- Battery Switch -Dual
- Compass
- Console Cover
- Depth Finder/Fish Finder
- Dive Ladder
- Hull Color - Black, Blue, Green
- Lift Kit
- Poling Platform
- Poling Platform Leaning Post
- Pop-Up Pole Holders
- Pre-Wiring for Trolling Motor
- Shrink Wrap
- Steering - Hydraulic
- Stereo - AM/FM Cassette w/2 Speakers
- Stereo - AM/FM CD w/2 Speakers
- Trim Tabs
- VHF Radio



Notes



19 Sport



SPECIFICATIONS

Length Overall	19'2" (5.8m)
Beam	7'9" (2.38m)
Draft (Hull)	12" (.30m)
Fuel Capacity	.50 Gal. (189.3L)
Weight (Hull - approx)	1,950 Lbs. (884.5kg)
Weight (Trail - appx)	3,150 Lbs. (1428.8kg)
Cockpit Area	.61 Sq. Ft. (5.7m ²)
Cockpit Depth	.22" (.56m)
Bridge Clearance	.4'8" (1.4m)
Max HP	.150 HP (152.1kw)
Baitwell Capacity	.13 Gal. (49.2L)

ENGINE OPTIONS

ENGINE	HP
Merc. 90	.90
Merc. 125	.125
Merc. 150	.150
Merc. 150 OPTIMAX	.150
OMC 90	.90
OMC 90 FICHT	.90
OMC 115	.115
OMC 115 FICHT	.115
OMC 130	.130
OMC 150	.150
OMC 150 FICHT	.150

STANDARD EQUIPMENT

- 10 Years Transferable Hull Warranty
- Accessory Buss Bar Under Dash
- Anchor Roller
- Battery Tray
- Bilge Pump
- Bow Pulpit - Molded

- Bow Rail - Stainless Steel
- Casting Deck Fish/Storage Box Insulated
- Cleats - 8" (3)
- Dive Platform w/Fold Down Ladder - Integrated
- Drink Holders
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Glove Box w/Lock
- Grab Rail - Windshield (Stainless Steel)
- Gunnel Trim - Rigid Vinyl
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches - True Gutter System
- Horn - Electric
- Illuminated Switches & Breaker Panel
- N.M.M.A. Certified
- Navigational Lights
- Non-Skid Decks & Gunnels
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Rod Holders - 1 Pair
- Rod Racks - 6
- Rope Locker Storage
- Seat - Flip Flop w/Cooler
- Self-Bailing Cockpit
- Steering - No Feed Back
- Steering Wheel - Stainless Steel
- Storage - Center Console
- Striping - Green, Blue, Black
- Tackle Box
- Transom Baitwell
- Windshield - Curved Plexiglass

OPTIONAL EQUIPMENT

- Compass
- Console Cover
- Cooler - Console (Forward Seat)
- Depth Finder/Fish Finder
- Dive Ladder
- Hull Color - Green, Blue, Black
- Lift Kit
- Rod Holders - 1 Pair, Set Vertical on Console
- Seats - Captain's Chairs
- Shrink Wrap
- Steering - Hydraulic
- Stereo AM/FM Cassette w/2 Speakers
- Stereo - AM/FM/CD w/2 Speakers
- Top - Bimini

19 Sport

Continued...

- VHF Radio

CONVENIENCE PACKAGE


- Bow Cushion
- Cockpit Lights (1 Pair)
- 12 Volt Receptacle
- Springline Cleats 8" (2)

FISH PACKAGE

- Baitwell, Recirculating w/Wash Down
- Cooler w/Backrest (94 qt.)
- Vertical Rod Storage (Console), 1 set

Notes

20 Sport



SPECIFICATIONS

Length Overall	20'2" (6.1m)
Beam	8'0" (2.4m)
Draft (Hull)	12" (.30m)
Fuel Capacity	70 Gal.(265.0L)
Weight (Hull - approx)	2,250 Lbs.(1020.6kg)
Weight (Trail - appx)	3,700 Lbs.(1678.3kg)
Cockpit Area	97 Sq. Ft.(9.0m ²)
Cockpit Depth	22.5" (6.8m)
Bridge Clearance	5'10" (1.8m)
With Tee Top	7'4" (2.2m)
Max HP - O/B	200 175 HP(177.45kw)
Baitwell Capacity	38 Gal.(143.8L)
Fish Box Capacity	18 Gal.(70.0L)

ENGINE OPTIONS

ENGINE	HP
Merc. 150 XL	150
Merc. 150 XL OPTIMAX	150
OMC 150	150
OMC 150 FICHT	150

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Accessory Buss Bar Under Dash
- Battery Tray
- Bilge Pump
- Casting Deck Fish/Storage Box Insulated
- Center Console w/Storage
- Cleats - 8" (3)
- Drink Holders
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Fuel/Water Separator

- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Glove Box w/Lock
- Grab Rail - Windshield (Stainless Steel)
- Gunnel Trim - Rigid Vinyl
- Hardware - Thru Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Horn - Electric
- Illuminated Switches & Breaker Panel
- N.M.M.A. Certified
- Navigational Lights
- Non-Skid Decks & Gunnels
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Rod Holders - 1 Pair
- Rod Racks - 6
- Rope Locker Storage
- Seats - Aft Jump - 2
- Seats - Molded w/Flip-Flop
- Self-Bailing Cockpit
- Steering - No Feed Back
- Steering Wheel - Stainless Steel
- Storage - Center Console
- Striping - Green, Blue, Black
- Tackle Box
- Windshield - Plexiglass

OPTIONAL EQUIPMENT

- Battery Switch for Dual Batteries
- Compass
- Console Cover
- Cooler - w/Backrest - Forward
- Dive Ladder
- Hull Color - Green, Blue, Black
- Lift Kit
- Outriggers - Gunnel Mount or Top Mount
- Remote Spotlight - T-Top
- Rod Holders - 1 Pair
- Shrink Wrap
- Spreader Lights - T-Top
- Steering - Hydraulic
- Stereo - AM/FM Cassette w/2 Speakers
- Stereo - AM/FM/CD w/2 Speakers
- T-Top Enclosure
- Top - Bimini
- Top - T-Top w/Electronics Box
- VHF Radio w/Antenna

20 Sport

Continued...

CONVENIENCE PACKAGE

- Bow Cushion
- Cockpit Lights (1 Pair)
- Dive Platform - Half w/Ladder
- 12 Volt Receptacle
- Springline Cleats 8" (2)

FISH PACKAGE

- Baitwell, Recirculating w/Washdown
- Cooler w/Backrest (94 qt.)
- Rod Holders (1 pair)

ELECTRONICS PACKAGE #1

- X 48 Depth Finder/Fish Finder
- VHF Radio w/Antenna

ELECTRONICS PACKAGE #2


- LMS-160 GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna

ELECTRONICS PACKAGE #3

- Globalmap 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/Antenna

Notes

20 DC



SPECIFICATIONS

Length Overall	20'2" (6.1m)
Beam	8'0" (2.4m)
Draft (Hull)	12" (.30m)
Fuel Capacity	70 Gal. (265.0m)
Weight (Hull - approx)	2,500 Lbs. (1134.0kg)
Weight ((Trail - appx)	3,700 Lbs. (1678.3kg)
Cockpit Area	29 Sq. Ft. (2.7m ²)
Cockpit Depth	22.5" (6.8m)
Bridge Clearance	6'2" (1.9m)
With Bimini	7'6" (2.3m)
Max HP - O/B	175 HP (177.45kw)
Max HP - I/O	190 HP
Baitwell Capacity	9.75 Gal. (36.9L)
Fish Box Capacity	9.75 Gal. (36.9L)

ENGINE OPTIONS

ENGINE	HP
Merc. 150 XL	150
Merc. 150 XL OPTIMAX	150
OMC 150	150
OMC 150 FICHT	150
Merc. 4.3LA	190
Volvo 4.3 GLSX	190
Volvo 4.3 GLDP	190

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Accessory Buss Bar Under Dash
- Battery Tray
- Bilge Pump
- Casting Deck Fish/Storage Box Insulated
- Console - Dual w/Storage

- Cleats - 8" (3)
- Drink Holders
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Glove Box w/Lock
- Gunnel Trim - Rigid Vinyl
- N.M.M.A. Certified
- Hardware - Thru Bolted (Stainless Steel)
- Hatches w/True Gutter Systems
- Horn-Electric
- Navigational Lights
- Non-Skid Decks & Gunnels
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Rod Holders - 1 Pair
- Rod Racks - 6
- Rope Locker Storage
- Seats - Aft Jump - 2
- Seat - Captain's Chairs
- Self-Bailing Cockpit
- Steering - No Feed Back
- Steering Wheel - Stainless Steel
- Striping - Green, Blue, Black
- Tackle Box
- Windshield - Plexiglass

OPTIONAL EQUIPMENT

- Battery Switch for Dual Batteries
- Compass
- Depth Finder/Fish Finder
- Dive Ladder
- Hull Color - Green, Blue, Black
- Lift Kit
- Rod Holders - 1 Pair
- Shrink Wrap
- Steering - Hydraulic
- Stereo - AM/FM Cassette w/2 Speakers
- Stereo - AM/FM CD w/2 Speakers
- Top - Bimini w/Windscreen
- VHF Radio w/Antenna

CONVENIENCE PACKAGE

- Bow Cushion
- Cockpit Lights (1 Pair)
- Dive Platform, Half w/Ladder
- 12 Volt Receptacle
- Springline Cleats 8" (2)

Continued...

FISH PACKAGE

- Baitwell, Recirculating w/Washdown
- Rod Holders (1 pair)

ELECTRONICS PACKAGE #1


- X 48 Depth Finder/Fish Finder
- VHF Radio w/Antenna

ELECTRONICS PACKAGE #2

- LMS-160 GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna

Notes

22 Sport



SPECIFICATIONS

Length Overall	22'5" (6.87m)
Beam	8'3" (2.5m)
Draft (Hull)	16" (.41m)
Fuel Capacity	95 Gal. (359.6L)
Weight (Hull - approx)	3,100 Lbs. (1406.2kg)
Weight (Trail - appx)	4,500 Lbs. (2041.2kg)
Cockpit Area	58 Sq. Ft. (5.4m ²)
Cockpit Depth	27" (.69m)
Max HP - O/B	225 HP (228.15kw)
Bridge Clearance	5'5" (1.7m)
Fish Box Capacity	... 27.25 Gal. (103.1L)
Baitwell Capacity	 27.25 Gal. (103.1L)

ENGINE OPTIONS

ENGINE	HP
Merc. 150 XL	150
Merc. 150 XL OPTIMAX	150
Merc. 200 XL	200
Merc. 200 XL EFI	200
Merc. 200 XL OPTIMAX	200
Merc. 225 XL EFI	225
Merc. 225 XL OPTIMAX	225
OMC 150	150
OMC 150 FICHT	150
OMC 200	200
OMC 200 FICHT	200
OMC 225	225
OMC 225 FICHT	225

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Aft Jump Seats
- Anchor Locker Storage
- Battery Tray
- Bilge Pump - 1250 GPH
- Bow Rail - Stainless Steel
- Casting Deck Storage Box
- Cleats - 8" (3)
- Drink Holders
- Electric Horn
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Glove Box w/Locker
- Gunnel Trim - Rigid Vinyl Insert
- Hatches w/True Gutter System
- Illuminated Switches & Breaker Panels
- Navigation Lights
- Head - Enclosed in Center Console
- N.M.M.A Certified
- Non-Skid Decks & Gunnels
- Plexiglass Windshield w/Grab Rail
- Porta-Potti
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Rod Holders - 1 Pair
- Rod Racks - 6
- Rope Locker Storage
- Seat - Molded w/Flip-Flop Backrest
- Stainless Steel Bowrail
- Stainless Steel Deck Hardware (Thru-Bolted)
- Self-Bailing Cockpit
- Steering - Hydraulic
- Steering Wheel - Stainless Steel
- Striping - Blue, Green, Black
- Terminal Bar Helm and Transom
- Vertical Rod Storage on Console
- Windshield - Plexiglass

OPTIONAL EQUIPMENT

- Battery Switch - Dual
- Bimini Top
- Compass
- Console Cover
- Curtain Package (T-Top Required)
- Dive Ladder
- Hull Color - Green, Blue, Black

22 Sport*Continued...*

- Lift Kit
- Outriggers (Gunnel or T-Top Mount)
- Porta-Potti w/Discharge
- Remote Spotlight - T-Top Required
- Rod Holders - 1 pair
- Shrink Wrap
- Spreader Lights (T-Top Required)
- Stereo - AM/FM/Cassette w/2 Speakers
- Stereo - AM/FM/CD w/2 Speakers
- T-Top w/Electronics Box
- 94 Qt. Cooler w/Cushion
- 12/24 Volt Battery Charger

FISH PACKAGE

- Baitwell - Recirculating Pump w/Washdown
- Rod Holders (1 Pair)
- Tackle Box

CONVENIENCE PACKAGE

- Bow Cushion
- Cockpit Lights
- Springline Cleats 8" (2)
- 12 Volt Receptacle
- Cockpit Bolsters
- Half Dive w/Ladder

ELECTRONICS PACKAGE #1


- X 48 Depth Finder/Fish Finder
- VHF Radio w/Antenna

ELECTRONICS PACKAGE #2

- LMS-160 GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna

ELECTRONICS PACKAGE #3

- Globalmap 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/Antenna



SPECIFICATIONS

Length Overall	.24' 5" (7.44m)
Beam	.8' 6" (2.59m)
Draft (Hull)	.18" .46m)
Fuel Capacity	.141 Gal. (533.73L)
Weight (Hull - approx)	3,950 Lbs. (1791.7k)
Weight (Trail - appx)	.5,850 Lbs. (2653.5k)
Cockpit Depth	.27" (.69m)
Max HP - O/B	.300 HP (304.2kw)
Bridge Clearance	.6' 7" (2.01m)
Baitwell Capacity	.35 Gal. (132.49L)
Fish Box Capacity	.32 Gal.(121.1L)
Fish Box Cap. (Forward)	.70 Gal.(265.0L)
Baitwell Capacity	.35 Gal.(132.5L)

ENGINE OPTIONS

Merc. 200 XL OPTIMAX	.200
Merc. 225 XL EFI	.225
Merc. 225 XL OPTIMAX	.225
Merc. 250 XL EFI	.250
Merc. T-150 XL	.150 EA
Merc. T-150 XL OPTIMAX	.150 EA
OMC 225 FICHT	.225
OMC 250	.250
OMC T-15	.150 EA
OMC T-150 FICHT	.150 EA

STANDARD EQUIPMENT

- 10 year transferrable hull warranty
- Accessory buss bar under dash
- Baitwell - 35 gallon, recirculating
- Battery boxes - heavy duty
- Battery switch - dual
- Bilge pumps

- Bow pulpit w/anchor roller
- Bow rail - stainless steel
- Bracket w/dive platform - integrated
- Cleats - 6" pop-up (4) stainless steel
- Cleats - 8" aft (2) under gunnel,
- Cockpit bolster cushions
- Cockpit lights
- Console cooler (Igloo)
- Divinycell transom - vacuum bagged
- Electronics box w/lock
- Fish boxes
- F.I.S.T. Construction
- Floor storage
- Fuel/water separator
- Full premium instrumentation
- Gunnel trim - rigid vinyl
- Hardware - stainless steel
- Hatches w/gutter system and latches
- Hawse pipe
- Head - Porta Potti enclosed in center console
- Horn - electric
- Ignition - safety switch
- Leaning post w/ (4) rod holders
- Navigational lights
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Raw water wash down
- Rod holders gunnel mount - (2) pairs
- Rod racks (8)
- Rope locker storage
- Self bailing cockpit
- Skid resistant deck and gunnels
- Steering - hydraulic
- Steering wheel - stainless steel
- Storage - casting deck
- Striping - Green, Blue, Black
- Tackle box - (4) drawer
- Thru hull - chrome plated
- Transom door
- Upholstery - premium 32 oz. UV protected
- Windshield - curved plexiglass

OPTIONAL EQUIPMENT

- Battery Switch
- Battery Switch - Twin Engine
- Compass
- Console Cover

23 Sport

Continued...

- Dive Ladder
- Fresh Water Transom Shower
- Graphics Package - Custom
- Hull Color - Green, Blue, Black
- Lift Kit
- Light - Remote Spot (Top Required)
- Outrigger - Gunnel Mount
- Rod Holders - 1 Pair
- Seat - Rear Folding
- Shrink Wrap
- Stereo - AM/FM Cass. w/4 speakers
- Stereo - AM/FM CD w/4 speakers
- Spreader lights (T-Top required)
- Top - Bimini
- T-Top - Partial Enclosure
- T-Top w/Electronics Box
- T-Top Partial Enclosure
- Trim Tabs
- Windlass

CONVENIENCE PACKAGE

- 12 Volt Rec.
- Cockpit Bolster Cushions
- Cockpit Lights

ELECTRONICS PACKAGE #1

- X 48 Depth finder/Fish Finder
- VHF radio w/antenna

ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio w/ Antenna

ELECTRONICS PACKAGE #3


- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/ Antenna



Notes



23 SU



SPECIFICATIONS

Length Overall	.23'2" (7.1m)
Beam	.8'5" (2.6m)
Draft (Hull)	.15" (.38m)
Fuel Capacity	.70 Gal. (265.0L)
Weight (Hull - appx)	.3,000 Lbs. (1451.5kg)
Weight (Trail - appx)	4,500 Lbs. (2177.2kg)
Cockpit Area	.127 Sq. Ft. (11.8m ²)
Bridge Clearance	.5'1" (1.5m)
Max HP	.225 HP (1228.15kw)
Baitwell Capacity	.10 Gal. (37.9L)
Fish Box Capacity	.24 Gal. (90.8L)

ENGINE OPTIONS

ENGINE	HP
Merc. 150 XL	.150
Merc. 150 XL OPTIMAX	.150
Merc. 200 XL	.200
Merc. 200 XL EFI	.200
Merc. 200 XL OPTIMAX	.200
Merc. 225XL EFI	.225
Merc. 225 XL OPTIMAX	.225
OMC 150	.150
OMC 150 FICHT	.150
OMC 200 FICHT	.200
OMC 200	.200
OMC 225	.225
OMC 225 FICHT	.225

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Accessory Bus Bar Under Dash
- Battery Tray
- Bilge Pump
- Casting Deck w/Rod Storage Box
- Cleats - 8" (4)
- Drink Holders
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Glove Box w/Lock
- Grab Rail - Windshield (Stainless Steel)
- Gunnel Trim - Rigid Vinyl
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Head - Porta Potti - Enclosed in Console
- Horn-Electric
- Illuminated Switches & Breaker Panel
- N.M.M.A. Certified
- Navigational Lights
- Non-Skid Decks & Gunnels
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Rod Holders - 1 Pair
- Rod Storage - 6
- Rope Locker Storage
- Seat - Flip-Flop w/Cooler
- Seats - Aft Jump
- Self-Bailing Cockpit
- Steering - Hydraulic
- Steering Wheel - Stainless Steel
- Striping - Green, Blue, Black
- Windshield - Curved Plexiglass

OPTIONAL EQUIPMENT

- Battery Charger - Trolling Motor 12/24 V
- Casting Deck - Forward/Aft
- Compass
- Console Cover
- Cooler - Forward
- Dive Ladder - Folding
- Hull Color - Green, Blue, Black
- Lift Kit
- Pre-Wire - Trolling Motor w/Panel Fwd/Aft Deck
- Seats - Captain's Chair
- Seats - Pedestal Removable

Continued...

- Shrink Wrap
- Stereo - AM/FM Cassette w/2 Speakers
- Stereo - AM/FM CD w/2 Speakers
- Tackle Boxes - Maximum of 2
- Top-Bimini
- Head - Porta Potti w/Dockside Discharge

CONVENIENCE PACKAGE

- Bow Cushion
- Cockpit Lights
- Springline Cleats 8" (2)
- 12 Volt Receptacle

FISH PACKAGE

- Baitwell, Recirculating (No Washdown)
- Catch and Release Well - Recirculating
- Tackle Box - 1

ELECTRONICS PACKAGE #1

- X 48 Depth Finder/Fish Finder
- VHF Radio w/Antenna

ELECTRONICS PACKAGE #2


- LMS-160 GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna

ELECTRONICS PACKAGE #3

- Globalmap 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/Antenna

Notes

24 Sport



SPECIFICATIONS

Length Overall	25'5" (7.7m)
Beam	8'9" (2.67m)
Draft (Hull)	14" (.36m)
Fuel Capacity O/B	144 Gal. (545.0L)
Weight (Hull approx)	3,600 Lbs. (1633.0kg)
Weight (Trail - appx)	5,750 Lbs. (2608.2kg)
Cockpit Area	94 Sq. Ft. (8.7m ²)
Cockpit Depth	29" (.74m)
Max HP - O/B	300 HP (304.20kw)
Fresh Water Capacity	15 Gal. (56.8L)
Bridge Clearance	6'9" (2.1m)
w/Tee Top	8'1" (2.5m)
Fish Box Capacity	40 Gal. (151.4L)
Baitwell Capacity	37 Gal. (58.2L)
Total Floor Storage	25.5 Gal. (96.5L)
Console Cooler Capacity	16.25 Gal. (61.5L)

ENGINE OPTIONS

<u>ENGINE</u>	<u>HP</u>
Merc. 200 XL	200
Merc. 200 EFI	200
Merc. 200 XL OPTIMAX	200
Merc. 225 XL EFI	225
Merc. 225 XL OPTIMAX	225
Merc. 250 XL EFI	250
Merc. T-150 XL	150 EA
Merc. T-150 XL OPTIMAX	150 EA
OMC 200	200
OMC 200 FICHT	200
OMC 225	225
OMC 225 FICHT	225
OMC T-150	150 EA
OMC T-150 FICHT	150 EA

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Accessory Bus Bar Under Dash
- Battery Tray
- Bilge Pump
- Bow Pulpit Molded w/Anchor Roller
- Bow Rail - Stainless Steel
- Bracket - Single +2
- Casting Deck w/Storage
- Casting Deck Fish Box - Insulated
- Cleats - 8" (5)
- Drink Holders
- F.I.S.T. Fiberglass Stringer System
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Grab Rail - Windshield (Stainless Steel)
- Gunnel Trim - Rigid Vinyl w/Stainless Steel Insert
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Head - Porta Potti - Enclosed in Console
- Horn - Electric
- Illuminated Switches & Breaker Panel
- Leaning Post w/Baitwell - 35 Gallon
- N.M.M.A. Certified
- Navigation Lights
- Non-Skid Decks & Gunnels
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Rod Holders - 2 Pair
- Rod Racks - 6
- Rope Locker Storage
- Self-Bailing Cockpit
- Steering - Hydraulic
- Steering Wheel - Stainless Steel
- Striping - Green, Blue, Black
- Tackle Storage
- Thru Hulls - Chrome Plated
- Transom Door
- Transom Storage
- Windshield - Plexiglass

OPTIONAL EQUIPMENT

- Battery Switch - Dual
- Battery Switch - Dual For Twin Engines
- Bracket - +2 Twin
- Cockpit Shower
- Compass

24 Sport*Continued...*

- Console Cover
- Curtain Package - T-Top
- Dive Ladder
- Head - w/Dockside Discharge
- Head - Electric Macerator, Holding Tank and Pump Out
- Hull Color - Green, Blue, Black
- Leaning Post - Deluxe Leaning Post - Backrest
- Leaning Post w/Baitwell Station - 50 Gallons: Deluxe Includes Transom Sink w/Faucet
- Lift Kit - (N/A w/Windlass)
- Lights - Remote Control Spot (T-Top Req.)
- Lights - Spreader (T-Top Req.)
- Outriggers - Gunnel Mount
- Seat - Rear Bench Removable
- Shrink Wrap
- Stereo - AM/FM Cassette w/2 Speakers
- Stereo - AM/FM CD w/2 Speakers
- Storm Hood
- Top - Bimini
- Top - Tee w/Electronics Box
- Top - Tee w/Top Gun Outriggers
- Trim Tabs
- Windlass - w/Bow Protector, Rope & Chain

CONVENIENCE PACKAGE

- Bow Cushions
- Cockpit Bolster Cushions
- Cockpit Lights (1 Pair)
- Dive Platform - Half w/Ladder
- Springline Cleats
- 12 Volt Receptacle

DELUXE CONVENIENCE PACKAGE

- Bow Cushions
- Cockpit Bolster Cushions
- Cockpit Lights (1 Pair)
- 12 Volt Receptacle
- Springline Cleats
- Full Dive Platform w/Ladder

ELECTRONICS PACKAGE #1

- X 48 Depth Finder/Fish Finder
- VHF Radio w/Antenna



ELECTRONICS PACKAGE #2


- LMS-160 GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna

ELECTRONICS PACKAGE #3

- Globalmap 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/Antenna

Notes

26 Sport



SPECIFICATIONS

Length Overall	27' 6" (8.4M)
Beam	8' 6" (2.6M)
Draft (Hull)	16" (.41M)
Deadrise	19 Degrees
Fuel Capacity	170 Gal. (643.5L)
Weight (Hull - approx)	4000 Lbs. (1814.1K)
Weight (Trail - appx)	.5750 Lbs. (2607.4K)
Cockpit Area	91 Sq. Ft. (8.46 M ²)
Cockpit Depth	28" (.71M)
Max HP	400 HP (298.3KW)
Fresh Water Capacity	15 Gal. (56.8L)
Bridge Clearance	6 9" (2.0M)
w/Tee Top	8' 6" (2.6M)
Baitwell Capacity	35 Gal. (132.5L)
Fish Boxes Cap. (2)	45 Gal. (170.3L)

ENGINE OPTIONS

<u>ENGINE</u>	<u>HP</u>
Merc. 200 XL	200
Merc. 200 EFI	200
Merc. 200 XL OPTIMAX	200
Merc. 225 XL EFI	225
Merc. 225 XL OPTIMAX	225
Merc. 250 XL EFI	250
Merc. T-150 XL	150 EA
Merc. T-150 XL OPTIMAX	150 EA
OMC 200	200
OMC 200 FICHT	200
OMC 225	225
OMC 225 FICHT	225
OMC T-150	150 EA
OMC T-150FICHT	150 EA

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Accessory Bus Bar Under Dash
- Battery Tray
- Bilge Pump
- Bow Pulpit Molded w/Anchor Roller
- Bow Rail - Stainless Steel
- Bracket - Single +2
- Casting Deck w/Storage
- Casting Deck Fish Box - Insulated
- Cleats - 8" (5)
- Drink Holders
- F.I.S.T. Fiberglass Stringer System
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Grab Rail - Windshield (Stainless Steel)
- Gunnel Trim - Rigid Vinyl w/Stainless Steel Insert
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Head - Porta Potti - Enclosed in Console
- Horn - Electric
- Illuminated Switches & Breaker Panel
- Leaning Post w/Baitwell - 35 Gallon
- N.M.M.A. Certified
- Navigation Lights
- Non-Skid Decks & Gunnels
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Rod Holders - 2 Pair
- Rod Racks - 6
- Rope Locker Storage
- Self-Bailing Cockpit
- Steering - Hydraulic
- Steering Wheel - Stainless Steel
- Striping - Green, Blue, Black
- Tackle Storage
- Thru Hulls - Chrome Plated
- Transom Door
- Transom Storage
- Windshield - Plexiglass

OPTIONAL EQUIPMENT

- Battery Switch - Dual
- Battery Switch - Dual For Twin Engines
- Bracket - +2 Twin
- Cockpit Shower
- Compass
- Console Cover

26 Sport*Continued...*

- Curtain Package - T-Top
- Dive Ladder
- Head - w/Dockside Discharge
- Head - Electric Macerator, Holding Tank and Pump Out
- Hull Color - Green, Blue, Black
- Leaning Post - Deluxe Leaning Post - Backrest
- Leaning Post w/Baitwell Station - 50 Gallons: Deluxe Includes Transom Sink w/Faucet
- Lift Kit - (N/A w/Windlass)
- Lights - Remote Control Spot (T-Top Req.)
- Lights - Spreader (T-Top Req.)
- Outriggers - Gunnel Mount
- Seat - Rear Bench Removable
- Shrink Wrap
- Stereo - AM/FM Cassette w/2 Speakers
- Stereo - AM/FM CD w/2 Speakers
- Storm Hood
- Top - Bimini
- Top - Tee w/Electronics Box
- Top - Tee w/Top Gun Outriggers
- Trim Tabs
- Windlass - w/Bow Protector, Rope & Chain

CONVENIENCE PACKAGE

- Bow Cushions
- Cockpit Bolster Cushions
- Cockpit Lights (1 Pair)
- Dive Platform - Half w/Ladder
- Springline Cleats
- 12 Volt Receptacle

DELUXE CONVENIENCE PACKAGE

- Bow Cushions
- Cockpit Bolster Cushions
- Cockpit Lights (1 Pair)
- 12 Volt Receptacle
- Springline Cleats
- Full Dive Platform w/Ladder

ELECTRONICS PACKAGE #1

- X 48 Depth Finder/Fish Finder
- VHF Radio w/Antenna



ELECTRONICS PACKAGE #2

- LMS-160 GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna

ELECTRONICS PACKAGE #3

- Globalmap 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/Antenna

Notes



27 Sport

*Coming Soon
Late 2000!*

SPECIFICATIONS

- Length Overall29' 1" (8.4M)
- Beam9' 10" (3.0M)
- Draft (Hull)20" (.51M)
- Deadrise19 Degrees
- Fuel Capacity200 Gal. (757.0L)
- Weight (Hull - approx)6000 Lbs. (2857.1K)
- Weight (Trail - appx) .8550 Lbs. (3877.0K)
- Cockpit Area115 Sq Ft (10.7 M²)
- Cockpit Depth26" (.66M)
- Max HP500 HP (507.0KW)
- Fresh Water Capacity15 Gal. (56.8L)
- Bridge Clearance7' 1" (2.2M)
- w/Tee Top8' 2" (2.5M)
- Baitwell Capacity35 Gal. (132.5L)
- Fish Boxes Cap. (2)50 Gal. (189.3L)

ENGINE OPTIONS

ENGINE	HP
Merc. T-225 XXL EFI	225 EA
Merc. T-225 XXL OPTIMAX ...	225 EA
Merc. T-250 XXL EFI	250 EA
OMC T-225 FICHT	225 EA
OMC T-250	250 EA
OMC T-250 FICHT	250 EA

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- 12 Volt Receptacle
- Accessory Buss Bar Under Dash
- Baitwell -Recirculating
- Battery Charger



ELECTRONICS PACKAGE #2

- LMS-160 GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna

ELECTRONICS PACKAGE #3

- Globalmap 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/Antenna

Notes



27 Sport

*Coming Soon
Late 2000!*

SPECIFICATIONS

Length Overall	29' 1" (8.4M)
Beam	9' 10" (3.0M)
Draft (Hull)	20" (.51M)
Deadrise	19 Degrees
Fuel Capacity	200 Gal. (757.0L)
Weight (Hull - approx)	6000 Lbs. (2857.1K)
Weight (Trail - appx)	.8550 Lbs. (3877.0K)
Cockpit Area	115 Sq Ft (10.7 M ²)
Cockpit Depth	26" (.66M)
Max HP	500 HP (507.0KW)
Fresh Water Capacity	15 Gal. (56.8L)
Bridge Clearance	7' 1" (2.2M)
w/Tee Top	8' 2" (2.5M)
Baitwell Capacity	35 Gal. (132.5L)
Fish Boxes Cap. (2)	50 Gal. (189.3L)

ENGINE OPTIONS

<u>ENGINE</u>	<u>HP</u>
Merc. T-225 XXL EFI	225 EA
Merc. T-225 XXL OPTIMAX	225 EA
Merc. T-250 XXL EFI	250 EA
OMC T-225 FICHT	225 EA
OMC T-250	250 EA
OMC T-250 FICHT	250 EA

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- 12 Volt Receptacle
- Accessory Buss Bar Under Dash
- Baitwell -Recirculating
- Battery Charger

- Battery Trays
- Battery Switch - Dual
- Bilge Pump - 1250 GPH
- Bilge Pump - 500 GPH Fwd.
- Bow Pulpit w/Anchor Roller
- Cabin - Cushions and Bolsters
- Cleats - 8" Pop-Up (1)
- Cleats - Pop-Up (6)
- Cockpit Lights
- Cockpit Shower
- Cockpit Seat w/Cushion
- Console Cooler - Forward
- Compass
- Electronics Box w/Lock
- Fish Boxes - Insulated
- F.I.S.T. Stringer System
- Fuel/Water Separators
- Full Premium Instrumentation
- Gunnel Trim - Rigid Vinyl
- Hardware - Stainless Steel
- Hatches w/True Gutter System
- Head - Porta Potti
- Horn - Electric
- Hull & Deck Joint - Plexus Bonded
- Illuminated Switch & Breaker Panel
- Integrated Dive Platform w/ Ladder
- Insulated Fish Boxes
- N.M.M.A. Certified
- Navigational Lights
- Non-Skid Decks & Gunnels
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Rod Holders - Gunnel Mount - 2 Pair
- Rod Racks - 4
- Rope Locker Storage
- Self-Bailing Cockpit
- Shore Power w/Cord
- Stailess Steel Deck Hardware
- Steering - Hydraulic
- Steering Wheel - Stainless Steel w/Molded Grip
- Striping Package - Green, Blue, Black
- Tackle Box
- Thru-Hulls - Chrome over Brass
- Transom Door
- Trim Tabs
- Windshield - Curved Plexiglass
- 110 Volt Outlets GFI Protected
- Zinc Saver

27 Sport

Continued...

OPTIONAL EQUIPMENT

- Bilge Pump - Highwater w/Alarm
- Backup Baitwell Pump - 1100 GPH
- Battery Charger
- Canvas - Arch Enclosure w/Top
- Console Cover
- Downrigger Holders in Cabin
- Graphics Package - Custom
- Hull Color - Green, Blue, Black
- Leaning Post - Back Rest
- Light - Remote Spot (T-Top Required)
- Outriggers - Gunnel Mount & Top Mount
- Radar Arch w/Rod Holders
- Rod Holders - 1 Pair (Additional)
- Seat - Rear Bench (Removable w/Backrest)
- Stereo - AM/FM Cassette w/4 Speakers
- Stereo - AM/FM CD w/4 Speakers
- Spreader Light - T-Top or Arch Req.
- Top - Bimini
- T-Top Enclosure
- T-Top w/Electronics Box
- T-Top w/Grab Rail (Pro Series)
- Windlass - W/Bow Protector, Rope & Chain
- Windshield Extended (Pro Series)
- Head w/Dockside Discharge

ELECTRONICS PACKAGE #1

- X 48 Depth finder/Fish Finder
- VHF radio w/antenna

ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio w/ Antenna

ELECTRONICS PACKAGE #3

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/ Antenna


* Pro-Series Package - Available upon special request.



Notes



2700 Sport



SPECIFICATIONS

Length Overall	27'6"(8.4m)
Beam	9'10"(3.0m)
Draft (Hull)	20"(.51m)
Fuel Capacity	200 Gal.(757.0L)
Weight (Hull - approx)	4,750 Lbs.(2154.6kg)
Weight (Trail - appx)	7,300 Lbs.(3311.3kg)
Cockpit Area	115 Sq. Ft.(10.7m ²)
Cockpit Depth	30"(.76m)
Max HP	500 HP(507.0kw)
Fresh Water Capacity	15 Gal.(56.8L)
Bridge Clearance	6'4"(1.9m)
w/Tee Top	7'6"(2.3m)
w/Arch	7'8"(2.352m)
Baitwell Capacity	20 Gal.(75.7L)
Fish Boxes Cap. (2)	.57 Gal ea(215.7L ea)
Console Cooler Capacity	...16 Gal.(61.5L)

ENGINE OPTIONS

ENGINE	HP
Merc. T-150 XL	150 EA
Merc. T-150 XL OPTIMAX	150 EA
Merc. T-200 XL	200 EA
Merc. T-200 XL OPTIMAX	200 EA
Merc. T-225 XL EFI	225 EA
Merc. T-225 XL OPTIMAX	225 EA
Merc. T-250 XL EFI	250 EA
OMC T-150	150 EA
OMC T-150 FICHT	150 EA
OMC T-200	200 EA
OMC T-200 FICHT	200 EA
OMC T-225	225 EA
OMC T-225 FICHT	225 EA
OMC T-250	250 EA

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Accessory Bus Bar Under Dash
- Bait & Tackle Station w/Recirculating Baitwell, Raw Water Washdown, Freshwater Faucet
- Battery Trays (27 Series)
- Bilge Pump - 1250 GPH
- Bow Pulpit Molded w/Anchor Roller
- Bracket - Dual +2
- Casting Deck Fish Box - Insulated
- Casting Deck Storage
- Cleats - 8" (3), 10" (2)
- Cockpit Shower
- Console Cooler
- Dive Platform - Full w/Ladder
- Drink Holders
- Fish Boxes - Insulated
- F.I.S.T. Fiberglass Stringer System
- Foam Flotation - Closed Cell
- Fresh Water System
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Gunnel Trim - Rigid Vinyl w/Stainless Steel Insert
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Head - Porta Potti - Enclosed in Console
- Head Storage
- Horn - Electric
- Illuminated Switches & Breaker Panels
- Leaning Post w/Rod Holders
- N.M.M.A. Certified
- Navigation Lights
- Non-Skid Decks & Gunnels
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (6)
- Rope Locker Storage
- Seat - Forward Console
- Self-Bailing Cockpit
- Steering - Hydraulic
- Striping - Green, Blue, Black
- Tackle Box
- Transom Door
- Transom - Knife & Pliers Holder
- Trim Tabs
- Thru Hull - Chrome Plated
- Windshield - Plexiglass

2700 Sport

Continued...

OPTIONAL EQUIPMENT

- Console Cover
- Curtain Package - T-Top
- Dive Ladder
- Graphics - Custom
- Head - w/Dockside Discharge
- Head - Electric w/Macerator, Pump Out, and Holding Tank
- Hull Color - ,Green, Blue, Black
- Leaning Post - Backrest
- Leaning Post - Deluxe (3400 Style)
- Leaning Post - w/Scuba Rack
- Lift Kit - (N/A w/Windlass)
- Lights - Remote Control Spot (Requires T-Top)
- Lights - Spreader (Requires T-Top)
- Outriggers - Gunnel Mount or Top Mount
- Seat - Rear Bench Removable
- Shrink Wrap
- Stereo - AM/FM Cassette w/2 Speakers
- Stereo - AM/FM CD w/2 Speakers
- Storm Hood
- Top - Bimini
- Top - T-Top w/Electronics Box
- Windlass - w/Bow Protector, Rope & Chain
- VHF Radio w/Antenna

CONVENIENCE PACKAGE

- Bow Cushion
- Cockpit Bolsters
- Cockpit Lights (1 Pair)
- Spring Line Cleats
- 12 Volt Receptacle

ELECTRONICS PACKAGE #1

- X 48 Depth Finder/Fish Finder
- VHF Radio w/Antenna

ELECTRONICS PACKAGE #2

- LMS-160 GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna

ELECTRONICS PACKAGE #3


- Globalmap 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/Antenna



Notes



30 Sport



SPECIFICATIONS

Length Overall	32' 6" (9.91m)
Beam	10' 10" (3.3m)
Draft, Up	22" (.558m)
Deadrise	19 DEG
Fuel Capacity	300 Gal. (1135.6L)
Weight (Hull - approx)	6,800 Lbs (3084.3k)
Max HP	500 HP (507.0kw)
Cockpit Headroom	4' 2" (15.24m)
Cockpit Depth	30" (.76m)
Bridge Clearance	7' 0" (25.60m)
w/T-Top	8' 3" (30.17m)
Fresh Water Capacity	21 Gal. (79.5L)
Baitwell Capacity	45 Gal. (170.34L)

ENGINE OPTIONS

ENGINE	HP
Merc. T-225 XXL EFI	225 EA
Merc. T-225 XXL OPTIMAX	225 EA
Merc. T-250 XXL EFI	250 EA
OMC T-225 FICHT	225 EA
OMC T-250	250 EA
OMC T-250 FICHT	250 EA

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- 12 Volt Receptacle
- Accessory Buss Bar Under Dash
- Baitwell -Recirculating
- Battery Charger
- Battery Trays
- Battery Switch - Dual

- Bilge Pump - 1250 GPH
- Bilge Pump - 500 GPH Fwd.
- Bow Pulpit w/Anchor Roller
- Cabin - Cushions and Bolsters
- Cleats - 8" Pop-Up (1)
- Cleats - Pop-Up (6)
- Cockpit Lights
- Cockpit Shower
- Cockpit Seat w/Cushion
- Console Cooler - Forward
- Compass
- Electronics Box w/Lock
- Fish Boxes - Insulated
- F.I.S.T. Stringer System
- Fuel/Water Separators
- Full Premium Instrumentation
- Gunnel Trim - Rigid Vinyl
- Hardware - Stainless Steel
- Hatches w/True Gutter System
- Head - Porta Potti
- Horn - Electric
- Hull & Deck Joint - Plexus Bonded
- Ice Box - In Helm Seat
- Illuminated Switch & Breaker Panel
- Integrated Dive Platform w/ Ladder
- Insulated Fish Boxes
- N.M.M.A. Certified
- Navigational Lights
- Non-Skid Decks & Gunnels
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Rod Holders - Gunnel Mount - 2 Pair
- Rod Racks - 4
- Rope Locker Storage
- Self-Bailing Cockpit
- Shore Power w/Cord
- Stainless Steel Deck Hardware
- Steering - Hydraulic
- Steering Wheel - Stainless Steel w/Molded Grip
- Striping Package - Green, Blue, Black
- Tackle Box
- Thru-Hulls - Chrome over Brass
- Transom Door
- Trim Tabs
- Windshield - Curved Plexiglass
- 110 Volt Outlets GFI Protected
- Zinc Saver

30 Sport

Continued...

OPTIONAL EQUIPMENT

- Air Conditioning - 5000 BTU
- Curtain Package - Bimini
- Curtain Package - T-Top
- Dive Ladder - Armstrong
- Generator w/Carbon Monoxide Detect.
- Head w/Dockside Discharge
- Head - Elec. w/Macerator, Holding Tank, Pump out and Overboard Discharge
- Hull Color - Green, Blue, Black
- Lift Kit
- Outriggers (Gunnel or T-Top)
- Pre-Rig
- Remote Spot Light (T-Top Req.)
- Shrink Wrap
- Spreader Lights (T-Top Only)
- Stereo - AM/FM Cass. w/4 Speakers
- Stereo - AM/FM CD w/4 Speakers
- Top - Bimini
- T-Top w/Electronics Box
- VHF Radio
- Windlass - W/Bow Protector, Rope, Chain

ELECTRONICS PACKAGE #1

- X 48 Depth finder /Fish Finder
- VHF radio w/antenna

ELECTRONICS PACKAGE #2


- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio w/ Antenna

ELECTRONICS PACKAGE #3

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/ Antenna

Notes

30 SSC



SPECIFICATIONS

Length Overall	.29'6" (9.1m)
Beam	.8'6" (2.6m)
Draft, Down	.25" (.64m)
Up	.20" (.51m)
Deadrise	.22 Deg. (22°)
Fuel Capacity	.200 Gal. (757.0L)
Weight (Hull - approx)	4,300 Lbs (3311.3kg)
Weight (Trail - appx)	.7,500 Lbs (5776kg)
Max HP	.600 (608.40kw)
Cockpit Area	.112 SQ. FT. (10.4m ²)
Cockpit Depth	.27" (.69m)
Bridge Clearance	.7'2" (2.2m)
w/Radar Arch	.7'10" (2.4m)
w/T-Top	.8'10" (2.7m)
Fresh Water Capacity	.21 Gal. (79.5L)
Baitwell Capacity	.50 Gal. (255.8L)

ENGINE OPTIONS

ENGINE	HP
Merc. T-225 XXL OPTIMAX	...225 EA
Merc. T-225 XXL EFI	...225 EA
Merc. T-250 XXL EFI	...250 EA
OMC T-225	...225 EA
OMC T-225 FICHT	...225 EA
OMC T-250	...250 EA

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- 12 Volt Receptacle
- Accessory Buss Bar Under Dash
- Anchor Roller
- Baitwell - Recirculating
- Battery Trays 27 Series

- Battery Switch - Dual
- Bilge Pumps - (1250 GPH)
- Bow Rail - Stainless Steel
- Cabin Cushions
- Cabin Lights
- Cleats - 8" Pop-Up (4), Stainless Steel
- Cleats - 10" Aft (2) Under Gunnel, Stainless Steel
- Cockpit Lights
- Cockpit Bolster Cushions
- Console Cooler - Forward
- Compass
- Companion Way Door (Acrylic Bi-Fold)
- Electronics Box w/Lock
- Fish Boxes - Foam Insulated
- F.I.S.T. Construction
- Fuel/Water Separators
- Full Faria Instrumentation
- Grab Rail - Center Console, Stainless Steel
- Gunnel Trim - Stainless Steel Insert
- Hardware - Stainless Steel
- Hatches w/True Gutter System
- Head - Porta Potti
- Horn - Electric
- Illuminated Switch & Breaker Panel
- Integrated Bracket and Dive Platform
- Knee Cushion on Console
- Leaning Post - Baitwell Donzi Series 50 Gal.
- N.M.M.A. Certified
- Navigational Lights
- Non-Skid Decks & Gunnels
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Raw Water Washdown
- Rod Holders - 2 Pair
- Rod Racks - 8 Horizontal Cockpit
- Rod Racks - 4 Cabin
- Rope Locker Storage
- Seat - Forward Console
- Seat - Leaning Post w/Fresh Water Sink and Baitwell (50 Gallons)
- Self-Bailing Cockpit
- Steering - Hydraulic
- Steering Wheel - Stainless Steel w/Molded Grip
- Striping Package - Green, Blue, Black
- Tackle Box - 4 Drawer
- Thru-Hulls - Chrome Plated
- Transom Door
- Trim Tabs (Insta Trim)
- Windshield - Curved Plexiglass

OPTIONAL EQUIPMENT

- Bilge Pump - Highwater w/Alarm
- Backup Baitwell Pump - 1100 GPH
- Battery Charger
- Canvas - Arch Enclosure w/Top
- Console Cover
- Downrigger Holders in Cabin
- Graphics Package - Custom
- Hull Color - Green, Blue, Black
- Leaning Post - Back Rest
- Light - Remote Spot (T-Top Required)
- Outriggers - Gunnel Mount & Top Mount
- Radar Arch w/Rod Holders
- Rod Holders - 1 Pair (Additional)
- Seat - Rear Bench (Removable w/Backrest)
- Stereo - AM/FM Cassette w/4 Speakers
- Stereo - AM/FM CD w/4 Speakers
- Spreader Light - T-Top or Arch Req.
- Top - Bimini
- T-Top Enclosure
- T-Top w/Electronics Box
- T-Top w/Grab Rail (Pro Series)
- Windlass - w/Bow Protector, Rope & Chain
- Windshield Extended (Pro Series)
- Head w/Dockside Discharge

ELECTRONICS PACKAGE #1

- X 48 Depth finder/Fish Finder
- VHF radio w/antenna

ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio w/Antenna

ELECTRONICS PACKAGE #3


- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/Antenna

PRO SERIES PACKAGE

- Back-Up Baitwell Pump - 1100 GPH
- Chaffing Rings for Gaffs
- K-Planes
- T-Top - Pro Series w/Grab Rail
- Bilge Pump - Highwater Alarm
- Console Cushions - Thru Bolted
- Non-Skid (Cabin Top)
- Rod Holders - (12) Lees, (4) 15 degree on Leaning Post, (8) 30 degree on Deck
- Windshield - Extended

Notes

34 SS



SPECIFICATIONS

Length Overall	.34'6" (10.7m)
Beam	.9'0" (2.7m)
Draft (Hull)	.25" (.64m)
Hull Type	.22 Deg. (22°)
Fuel Capacity	.300 Gal. (1135.5L)
Weight (Hull - approx)	7,500 Lbs. (3402.0kg)
Weight (Trail - appx)	14,000 Lbs. (6350.4kg)
Cockpit Area	.112 Sq. Ft. (10.4m²)
Cockpit Depth	.27" (.69m)
Bridge Clearance	.7'2" (2.2m)
w/T-Top	.7'10" (2.4m)
w/Radar Arch	.7'10" (2.4m)
Max HP - O/B	.750 HP (684.45kw)
Baitwell Capacity	.38Gal. (145.7L)
Fish Box Capacity (2)	.39 Gal. (148.6L)
Fresh Water Capacity	.15 Gal. (113.6L)
Console Cooler Capacity	.17 Gal. (65.3L)

ENGINE OPTIONS

ENGINE	HP
Merc. T-225 XXL EFI	.225 EA
Merc. T-225 XXL OPTIMAX	.225 EA
Merc. T-250 XXL EFI	.250 EA
Merc. TRP-225 XL EFI	.225 EA
OMC T-225 FICHT	.225 EA
OMC T-250	.250 EA
OMC T-250 FICHT	.250 EA
OMC TRP-225 FICHT	.225 EA

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- 12 Volt Receptacle
- Accessory Buss Bar Under Dash

- Baitwell - Recirculating and Raw Water Washdown, Fresh Water Faucet
- Battery Switch - Dual
- Battery Trays
- Bilge Pumps - (2 @ 1250 GPH)
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- Bracket/Dive Platform - Integrated
- City Water Hook-Up (not w/Pro-Series)
- Cleats - 8" Pop-Up (4), 10" Aft (2) Under Gunnel
- Cockpit Lights
- Cockpit Shower
- Cockpit Bolster Cushions
- Console Cooler - Forward
- Compass
- Dive Ladder
- Electronics Box w/Lock
- Fish Boxes Port & Starboard Insulated
- F.I.S.T. Construction
- Foam Flotation - Closed Cell
- Fuel/Water Separators
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Gunnel Trim - w/Stainless Steel Insert
- Hardware - Stainless Steel
- Hatches w/True Gutter System
- Head - Porta Potti, Enclosed in Center Console w/Fresh Water Shower/Sink/Light
- Horn - Electric
- Illuminated Switches & Breaker Panel
- Leaning Post w/Rod Holders
- N.M.M.A. Certified
- Navigational Lights
- Non-Skid Decks & Gunnels
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Rod Holders - 2 Pair
- Rod Holders - Casting Deck
- Rod Racks - 8 (Cockpit)
- Rope Locker Storage
- Seat - Forward Console
- Self-Bailing Cockpit
- Steering - Hydraulic
- Steering Wheel - Stainless Steel w/Molded Grip
- Storage - Casting Deck
- Striping Package - Green, Blue, Black
- Thru-Hulls - Chrome Plated
- Transom Door
- Transom Sink w/Fresh Water System
- Trim Tabs
- Windshield - Curved Plexiglass

OPTIONAL EQUIPMENT

- Arch Radar w/Rod Holders
- Arch Radar w/Top Gun Outriggers
- Battery Charger
- Canvas - Arch Enclosure w/Top
- Console Cover
- Curtain Package - T-Top
- Deluxe Baitwell Backrest
- Graphics Package - Custom
- Head - w/Dockside Discharge
- Head - Electric w/Macerator Pump Out and Holding Tank
- Hull Color - Premium Gelcoat
- Leaning Post - Backrest
- Leaning Post/Baitstation or w/Scuba Racks
- Lights - Docking
- Light - Remote Control Spot (Requires T-Top)
- Lights - Spreader (Top or Arch Req.)
- Outriggers - Gunnel Mount or Top Mount
- Seat - Helm, Drop Down
- Seats - Rear Bench (Removable w/Backrest)
- Shrink Wrap
- Stereo - AM/FM Cassette w/4 Speakers
- Stereo - AM/FM CD w/4 Speakers
- Storm Hood
- Top - Bimini
- Top - Tee w/Electronics Box
- Windlass - w/Bow Protector, Rope & Chain

ELECTRONICS PACKAGE #1

- X 48 Depth finder
- VHF radio w/antenna

ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio w/ Antenna

ELECTRONICS PACKAGE #3


- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/ Antenna

PRO SERIES PACKAGE

- 350 Gallon Fuel Tank
- Back-Up Baitwell Pump - 1100 GPH
- Bow Rail - Low Profile
- K-Planes
- T-Top - Pro Series w/Grab Rail
- Trim Tab Pumps in Console
- Windshield - Extended

Notes

34 SSC



SPECIFICATIONS

Length Overall	34'6"(10.7m)
Beam	9'0"(2.7m)
Draft (Hull)	25"(.64m)
Hull Type	22 Deg. (22°)
Fuel Capacity	300 Gal.(1135.5L)
Weight (Hull - approx)	7,500 Lbs.(3402.0kg)
Weight (Trail - appx)	14,000 Lbs.(6350.4kg)
Cockpit Area	112 Sq. Ft.(10.4m²)
Cockpit Depth	27"(.69m)
Bridge Clearance	7'2"(2.2m)
T-Top	7'10"(2.4m)
Radar Arch	7'10"(2.4m)
Max HP - O/B	750 HP(684.45kw)
Baitwell Capacity	38 Gal.(145.7L)
Fish Box Capacity (2)	39 Gal(148.6L)
Fresh Water Capacity	...15 Gals.(113.6L)
Console Cooler Capacity	...17 Gal.(65.3L)
Sleeping Capacity	2

ENGINE OPTIONS

ENGINE	HP
Merc. T-225 XXL EFI	225 EA
Merc. T-225 XXL OPTIMAX	...22 5 EA
Merc. T-250 XXL EFI	250 EA
Merc. Trp-225 XL EFI	225 EA
OMC T-225 FICHT	225 EA
OMC T-250	250 EA
OMC T-250 FICHT	250 EA
OMC TRP-225	225 EA

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- 12 Volt Receptacle

- Accessory Buss Bar Under Dash
- Baitwell - Recirculating and Raw Water Washdown, Fresh Water Faucet
- Battery Switch - Dual
- Battery Trays - 27 Series
- Bilge Pumps - (2 @ 1250 GPH)
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- Bracket/Dive Platform - Integrated
- Cabin Cushions
- Cabin Filler Cushion
- Cabin Lights
- Cabin Table and Pedestal
- City Water Hook-Up
- Cleats - 8" Pop-Up (4), 10" Aft (2) Under Gunnel
- Cockpit Lights
- Cockpit Shower
- Cockpit Bolster Cushions
- Console Cooler - Forward
- Compass
- Dive Ladder
- Door - Companionway - Acrylic
- Electrical Distribution Panel w/Circuit Breakers
- Electronics Box w/Lock
- Fish Boxes Port & Starboard Insulated
- F.I.S.T. Construction
- Foam Flotation - Closed Cell
- Fuel/Water Separators
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Gunnel Trim - Rigid Vinyl w/Stainless Steel Insert
- Hardware - Stainless Steel
- Hatches w/True Gutter System
- Head - Porta Potti, enclosed in Center Console w/Fresh Water Shower/Sink/Light
- Horn - Electric
- Illuminated Switches & Breaker Panel
- Leaning Post w/Rod Holders
- N.M.M.A. Certified
- Navigational Lights
- Non-Skid Decks & Gunnels
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Rod Holders - 2 Pair
- Rod Racks - 8
- Rope Locker Storage
- Seat - Forward Console
- Self-Bailing Cockpit
- Steering - Hydraulic
- Steering Wheel - Stainless Steel w/Molded Grip
- Stripping Package - Ribbon Tape

Continued...

- Thru-Hulls - Chrome Plated
- Transom Door
- Transom Sink w/Fresh Water System
- Trim Tabs
- Windshield - Curved Plexiglass

OPTIONAL EQUIPMENT

- Arch Radar w/Rod Holders
- Arch Radar w/Top Gun Outriggers
- Battery Charger
- Canvas - Arch Enclosure w/Top
- Console Cover
- Curtain Package - T-Top
- Deluxe Backrest
- Deluxe Baitstation
- Graphics Package - Custom
- Head - w/Dockside Discharge
- Head - Electric w/Macerator Pump Out and Holding Tank
- Hull Color - Green, Blue, Black
- Leaning Post - Backrest
- Leaning Post w/Scuba Racks
- Lights - Docking
- Lights - Remote Control Spot
- Lights - Spreader (Top or Arch Req.)
- Outriggers - Gunnel Mount or Top
- Seat - Helm, Drop Down
- Seats - Rear Bench (Removable w/Backrest)
- Shrink Wrap
- Stereo - AM/FM Cassette w/4 Speakers
- Stereo - AM/FM CD w/4 Speakers
- Top - Bimini
- Top - Tee w/Electronics Box
- Top - Tee w/Top Gun Outriggers
- Windlass - w/Bow Protector, Rope & Chain

ELECTRONICS PACKAGE #1

- X 48 Depth finder/Fish Finder
- VHF radio w/antenna

ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio w/ Antenna

Michael S. Scudlo
203-467-2565



ELECTRONICS PACKAGE #3

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/ Antenna


PRO SERIES PACKAGE

- 350 Gallon Fuel Tank
- Back-Up Baitwell Pump - 1100 GPH
- Bow Rail - Low Profile
- Chaffing Rings for Gaffs
- K-Planes
- T-Top - Pro Series w/Grab Rail
- Windshield - Extended

Notes



34 BC



SPECIFICATIONS

Length Overall		34'10" (10.6m)
Beam		9'2" (2.7m)
Draft (Hull)		25" (.64m)
Hull Type		22 Deg. (22°)
Fuel Capacity		300 Gal. (1135.5L)
Weight (hull - approx)		7,500 Lbs. (3402.0kg)
Weight (trailer)		14,000 Lbs. (6350.4kg)
Cockpit Area		112 Sq. Ft. (10.4m²)
Cockpit Depth		27" (.69m)
Bridge Clearance		7'2" (2.2m)
W/T-Top		7'10" (2.4m)
W/Radar Arch		7'10" (2.4m)
Max HP - O/B		675 HP (760.5kw)
Baitwell Capacity		38 Gal. (145.7L)
Fish Box Capacity (2)		39 Gal. (148.6L)
Fresh Water Capacity		15 Gals. (113.6L)
Console Cooler Capacity		17 Gal. (56.8L)
Sleeping Capacity		2

ENGINE OPTIONS

Merc. T-225XXL EFI		225 EA
Merc. T-225XXL OPTIMAX		225 EA
Merc. T-250 XXL EFI		250 EA
Merc. Trp-225 XL EFI		225 EA
OMC T-225 FICHT		225 EA
OMC T-250		250 EA
OMC T-250 FICHT		250 EA
OMC TRP-225 FICHT		225 EA

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- 12 Volt Receptacle
- Accessory Buss Bar Under Dash

- Baitwell - Recirculating and Raw Water Washdown
- Battery Switch - Dual
- Battery Trays - 27 Series
- Bilge Pumps - (2)
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- Bracket/Dive Platform - Integrated
- Cabin Cushions
- Cabin Filler Cushion
- Cabin Hatches
- Cabin Lights
- Cabin Table and Pedestal
- City Water Hook-Up
- Cleats - 8" Pop-Up (4), 10" Aft (2) Under Gunnel
- Cockpit Lights
- Cockpit Shower
- Cockpit Bolster Cushions
- Console Cooler - Forward
- Compass
- Door - Companionway - Acrylic
- Electrical Distribution Panel w/Circuit Breakers
- Electronics Box w/Lock
- Fish Boxes Port & Starboard Insulated
- F.I.S.T. Construction
- Foam Flotation - Closed Cell
- Fuel/Water Separators
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Gunnel Trim - Rigid Vinyl w/Stainless Steel Insert
- Hardware - Stainless Steel
- Hatches w/True Gutter System
- Head - Porta Potti, Enclosed in Center Console w/Fresh Water Shower/Sink/Light
- Horn - Electric
- Illuminated Switches & Breaker Panel
- Leaning Post w/Rod Holders
- N.M.M.A. Certified
- Navigational Lights
- Non-Skid Decks & Gunnels
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Rod Holders - 2 Pair
- Rod Racks - 8
- Rope Locker Storage
- Seat - Forward Console
- Self-Bailing Cockpit
- Shore Power w/Cord
- Steering - Hydraulic
- Steering Wheel - Stainless Steel w/Molded Grip

Continued...

- Striping Package - Green, Blue, Black
- Thru-Hulls - Chrome Plated
- Transom Door
- Transom Sink w/Fresh Water System
- Trim Tabs
- Windshield - Curved Plexiglass
- Zinc Saver

OPTIONAL EQUIPMENT

- Air Conditioning
- Arch Radar w/Rod Holders
- Arch Enclosure w/Top
- Battery Charger
- Canvas - Arch Enclosure w/Top
- Console Cover
- Curtain Package - T-Top
- Dive Ladder - Armstrong
- Generator w/Carbon Monoxide Detector
- Graphics Package - Custom
- Head - w/Dockside Discharge
- Head - Electric w/Macerator Pump Out and Holding Tank
- Hull Color - Green, Blue, Black
- Ladder - 3 Step Folding
- Leaning Post - Backrest
- Leaning Post w/Scuba Racks
- Lights - Docking
- Lights - Remote Control Spot
- Lights - Spreader (Top or Arch Req.)
- Outriggers - Gunnel Mount or Top
- Seat - Helm, Drop Down
- Seats - Rear Bench (Removable w/Backrest)
- Shrink Wrap
- Stereo - AM/FM Cassette w/4 Speakers
- Stereo - AM/FM CD w/4 Speakers
- Top - Bimini
- Top - Tee w/Electronics Box
- Water Heater
- Windlass - w/Bow Protector, Rope & Chain

ELECTRONICS PACKAGE #1

- X 48 Depth finder/Fish Finder
- VHF radio w/antenna

ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio w/ Antenna



- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/ Antenna

Notes



Walk & Express Series

20 • 22 • 23 • 24 • 25

26 • 27 • 27 Express

28 • 29 • 30 • 30 Express

32 Express Fish • 33 Express

The new 2000 line of Pro-Line Cabin Boats are truly phenomenal. Demand for these fishing machines have been outstanding and, with the addition of new products, this line offers more models than any of the competition.


When presenting the Pro-Line cabin boats, be sure and get your prospects into the boat. Point out the deep interior freeboard, the placement of all the necessary fishing equipment, the deep wide walkarounds, collapsible hinges on the floor hatches, thru-bolted stainless steel hardware with backing plates, large cleats, molded bow pulpits (where applicable) and more.

Inside the cabins, your customers will find the most spacious and accommodating interiors of any on the market. Fabrics are made of high grade Scotchguarded materials that zip open to allow the covers to be washed. Hardware down below is second to none and the models with enclosed heads give your prospects plenty of room to make even the largest of anglers comfortable. Storage is abundant and headliners are made of premium foam backed materials for ease of maintenance.

Every Pro-Line model comes with full instrumentation and complete set of weather resistant rocker switches. Wiring is color coded and every connection is heat shrunk to ensure no corrosion or breakage. Pro-Line even goes as far as labeling the bus-bars to make adding future equipment as easy as 1-2-3!

The hulls are all built with rough water capabilities in mind. Boasting deep vee hulls with reversed chines, the ride is stable, dry and feels like a much bigger boat.

If your prospects are looking for a true cabin boat with the amenities that no other offers, then a Pro-Line cabin boat is for them!

20 Walk**SPECIFICATIONS**

Length Overall	20'2" (6.1m)
Beam	8'0" (2.4m)
Draft (Hull)	12" (.30m)
Fuel Capacity	70 Gal. (265.0m)
Weight (Hull - approx)	2,500 Lbs. (1134.0kg)
Weight (Trail - appx)	3,700 Lbs. (1678.3kg)
Cockpit Area	29 Sq. Ft. (2.7m ²)
Cockpit Depth	22.5" (.57m)
Bridge Clearance	5'5" (1.7m)
Hard Top	7'6" (2.3m)
Max HP - O/B	175 HP (177.45kw)
I/O	190 HP (192.66kw)
Baitwell Capacity	27 Gal. (103.1L)
Fish Box Capacity	27 Gal. (103.1L)
Cabin Head Room	4'7" (1.4m)
Sleeping Capacity	2

ENGINE OPTIONS

<u>ENGINE</u>	<u>HP</u>
Merc. 150 XL OPTI-MAX	150
Merc. 150 XL	150
OMC 150	150
OMC 150 FICHT	150
Merc. 4.3 LA I/O	190
Volvo 4.3 GLSX	190
Volvo 4.3 GLDP	190

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Accessory Buss Bar Under Dash
- Battery Tray
- Bilge Pump - 1250 GPH

- Cabin Cushions
- Cabin Portholes - 2
- Carbon Monoxide Detector with I/O Package Only
- Cleats - 8" (3) - Stainless Steel
- Cushion - Forward Filler
- Door - Poly Bi-Fold
- Drink Holders
- F.I.S.T. Fiberglass Stringer System
- Foam Flotation - Closed Cell
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Gunnel Trim - Rigid Vinyl
- Hardware - Thru Bolted (Stainless Steel)
- Hatches
- Horn - Electric
- Illuminated Switches & Breaker Panel
- N.M.M.A. Certified
- Navigation Lights
- Non-Skid Decks & Gunnels
- Porta Potti
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Rod Holders - 1 Pair
- Rod Racks - 6
- Rope Locker Storage
- Seats - Aft Jump
- Seats - Captain's Chairs
- Self-Bailing Cockpit
- Steering Wheel - Stainless Steel
- Steering - No Feed Back
- Striping - Blue, Green, Black
- Tackle Storage
- Vinyl Headliner
- Windshield - Curved Tempered Glass

OPTIONAL EQUIPMENT

- Battery Switch for Dual Batteries
- Compass
- Curtain Package - Bimini
- Curtain Package - Hard Top
- Cushions - Cabin Aft Filler
- Cushions - Fish Box
- Dive Ladder
- Dive Platform - Full, I/O only
- Hull Color - Green, Blue, Black
- Lift Kit
- Lights - Spreader (HT Only)
- Outriggers - Gunnel Mount or Top Mount

20 Walk

Continued...

- Rod Holders - 1 Pair
- Shrink Wrap
- Steering - Hydraulic
- Stereo - AM/FM Cassette w/ 2 Speakers
- Stereo - AM/FM CD w/ 2 Speakers
- Top - Bimini w/Windscreen
- Top - Hard Top w/Electronics Box

CONVENIENCE PACKAGE

- Cockpit Lights (1 Pair)
- Dive Platform - Half w/Ladder
- Spring Line Cleats 8" (2)
- 12 Volt Receptacle

ELECTRONICS PACKAGE #1

- X 48 Depth Finder/Fish Finder
- VHF radio w/antenna

ELECTRONICS PACKAGE #2


- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio w/ Antenna

ELECTRONICS PACKAGE #3

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/ Antenna

Notes

22 Walk



SPECIFICATIONS

Length Overall	22'5" (6.87m)
Beam	8'3" (2.48m)
Draft (Hull)	16" (.41m)
Fuel Capacity	95 Gal. (359.6L)
Weight (Hull - approx)	3,100 Lbs. (1406.2kg)
Weight (Trail - appx)	4,900 Lbs. (2222.6kg)
Cockpit Area	58 Sq. Ft. (5.4m ²)
Cockpit Depth	27" (.69m)
Max HP - O/B	225 HP (228.15kw)
Bridge Clearance	5'5" (1.7m)
Cabin Head Room	4'6" (1.4m)
Fish Box Capacity	27 Gal. (103.1L)
Baitwell Capacity	27 Gal. (103.1L)
Sleeping Capacity	2

ENGINE OPTIONS

ENGINE	HP
Merc. 150 XL	150
Merc. 150 XL OPTIMAX	150
Merc. 200 XL	200
Merc. 200 XL EFI	200
Merc. 200 XL OPTIMAX	200
Merc. 225 XL EFI	225
Merc. 225 XL OPTIMAX	225
OMC 150	150
OMC 150 FICHT	150
OMC 200	200
OMC 200 FICHT	200
OMC 225	225
OMC 225 FICHT	225

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Aft Jump Seats (2)
- Anchor Locker Storage
- Battery Tray
- Bilge Pump - 1250 GPH
- Cabin Cushion
- Cabin Hatch
- Cabin Porthole Windows - 2
- Cleats - 8" (4)
- Cushion - Fwd. Filler
- Door - Poly
- Drink Holders (2)
- Electric Horn
- F.I.S.T. Fiberglass Stringer System
- Foam Flotation - Closed Cell
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Garboard Drain
- Gunnel Trim - Rigid Vinyl w/Stainless Steel Insert
- Hardware - Stainless Steel Thru-Bolted
- Hatches w/True Gutter System
- Illuminated Switch & Breaker Panel
- N.M.M.A. Certified
- Navigation Lights
- Non-Skid Decks
- Porta Potti
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Rod Holders - 1 Pair
- Rod Racks - Cockpit (6)
- Rope Locker Storage
- Seats - Captain's Chairs
- Self-Bailing Cockpit
- Stainless Steel Bowrail
- Stainless Steel Deck Hardware (Thru-Bolted)
- Steering Wheel - Stainless Steel
- Steering - Hydraulic
- Striping - Blue, Green, Black
- Terminal Bar Helm and Transom
- Windshield - Curved Tempered Glass

OPTIONAL EQUIPMENT

- Battery Charger - 12/24 Volt
- Battery Switch For Dual Batteries
- Compass
- Curtain Package - Bimini

22 Walk*Continued...*

- Curtain Package - Hard Top
- Cushions - Fish Box
- Dive Ladder
- Head - Porta Potti w/Dockside Discharge
- Hull Color - Green, Blue, Black
- Lift Kit
- Remote Spot Light (Requires Hard Top)
- Rod Holders - 1 Pair
- Shrink Wrap
- Stereo - AM/FM Cassette w/2 Speakers
- Stereo - AM/FM/CD w/2 Speakers
- Spreader Lights
- Top - Bimini w/Windscreen
- Top -Hard Top w/Electronics Box
- Top Gun Outriggers (Gunnel or Hard Top Mount)

CONVENIENCE PACKAGE

- Cockpit Lights (1 Pair)
- Dive Platform - Half w/Ladder
- Spring Line Cleats 8" (2)
- 12 Volt Receptacle
- Cockpit Bolsters

ELECTRONICS PACKAGE #1

- X 48 Depth Finder/Fish Finder
- VHF radio w/antenna

ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio w/ Antenna

ELECTRONICS PACKAGE #3


- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/ Antenna

FISH PACKAGE

- Baitwell - Recirculating/Washdown System
- Rod Holders (1 Pair)
- Faucet for Transom Sink

Notes

23 Walk



SPECIFICATIONS

Length Overall	24' 5" (7.4m)
Beam	8' 6" (2.6m)
Deadrise	22 Degrees
Draft (Hull)	18" (.46m)
Fuel Capacity	141 GAL (533.7L)
Weight (Hull - approx)	4,150 lbs. (1882kg)
Weight (Trail - appx)	.6,050 lbs (2744.2kg)
Cockpit Area	49 sq. ft. (4.6m ²)
Cockpit Depth	27" (.69m)
Max HP	300 HP (223.7k)
Fresh Water Capacity	7 GAL (26.5L)
Bridge Clearance	6' 0" (1.8m)
w/Tee Top	8' 1" (2.5m)
Baitwell Capacity	15 GAL (56.8L)
Fish Boxes Cap. (2)	20 GAL (75.7L)
Sleeping Capacity	2

ENGINE OPTIONS

ENGINE	HP
Merc. 200 XL	200
Merc. 200 XL EFI	200
Merc. 200 XL OPTIMAX	200
Merc. 225XL EFI	225
Merc. 225 XL OPTIMAX	225
Merc. 250 XL EFI	250
Merc. T-150XL	150 EA
Merc. T-150XL OPTIMAX	150 EA
OMC 200	200
OMC 200 FICHT	200
OMC 225	225
OMC 225 FICHT	225



OMC 250	250
OMC T-150	150 EA
OMC T-150 FICHT	150 EA
Merc. 5.7L B2	250
Merc. 5.7L B3	250
Merc. 5.7L EFI B3	250
Volvo 5.0 GIDP	250
Volvo 5.7 GSIDP	280

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Accessory Bus Bar Under Dash
- Bilge Pumps - 1250 GPH Aft, 500 GPH Forward
- Battery Tray
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- Bracket - Single +2 (O/B)
- Cabin Cushions & Bolsters
- Cabin Door - Acrylic
- Cabin Hatch
- Cabin Lights
- Cabin V-Berth Carpeted Storage
- Cabin Opening Porthole Windows & Screens (2)
- Carbon Monoxide Detector (I/O)
- Cleats - 8" (5)
- Drink Holders
- F.I.S.T. Fiberglass Stringer System
- Foam Flotation - Closed Cell
- Forward Cabin Shelves w/Mirrored Doors
- Fresh Water Cabin Sink
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Galley w/Sink & Butane Stove
- Gunnel Trim - Rigid Vinyl w/Stainless Steel Insert
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Hawse Pipes - Aft (Port/Stbd.)
- Horn - Electric
- Illuminated Switch and Breaker Panel
- Insulated Aft Baitwell
- Insulated Fish Storage Box (Dual Mid-Cockpit)
- N.M.M.A. Certified
- Navigation Lights
- Non-Skid Decks & Gunnels

23 Walk

Continued...

- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Remote Oil Deck Fills (Engine Pkg as Required)
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (6)
- Rope Locker Storage
- Seats - Captain's Chairs
- Self Bailing Cockpit
- Steering - Hydraulic (O/B Only)
- Steering Wheel - Stainless Steel
- Striping - Blue, Green, Black
- Tackle Storage
- Thru Hull - Chrome Plated
- Transom Door
- Windshield - Tempered Glass w/Vent

OPTIONAL EQUIPMENT

- Battery Switch-Dual
- Battery Switches - Dual For Twin Engines
- Bracket - Twin + 2
- Cockpit Shower
- Compass
- Curtain Package - Bimini
- Curtain Package - Hard Top
- Cushion - Cabin Aft Filler
- Cushions - Forward Fish Box
- Dive Ladder - Armstrong
- Head - Porta Potti w/Dockside Discharge
- Hull Color - Green, Blue, Black
- Lift Kit
- Lights - Remote Control Spot (Hard Top Req.)
- Lights - Spreader (Hard Top Required.)
- Outriggers - Gunnel Mount or Top Mount
- Seat-Rear Bench Removable (O/B Only)
- Shrink Wrap
- Stereo - AM/FM Cassette w/4 Speakers
- Stereo - AM/FM CD w/4 Speakers
- Top - Bimini w/Windscreen
- Top - Hard w/Electronics Box
- Trim Tabs
- Wiper - Port and/or Stbd.

CONVENIENCE PACKAGE

- Cockpit Bolster Cushions
- Windshield Wiper
- Porta Potti

- Cockpit Lights (1 Pair)
- Dive Platform - Half
- Spring Line Cleats
- 12 Volt Receptacle
- Cabin Table w/Pedestal & Forward Filler Cushion

DELUXE CONVENIENCE PACKAGE

- Cockpit Bolster Cushions
- Windshield Wiper
- Porta Potti
- Cockpit Lights (1 Pair)
- Full Dive Platform w/Ladder
- Spring Line Cleats
- 12 Volt Receptacle
- Cabin Table w/Pedestal & Forward Filler Cushion

ELECTRONICS PACKAGE #1

- X 48 Depth Finder/Fish Finder
- VHF radio w/antenna

ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio w/ Antenna

ELECTRONICS PACKAGE #3


- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/ Antenna

FISH PACKAGE

- Baitwell - Recirculating/Washdown System
- Rod Holders (1 Pair)
- Faucet for Transom Sink

Notes

24 Walk



SPECIFICATIONS

Length Overall	25'5" (7.7m)
Beam	8'9" (2.67m)
Draft (Hull)	14" (.36m)
Fuel Capacity - O/B	138 Gal.(522.3L)
I/O	138 Gal.(522.3L)
Weight (Hull - approx)	3,740 Lbs.(1696.5kg)
Weight (Trail - appx)	6,050 Lbs.(2744.3kg)
Cockpit Area	53 Sq. Ft.(4.9m²)
Cockpit Depth	28" (.71m)
Max HP - O/B	300 HP(304.20kw)
Fresh Water Capacity	6 Gal.(56.8L)
Bridge Clearance	5'8" (1.7m)
w/Hard Top	8'4" (2.5m)
Cabin Head Room	4'9" (1.4m)
Fish Box Capacity	30 Gal. (113.6L)
Baitwell Capacity	15.5 Gal. (58.7L)
Sleeping Capacity	2

ENGINE OPTIONS

ENGINE	HP
Merc. 200 XL	200
Merc. 200 XL EFI	200
Merc. 200 XL OPTIMAX	200
Merc. 225XL EFI	225
Merc. 225 XL OPTIMAX	225
Merc. 250 XL EFI	250
Merc. T-150XL	150 EA
Merc. T-150XL OPTIMAX	150 EA
OMC 200	200
OMC 200 FICHT	200
OMC 225	225



OMC 225 FICHT	225
OMC 250	250
OMC T-150	150 EA
OMC T-150 FICHT	150 EA
Merc. 5.7L B2	250
Merc. 5.7L B3	250
Merc. 5.7L EFI B3	250
Volvo 5.0 GIDP	250
Volvo 5.7 GSIDP	280

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Accessory Bus Bar Under Dash
- Bilge Pumps - 1250 GPH Aft, 500 GPH Forward
- Battery Tray
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- Bracket - Single +2 (O/B)
- Cabin Cushions & Bolsters
- Cabin Door - Acrylic
- Cabin Hatch
- Cabin Lights
- Cabin V-Berth Carpeted Storage
- Cabin Opening Porthole Windows & Screens (2)
- Carbon Monoxide Detector (I/O)
- Cleats - 8" (5)
- Drink Holders
- F.I.S.T. Fiberglass Stringer System
- Foam Flotation - Closed Cell
- Forward Cabin Shelves w/Mirrored Doors
- Fresh Water Cabin Sink
- Fuel/Water Separator
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Galley w/Sink & Butane Stove
- Gunnel Trim - Rigid Vinyl w/Stainless Steel Insert
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Hawse Pipes - Aft (Port/Stbd.)
- Horn - Electric
- Illuminated Switch and Breaker Panel
- Insulated Aft Baitwell
- Insulated Fish Storage Box (Dual Mid-Cockpit)
- N.M.M.A. Certified
- Navigation Lights
- Non-Skid Decks & Gunnels
- Premium Gel Coat

24 Walk

Continued...

- Pro-Care 5 Year Limited Warranty
- Remote Oil Deck Fills (Engine Pkg as Required)
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (6)
- Rope Locker Storage
- Seats - Captain's Chairs
- Self Bailing Cockpit
- Steering - Hydraulic (O/B Only)
- Steering Wheel - Stainless Steel
- Striping - Blue, Green, Black
- Tackle Storage
- Thru Hull - Chrome Plated
- Transom Door
- Windshield - Tempered Glass w/Vent

OPTIONAL EQUIPMENT

- Battery Switch-Dual
- Battery Switches - Dual For Twin Engines
- Bracket - Twin + 2
- Cockpit Shower
- Compass
- Curtain Package - Bimini
- Curtain Package - Hard Top
- Cushion - Cabin Aft Filler
- Cushions - Forward Fish Box
- Dive Ladder - Armstrong
- Head - Porta Potti w/Dockside Discharge
- Hull Color - Green, Blue, Black
- Lift Kit
- Lights - Remote Control Spot (Hard Top Req.)
- Lights - Spreader (Hard Top Required.)
- Outriggers - Gunnel Mount or Top Mount
- Seat-Rear Bench Removable (O/B Only)
- Shrink Wrap
- Stereo - AM/FM Cassette w/4 Speakers
- Stereo - AM/FM CD w/4 Speakers
- Top - Bimini w/Windscreen
- Top - Hard w/Electronics Box
- Trim Tabs
- Wiper - Port and/or Stbd.

CONVENIENCE PACKAGE

- Cockpit Bolster Cushions
- Windshield Wiper
- Porta Potti

- Cockpit Lights (1 Pair)
- Dive Platform - Half
- Spring Line Cleats
- 12 Volt Receptacle
- Cabin Table w/Pedestal & Forward Filler Cushion

DELUXE CONVENIENCE PACKAGE

- Cockpit Bolster Cushions
- Windshield Wiper
- Porta Potti
- Cockpit Lights (1 Pair)
- Full Dive Platform w/Ladder
- Spring Line Cleats
- 12 Volt Receptacle
- Cabin Table w/Pedestal & Forward Filler Cushion

ELECTRONICS PACKAGE #1

- X 48 Depth Finder/Fish Finder
- VHF radio w/antenna

ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio w/ Antenna


ELECTRONICS PACKAGE #3

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/ Antenna

FISH PACKAGE

- Baitwell - Recirculating/Washdown System
- Rod Holders (1 Pair)
- Faucet for Transom Sink

Notes

25 Walk**SPECIFICATIONS**

Length Overall	27'4" (8.3m)
Beam	8'6" (2.6m)
Draft (Hull)	17" (.43m)
Fuel Cap - O/B	175 Gal.(662.4L)
I/O	175 Gal.(662.4L)
Diesel I/O	165 Gal.(624.5L)
Weight (hull - approx)	4,250 Lbs.(1927.8kg)
Weight (for trailering)	8,200 Lbs.(3719.5kg)
Cockpit Area	62 Sq. Ft.(5.8m ²)
Cockpit Depth	29" (.74m)
Max HP - O/B	300 HP(304.20kw)
Bridge Clearance	6'11" (2.1m)
w/Hard Top	8'8" (2.6m)
Cabin Head Room	6'2" (1.9m)
Fish Box (Floor)	.108 Qts. Ea.(102.2L ea)
Fish Box (Mid-Ckpit)	65 Qts. Ea.(61.5L ea)
Baitwell Capacity	51 Qts.(48.3L)
Freshwater Capacity	20 Gal.(75.7L)
Sleeping Capacity	2

ENGINE OPTIONS

<u>ENGINE</u>	<u>HP</u>
Merc. 200 XL	200
Merc. 200 XLEFI	200
Merc. 200 XL OPTIMAX	200
Merc. 225 XL EFI	225
Merc. 225 XL OPTIMAX	225
Merc. 250 XL EFI	250
Merc. T-150 XL	150 EA
Merc. T-150 XL OPTIMAX	150 EA
OMC 200	200 EA



OMC 200 FICHT	200
OMC 225	225
OMC 225 FICHT	225
OMC 250	250
OMC T-150	150 EA
OMC T-150 FICHT	150 EA
Merc. 5.7L B3	250
Merc. 5.7L EFI B3	250
Merc 7.4L MPI	300
Volvo 5.0 GIDP	250
Volvo 5.7 GSIDP	280
Volvo 7.4 GIDP	300

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- Accessory Bus Bar Under Dash
- Battery Tray
- Bilge Pumps: 2, 1250 GPH Aft, 500 GPH Forward
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- Bracket - +2 (O/B)
- Cabin Cushions & Bolsters
- Cabin Door - Sliding Plexiglass
- Cabin Hatch
- Cabin Lights
- Cabin Table w/Single Pedestal Support
- Cabin V-Berth Storage - Carpeted
- Cabin Porthole Windows & Screens - 4
- Carbon Monoxide Detector (I/O)
- Cleats - 8" (5)
- Cockpit Bolster Cushions
- Drink Holders
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Forward Cabin Shelves w/Mirrored Doors
- Fuel/Water Separator
- Full Galley w/Sink, Ice Box & Butane Stove
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Glove Box w/Lock
- Gunnel Trim - Rigid Vinyl w/Stainless Steel Insert
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Hawse Pipes - Aft (Port/Stbd.)
- Head - Full Stand-up w/Shower



25 Walk

Continued...

- Head - Porta Potti
- Horn - Electric
- Hydraulic Steering (O/B Only)
- Illuminated Switch and Breaker Panel
- Insulated Aft Baitwell
- Insulated Fiberglass Fish Storage Box (2 In Floor w/Macerator)
- N.M.M.A. Certified
- Navigation Lights
- Non-Skid Decks & Gunnels
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (6)
- Rope Locker Storage
- Seats - Captain's Chairs
- Self-Bailing Cockpit
- Steering Wheel - Stainless Steel
- Striping - Blue, Green, Black
- Tackle Storage
- Thru Hulls - Chrome Plated
- Transom Door
- Windshield - Tempered Glass w/Vents

OPTIONAL EQUIPMENT

- Air Conditioning (5000 BTU)
- Battery Switch - Dual
- Battery Switch - Dual for Twin Engines
- Bracket - Twin + 2
- Cockpit Shower
- Compass
- Curtain Package - Bimini
- Curtain Package - Hard Top
- Cushions - Cabin Aft Filler
- Cushions - Mid Ship Fish Boxes
- Dive Ladder
- Head - w/Dockside Discharge
- Head - Electric w/Macerator, Holding Tank, Pump Out & Overboard Discharge
- Hull Color - Green, Blue, Black
- Lift Kit (NA w/Windlass)
- Lights - Remote Control Spot
- Lights - Spreader (Hard Top Required)
- Outriggers - Gunnel Mount or Top Mount
- Seat - Rear Bench Removable (O/B Only)

- Shrink Wrap
- Stereo - AM/FM Cassette w/4 Speakers
- Stereo - AM/FM CD w/4 Speakers
- Top - Bimini w/Windscreen
- Top - Hard w/Electronics Box
- Trim Tabs
- Windlass - w/Bow Protector, Rope and Chain
- Wiper - Port and/or Stbd.

CONVENIENCE PACKAGE

- Windshield Wiper
- Cockpit Lights (1 Pair)
- 1/2 Dive Platform
- Spring Line Cleats
- 12 Volt Receptacle

DELUXE CONVENIENCE PACKAGE

- Windshield Wiper
- Cockpit Lights (1 Pair)
- Full Dive Platform w/Ladder
- Spring Line Cleats
- 12 Volt Receptacle

FISH PACKAGE

- Baitwell - Recirculating
- Raw Water Washdown
- Faucet for Transom Sink

ELECTRONICS PACKAGE #1

- X 48 Depth finder
- VHF radio w/antenna

ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio w/ Antenna


ELECTRONICS PACKAGE #3

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/ Antenna

WEEKENDER PACKAGE

- DC Refrigerator
- Battery Charger
- Alcohol/Electric Stove
- Shore Power w/Cord
- 110 Volt Outlets(2), GFI Protected
- Electrical Dist. Panel
- Zinc Saver

26 Walk



SPECIFICATIONS

Length Overall	27'6" (8.4m)
Beam	9'10" (3.0m)
Draft (Hull)	21" (.53m)
Fuel Capacity - O/B	...200 Gals.(757.0L)
I/O	...165 Gals.(624.5L)
Weight (hull- approx)	5,900 Lbs.(2676.2kg)
Trailer Wt. (approx)	9,000 Lbs.(4082.4kg)
Cockpit Area	65 Sq. Ft.(6.0m ²)
Cockpit Depth	25" (.64m)
Bridge Clearance	7'3" (2.0m)
w/Hard Top	9'1" (2.8m)
Max HP - O/B	450 HP(456.30kw)
I/O	330 HP 334.62kw)
Baitwell Capacity (I/O)	54 QT(51.1L)
Baitwell Capacity (O/B)	...154 QT(146.7L)
Fish Box Capacity(2)	100 Qts. ea. (94.6L ea)
Fresh Water Capacity	...30 Gals.(113.6L)
Sleeping Capacity	2

ENGINE OPTIONS

ENGINE	HP
Merc. T-150 XL	150 EA
Merc. T-150 XL OPTIMAX	150 EA
Merc. T-200 XL	200 EA
Merc. T-200 XL OPTIMAX	200 EA
Merc. T-225 XL EFI	225 EA
Merc. T-225 XL OPTIMAX	225 EA
OMC T-150	150 EA
OMC T-150 FICHT	150 EA
OMC T-200	200 EA
OMC T-200 FICHT	200 EA



OMC T-225	.225 EA
OMC T-225 FICHT	.225 EA
Merc. 7.4 MPI B2	.300
Merc. 7.4 MPI B3	.300
Volvo KAD 44P	.243
Yanmar 300 DIESEL	.300
Volvo 7.4 GIDP	.310

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- 12 Volt Dash Receptacle
- Accessory Buss Bar Under Dash
- Bait & Tackle Station w/Aft Recirculating Baitwell, Raw Water Washdown, Freshwater Sink
- Battery Switch
- Battery Trays
- Bilge Pumps: 2, 1250 GPH Aft, 500 GPH Forward
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- Bracket - Twin +2
- Cabin Portholes
- Cabin Lights
- Cabin Cushions and Bolsters
- Cabin V-Berth Carpeted Storage
- Carbon Monoxide Detector (I/O)
- Cleats - 8" (3)
- Cleats - 10" (2)
- Cockpit Lights
- Cockpit Bolsters
- Cockpit Shower
- Cockpit Storage Boxes
- Companionway Door - Sliding
- Compass
- Cooler - Cockpit Seat
- Dive Platform w/Ladder - Full
- Drink Holders
- Electronics Box w/Lock
- Fish Boxes Port and Starboard - Insulated
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Fuel/ Water Separators
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Galley - Sink, Ice Box and Butane Stove
- Grab Rail - S/S (Not Available w/Hard Top)
- Gunnel Trim - Rigid Vinyl w/Stainless Insert
- Hardware - Thru-Bolted (Stainless Steel)
- Hawse Pipes - (2) Aft



26 Walk

Continued...

- Head - Stand-up Shower
- Head - Porta Potti
- Horn - Electric
- Illuminated Switch and Breaker Panel
- Lights - Navigational
- N.M.M.A. Certified
- Non-Skid Decks & Gunnels
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Remote Oil and Deck Fills
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (6)
- Rope Locker Storage
- Seats - Captain Chairs
- Self-Bailing Cockpit
- Shore Power Cord
- Steering Wheel - Stainless Steel w/Molded Grip
- Steering - Hydraulic
- Striping - Blue, Green, Black
- Storage - Port/ Starboard
- Tackle Box
- Thru-Hull Fittings - Chromed
- Transom Door
- Trim Tabs
- Windshield - Curved Front w/Side Vents
- Windshield Vent (Power)
- 110 Volt Outlets GFI Protected
- Zinc Saver

OPTIONAL EQUIPMENT

- Air Conditioning - 7,000 BTU
- Bow Protector
- Cleats - 8" Springline (2)
- Curtain Package - Bimini Top
- Curtain Package - Hard Top
- Cushion - Motor Box (I/O)
- Dive Ladder - Armstrong
- Generator - (O/B only w/Carbon Monoxide Det.)
- Graphics - Ribbon Tape or Paint
- Head - w/Dockside Discharge
- Head - Electric with Macerator and Holding Tank w/Pump Out
- Hull Color - Green, Blue, Black
- Lift Kit - (NA w/Windlass)
- Light - Remote Spot (Required Hard Top)

- Light - Spreader (Required Hard Top)
- Microwave
- Outriggers - Gunnel Mount or Top Mount
- Seat - Rear Bench (Removable - O/B Only)
- Seats - Mid-Ship Removable
- Shrink Wrap
- Stereo - AM/FM Cassette w/4 Speakers
- Stereo - AM/FM CD w/4 Speakers
- Top - Bimini w/Windscreen
- Top - Hard w/Electronics Box and Rocket Launchers
- Water Heater
- Windlass w/Rope and Chain
- Wiper - Port and/or Stbd.

WEEKENDER PACKAGE

- Battery Charger
- DC Refrigerator
- Alcohol/Electric Stove

ELECTRONICS PACKAGE #1

- X 48 Depth Finder/Finder
- VHF radio w/antenna

ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio w/ Antenna

ELECTRONICS PACKAGE #3

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/ Antenna

Notes**27 Walk**

*Coming Soon
Late 2000!*

SPECIFICATIONS

Length Overall	.29' 1" (8.4M)
Beam	.9' 10" (3.0M)
Draft (Hull)	.21" (.53M)
Deadrise	.19 Degrees
Fuel Capacity	.200 Gal. (757.0L)
Weight (Hull - approx)	6300 Lbs. (2857.1K)
Weight (Trail - appx)	.9400 (4263.0K)
Cockpit Area	.65 Sq Ft (6.0 M ²)
Cockpit Depth	.26" (.66M)
Max HP	.500 HP (507.0KW)
Fresh Water Capacity	.30 Gal. (113.6L)
Bridge Clearance	.7' 9" (2.4M)
w/Tee Top	.9' 7" (2.9M)
Baitwell Capacity	.35 Gal. (132.5L)
Fish Boxes Cap. (2)	.50 Gal. (189.3L)
Sleeping Capacity	.2

ENGINE OPTIONS

<u>ENGINE</u>	<u>HP</u>
Merc. T-225 XXL EFI	.225 EA
Merc. T-225 XXL OPTIMAX	.225 EA
Merc. T-250 XXL EFI	.250 EA
OMC T-225 FICHT	.225 EA
OMC T-250	.250 EA
OMC T-250 FICHT	.250 EA

STANDARD EQUIPMENT

- 10 Year Transferable Warranty
- 12 Volt Receptacle
- Accessory Buss Bar Under Dash
- Bait and Tackle Station
- Baitwell, Raw Water Washdown



and Freshwater Sink

- Battery Charger
- Battery Trays
- Battery Switches
- Bilge Pump - 1250 GPH
- Bow Pulpit w/Anchor Roller
- Cabin Hatch
- Cabin Lights
- Cabin Rod Racks
- Cabin Door - Acrylic Bi-Fold
- Cabin Table - Single Pedestal
- Cabin Door - Acrylic Bi-Fold
- Cabin Windows w/Curtains
- City Water Hook-up
- Cleats, 6 Pop-Up
- Cleats 8" (1)
- Cockpit Lights
- Cockpit Bolster Cushions
- Cockpit Shower
- Cockpit Seat w/Cushion
- Compass
- Dive Platform w/Ladder
- Drink Holders
- Electrical Distrib. w/ Breaker
- Electronics Box with Lock
- Filler Board
- F.I.S.T. Stringer System
- Flotation Foam
- Fuel/Water Separators
- Full Galley w/sink, ice cube maker, butane stove
- Full Instrumentation - FPH, RPM, Temp, Trim and Volt
- Gunnel Trim - Rigid Vinyl w/Stainless Inserts
- Hatches w/Gutter System
- Head Porta-Potti
- Head w/Stand-Up Shower
- Horn - Electric
- Hydraulic Steering
- Illuminated Switches
- Insulated Fish Boxes
- Mid Cabin Berth
- Mid Cabin Window and Screen
- Navigational Lights
- N.M.M.A. Certified
- Non-Skid Deck and Gunnels
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Remote Oil Deck Fill



27 Walk

Continued...

- Rod Holders (2 Pair)
- Rod Racks - Cockpit (4)
- Rope Locker Storage
- Self Bailing Cockpit
- Shore Power w/Cord
- Stainless Steel Bow Rail
- Steering - Hydraulic
- Steering Wheel - Stainless
- Storage Compartments
- Striping Package
- Tackle Box
- Transom Door
- Thru-Hulls Chrome over Brass
- Trim Tabs
- Windshield - Tempered Glass
- 110 Volt Outlets GFI Protected
- Zinc Saver

OPTIONAL EQUIPMENT

- Air Conditioning - 9000 BTU
- Curtain Package - Bimini
- Curtain Package - Calcutta
- Dive Ladder - Armstrong
- Generator w/Carbon Monoxide Detector
- Graphics - Paint
- Head w/Dockside Discharge
- Head - Electric w/Macerator, Holding Tank, Pump-Out & Overboard Discharge
- Hull Color - Green, Blue, Black
- Microwave
- Outriggers (Gunnel or Hardtop Required)
- Remote Spot Light (Calcutta Top Req)
- Shrink Wrap
- Spreader Lights (Calcutta Top Req.)
- Stereo AM/FM Cass. w/4 Speakers
- Stereo AM/FM CD w/4 Speakers
- Teak Cabin - Upgrade
- Top - Bimini w/Windscreen
- Top - Calcutta Top w/Electronics Box
- VHF Radio (Pre-Rig)
- Water Heater
- Windlass - w/Bow Protector, Rope, Chain
- Wiper - Port and/or Stbd.

WEEKENDER PACKAGE

- Refrigerator
- Alcohol/Electric Stove

ELECTRONICS PACKAGE #1

- X 48 Depth Finder/Fish Finder
- VHF radio w/antenna

ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio w/ Antenna

ELECTRONICS PACKAGE #3

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/ Antenna

Notes

27 Express

*Coming Soon
Late 2000!*

SPECIFICATIONS

Length Overall	29' 1" (8.4M)
Beam	9' 10" (3.0M)
Draft (Hull)	21" (.53M)
Deadrise	19 Degrees
Fuel Capacity	200 Gal. (757.0L)
Weight (Hull - approx)	6,300 Lbs. (2857.1K)
Weight (Trail - appx)	...9,400 (4263.0K)
Cockpit Area	65 Sq Ft. (6.0 M ²)
Cockpit Depth	26" (.66M)
Max HP	500 HP (507.0KW)
Fresh Water Capacity	...30 Gal. (113.6L)
Bridge Clearance	7' 3" (2.8M)
w/Tee Top	9' 7" (2.9M)
Baitwell Capacity	35 Gal. (132.5L)
Fish Boxes Cap. (2)	50 Gal. (189.3L)
Sleeping Capacity	2

ENGINE OPTIONS

ENGINE	HP
Merc. T-225 XXL EFI	225 EA
Merc. T-225 XXL OPTIMAX	225 EA
Merc. T-250 XXL EFI	250 EA
OMC T-225 FICHT	225 EA
OMC T-250	250 EA
OMC T-250 FICHT	250 EA

STANDARD EQUIPMENT

- 10 Year Transferable Warranty
- 12 Volt Receptacle
- Accessory Buss Bar Under Dash
- Bait and Tackle Station
- Baitwell, Raw Water Washdown

- Battery Charger
- Battery Trays
- Battery Switches
- Bilge Pump - 1250 GPH
- Bow Pulpit w/Anchor Roller
- Cabin Hatch
- Cabin Lights
- Cabin Shelves
- Cabin Door - Acrylic Bi-Fold
- Cabin Windows w/Curtains
- City Water Hook-up
- Cleats, 6 Pop-Up
- Cleats 8" (1)
- Cockpit Lights
- Cockpit Bolster Cushions
- Cockpit Shower
- Cockpit Seat w/Cushion
- Compass
- Drink Holders
- Electrical Distrib. w/ Breaker
- Electronics Box with Lock
- Filler Board
- F.I.S.T. Stringer System
- Flotation Foam
- Fuel/Water Separators
- Full Galley w/sink, ice cube maker, butane stove
- Full Instrumentation - FPH, RPM, Temp, Trim and Volt
- Gunnel Trim - Rigid Vinyl w/Stainless Inserts
- Hatches w/Gutter System
- Head Porta-Potti
- Head w/Stand-Up Shower
- Horn - Electric
- Illuminated Switches
- Insulated Fish Boxes
- Ladder - 3 Step
- Navigational Lights
- N.M.M.A. Certified
- Non-Skid Deck and Gunnels
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Remote Oil Deck Fill
- Rod Holders (2 Pair)
- Rod Racks - Cockpit
- Rope Locker Storage
- Self Bailing Cockpit
- Shore Power w/Cord
- Stainless Steel Bow Rail

27 Express

Continued...

- Steering - Hydraulic
- Steering Wheel - Stainless
- Storage Compartments
- Striping Package - Green, Blue, Black
- Tackle Box
- Transom Door
- Thru-Hulls Chrome over Brass
- Trim Tabs
- Windshield - Tempered Glass
- 110 Volt Outlets GFI Protected
- Zinc Save

OPTIONAL EQUIPMENT

- Air Conditioning - 9000 BTU
- Curtain Package - Calcutta
- Dive Ladder - Armstrong
- Generator w/Carbon Monoxide Detector
- Graphics - Paint
- Head w/Dockside Discharge
- Head - Electric w/Macerator, Holding Tank, Pump-Out & Overboard Discharge
- Hull Color - Green, Blue, Black
- Outriggers (Gunnel or Calcutta Top Required)
- Remote Spot Light (Calcutta Top Req)
- Refrigerator
- Shrink Wrap
- Spreader Lights (Calcutta Top Req.)
- Stereo AM/FM Cass. w/4 Speakers
- Stereo AM/FM CD w/4 Speakers
- Teak Cabin - Upgrade
- Top - Calcutta Top w/Electronics Box
- VHF Radio (Pre-Rig)
- Water Heater
- Windlass - w/Bow Protector, Rope, Chain
- Wiper - Port and/or Stbd.

ELECTRONICS PACKAGE #1

- X 48 Depth Finder/Fish Finder
- VHF radio w/antenna



ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio w/ Antenna


ELECTRONICS PACKAGE #3

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/ Antenna

Notes



28 Walk



SPECIFICATIONS

Length Overall	.30'0"(9.0m)
Beam	.10'2"(3.1m)
Draft (Hull)	.25"(.64m)
Fuel Capacity	.200 Gals.(757.0L)
Weight (hull- approx)	6,500 Lbs.(2948.4kg)
Weight (trailer)	.10,050 Lbs.(4,558.7kg)
Cockpit Area	.72 Sq. Ft.(6.7m²)
Bridge Clearance (Hard Top)	.10'2"(3.1m)
Max HP	.500 HP(507.0kw)
Cabin Headroom	.6'3"(1.9m)
Baitwell Cap	.42 Gal.(159.0L)
Fish Box Cap.	.2@ 120 Qts. Ea.(113.6L ea)
Storage Box Cap.	.2@ 150 Qts.(141.9L ea)
Fresh Water Cap	.21 Gal.(79.5L)
Sleeping Capacity	.2

ENGINE OPTIONS

ENGINE	HP
Merc. T-200 XL	.200 EA
Merc. T-200 XL OPTIMAX	.200 EA
Merc. T-225 XL EFI	.225 EA
Merc. T-225 XL OPTIMAX	.225 EA
Merc. T-250 XL EFI	.250 EA
OMC T-200	.200 EA
OMC T-200 FICHT	.200 EA
OMC T-225	.225 EA
OMC T-225 FICHT	.225 EA
OMC T-250	.250 EA

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- 12 Volt Dash Receptacle
- Accessory Buss Bar Under Dash
- Bait & Tackle Station - Recirculating Baitwell, Raw Water Washdown, Selector Panel, Freshwater Sink
- Battery Trays - 27 Series
- Battery Switches
- Bilge Pumps: , 1250 GPH Aft, 500 GPH Forward
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- Bracket/Dive Platform - Integrated
- Cleats - 8" (5)
- Cleats - 10" (2)
- Cockpit Lights
- Cockpit Bolsters Cushions
- Cockpit Shower
- Cockpit Storage Boxes - Foam Insulated
- Companionway Door - Sliding (Acrylic)
- Compass
- Cooler - Cockpit Seat (Integrated)
- Cushions - Cabin Bolsters and Filler
- Drink Holders
- Electrical Dist. Panel w/Circuit Breakers
- Electronics Box w/Lock
- Flotation Foam - Closed Cell
- Fish Boxes Port and Starboard - Insulated w/Macerator
- F.I.S.T. Fiberglass Stringer System
- Fuel/ Water Separators
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Galley - Sink, Ice Box and Butane Stove
- Grab Rail - Stainless Steel (Not Available w/Hard Top)
- Gunnel Trim - Rigid Vinyl w/Stainless Insert
- Hardware - Thru-Bolted (Stainless Steel)
- Hawse Pipes - Aft (Port/Stbd.)
- Head - Porta Potti
- Head - Stand-up Shower
- Horn - Electric
- Illuminated Switch and Breaker Panel
- Ladder - Recessed
- Lights - Navigational
- N.M.M.A. Certified
- Non-Skid Decks & Gunnels
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty

28 Walk*Continued...*

- Outlets - (2) 110 V - GFI Protected
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (6)
- Rope Locker Storage
- Seats - Captain's Chairs
- Self-Bailing Cockpit
- Shore Power w/Cord
- Steering - Hydraulic
- Steering Wheel - Stainless Steel w/Molded Grip (Stainless Steel)
- Striping Pkg - Blue, Green, Black
- Storage Compartments - Port/ Stbd. Wings
- Tackle Box
- Thru-Hull Fittings - Chrome Plated
- Transom Door
- Trim Tabs
- Windshield - Curved Tempered Glass w/Side Vents
- Zinc Saver

OPTIONAL EQUIPMENT

- Air Conditioning - 7,000 BTU
- Curtain Package - Bimini
- Curtain Package - Hard Top
- Dive Ladder - Armstrong
- Generator - w/Carbon Monoxide Detector
- Graphics - Custom (Tape or Paint)
- Head - w/Dockside Discharge
- Head - Electric w/Macerator and Holding Tank w/Pump Out , Overboard Discharge
- Head - Vacu-Flush
- Hull Color - Green, Blue, Black
- Lift Kit - (N/A w/Windlass)
- Light - Remote Control Spot (Requires Hard Top)
- Lights - Spreader (Requires Hard Top)
- Microwave
- Outriggers - Gunnel Mount or Top Mount
- Seat - Rear Bench (Removable)
- Shrink Wrap
- Stereo - AM/FM Cassette w/4 Speakers
- Stereo - AM/FM CD w/4 Speakers
- Top - Bimini w/Windscreen
- Top - Hard Top w/Electronics Box
- Water Heater

- Windlass - Bow Protector, w/Rope and Chain
- Wiper - Port and/or Stbd.

WEEKENDER PACKAGE

- Battery Charger
- DC Refrigerator
- Alcohol/Electric Stove

ELECTRONICS PACKAGE #1

- X 48 Depth Finder/Fish Finder
- VHF radio w/antenna

ELECTRONICS PACKAGE #2


- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio w/ Antenna

ELECTRONICS PACKAGE #3

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/ Antenna

Notes

29 Walk



SPECIFICATIONS

Length Overall		.30'0"	(9.1m)
Beam		.10'9"	(3.3m)
Draft, Up		.22"	(.56m)
Down		.38"	(.97m)
Fuel Capacity -			
I/O (Dual Tanks)		.220 Gal.	(832.7L)
Weight (hull - approx)		7,500 Lbs.	(3402.0kg)
Weight (trailer)		14,000 Lbs.	(6,350.4kg)
Cockpit Area		.80 Sq. Ft.	(7.4m ²)
Cockpit Depth		.30"	(.76m)
Max HP - I/O		.560 HP	(567.84kw)
Fresh Water Capacity	...	.42 Gal.	(159.0L)
Bridge Clearance		.7'1"	(2.2m)
w/Hard Top		.9'6"	(2.9m)
Cabin Head Room		.6'6"	(2.0m)
Fish Box		.50 Gal.	(189.3L)
Baitwell		.100 Qts.	(94.6L)
Sleeping Capacity		.4	

ENGINE OPTIONS

ENGINE	HP
Merc. T-5.7L B2	250 EA
Merc. T-5.7L B3	250 EA
Merc. T-5.7L EFI B2	250 EA
Merc. T-5.7L EFI B3	250 EA
Volvo T-5.0 GIDP	250 EA
Volvo T-5.7 GSIDP	280 EA

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- 12 Volt Dash Receptacle



- Accessory Bus Bar Under Dash
- Battery Tray - Dual - 27 Series
- Battery Switches
- Bait & Tackle Station - Recirculating Baitwell, Raw Water Washdown, Selector Panel, Fresh Water Sink
- Bench Seat - Helm Command
- Bilge Pumps - 2
- Bow Pulpit - w/Anchor Roller
- Bow Seat w/Cushion
- Cabin Cushions & Bolsters
- Cabin Hatch
- Cabin Lights
- Cabin Rod Racks
- Cabin Shelves w/Mirrored Doors
- Cabin Table - Single Pedestal Support
- Cabin Windows w/Curtains
- Carbon Monoxide Detector
- City Water Hook-Up
- Cleats - 10" (4)
- Cleats - 8" (5)
- Cockpit Shower
- Cockpit Bolster Cushions
- Cockpit Recessed Rod Racks
- Cockpit Seat with Cushion
- Cockpit Lights
- Compass
- Dive Platform w/Ladder - Full
- Door - Cabin - Acrylic Bi-Fold
- Drink Holders
- Electrical Dist. Panel w/Circuit Breakers
- Glove Box w/Lock - Helm
- Fish Boxes Port and Starboard - Insulated w/Macerator
- Fish Storage Box - Insulated Fiberglass (Single Mid-Cockpit)
- F.I.S.T. Fiberglass Stringer System
- Foam Flotation - Closed Cell
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Full Galley w/Sink, Ice Box & Butane Stove
- Gunnel Trim - Rigid Vinyl w/Stainless Steel Insert
- Hardware - Thru Bolted (Stainless Steel)
- Hatches with True Gutter System
- Hawse Pipes - Aft
- Head - Full Stand-up Shower
- Head - Porta Potti
- Horn - Electric



29 Walk

Continued...

- Illuminated Switch and Breaker Panel
- Knife & Pliers Holder - Transom
- Mid-Cabin Berth
- Mid-Cabin Window & Screen
- N.M.M.A. Certified
- Navigation Light
- Non-Skid Decks & Gunnels
- Outlets - 110 V (2) - GFI Protected
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (6)
- Rope Locker Storage
- Self-Bailing Cockpit
- Shore Power w/Cord• Steering - Hydraulic
- Steering Wheel - Stainless Steel w/Molded Grip
- Storage - Compartments (Port & Stbd. Wing)
- Storage - V-Berth (Carpeted)
- Striping Pkg - Blue, Green, Black
- Tackle Box
- Thru-Hull Fittings - Chrome Plated
- Transom Door
- Trim Tabs
- Windshield - Curved Tempered Glass w/Center Vent (Power)
- Zinc Saver

OPTIONAL EQUIPMENT

- Air Conditioning - 9,000 BTU
- Curtain Package - Bimini Top
- Curtain Package - Hard Top
- Dive Ladder
- Generator - w/Carbon Monoxide Detector
- Graphics - Custom (Tape or Paint)
- Head - w/Dockside Discharge
- Head - Electric w/Macerator, Holding Tank, Pump Out, Overboard Discharge
- Hull Color - Green, Blue, Black
- Lift Kit (N/A w/Windlass)
- Lights - Remote Control Spot (Requires Hard Top)
- Lights - Spreader (Requires Hard Top)
- Microwave
- Outriggers - Gunnel or Top Mount
- Seat - Rear Bench (Removable)
- Shrink Wrap



- Stereo - AM/FM Cassette w/4 Speakers
- Stereo - AM/FM CD w/4 Speakers
- Top - Bimini w/Windscreen
- Top - Hard w/Electronics Box
- Water Heater
- Windlass - Bow Protector w/Rope and Chain
- Wiper - Port and/or Stbd.

ELECTRONICS PACKAGE #1

- X 48 Depth Finder/Fish Finder
- VHF radio w/antenna

ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio w/ Antenna

ELECTRONICS PACKAGE #3


- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/ Antenna

WEEKENDER PACKAGE

- Battery Charger
- DC Refrigerator
- Alcohol/Electric Stove

Notes

30 Walk



SPECIFICATIONS

- Length Overall32' 6" (9.9m)
- Beam10' 10" (3.3m)
- Draft (Hull)22" (.558m)
- Fuel Capacity - O/B ...300 Gal. (1135.6L)
- Weight (Hull- approx) 8,000 Lbs. (3628.7k)
- Max HP - O/B500 HP (507.0kw)
- Bridge Clearance7' 1" (25.91m)
- w/T-Top9' 6" (34.75m)
- Baitwell Capacity45 Gal. (170.34L)
- Sleeping Capacity4

ENGINE OPTIONS

<u>ENGINE</u>	<u>HP</u>
Merc. T-225 XXL EFI	.225 EA
Merc. T-225 XXL OPTIMAX ...	.225 EA
Merc. T-250 XXL EFI	.250 EA
OMC T-225 FICHT	.225 EA
OMC T-250	.250 EA
OMC T-250 FICHT	.250 EA

STANDARD EQUIPMENT

- 10 Year Transferable Warranty
- 12 Volt Receptacle
- Accessory Buss Bar Under Dash
- Bait and Tackle Station
- Baitwell, Raw Water Washdown and Freshwater Sink
- Battery Charger
- Battery Trays
- Battery Switches
- Bilge Pump - 1250 GPH
- Bow Pulpit w/Anchor Roller
- Cabin Hatch
- Cabin Lights

- Cabin Rod Racks
- Cabin Door - Acrylic Bi-Fold
- Cabin Table - Single Pedestal
- Cabin Door - Acrylic Bi-Fold
- Cabin Windows w/Curtains
- City Water Hook-up
- Cleats, 6 Pop-Up
- Cleats 8" (1)
- Cockpit Lights
- Cockpit Bolster Cushions
- Cockpit Shower
- Cockpit Seat w/Cushion
- Compass
- Dive Platform w/Ladder
- Drink Holders
- Electrical Distrib. w/ Breaker
- Electronics Box with Lock
- Filler Board
- F.I.S.T. Stringer System
- Flotation Foam
- Fuel/Water Separators
- Full Galley w/sink, ice cube maker, butane stove
- Full Instrumentation - FPH, RPM, Temp, Trim and Volt
- Gunnel Trim - Rigid Vinyl w/Stainless Inserts
- Hatches w/Gutter System
- Head Porta-Potti
- Head w/Stand-Up Shower
- Horn - Electric
- Hydraulic Steering
- Illuminated Switches
- Insulated Fish Boxes
- Mid Cabin Berth
- Mid Cabin Window and Screen
- Navigational Lights
- N.M.M.A. Certified
- Non-Skid Deck and Gunnels
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Remote Oil Deck Fill
- Rod Holders (2 Pair)
- Rod Racks - Cockpit (4)
- Rope Locker Storage
- Self Bailing Cockpit
- Shore Power w/Cord
- Stainless Steel Bow Rail
- Steering - Hydraulic
- Steering Wheel - Stainless

30 Walk

Continued...

- Storage Compartments
- Striping Package
- Tackle Box
- Transom Door
- Thru-Hulls Chrome over Brass
- Trim Tabs
- Windshield - Tempered Glass
- 110 Volt Outlets GFI Protected
- Zinc Saver

OPTIONAL EQUIPMENT

- Air Conditioning - 7,000 BTU
- Curtain Package - Bimini
- Curtain Package - Calcutta
- Dive Ladder - Armstrong
- Generator w/Carbon Monoxide Detector
- Graphics - Paint
- Head w/Dockside Discharge
- Head - Electric w/Macerator, Holding Tank, Pump-Out & Overboard Discharge
- Hull Color - Green, Blue, Black
- Microwave
- Outriggers (Gunnel or Hardtop Required)
- Remote Spot Light (Calcutta Top Req)
- Shrink Wrap
- Spreader Lights (Calcutta Top Req.)
- Stereo AM/FM Cass. w/4 Speakers
- Stereo AM/FM CD w/4 Speakers
- Teak Cabin - Upgrade
- Top - Bimini w/Windscreen
- Top - Calcutta Top w/Electronics Box
- VHF Radio (Pre-Rig)
- Water Heater
- Windlass - w/Bow Protector, Rope, Chain
- Wiper - Port and/or Stbd.

WEEKENDER PACKAGE

- Refrigerator
- Alcohol/Electric Stove

ELECTRONICS PACKAGE #1

- X 48 Depth Finder/Fish Finder

- VHF radio w/antenna

ELECTRONICS PACKAGE #2


- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio w/ Antenna

ELECTRONICS PACKAGE #3

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/ Antenna

Notes

30 Express



SPECIFICATIONS

Length Overall	32' 6" (9.9m)
Beam	10' 10" (3.3m)
Draft (Hull)	22" (.558m)
Fuel Capacity - O/B	..312 Gal. (1181.02L)
Weight (Hull- approx)	8,000 Lbs. (3628.7k)
Max HP - O/B	500 HP (507.0kw)
Bridge Clearance	7' 1" (25.91m)
w/T-Top	9' 6" (34.75m)
Baitwell Capacity	45 Gal. (170.34L)
Sleeping Capacity	4

ENGINE OPTIONS

ENGINE	HP
Merc. T-225 XXL EFI	225 EA
Merc. T-225 XXL OPTIMAX	225 EA
Merc. T-250 XXL EFI	250 EA
OMC T-225 FICHT	225 EA
OMC T-250	250 EA
OMC T-250 FICHT	250 EA

STANDARD EQUIPMENT

- 10 Year Transferable Warranty
- 12 Volt Receptacle
- Accessory Buss Bar Under Dash
- Bait and Tackle Station
- Baitwell, Raw Water Washdown
- Battery Charger
- Battery Trays
- Battery Switches
- Bilge Pump - 1250 GPH
- Bow Pulpit w/Anchor Roller
- Cabin Hatch
- Cabin Lights
- Cabin Shelves
- Cabin Door - Acrylic Bi-Fold
- Cabin Windows w/Curtains

- City Water Hook-up
- Cleats, 6 Pop-Up
- Cleats 8" (1)
- Cockpit Lights
- Cockpit Bolster Cushions
- Cockpit Shower
- Cockpit Seat w/Cushion
- Compass
- Drink Holders
- Electrical Distrib. w/ Breaker
- Electronics Box with Lock
- Filler Board
- F.I.S.T. Stringer System
- Flotation Foam
- Fuel/Water Separators
- Full Galley w/sink, ice cube maker, butane stove
- Full Instrumentation - FPH, RPM, Temp, Trim and Volt
- Gunnel Trim - Rigid Vinyl w/Stainless Inserts
- Hatches w/Gutter System
- Head Porta-Potti
- Head w/Stand-Up Shower
- Horn - Electric
- Illuminated Switches
- Insulated Fish Boxes
- Ladder - 3 Step
- Navigational Lights
- N.M.M.A. Certified
- Non-Skid Deck and Gunnels
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Remote Oil Deck Fill
- Rod Holders (2 Pair)
- Rod Racks - Cockpit
- Rope Locker Storage
- Self Bailing Cockpit
- Shore Power w/Cord
- Stainless Steel Bow Rail
- Steering - Hydraulic
- Steering Wheel - Stainless
- Storage Compartments
- Striping Package - Green, Blue, Black
- Tackle Box
- Transom Door
- Thru-Hulls Chrome over Brass
- Trim Tabs

30 Express

Continued...

- Windshield - Tempered Glass
- 110 Volt Outlets GFI Protected
- Zinc Saver

OPTIONAL EQUIPMENT

- Air Conditioning - 9000 BTU
- Curtain Package - Calcutta
- Dive Ladder - Armstrong
- Generator w/Carbon Monoxide Detector
- Graphics - Paint
- Head w/Dockside Discharge
- Head - Electric w/Macerator, Holding Tank, Pump-Out & Overboard Discharge
- Hull Color - Green, Blue, Black
- Outriggers (Gunnel or Calcutta Top Required)
- Remote Spot Light (Calcutta Top Req)
- Refrigerator
- Shrink Wrap
- Spreader Lights (Calcutta Top Req.)
- Stereo AM/FM Cass. w/4 Speakers
- Stereo AM/FM CD w/4 Speakers
- Teak Cabin - Upgrade
- Top - Calcutta Top w/Electronics Box
- VHF Radio (Pre-Rig)
- Water Heater
- Windlass - w/Bow Protector, Rope, Chain
- Wiper - Port and/or Stbd.

ELECTRONICS PACKAGE #1

- X 48 Depth Finder/Fish Finder
- VHF radio w/antenna

ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio w/ Antenna

ELECTRONICS PACKAGE #3

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio w/ Antenna



32 Express Fish



Length Overall32'8"(10.1m)
Beam11'(3.31m)
Draft (Hull)25"(.64m)
Fuel Capacity250 Gal.(946.3L)
Weight (approx.) ...12,000 Lbs.(5443.2kg)
Cockpit Area75 Sq. Ft.(7.0m²)
Cockpit Depth26"(.66m)
Max HP760 HP(770.64kw)
Cabin Head Room6'8"(2.0m)
Baitwell Capacity35 Gal.(132.5L)
Fish Box Capacity50 Gal.(189.3L)
Sleeping Capacity6

ENGINE OPTIONS

ENGINE	HP
Merc. T-7.4 MPI B1	300 EA
Merc. T-7.4 MPI B3	300 EA
Merc. T-7.4L MPI V-Drive I/B ...	310 EA
Merc. T-454 HORIZON	380 EA
Volvo T-7.4 GI/DP	310 EA
Yanmar Diesel T-300 I/B	300 EA
Yanmar Diesel T-350 I/B	350 EA

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- 12 Volt Receptacle
- 32 Oz. UV Protected Vinyl
- Baitwell - Recirculating & Raw Water Wash Down w/Transom Fresh Water Sink & Control
- Battery Switch - Mid-Cabin
- Battery Charger
- Bilge Blowers
- Bilge lights
- Bilge Pump - 1500 GPH

- Bow Rails - Stainless Steel
- Bow Roller
- Bow & Stern Eyes - Stainless Steel
- Cabin Entry - 3 Step w/Storage Below and Grab Rail
- Cabin Lighting - Indirect
- Carbon Monoxide Detector
- Circuit Breakers
- City Water hookup
- Cleats - 10" Springline (Stainless Steel)
- Cockpit Courtesy Lights
- Compass
- Crossover Fuel System
- Dash - Full Instrumentation
- Depth Finder
- Dinette w/Storage
- Dinette Conversion To Sleeping Area
- Door - Sliding Plexiglass w/Lock
- Drink Holders
- Engine Hatches Access - 3
- Engine Alarm
- Foam Flotation - Closed Cell
- Forward berth - Private w/Inner Spring Mattress
- Galley - 2 Burner Electric Stove, Refrigerator (AC/DC), Pressurized Water (Hot & Cold), Stainless Steel Round Sink & Hi-Rise Faucet, Microwave, Cabinets - 12 Volt Lighting, Coffee Maker
- Grab Rails - Stainless Steel
- Grab Rails - Transom (Stainless Steel)
- Gunnel Trim - Rigid Vinyl w/Stainless Steel Insert
- Hatches - Deck (3)
- Head - Vacuum Flush W/Overboard Discharge
- Head - Hot & Cold Shower & Vanity, Stainless Steel Oval Sink w/Storage, Tinted Plexiglass Skylight, Wall Mirror
- Helm Seat - Double Wide w/Storage (Adjustable)
- Horn - Electric
- Hour Meters
- Mid Cabin Berth w/Inner Spring Mattress
- N.M.M.A. Certified
- Navigation Lights
- Non-Skid Decks & Gunnels
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Outlet - 110 V - In Head - G.F.I. Protected
- Port Light - (6)
- Rod Storage - Lockable
- Self-Bailing Cockpit
- Shore Power w/Cord

32 Express Fish

Continued...

- Steering Wheel - Stainless Steel
- Stereo - AM/FM Cassette w/6 Speakers
- Tackle Box - Built-In
- Television w/Video Cassette Player
- Transom Shower
- Trim Tabs
- Water Heater
- Water Resistant Rocker Switches
- Water & Waste Tank Indicator
- Windlass
- Windshield - Custom Curved Glass w/Powder Coated Aluminum Frame

OPTIONAL EQUIPMENT

- 110 Volt Outlet - Cockpit
- Air Conditioning - Reverse Cycle w/Heater
- Cockpit Carpet
- Cockpit Cover
- Compass - Digital
- Controls - Electric (Tower Only)
- Curtain Package - Bimini
- Curtain Package - Hard Top
- Curtain Package - Tower
- Dive Platform w/Ladder - Full
- Generator - Gas - 6.5
- Generator - Diesel - 4.0
- GPS Plotter w/Antenna
- Graphics - Custom (Tape or Paint)
- Grey Water System
- Hull Color - Green, Blue, Black
- Lights - Remote Control Spot (Requires Hard Top)
- Lights - Spreader (Requires Hard Top, Tower or Arch)
- Outriggers - Lee Towers
- Outriggers - Top Guns For Hard Top
- Outriggers - For Cabin Mount
- Radar - Deluxe Color w/Depth Finder
- Seat - Rear Bench (Removable)
- Shrink Wrap
- Stereo - Ultimate AM/FM CD w/7 Speakers
- Sun Pad - Forward
- Top - Bimini w/Windscreen
- Top - Hard Top w/Radio Box & Rocket Launchers
- Top - Tower w/Buggy
- Wall Vacuum
- Wiper - Port or Stbd




ELECTRONICS PACKAGE

- Lowrance LMS 160
- VHF Radio w/Antenna

Notes

33 Express



SPECIFICATIONS

Length Overall	33'0" (10.1m)
Beam	12'6" (3.81m)
Draft (Hull)	41" (1.04m)
Fuel Capacity	300 Gal. (1,135.5L)
Weight (approx.)	..14,500 Lbs. (6,577.2kg)
Cockpit Area	115 Sq. Ft. (10.7m²)
Cockpit Depth	25" (.64m)
Max HP	840 HP (851.76kw)
Cabin Head Room	6'3" (1.91m)
Baitwell Capacity	35 Gal. (132.5L)
Fish Box Capacity	...74.8 Gal. (283.12L)
Sleeping Capacity	4

ENGINE OPTIONS

ENGINE	HP
Merc. T-7.4L MPI	310 EA
Merc. T-454 HORIZON	380 EA
Merc. T-8.2 MPI	400 EA
Caterpillar T-300	300 EA
Caterpillar T-350	350 EA
Yanmar T-300	300 EA
Yanmar T-350	350 EA
Yanmar T-420	420 EA

STANDARD EQUIPMENT

- 10 Year Transferable Hull Warranty
- 32 Oz. UV Protected Vinyl
- 110 Volt Outlet - Head
- Baitwell - Recirculating & Saltwater Wash Down
- Battery Charger
- Bilge Blowers
- Bilge Pumps - Three Auto/Manual
- Bow Rails - Stainless Steel

- Cleats - 10" Bow & Stern (Stainless Steel)
- Bow Pulpit - Molded In
- Bow Roller
- Bow Rail - Stainless Steel
- Cabin Lighting - Indirect and direct
- Carbon Monoxide Detector
- Circuit Breakers
- City Water hookup
- Cleats - 10" Springline (Stainless Steel)
- Cockpit Courtesy Lights
- Compass
- Dash - Full Instrumentation
- Dinette w/Storage
- Dinette - Berth
- Drink Holders
- Engine Alarm
- F.I.S.T. Fiberglass Construction
- Foam Flotation - Closed Cell
- Forward Berth
- Fresh Water Sink & Control In Transom
- Galley - 2 Burner Electric Stove, Refrigerator (AC/DC), Pressurized Water (Hot & Cold), Stainless Steel Round Sink & Hi-Rise Faucet, Microwave, Cabinets - 12 Volt Lighting, Coffee Maker, Drawers
- Grab Rails - Stainless Steel
- Grab Rails - Transom (Stainless Steel)
- Gunnel Trim - Rigid Vinyl
- Hatches - Deck w/Gutter System
- Head - Vacuum Flush W/Overboard Discharge
- Head - Hot & Cold Shower & Vanity, Molded Sink w/Storage, Tinted Plexiglass, Skylight, Wall Mirror
- Helm Seat - Adjustable
- Horn - Dual Electric Trumpet
- Hour Meters
- N.M.M.A. Certified
- Navigation Lights
- Non-Skid Decks & Gunnels - Diamond Pattern
- Perma-Grid Fiberglass Stringers System
- Port Light - (6)
- Premium Gel Coat
- Pro-Care 5 Year Limited Warranty
- Rod Storage In Cabin
- Seacocks and All Underwater Thru-Hull Fittings - Bronze
- Self-Bailing Cockpit
- Shore Power w/Cord
- Steering - Hydraulic
- Steering Wheel - Stainless Steel

33 Express

Continued...

- Stereo - AM/FM Cassette w/6 Speakers
- Tackle Box - Built-In
- Television w/Video Cassette Player
- Tower
- Trim Tabs
- Water Heater
- Water Resistant Rocker Switches
- Water & Waste Tank Indicator
- Windshield - Custom Curved Glass w/Painted Aluminum Frame
- Windshield Wiper (Starboard Only)
- Windlass

OPTIONAL EQUIPMENT

- Air Conditioning - Reverse Cycle w/Heater
- Cockpit Carpet
- Cockpit Cover
- Compass - Digital
- Controls - Electric (Tower Only)
- Corian Counter Top
- Curtain Package - Front and Both Sides
- Curtain Package - Tower
- Dive Platform w/Ladder
- Freezer - Baitstation
- Generator - Gas or Diesel
- Graphics Package
- Grey Water System
- Hull Color - Premium Gelcoat
- Lights - Remote Control Spot
- Lights - Spreader (Requires Hard Top, Tower)
- Oil Change Pump
- Outriggers - Lee Towers
- Outriggers - Top Guns For Hard Top
- Outriggers - For Cabin Mount
- Shaft Seals - Dripless
- Shrink Wrap
- Stereo - Ultimate CD w/7 Speakers
- Teak and Holly Sole in Lieu of Carpet
- Top - Hard Top w/Radio Box & Rocket Launchers
- Top - Tower w/Dual Station Cable Controls
- Water Filter
- Wiper - Port or Stbd

ELECTRONICS PACKAGE

- Lowrance LMS 160
- VHF Radio w/Antenna



Notes

Lined area for notes, consisting of approximately 25 horizontal lines.

Performance

*PRO-LINE BOATS advises that the performance figures are merely an estimate of what you can expect based on our factory testing program. Boat speeds will vary depending on weight, fuel load, number of passengers, air temperature, altitude, humidity, barometric pressure, water conditions, wind, engine tuning, horsepower (HP) variance from engine to engine, propellers, and numerous other factors beyond our control. All speeds are obtained by professional test boat drivers in optimum conditions.

17 SPORT

<u>ENGINE</u>	<u>MPH</u>
Mercury 90	.34 - 36
Mercury 125	.42 - 44
OMC 90	.33 - 35
OMC 90 FICHT	TBD
OMC 115	TBD
OMC 115 FICHT	TBD
OMC 130	.39 - 41

18 SU

<u>ENGINE</u>	<u>MPH</u>
Mercury 90	.35 - 37
Mercury 125	.39 - 41
OMC 90	.35 - 37
OMC 90 FICHT	TBD
OMC 115	TBD
OMC 115 FICHT	TBD
OMC 130	.42 - 44

18 FLATS

<u>ENGINE</u>	<u>MPH</u>
Merc. 125	TBD
Merc. 150	.45 - 47
Merc. 150 OPTIMAX	.44 - 46
OMC 115	TBD
OMC 115 FICHT	TBD
OMC 130	.39 - 41
OMC 150	.45 - 47
OMC 150 FICHT	.45 - 47

20 DC

<u>ENGINE</u>	<u>MPH</u>
Merc. 150 XL	.40 - 42
Merc. 150 XL OPTIMAX	.40 - 42
OMC 150	.40 - 42
OMC 150 FICHT	.40 - 42
Merc. 4.3LA	.39 - 40
Volvo 4.3 GLSX	.39 - 41
Volvo 4.3 GLDP	.39 - 41

19 SPORT

<u>ENGINE</u>	<u>MPH</u>
Merc. 90	35 - 37
Merc. 125	38 - 40
Merc. 150	43 - 45
Merc. 150 OPTIMAX	43 - 45
OMC 90	33 - 35
OMC 90 FICHT	TBD
OMC 115	34 - 36
OMC 115 FICHT	TBD
OMC 130	36 - 38
OMC 150	47 - 49
OMC 150 FICHT	47 - 49

20 SPORT

<u>ENGINE</u>	<u>MPH</u>
Merc. 150 XL	43 - 45
Merc. 150 XL OPTIMAX	42 - 44
OMC 150	41 - 43
OMC 150 FICHT	41 - 43

21 SPORT

<u>ENGINE</u>	<u>MPH</u>
MERC. 150 XL	44 - 46
MERC. 150 XL OPTIMAX	TBD
MERC. 200 XL	45 - 47
MERC. 200 XL EFI	45 - 47
MERC. 200 XL OPTIMAX	TBD
MERC. 225XL EFI	49 - 51
MERC. 225 XL OPTIMAX	TBD
OMC 150	37 - 39
OMC 150 FICHT	TBD
OMC 200	46 - 48
OMC 200 FICHT	TBD
OMC 225	46 - 48
OMC 225 FICHT	TBD

22 SPORT

<u>ENGINE</u>	<u>MPH</u>
Merc. 150 XL	TBD
Merc. 150 XL Optimax	TBD
Merc. 200 XL	46 - 48
Merc. 200 XL EFI	46 - 48
Merc. 200 XL Optimax	45 - 47
Merc. 225 XL EFI	49 - 51
Merc. 225 XL Optimax	48 - 50
OMC 150	TBD
OMC 150 FICHT	TBD
OMC 200	43 - 45
OMC 200 FICHT	43 - 45
OMC 225	TBD
OMC 225 FICHT	TBD

23 SPORT

<u>ENGINE</u>	<u>MPH</u>
Merc. 200 XL OPTIMAX	TBD
Merc. 225 XL EFI	49 - 51
Merc. 225 XL OPTIMAX	47 - 49
Merc. 250 XL EFI	TBD
Merc. T-150 XL	TBD
Merc. T-150 XL OPTIMAX	TBD
OMC 225 FICHT	44 - 46
OMC 250	TBD
OMC T-15	TBD
OMC T-150 FICHT	TBD

23 SU

<u>ENGINE</u>	<u>MPH</u>
Merc. 150 XL	.38 - 40
Merc. 150 XL OPTIMAX	.37 - 39
Merc. 200 XL	.45 - 47
Merc. 200 XL EFI	.45 - 47
Merc. 200 XL OPTIMAX	.44 - 46
Merc. 225XL EFI	.50 - 52
Merc. 225 XL OPTIMAX	.49 - 51
OMC 150	.38 - 40
OMC 150 FICHT	TBD
OMC 200 FICHT	TBD
OMC 200	.41 - 43
OMC 225	.42 - 44
OMC 225 FICHT	TBD

24 SPORT

<u>ENGINE</u>	<u>MPH</u>
Merc. 200 XL	.40 - 42
Merc. 200 EFI	.39 - 41
Merc. 200 XL OPTIMAX	TBD
Merc. 225 XL EFI	.46 - 48
Merc. 225 XL OPTIMAX	.44 - 46
Merc. 250 XL EFI	.47 - 49
Merc. T-150 XL	.46 - 48
Merc. T-150 XL OPTIMAX	.49 - 51
OMC 200	.41 - 43
OMC 200 FICHT	TBD
OMC 225	.41 - 43
OMC 225 FICHT	TBD
OMC T-150	.47 - 49
OMC T-150FICHT	TBD

2700 SPORT

<u>ENGINE</u>	<u>MPH</u>
Merc. T-150 XL	.39 - 41
Merc. T-150 XL OPTIMAX	TBD
Merc. T-200 XL	.51 - 53
Merc. T-200 XL OPTIMAX	TBD
Merc. T-225 XL EFI	.48 - 50
Merc. T-225 XL OPTIMAX	.49 - 51
Merc. T-250 XL EFI	.58 - 60
OMC T-150	.38 - 40
OMC T-150 FICHT	TBD
OMC T-200	.47 - 49
OMC T-200 FICHT	.48 - 50
OMC T-225	.49 - 51
OMC T-225 FICHT	TBD
OMC T-250	TBD

30 SPORT

<u>ENGINE</u>	<u>MPH</u>
Merc. T-225 XXL EFI	TBD
Merc. T-225 XXL OPTIMAX	TBD
Merc. T-250 XXL EFI	.49 - 51
OMC T-225 FICHT	.46 - 48
OMC T-250	TBD
OMC T-250 FICHT	TBD

3000 SSC

<u>ENGINE</u>	<u>MPH</u>
Merc. T-225 XXL OPTIMAX	.58 - 60
Merc. T-225 XXL EFI	.62 - 64
Merc. T-250 XXL EFI	.63 - 65
OMC T-225	TBD
OMC T-225 FICHT	TBD
OMC T-250	TBD

34 SS

<u>ENGINE</u>	<u>MPH</u>
Merc. T-225 XXL EFI	.43 - 45
Merc. T-225 XXL OPTIMAX	.43 - 45
Merc. T-250 XXL EFI	.52 - 54
Merc. TRP-225 XL EFI	.58 - 60
OMC T-225 FICHT	TBD
OMC T-250	TBD
OMC T-250 FICHT	TBD
OMC TRP-225 FICHT	TBD

34 SSC

<u>ENGINE</u>	<u>MPH</u>
Merc. T-225 XXL EFI	.43 - 45
Merc. T-225 XXL OPTIMAX	.45 - 47
Merc. T-250 XXL EFI	.52 - 54
Merc. Trp-225 XL EFI	.58 - 60
OMC T-225 FICHT	.49 - 51
OMC T-250	.48 - 50
OMC T-250 FICHT	TBD
OMC TRP-225	TBD

34 BC

<u>ENGINE</u>	<u>MPH</u>
Merc. T-225 XXL EFI	.48 - 50
Merc. T-225 XXL OPTIMAX	TBD
Merc. T-250 XXL EFI	.52 - 54
Merc. Trp-225 XL EFI	.60 - 62
OMC T-225 FICHT	TBD
OMC T-250	TBD
OMC T-250 FICHT	TBD
OMC TRP-225 FICHT	.55 - 57

20 WALK

<u>ENGINE</u>	<u>MPH</u>
Merc. 150 XL OPTI-MAX	.39 - 41
Merc. 150 XL	.38 - 40
OMC 150	.40 - 42
OMC 150 FICHT	TBD
Merc. 4.3 LA I/O	.41 - 43
Volvo 4.3 GLSX	.37 - 39
Volvo 4.3 GLDP	.40 - 42

22 WALK

<u>ENGINE</u>	<u>MPH</u>
Merc. 150 XL	.40 - 42
Merc. 150 XL OPTIMAX	TBD
Merc. 200 XL	.44 - 46
Merc. 200 XL EFI	.44 - 46
Merc. 200 XL OPTIMAX	.43 - 45
Merc. 225 XL EFI	.45 - 47
Merc. 225 XL OPTIMAX	TBD
OMC 150	TBD
OMC 150 FICHT	TBD
OMC 200	.43 - 45
OMC 200 FICHT	TBD
OMC 225	TBD
OMC 225 FICHT	TBD

24 WALK

<u>ENGINE</u>	<u>MPH</u>
Merc. 200 XL	.39 - 41
Merc. 200 XL EFI	.39 - 41
Merc. 200 XL OPTIMAX	TBD
Merc. 225 XL EFI	.45 - 47
Merc. 225 XL OPTIMAX	.44 - 46
Merc. 250 XL EFI	.46 - 48
Merc. T-150 XL	.48 - 50
Merc. T-150 XL OPTIMAX	.43 - 45
OMC 200	.41 - 43
OMC 200 FICHT	.42 - 44
OMC 225	.42 - 44
OMC 225 FICHT	.42 - 44
OMC 250	.44 - 46
OMC T-150	.44 - 46
OMC T-150 FICHT	TBD
Merc. 5.7L B2	.37 - 39
Merc. 5.7L B3	.43 - 45
Merc. 5.7L EFI B3	.45 - 47
Volvo 5.0 GIDP	.45 - 47
Volvo 5.7 GSIDP	.44 - 46

25 WALK

<u>ENGINE</u>	<u>MPH</u>
MERC. 200 XL	.38 - 40
MERC. 200 XL OPTIMAX	TBD
MERC. 225XL	.41 - 43
MERC. 225XL EFI	.42 - 44
MERC. 225 XL OPTIMAX	.39 - 41
MERC. 250 XL EFI	.44 - 46
MERC. T-150 XL	.45 - 47
MERC. T-150 XL OPTIMAX	.42 - 44
OMC 225 TXEC	.41 - 43
OMC 250 TXEC	.41 - 43
OMC T-150 EXEC	.42 - 44
OMC T-150 FSXEC FFI	TBD
MERC. 5.7L B3	.41 - 43
MERC. 5.7L EFI B3	.41 - 43
MERC. 7.4 MPI	.41 - 43
VOLVO 5.0 GIDP	.36 - 38
VOLVO 5.7 GSIDP	.44 - 46
VOLVO 7.4 GODP	.44 - 46
VOLVO AD 41P DP	.30 - 32

26 WALK

<u>ENGINE</u>	<u>MPH</u>
Merc. T-150 XL	.42 - 44
Merc. T-150 XL OPTIMAX	.43 - 45
Merc. T-200 XL	.45 - 47
Merc. T-200 XL OPTIMAX	TBD
Merc. T-225 XL EFI	.53 - 55
Merc. T-225 XL OPTIMAX	.46 - 48
OMC T-150	TBD
OMC T-150 FICHT	.40 - 42
OMC T-200	TBD
OMC T-200 FICHT	TBD
OMC T-225	.40 - 42
OMC T-225 FICHT	TBD
Merc. 7.4 MPI B2	.35 - 37
Merc. 7.4 MPI B3	.38 - 40
Volvo KAD 44P	.34 - 36
Yanmar 300 DIESEL	.41 - 43
Volvo 7.4 GIDP	.40 - 42

28 WALK

<u>ENGINE</u>	<u>MPH</u>
Merc. T-200 XL	.44 - 46
Merc. T-200 XL OPTIMAX	.45 - 47
Merc. T-225 XL EFI	.46 - 48
Merc. T-225 XL OPTIMAX	.51 - 53
Merc. T-250 XL EFI	.47 - 49
OMC T-200	.44 - 46
OMC T-200 FICHT	TBD
OMC T-225	.47 - 49
OMC T-225 FICHT	TBD
OMC T-250	TBD

29 WALK

<u>ENGINE</u>	<u>MPH</u>
Merc. T-5.7L B2	.42 - 44
Merc. T-5.7L B3	.46 - 48
Merc. T-5.7L EFI B2	.42 - 44
Merc. T-5.7L EFI B3	.46 - 44
Volvo T-5.0 GIDP	.44 - 46
Volvo T-5.7 GSIDP	.45 - 47

30 WALK

<u>ENGINE</u>	<u>MPH</u>
Merc. T-225 XXL EFI	.48 - 50
Merc. T-225 XXL OPTIMAX	.48 - 50
Merc. T-250 XXL EFI	TBD
OMC T-225 FICHT	.47 - 49
OMC T-250	TBD
OMC T-250 FICHT	TBD

30 EXPRESS

<u>ENGINE</u>	<u>MPH</u>
Merc. T-225 XXL EFI	TBD
Merc. T-225 XXL OPTIMAX	.47 - 49
Merc. T-250 XXL EFI	TBD
OMC T-225 FICHT	TBD
OMC T-250	TBD
OMC T-250 FICHT	TBD

32 EXPRESS FISH

<u>ENGINE</u>	<u>MPH</u>
Merc. T-7.4 MPI B1	.50 - 53
Merc. T-7.4 MPI B3	.51 - 54
Merc. T-7.4L MPI V-Drive I/B	.39 - 42
Merc. T-454 HORIZON	.40 - 43
Volvo T-7.4 GI/DP	.49 - 52
Yanmar Diesel T-300 I/B	.40 - 43
Yanmar Diesel T-350 I/B	.43 - 46


33 EXPRESS

<u>ENGINE</u>	<u>MPH</u>
Merc. T-7.4L MPI	37 - 40
Merc. T-454 HORIZON	40 - 43
Merc. T-8.2 MPI	39 - 42
Caterpillar T-300	37 - 40
Caterpillar T-350	39 - 42
Yanmar T-300	37 - 40
Yanmar T-350	39 - 42
Yanmar T-420	42 - 45


Graphics


**2000
MODEL YEAR
GRAPHICS**

156




STANDARD BLACK

157




BLACK GRAPHIC (OPTION)

158




STANDARD BLUE

159




BLUE GRAPHIC (OPTION)

160




STANDARD GREEN

161



GREEN GRAPHIC (OPTION)

162



"A" - BLACK W/RED RIBBON PAINT

163



“B” - RED W/BLACK RIBBON PAINT

164



“C” - SONIC BLACK



“D” - SONIC RED



“E” - SONIC BLUE



“F” - SONIC GREEN



"G" - BLUE W/GREEN RIBBON PAINT



“H” - GREEN W/BUE RIBBON PAINT



PRO•LINE BOATS

P.O. Box 1348

Crystal River, FL 34423

352.795.4111 800.344.1281

www.prolineboats.com
