



PRO-LINE
SPORTS

BEYOND FISHING

2001 PRODUCT
INFORMATION GUIDE



A Message From the Vice Chairman & Founder

When Pro- Line was founded in 1968, we had no idea it would become the number one selling rough water fiberglass fishing boat in the United States. Our philosophy of delivering a high quality, well thought out fishingboat has worked! And that same successful philosophy continues today.

This Product Information Guide is your most important sales tool. Hundreds of man- hours have gone into this manual to assist you in presenting the product to your customers. I firmly believe that a sale is made or broken at the initial contact with you, the salesperson. If you know your product, you will instantly become an assistant to the buyer. And that's what customers want in today's marketplace.

Our 2001 product line has expanded to offer more models than any other fish boat company. Our focus has remained simple. We will continue to build the most fishable rough water boats with more amenities than any of our competitors.

Not only are we excited about our product, the marine industry as well. Last year we featured in more magazine articles than any other fish boat company. And the results were all complimentary and very positive.

Rest assured, we will do everything possible to make your job easier on the showroom floor. We will never rest on our laurels and we will always give the customer more than they expect!

Sincerely,
Pro- Line Boats

Dan Atwood
Vice Chairman & Founder

TABLE OF CONTENTS
& AMORTIZATION CHART

THE PRO-LINE
STORY

GENERAL FEATURES
AND BENEFITS

TABLE OF CONTENTS
& AMORTIZATION CHART

THE PRO•LINE
STORY

GENERAL FEATURES
AND BENEFITS



Table of Contents

- *Amortization Chart*2
- *The Pro-Line Story*3
- *Pro-Care 5 Year Limited Warranty*5
- *General Features & Benefits*7-8
- *Sport Series Introduction*9
 - 17 Sport.....11-14
 - 18 SU15-18
 - 18 Flats19-22
 - 19 Sport.....23-26
 - 20 Sport.....27-30
 - 20 DC31-34
 - 22 Sport.....35-38
 - 23 Sport.....39-42
 - 25 Sport.....43-46
 - 26 Sport.....47-50
 - 27 Sport.....51-54
 - 30 Sport.....55-58
 - 34 SS59-62
 - 34 SSC63-66
- *Walk Series Introduction*.....67
 - 20 Walk69-72
 - 22 Walk73-76
 - 23 Walk77-80
 - 25 Walk81-84
 - 26 Walk85-88
 - 27 Walk89-92
 - 27 Walk I/O93-96
 - 29 Walk97-100
 - 30 Walk101-104
- *Express Series Introduction*105
 - 27 Express107-110
 - 30 Express111-114
 - 32 Express Fish115-118
 - 33 Express119-122
- *Performance Disclaimer*123
- *Performance Specifications*125-132

SPORT SERIES

THE PRO-LINE
STORY

GENERAL FEATURES
AND BENEFITS

Amortization

EQUAL MONTHLY PAYMENTS
TO AMORTIZE A LOAN OF \$1,000.

TERM	5 YRS	7 YRS	10 YRS	12 YRS	15 YRS	20 YRS
RATE						
8%	20.28	15.59	12.14	10.83	9.56	8.37
8-1/4	20.40	15.72	12.27	10.97	9.71	8.53
8-1/2	20.52	15.84	12.40	11.11	9.85	8.68
8-3/4	20.64	15.97	12.54	11.24	10.00	8.84
9	20.76	16.09	12.67	11.39	10.15	9.00
9-1/4	20.88	16.22	12.81	11.53	10.30	9.16
9-1/2	21.01	16.35	12.94	11.67	10.45	9.33
9-3/4	21.13	16.48	13.08	11.81	10.60	9.49
10	21.25	16.51	13.22	11.96	10.75	9.66
10-1/4	21.38	16.74	13.36	12.10	10.90	9.82
10-1/2	21.50	16.87	13.50	12.25	11.06	9.99
10-3/4	21.62	17.00	13.64	12.39	11.21	10.16
11	21.75	17.13	13.78	12.54	11.37	10.33
11-1/4	21.87	17.26	13.92	12.69	11.53	10.50
11-1/2	22.00	17.39	14.06	12.84	11.69	10.67
11-3/4	22.12	17.52	14.21	12.99	11.85	10.84
12	22.25	17.66	14.35	13.14	12.01	11.02
12-1/4	22.38	17.79	14.50	13.29	12.17	11.19
12-1/2	22.50	17.93	14.64	13.44	12.33	11.37
12-3/4	22.63	18.06	14.79	13.60	12.49	11.54
13	22.76	18.20	14.94	13.75	12.66	11.72
13-1/4	22.89	18.33	15.08	13.91	12.82	11.90
13-1/2	23.01	18.47	15.23	14.06	12.99	12.08
13-3/4	23.14	18.61	15.38	14.22	13.15	12.26
14	23.27	18.75	15.53	14.38	13.32	12.44

SPORT SERIES

THE PRO-LINE
STORY

GENERAL FEATURES
AND BENEFITS

The Pro-Line Story

In 1968, Dan Atwood started a fishing boat company that would eventually take the market by storm. The first model was a 24 foot twin console that was designed for the professional fishing guides in Inglis and Crystal River, Florida. Since Dan's target market was the local fishing Pros the new company name came naturally - Pro-Line Boats.

Customers and boat dealers alike began to take notice of the little manufacturer in Florida. There was no escaping the fact that every Pro-Line was built by fishermen for fishermen. Other models soon came off the line such as the Pro 17 and the Pro 20. Pro-Line now had dealers throughout Florida, Georgia and Alabama.

As the orders grew so did their need for larger quarters and in 1970 Dan moved his crew to the present facility in Homosassa, Florida. In the late 70's and early 80's Pro-Line introduced cuddy cabins and walkarounds.

In 1986 Dan Atwood, along with Wall Street investors, Lee Kimmell and Lewis Ranieri of Salomon Brothers fame, formed American Marine Holdings, Inc. This infusion of working capital gave Dan the necessary funds to take Pro-Line worldwide.

The year of change for Pro-Line was 1989. Pro-Line had grown and models now ranged from 16 to 28 feet. The introduction of the new 230 Walk secured Pro-Line's position in the marketplace. Orders rushed in and more and more dealers signed-up to carry this unbelievable product. People around the world had come to know the Pro-Line name.

Today, Pro-Line offers over 30 models from 17 to 34 feet. The line includes center consoles, walkarounds, performance fishing boats, sportfish boats, bay boats and flats boats. More articles by boating publications were written last year about Pro-Line than any other fishing boat company. Excitement is in the air (and on the water)!

CEO and Chairman Lee Kimmell, President Mike Collins and Dan Atwood owe their success to the simple but important philosophy of building the highest quality boat in the world. Nowhere is there a better boat on the water. That's why an independent survey found over that 97% of existing Pro-Line owners said they would buy another Pro-Line.

From a small boat company in Inglis, Florida to the largest manufacturer of rough water fish boats in the United States, Pro-line Boats has become the ultimate fishing boat company and more. This year's tag line says it all - "Pro-Line Boats - Beyond Fishing."

PRO-CARE**5-Year Limited Warranty**

The most important feature and benefit Pro-Line has ever offered is here. For 2001 we are pleased to include a 5-year limited warranty, called Pro-Care, on all factory installed accessories, factory installed electronics, engines, out-drives, mechanical systems, electrical systems, controls, and more!

Quite simply put, Pro-Line offers peace of mind to your customer. Be sure and explain to every prospect that comes into your store that Pro-Line is the only fishing boat manufacturer that offers anything like this. The number one reason people leave the sport of boating is due to the high cost of maintaining a boat. Pro-Line has attacked the problem head on!

The revolutionary 5 year limited warranty is transferable, comes with a 24-hour, 1-800 emergency Hotline, and much more. See your manager for all the details. This is the one feature and benefit that you want to share with all of your prospects.

For 2001 the #1 selling saltwater fishing boat in America is now the best backed boat in the world!!

SPORT SERIES

WALK SERIES

GENERAL FEATURES
AND BENEFITS

TABLE OF CONTENTS
& AMORTIZATION CHART

THE PRO•LINE
STORY

SPORT SERIES

WALK SERIES

GENERAL FEATURES
AND BENEFITS

General Features & Benefits

Feature:	Pro-Line History
Benefit:	Solidifies our position in the fishing boat market.
Feature:	Pro-Care 5 Year Limited Warranty (standard)
Benefit:	Peace of mind boating with extended engine coverage and factory installed accessories coverage as a standard feature.
Feature:	10 Year transferable hull warranty.
Benefit:	Warranty may be transferred to new owner. Aids in higher resale value.
Feature:	22 mils of N.P.G. ISO Polyester Gelcoat.
Benefit:	Strong yet flexible gel. Cracking and chalking is almost non-existent.
Feature:	3610 Bi-axial fiberglass.
Benefit:	Stronger than conventional fiberglass mat. Will not delaminate due to stitching.
Feature:	Deep Vee with reversed chines (excluding the 18 Flats and the 18 SU).
Benefit:	Stable, dry ride. Gets on plane quicker and enables better overall performance.
Feature:	F.I.S.T. Construction (Fiberglass Integrated Structural Technology).
Benefit:	Anti-wood construction using Divinycell PVC core and closed cell injected foam. No wood, no rot.
Feature:	32 oz. UV protected vinyl.
Benefit:	High grade of vinyl with UV protectants to ensure long life.
Feature:	Sunbrella Canvas (optional).
Benefit:	The finest marine canvas. Comes with a 5-year warranty against rotting and breakage.
Feature:	316-L Stainless Steel hardware.
Benefit:	Highest marine grade stainless. Ensures great looking hardware for the life of the boat.
Feature:	Thru-bolted hardware fastened with airline locking nuts.
Benefit:	Hardware will take all kinds of punishment. Never comes loose.

SPORT SERIES

WALK SERIES

EXPRESS SERIES

Feature:	Premium interior fabrics with Scotchguard.
Benefit:	Low maintenance and easy to clean cushion covers.
Feature:	N.M.M.A., U.S.C.G. AND C.E. Certified.
Benefit:	This guarantees a safe, well built boat for your peace of mind.
	Largest cabins and widest beams.
Feature:	More room inside and out, with a more stable ride in rough conditions.
Benefit:	
	Foam insulated fishboxes.
Feature:	Ice and fish stay cold throughout the day.
Benefit:	
	Self-bailing cockpit.
Feature:	Rainwater runs overboard immediately, not into the bilge.
Benefit:	
	Large foam insulated baitwells.
Feature:	Plenty of space for your bait that will last the entire day.
Benefit:	
	Deep interior Freeboard.
Feature:	Safe ride in any condition. Makes fighting the fish easier.
Benefit:	
	Heat shrink wiring.
Feature:	All wire connections are heat shrunk to eliminate breakage and corrosion.
Benefit:	
	Deep, wide walkarounds.
Feature:	Allow the angler to fish the entire boat from stern to bow.
Benefit:	
	Labeled bus-bars.
Feature:	Makes adding future equipment easy and worry free.
Benefit:	

Sport Series

17 • 18 SU • 18 Flats • 19 • 20

20 DC • 22 • 23 • 25

26 • 27 • 30

34 SS • 34 SSC

Pro-Line's first Sportsman was produced in 1968 and instantly became a hit with professional anglers. The new line of center consoles have everything your prospect could want and more.

The first thing you should point out is the spaciousness of the cockpit. By using CAD (computer assisted design) programs every feature on the Pros are designed long before the first model is ever produced. This ensures the best placement of the necessary features while still maintaining plenty of room to fight the fish.


All fishboxes are foam insulated. Rod storage is abundant and the casting decks are large enough to allow the angler room to spread out. Foam insulated bait boxes are close by and gunnel mount rod holders are strategically placed for serious fishermen.

The consoles are designed to offer plenty of storage while still allowing room enough to fish the entire boat, not just at the transom. Hardware is stainless steel and thru-bolted with backing plates. Grab rails are located in the proper place to ensure a safe ride even in the most precarious situations.

Wiring is color coded and heat shrunk at every connection to ensure no corrosion or breakage. Bus-bars are placed under the console and at the transom with labels to take away all the guesswork of adding additional equipment.

Whether your customers want to head offshore in search of the biggest fish or just cruise the backwaters, Pro-Line has a Sport for them!

17 Sport

**SPECIFICATIONS**

Length Overall	17'0" (5.18m)
Beam	7'6" (2.29m)
Draft (Hull)	12" (.30m)
Deadrise	19°
Fuel Capacity	30 Gal. (113.6L)
Weight (Hull - appr)	...1,530 Lbs. (694kg)
Weight (Trailer - appr)	2,500 Lbs. (1134kg)
Cockpit Area	59 Sq. Ft. (5.48m ²)
Cockpit Depth	22" (.56m)
Bridge Clearance	3'8" (1.12m)
Max HP	135 (101kw)
Baitwell Capacity	10 Gal. (37.9L)
Fish Box Capacity	20 Gal. (75.7L)

ENGINE OPTIONS

<u>ENGINE</u>	<u>HP</u>
Mercury 90 (20" shaft)	90
Mercury 90/4-stroke (20" shaft)	90
Mercury 115/4-stroke (20" shaft)	115
Mercury 125 (20" shaft)	125
Mercury 135 Optimax (20" shaft)	135
Mercury Pre-rig	
Mercury Optimax Pre-rig	
OMC Pre-rig	
Yamaha Pre-rig	
Honda Pre-rig	

STANDARD EQUIPMENT

- Pro-Care 5 Year Limited Warranty
- 10 Years Transferable Hull Warranty
- Accessory Bus Bar Under Dash
- Battery Tray
- Bilge Pump

- Bow Rail - Stainless Steel
- Casting Deck w/Storage Box Insulated
- Cleats - 6" (3)
- Diamond Skid-Resistant Deck & Gunnels
- Drink Holders
- Fasteners - Chrome Plated Stainless Steel
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Fuel/Water Separator (N/A w/Optimax)
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Garboard Drain
- Grab Rail - Windshield (Stainless Steel)
- Gunnel Trim - Rigid Vinyl
- Half Dive Platform w/Ladder
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches
- Horn - Electric
- Matching Engine Graphics - Factory Installed (Merc. only)
- Navigational Lights
- NMMA Certified
- Premium Gel Coat
- Rod Holders - 1 Pair
- Rod Racks - Cockpit (4) Horizontal
- Rope Locker Storage
- Seats - Flip-Flop Cooler
- Self-Bailing Cockpit
- Smartcraft Gauges - Mercury Optimax only
- Steering - No Feed Back
- Storage - Center Console
- Striping - Green, Blue, Black, Red, Yellow
- Switch and Breaker Panel
- Tackle Box
- Windshield - Plexiglass

OPTIONAL EQUIPMENT

- Battery Charger
- Battery Switch - On/Off
- Compass
- Console Cover
- Cooler - Forward Console Seat
- Depth Finder/Fish Finder
- Dive Ladder
- Hull Color - Blue, Black, Green, Red, Yellow
- Lift Kit
- Rod Holders - 1 Pair
- Seats - Captain's Chair
- Shrink Wrap

17 Sport

Continued...

- Steering - Hydraulic
- Stereo AM/FM Cassette w/2 Speakers
- Stereo AM/FM/CD w/2 Speakers
- Top - Bimini
- VHF Radio

CONVENIENCE PACKAGE


- Bow Cushion
- Cockpit Lights (1 Pair)
- 12 Volt Receptacle
- Springline Cleats 6" (2)

FISH PACKAGE

- Baitwell - Circulating w/Raw Water Washdown
- Cooler w/Backrest (94 qt.)
- Rod Holders (1 Pair)

PRO PACKAGE

- Bimini Top
- Fish Package
- Fish Finder/Depth Finder
- Compass
- Trailer



SPECIFICATIONS

Length Overall18'10" (5.74m)
 Beam8'0" (2.44m)
 Draft (Hull)13" (.33m)
 Deadrise10°
 Fuel Capacity50 Gal. (189.3L)
 Weight (Hull - appr) ..1,800 Lbs. (816kg)
 Weight (Trail - appr) .2,750 Lbs. (1247kg)
 Cockpit Area88 Sq. Ft. (8.18m²)
 Cockpit Depth21" (.53m)
 Bridge Clearance4'7" (1.40m)
 Max HP135 (101kw)
 Baitwell Capacity10 Gal. (37.9L)

ENGINE OPTIONS

ENGINE	HP
Mercury 90 (20" shaft)	90
Mercury 90/4-stroke (20" shaft)	90
Mercury 115/4-stroke (20" shaft)	115
Mercury 125 (20" shaft)	125
Mercury 135 Optimax (20" shaft)	135
Mercury Pre-rig	
Mercury Optimax Pre-rig	
OMC Pre-rig	
Yamaha Pre-rig	
Honda Pre-rig	

STANDARD EQUIPMENT

- Pro-Care 5 Year Limited Warranty
- 10 Year Transferable Hull Warranty
- Accessory Bus Bar Under Dash
- Battery Tray
- Bilge Pump
- Bow Rail - Stainless Steel



- Casting Deck w/Storage Box - Insulated
- Cleats - 8" (4)
- Drink Holders
- Fasteners - Chrome Plated Stainless Steel
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Fuel/Water Separator (N/A w/Optimax)
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Garboard Drain
- Grab Rail - Windshield (Stainless Steel)
- Gunnel Trim - Rigid Vinyl
- Half Dive Platform w/Ladder
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Horn-Electric
- Matching Engine Graphics - Factory Installed (Merc. only)
- Navigational Lights
- NMMA Certified
- Skid-Resistant Diamond Deck & Gunnels
- Premium Gel Coat
- Rod Storage - Vertical (6)
- Seats - Flip-Flop Cooler
- Self-Bailing Cockpit
- Smartcraft Gauges - Optimax only
- Steering - No Feedback
- Storage - Center Console
- Striping - Green, Blue, Black, Red, Yellow
- Switch and Breaker Panel
- Tackle Box
- Windshield - Plexiglass

OPTIONAL EQUIPMENT

- Battery Charger
- Battery Switch - On/Off
- Compass
- Console Cover
- Cooler - Forward Console Seat
- Depth Finder/Fish Finder
- Dive Ladder
- Hull Colors - Blue, Black, Green, Red, Yellow
- Lift Kit
- Poling Platform
- Poling Platform Leaning Post
- Pre-Wiring - Trolling Motor
- Shrink Wrap
- Seats - Captain's Chair
- Steering - Hydraulic
- Stereo - AM/FM Cassette w/2 Speakers



18 SU

Continued...

- Stereo - AM/FM/CD w/2 Speakers
- Top - Bimini
- VHF Radio

CONVENIENCE PACKAGE

- Bow Cushion
- Cockpit Lights (1 Pair)
- 12 Volt Receptacle
- Springline Cleats 8" (2)

FISH PACKAGE

- Baitwell - Circulating (No Wash Down)
- Rod Holder - Vertical (additional set at console)
- Cooler w/Backrest (94 qt.)


PRO PACKAGE

- Bimini Top
- Fish Package
- Fish Finder/Depth Finder
- Compass
- Trailer

Notes



18 Flats



SPECIFICATIONS

Length Overall	18'4" (5.59m)
Beam	8'0" (2.44m)
Draft (Hull)	9" (.23m)
Deadrise	13°
Fuel Capacity	40 Gal. (151.4L)
Weight (Hull - appr)	...2,100 Lbs. (953kg)
Weight (Trail - appr)	...3,100 Lbs. (1406kg)
Cockpit Area	30 Sq. Ft. (2.79m ²)
Bridge Clearance	3'0" (.91m)
Cockpit Depth	11" (.28m)
Max HP - O/B	200 (150kw)
Catch & Release Well Cap.	37 Gal. (140L)
Baitwell Capacity	14 Gal. (53L)
Casting Platform Storage	45 Gal. (170.3L)

ENGINE OPTIONS

ENGINE	HP
Merc. 125 (20" shaft)	125
Merc 135 Optimax (20" shaft)	135
Merc. 150 (20" shaft)	150
Merc. 150 Optimax (20" shaft)	150
Merc 200 (20" shaft)	200
Merc 200 EFI (20" shaft)	200
Merc 200 Optimax (20" shaft)	200
Mercury Pre-rig	
Mercury Optimax Pre-rig	
OMC Pre-rig	
Yamaha Pre-rig	
Honda Pre-rig	

STANDARD EQUIPMENT

- Pro-Care 5 Year Limited Warranty
- 10 Years Transferable Hull Warranty
- 12 Volt Dash Receptacle

- Battery Tray
- Bilge Pump
- Cleats - Pop-Up 4 1/2" (3)
- Cockpit Lights - 2
- Cushion - Helm Seating
- Fasteners - Chrome Plated Stainless Steel
- F.I.S.T. Fiberglass Stringer System
- Fish Box - Insulated
- Flotation Foam - Closed Cell
- Fuel/Water Separator (N/A w/Optimax)
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volts
- Garboard Drain
- Hardware - Thru Bolted, Stainless Steel
- Hatches w/True Gutter System
- Horn - Electric
- Lights - Baitwell and Catch & Release Well
- Matching Engine Graphics - Factory Installed (Merc. only)
- N.M.M.A. Certified
- Navigational Lights
- Diamond Skid-Resistant Deck & Gunnel
- Premium Gel Coat
- Rod Racks - Horizontal (6) Lockable
- Self-Bailing Cockpit
- Smartcraft Gauges - Optimax only
- Steering - No Feed Back
- Steering - Hydraulic (Std. on 135 HP & above)
- Storage - Bow and Stern (Dry/Insulated)
- Striping - Green, Blue, Black, Red, Yellow
- Switch and Breaker Panel
- Tackle Boxes (4)

18 Flats

OPTIONAL EQUIPMENT

- Battery Charger
- Battery Switch - On/Off
- Battery Switch for Dual Batteries
- Catch & Release Well - Insulated (in lieu of fish box)
- Compass
- Console Cover
- Depth Finder/Fish Finder
- Dive Ladder
- Hull Color - Black, Blue, Green, Red, Yellow
- Lift Kit
- Poling Platform
- Poling Platform Leaning Post
- Pre-Wiring for Trolling Motor
- Rod Holder - Vertical (1 set at console)
- Seat Backrest
- Shrink Wrap
- Steering - Hydraulic
- Stereo - AM/FM Cassette w/2 Speakers
- Stereo - AM/FM CD w/2 Speakers
- Trim Tabs
- VHF Radio

ELECTRONICS PACKAGE #1

- Depth finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio

FISH PACKAGE


- Catch & Release Well (in lieu of fish box)
- Cooler w/Cushion
- Baitwell

PRO PACKAGE

- Fish Package
- Depthfinder/Fishfinder
- Compass

Notes

19 Sport



SPECIFICATIONS

Length Overall	19'2" (5.84m)
Beam	7'9" (2.36m)
Draft (Hull)	12" (.30m)
Deadrise	19°
Fuel Capacity	50 Gal. (189.3L)
Weight (Hull - appr)	..2,000 Lbs. (908kg)
Weight (Trail - appr)	3,150 Lbs. (1429kg)
Cockpit Area	54 Sq. Ft. (5.02m ²)
Cockpit Depth	22" (.56m)
Bridge Clearance	4'8" (1.42m)
Max HP	150 (112kw)
Baitwell Capacity	13 Gal. (49.2L)

ENGINE OPTIONS

ENGINE	HP
Merc. 90 (20" shaft)	90
Merc. 90/4 stroke (20" shaft)	90
Merc. 115/4 stroke (20" shaft)	115
Merc. 125 (20" shaft)	125
Merc 135 Optimax (20" shaft)	135
Merc. 150 (20" shaft)	150
Merc 150 EFI (20" shaft)	150
Merc. 150 Optimax (20" shaft)	150
Mercury Pre-rig	
Mercury Optimax Pre-rig	
OMC Pre-rig	
Yamaha Pre-rig	
Honda Pre-rig	

STANDARD EQUIPMENT

- Pro-Care 5 Year Limited Warranty
- 10 Years Transferable Hull Warranty
- Accessory Bus Bar Under Dash

- Battery Tray
- Bilge Pump
- Bow Pulpit - w/Anchor Roller
- Bow Rail - Stainless Steel
- Casting Deck Fish/Storage Box Insulated
- Cleats - 8" (3)
- Diamond Skid-Resistant Deck & Gunnels
- Dive Platform w/Fold Down Ladder - Integrated
- Drink Holders
- Fasteners - Chrome Plated Stainless Steel
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Fuel/Water Separator -N/A on Optimax
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Garboard Drain
- Glove Box w/Lock
- Grab Rail - Windshield (Stainless Steel)
- Gunnel Trim - Rigid Vinyl
- Hardware - Thru-Bolted (Stainless Steel)
- Horn - Electric
- Matching Engine Graphics - Factory Installed Merc. only
- N.M.M.A. Certified
- Navigational Lights
- Porta Pottie - enclosed in console
- Premium Gel Coat
- Rod Holders - 1 Pair
- Rod Racks - 6 Horizontal
- Rope Locker Storage
- Seat - Flip Flop w/Cooler
- Self-Bailing Cockpit
- Smartcraft Gauges - Optimax only
- Steering - No Feed Back
- Striping - Green, Blue, Black, Red, Yellow
- Switches & Breaker Panel
- Tackle Box
- Transom Tub
- Windshield - Plexiglass

OPTIONAL EQUIPMENT

- Battery Charger
- Battery Switch - On/Off
- Bow Cushion
- Compass
- Console Cover
- Depth Finder/Fish Finder
- Dive Ladder
- Hull Color - Green, Blue, Black, Red, Yellow
- Lift Kit

19 Sport

Continued...

- Light - Remote Spot (Req. T-Top)
- Lights - Spreader (Req. T-Top)
- Outriggers - Top Mount (Req. T-Top)
- Porta Pottie - w/Dockside Discharge
- Rod Holders - 1 Set, Vertical on Console (N/A w/T-Top)
- Seats - Captain's Chairs
- Shrink Wrap
- Steering - Hydraulic
- Stereo AM/FM Cassette w/2 Speakers
- Stereo - AM/FM/CD w/2 Speakers
- T-Top Enclosure
- Top - Bimini
- Top - T-Top w/Electronic Box
- VHF Radio

CONVENIENCE PACKAGE

- Bow Cushion
- Cockpit Lights (1 Pair)
- 12 Volt Receptacle
- Springline Cleats 8" (2)

FISH PACKAGE

- Baitwell - Circulating
- Raw Water Washdown
- Vertical Rod Storage (Console), 1 set (N/A w/T-Top)

PRO PACKAGE


- Bimini Top
- Compass
- Fish Package
- Optional T-Top
- Trailer

ELECTRONICS PACKAGE #1

- Depthfinder/Fishfinder
- VHF Radio

ELECTRONICS PACKAGE #2

- LMS 160 GPS/Depthfinder/Fishfinder
- VHF Radio



SPECIFICATIONS

Length Overall	20'2" (6.15m)
Beam	8'0" (2.44m)
Draft (Hull)	15" (.38m)
Deadrise	19°
Fuel Capacity	70 Gal. (265L)
Weight (Hull - appr)	...2,200 Lbs. (998kg)
Weight (Trail - appr)	...3,700 Lbs. (1679kg)
Cockpit Area	81 Sq. Ft. (7.52m²)
Cockpit Depth	22" (.56m)
Bridge Clearance	5'10" (1.78m)
w/T-Top	8'0" (2.44m)
Max HP - O/B	200 (150kw)
Baitwell Capacity	35 Gal. (132.5L)
Fish Box Capacity	18 Gal. (68.1L)

ENGINE OPTIONS

ENGINE	HP
Merc. 150 (25" shaft)	150
Merc. 150 Optimax (25" shaft)	150
Merc. 150 EFI (25" shaft)	150
Merc. 200 (25" shaft)	200
Merc. 200 Optimax (25" shaft)	200
Merc. 200 EFI (25" shaft)	200
Mercury Pre-rig	
Mercury Optimax Pre-rig	
OMC Pre-rig	
Yamaha Pre-rig	

STANDARD EQUIPMENT

- Pro-Care 5 Year Limited Warranty
- 10 Year Transferable Hull Warranty
- Accessory Bus Bar Under Dash

- Battery Tray
- Bilge Pump
- Bow Rail - Stainless Steel
- Casting Deck Fish/Storage Box Insulated
- Cleats - 8" (3)
- Diamond Skid-Resistant Deck & Gunnels
- Drink Holders
- Fasteners - Chrome Plated Stainless Steel
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Fuel/Water Separator - N/A on Optimax
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Garboard Drain
- Glove Box w/Lock
- Grab Rail - Windshield (Stainless Steel)
- Gunnel Trim - Rigid Vinyl
- Half Dive Platform w/Ladder
- Hardware - Thru Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Horn - Electric
- Matching Engine Graphics - Factory Installed Merc. only
- N.M.M.A. Certified
- Navigational Lights
- Porta Pottie - Enclosed in console
- Premium Gel Coat
- Rod Holders - 1 Pair
- Rod Racks - 6 Horizontal
- Rope Locker Storage
- Seats - Aft Jump - 2 (molded)
- Seats - Helm w/Backrest
- Self-Bailing Cockpit
- Smartcraft Gauges - Optimax only
- Steering - No Feed Back
- Striping - Green, Blue, Black, Red, Yellow
- Switches & Breaker Panel
- Windshield - Plexiglass

OPTIONAL EQUIPMENT

- Battery Charger
- Battery Switch - On/Off
- Battery Switch for Dual Batteries
- Bow Cushion
- Compass
- Console Cover
- Dive Ladder
- Hull Color - Green, Blue, Black, Red, Yellow
- Leaning Post/Baitstation
- Lift Kit

20 Sport

Continued...

- Outriggers - Gunnel Mount or Top Mount
- Porta Pottie - w/Dockside Discharge
- Remote Spotlight - T-Top
- Rod Holders - 1 Pair
- Shrink Wrap
- Spreader Lights - T-Top
- Steering - Hydraulic
- Stereo - AM/FM Cassette w/2 Speakers
- Stereo - AM/FM/CD w/2 Speakers
- T-Top Enclosure
- Top - Bimini
- Top - T-Top w/Electronics Box
- VHF Radio

CONVENIENCE PACKAGE

- 12 Volt Receptacle
- Bow Cushion
- Cockpit Lights (1 Pair)
- Springline Cleats 8" (2)

FISH PACKAGE

- Baitwell - Circulating
- Raw Water Washdown
- Rod Holders - Additional (1 pair)
- Tackle Box

ELECTRONICS PACKAGE #1

- Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #2

- LMS-160 GPS/Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #3


- Globalmap 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio

PRO PACKAGE

- Bimini Top
- Compass
- Fish Package
- Optional T-Top

Notes

2001 20 DC

**SPECIFICATIONS**

Length Overall	20'2" (6.15m)
Beam	8'0" (2.44m)
Draft (Hull)	15" (.38m)
Deadrise	19°
Fuel Capacity	70 Gal. (265m)
Weight (Hull - appr)	..2,500 Lbs. (1134kg)
Weight (Trail - appr)	..4,000 Lbs. (1850kg)
Cockpit Area	87 Sq. Ft. (8.08m²)
Cockpit Depth	22" (.56m)
Bridge Clearance	6'2" (1.88m)
Max HP - O/B	200 (150kw)
Max HP - I/O	210 (157kw)
Baitwell Capacity	9.75 Gal. (36.9L)
Fish Box Capacity	9.75 Gal. (36.9L)

ENGINE OPTIONS

<u>ENGINE</u>	<u>HP</u>
Merc. 150 (25" shaft)	150
Merc. 150 EFI (25" shaft)	150
Merc. 150 Optimax (25" shaft)	150
Merc. 200 (25" shaft)	200
Merc. 200 EFI (25" shaft)	200
Merc. 200 Optimax (25" shaft)	200
Merc. 4.3 L	190
Merc. 4.3 LH	205
Merc. 4.3 L EFI	210
Volvo 4.3GI	190
Volvo 4.3GLDP	190
Mercury Pre-rig	
Mercury Optimax Pre-rig	
OMC Pre-rig	
Yamaha Pre-rig	

STANDARD EQUIPMENT

- Pro-Care 5 Year Limited Warranty
- 10 Year Transferable Hull Warranty
- Accessory Bus Bar Under Dash
- Battery Tray
- Bilge Pump
- Bow Rail - Stainless Steel
- Casting Deck Fish/Storage Box Insulated
- Console - Dual w/Storage
- Cleats - 8" (3)
- Diamond Skid-Resistant Deck & Gunnels
- Dive Platform - Half w/Ladder
- Drink Holders
- Fasteners - Chrome Plated Stainless Steel
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Fuel/Water Separator - N/A on Optimax
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Garboard Drain
- Glove Box w/Lock
- Gunnel Trim - Rigid Vinyl
- Hardware - Thru Bolted (Stainless Steel)
- Hatches w/True Gutter Systems
- Horn-Electric
- Matching Engine Graphics - Factory Installed Merc. Only
- N.M.M.A. Certified
- Navigational Lights
- Premium Gel Coat
- Rod Holders - 1 Pair
- Rod Racks - 6 Horizontal
- Rope Locker Storage
- Seats - Aft Jump - 2 (Molded)
- Seat - Captain's Chairs
- Self-Bailing Cockpit
- Smartcraft Gauges - Optimax only
- Steering - No Feed Back
- Striping - Green, Blue, Black, Red, Yellow
- Switch & Breaker Panel
- Tackle Box
- Windshield - Tempered Glass

OPTIONAL EQUIPMENT

- Battery Charger
- Battery Switch - On/Off
- Battery Switch for Dual Batteries
- Bow Cushion
- Compass

20 DC

Continued...

- Depth Finder/Fish Finder
- Dive Ladder
- Dive Platform - Full (I/O Only)
- Hull Color - Green, Blue, Black, Red, Yellow
- Lift Kit
- Rod Holders - 1 Pair
- Shrink Wrap
- Steering - Hydraulic
- Stereo - AM/FM Cassette w/2 Speakers
- Stereo - AM/FM CD w/2 Speakers
- Top - Bimini w/Windscreen
- VHF Radio

CONVENIENCE PACKAGE

- 12 Volt Receptacle
- Bow Cushion
- Cockpit Lights (1 Pair)
- Springline Cleats 8" (2)

FISH PACKAGE

- Baitwell - Circulating
- Raw Water Washdown
- Rod Holders - Additional (1 pair)

ELECTRONICS PACKAGE #1

- Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #2

- LMS-160 GPS/Depth Finder/Fish Finder
- VHF Radio

PRO PACKAGE

- Bimini Top
- Fish Package
- Compass

STANDARD EQUIPMENT

- Pro-Care 5 Year Limited Warranty
- 10 Year Transferable Hull Warranty
- Anchor Locker Storage
- Battery Tray
- Bilge Pump
- Bow Rail - Stainless Steel
- Casting Deck Storage Box
- Cleats - 8" (4)
- Diamond Skid-Resistant Deck & Gunnels
- Drink Holders
- Electric Horn
- Fasteners - Chrome Plated Stainless Steel
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Fuel/Water Separator - N/A on Optimax
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Garboard Drain
- Glove Box w/Lock
- Gunnel Trim - Rigid Vinyl Insert
- Half Dive Platform w/Ladder
- Hatches w/True Gutter System
- Navigation Lights
- Matching Engine Graphics - Factory Installed Merc. Only
- N.M.M.A Certified
- Porta Potti - Enclosed in Center Console
- Premium Gel Coat
- Rod Holders - 1 Pair
- Rod Racks - (6) Horizontal
- Rope Locker Storage
- Seat - Helm/Baitstation w/Backrest
- Seats - Aft Jump - (2) Molded
- Smartcraft Gauges - Optimax only
- Stainless Steel Deck Hardware (Thru-Bolted)
- Self-Bailing Cockpit
- Steering - Hydraulic
- Striping Pkg. - Blue, Green, Black, Red, Yellow
- Switches & Breaker Panels
- Terminal Bar Helm and Transom
- Vertical Rod Storage on Console (N/A w/T-Top)
- Windshield - Plexiglass w/Grab Rail

OPTIONAL EQUIPMENT

- Battery Charger
- Battery Switch - On/Off
- Battery Switch for Dual Batteries

22 Sport

- Bimini Top
- Bow Cushion
- Compass
- Console Cover
- Curtain Package (T-Top Required)
- Dive Ladder
- Hull Color - Green, Blue, Black, Red, Yellow
- Lift Kit
- Outriggers (Gunnel or T-Top Mount)
- Porta-Pottie w/Dockside Discharge
- Light - Remote Spot (T-Top Req.)
- Rod Holders - 1 pair
- Seats - Leaning Post/Baitstation
- Shrink Wrap
- Spreader Lights (T-Top Required)
- Stereo - AM/FM/Cassette w/2 Speakers
- Stereo - AM/FM/CD w/2 Speakers
- T-Top w/Electronics Box
- 94 Qt. Cooler w/Cushion

FISH PACKAGE

- Baitwell - Circulating
- Raw Water Washdown
- Rod Holders - Additional (1 Pair)
- Tackle Box

CONVENIENCE PACKAGE

- 12 Volt Receptacle
- Bow Cushion
- Cockpit Lights
- Cockpit Bolsters
- Springline Cleats 8" (2)

ELECTRONICS PACKAGE #1

- Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #2

- LMS-160 GPS/Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #3

- Globalmap 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio


Continued...

PRO PACKAGE

- Bimini Top
- Fish Package
- Compass
- Optional T-top

Notes

23 Sport



SPECIFICATIONS

Length Overall	24' 5" (7.44m)
Beam	8' 6" (2.59m)
Draft (Hull)	18" (.46m)
Deadrise	22°
Fuel Capacity	140 Gal. (530L)
Weight (Hull - appr)	3,300 Lbs. (1497kg)
Weight (Trail - appr)	5,850 Lbs. (2654kg)
Cockpit Area	80 Sq. Ft. (7.43m)
Cockpit Depth	27" (.69m)
Max HP - O/B	300 (224kw)
Bridge Clearance	6' 7" (2.01m)
Clearance w/ T-Top	7' 9" (2.36m)
Baitwell Capacity	35 Gal. (132.5L)
Fish Box Capacity	32 Gal.(121.1L)
Fish Box Cap. (Fwd)	70 Gal.(265L)
Fresh Water Cap. (Option)	.6 Gal.(22.7L)

ENGINE OPTIONS

Merc. 200 OPTIMAX (30" Shaft)	...200
Merc. 225 OPTIMAX (30" Shaft)	...225
Merc. 225 EFI (30" Shaft)	225
Merc. 250 EFI (30" Shaft)	250
Merc. T-135 Optimax (25" Shaft)	.135 EA
Merc. T-150 (25" Shaft)	150 EA
Merc. T-150 EFI (25" Shaft)	150 EA
Merc. T-150 OPTIMAX(25" Shaft)	150 EA
Mercury Pre-rig	
Mercury Optimax Pre-rig	
OMC Pre-rig	
Yamaha Pre-rig	

STANDARD EQUIPMENT

- Pro-Care 5 Year Limited Warranty
- 10 year transferrable hull warranty
- Accessory bus bar under dash and transom
- Baitwell
- Battery Switches-Twin Engine Install Only
- Battery Tray
- Bilge pump
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- Cleats - 6" Pop-up (4) Stainless Steel
- Cleats - 8" Aft (2) Under Gunnel,
- Console Cooler 36 Qt.
- Diamond Skid-Resistant Deck & Gunnels
- Dive Platform - Integrated
- Electronics Box w/Lock
- Fasteners - Chrome Plated Stainless Steel
- Fish Boxes
- F.I.S.T. Fiberglass Stringer System
- Floor Storage
- Fuel/Water Separator - N/A on Optimax
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Garboard Drain
- Gunnel Trim - Rigid Vinyl w/Stainless Insert
- Hardware - Stainless Steel
- Hatches w/Gutter System and Latches
- Hawse Pipes
- Horn - Electric
- Ladder - 2-Step
- Leaning Post/Baitstation w/Rod Holders (4)
- Matching Engine Graphics - Factory Installed Merc. Only
- Navigational Lights
- Porta Potti - Enclosed in Center Console
- Premium Gel Coat
- Raw Water Washdown
- Rod Holders Gunnel Mount - (2) pairs
- Rod Racks - (8) Horizontal
- Rope Locker Storage
- Self Bailing Cockpit
- Smartercraft Gauges - Optimax Only
- Steering - Hydraulic
- Storage - Casting Deck
- Striping - Green, Blue, Black, Red, Yellow
- Tackle box - (4) Drawer
- Thru Hulls - Stainless Steel
- Transom Door
- Windshield - Plexiglass w/Grab Rails

23 Sport

OPTIONAL EQUIPMENT

- Battery Charger
- Battery Switch - On/Off
- Battery Switch for Dual Batteries
- Bow Cushion
- Compass
- Console Cover
- Curtain Package - T-Top Required
- Dive Ladder - n/a with twin motors
- Fresh Water Transom Shower
- Hull Color - Green, Blue, Black, Red, Yellow
- Lift Kit - n/a with windlass
- Light - Remote Spot (T-Top Req.)
- Outriggers - Gunnel Mount or T-Top Req.
- Seat - Rear Folding (removable)
- Shrink Wrap
- Stereo - AM/FM Cass. w/2 speakers w/Remote
- Stereo - AM/FM CD w/2 speakers w/Remote
- Spreader lights (T-Top required)
- Top - Bimini
- T-Top w/Electronics Box
- Trim Tabs
- Windlass w/Bow Protector, Rope & Chain

CONVENIENCE PACKAGE

- 12 Volt Rec.
- Bow Cushions
- Cockpit Bolsters
- Cockpit Lights

ELECTRONICS PACKAGE #1

- Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #3


- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio

PRO PACKAGE

- Bimini Top
- Convenience Package
- Compass
- Optional T-top

Notes

2001 - 25 Sport

**SPECIFICATIONS**

Length Overall	25'5" (7.75m)
Beam	8'6" (2.59m)
Draft (Hull)	14" (.36m)
Deadrise	19°
Fuel Capacity	144 Gal. (545.1L)
Weight (Hull - appr)	3,600 Lbs. (1633kg)
Weight (Trail - appr)	5,750 Lbs. (2609kg)
Cockpit Area	104 Sq. Ft. (9.66m²)
Cockpit Depth	29" (.74m)
Max HP	300 (224kw)
Fresh Water Capacity	15 Gal. (56.8L)
Bridge Clearance	6'9" (2.06m)
w/T-Top	8'1" (2.46m)
Fish Box Capacity	40 Gal. (151.4L)
Baitwell Capacity	50 Gal. (189.25L)
Console Cooler Cap	16 Gal. (60.6L)

ENGINE OPTIONS

<u>ENGINE</u>	<u>HP</u>
Merc. 200 (25" Shaft)	200
Merc. 200 EFI (25" Shaft)	200
Merc. 200 OPTIMAX (25" Shaft)	...200
Merc. 225 EFI (25" Shaft)	225
Merc. 225 OPTIMAX (25" Shaft)	...225
Merc. 250 EFI (25" Shaft)	250
Merc. T-135 OPTIMAX (25" Shaft)	135 EA
Merc. T-150 (25" Shaft)	150 EA
Merc. T-150 EFI (25" Shaft)	150 EA
Merc. T-150 OPTIMAX (25" Shaft)	150 EA
Mercury Pre-rig	
Mercury Optimax Pre-rig	
OMC Pre-rig	
Yamaha Pre-rig	

STANDARD EQUIPMENT

- Pro-Care 5 Year Limited Warranty
- 10 Year Transferable Hull Warranty
- Accessory Bus Bar Under Dash
- Baitwell - Circulating
- Battery Switches-Twin Engine Installations only
- Battery Tray
- Bilge Pump
- Bow Pulpit Molded w/Anchor Roller
- Bow Rail - Stainless Steel
- Bracket - Single +2
- Casting Deck w/Storage
- Casting Deck Fish Box - Insulated
- Cleats - 8" (5)
- Cockpit Shower - Freshwater
- Dive Platform - Half w/Ladder
- Dive Platform - Full w/Ladder (Twin Engine Only)
- Drink Holders
- Fasteners - Chrome Plated Stainless Steel
- F.I.S.T. Fiberglass Stringer System
- Fuel/Water Separator - N/A on Optimax
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Garboard Drain
- Gunnel Trim - Rigid Vinyl w/Stainless Steel Insert
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Horn - Electric
- Leaning Post/Baitstation w/Rod Holders (4)
- Matching Engine Graphics - Factory Installed Merc. Only
- N.M.M.A. Certified
- Navigation Lights
- Skid-Resistant Diamond Decks & Gunnels
- Porta Pottie - Enclosed in Console
- Premium Gel Coat
- Raw Water Washdown
- Rod Holders - 2 Pair
- Rod Racks - (6) Horizontal
- Rope Locker Storage
- Self-Bailing Cockpit
- Smartcraft Gauges - Optimax Only
- Steering - Hydraulic
- Striping Pkg. - Green, Blue, Black, Red, Yellow
- Switches & Breaker Panel
- Tackle Storage
- Thru Hulls - Stainless Steel
- Transom Door
- Transom Storage
- Windshield - Plexiglass w/Grab Rail

25 Sport**OPTIONAL EQUIPMENT**

- Battery Charger
- Battery Switch for Dual Batteries
- Battery Switch - on/off
- Bow Cushion
- Bracket - +2 Twin
- Compass
- Console Cover
- Curtain Package - T-Top
- Dive Ladder
- Head - w/Dockside Discharge
- Head - Electric Macerator, Holding Tank and Pump Out
- Hull Color - Green, Blue, Black, Red, Yellow
- Leaning Post Backrest
- Lift Kit - (N/A w/Windlass)
- Lights - Remote Control Spot (T-Top Req.)
- Lights - Spreader (T-Top Req.)
- Outriggers - Gunnel Mount or Top Mount
- Seat - Rear Bench Removable
- Shrink Wrap
- Stereo - AM/FM Cassette w/2 Speakers w/Remote
- Stereo - AM/FM CD w/2 Speakers w/Remote
- Trim Tabs
- Top - Bimini w/Windscreen
- T-Top w/Electronics Box
- Windlass - w/Bow Protector, Rope & Chain

CONVENIENCE PACKAGE

- 12 Volt Receptacle
- Bow Cushions
- Cockpit Bolsters
- Cockpit Lights (1 Pair)
- Springline Cleats

DELUXE CONVENIENCE PACKAGE

- Bow Cushions
- Cockpit Bolster Cushions
- Cockpit Lights (1 Pair)
- 12 Volt Receptacle
- Springline Cleats
- Full Dive Platform w/Ladder (Single Engine Application Only)

ELECTRONICS PACKAGE #1

- Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #2


- LMS-160 GPS/Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #3

- Globalmap 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio

PRO PACKAGE

- Battery Switch for Dual Batteries
- Bimini Top
- Convenience Package
- Compass
- Optional T-Top

Notes**26 Sport****SPECIFICATIONS**

Length Overall	27'0" (8.23m)
Beam	8' 6" (2.59m)
Draft (Hull)	16" (.41m)
Deadrise	19°
Fuel Capacity	170 Gal. (643.5L)
Weight (Hull - appr)	..4,500 Lbs. (2042kg)
Weight (Trail - appr)	..7,500 Lbs. (3402kg)
Cockpit Area	91 Sq. Ft. (8.45m ²)
Cockpit Depth	28" (.71m)
Max HP	400 (299kw)
Fresh Water Capacity	15 Gal. (56.8L)
Bridge Clearance	6'9" (2.06m)
w/T-Top	8'6" (2.59m)
Baitwell Capacity	35 Gal. (132.5L)
Fish Boxes Cap. (2)	45 Gal. (170.3L)

ENGINE OPTIONS

<u>ENGINE</u>	<u>HP</u>
Merc. 225 Optimax (30" Shaft)	225
Merc. 225 EFI (30" Shaft)	225
Merc. 250 EFI (30" Shaft)	250
Merc. T-135 Optimax (25" Shaft)	..135 EA
Merc. T-150 (25" Shaft)	150 EA
Merc. T-150 EFI (25" Shaft)	150 EA
Merc. T-150 Optimax (25" Shaft)	..150 EA
Merc. T-200 (25" Shaft)	200 EA
Merc. T-200 Optimax (25" Shaft)	..200 EA
Merc. T-200 EFI(25" Shaft)	200 EA
Mercury Pre-rig	
Mercury Optimax Pre-rig	
OMC Pre-rig	
Yamaha Pre-rig	

STANDARD EQUIPMENT

- Pro-Care 5 Year Limited Warranty
- 10 Year Transferable Hull Warranty
- Accessory Bus Bar Under Dash
- Battery Switches-Twin Engine Installation only
- Battery Tray
- Bilge Pump
- Bow Pulpit Molded w/Anchor Roller
- Bow Rail - Stainless Steel
- Casting Deck Storage - Insulated
- Cleats - 8" (3), 10" (2)
- Compass
- Diamond Skid-Resistant Deck & Gunnels
- Drink Holders
- Fasteners - Chrome Plated Stainless Steel
- F.I.S.T. Fiberglass Stringer System
- Fresh Water System - Transom Sink w/Pull-out Shower
- Fuel/Water Separator - N/A on Optimax
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Garboard Drain
- Gunnel Trim - Rigid Vinyl w/Stainless Insert
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Horn - Electric
- Ladder - 3-Step
- Leaning Post/Baitstation w/Rod Holders (4)
- Matching Engine Graphics - Factory Installed Merc. Only
- N.M.M.A. Certified
- Navigation Lights
- Porta Potti - Enclosed in Console
- Premium Gel Coat
- Raw Water Washdown
- Rod Holders - 2 Pair
- Rod Racks - (6) Horizontal
- Rope Locker Storage
- Self-Bailing Cockpit
- Smartcraft Gauges - Optimax Only
- Steering - Hydraulic
- Striping Pkg. - Green, Blue, Black, Red, Yellow
- Switches & Breaker Panel
- Tackle Box
- Thru Hulls - Stainless Steel
- Transom Door
- Transom Seating
- Trim Tabs
- Windshield - Plexiglass w/Grab Rail

26 Sport**OPTIONAL EQUIPMENT**

- Battery Charger
- Battery Switch for Dual Batteries
- Battery Switch - on/off
- Bow Cushion
- Console Cover
- Curtain Package - T-Top
- Dive Ladder
- Head - w/Dockside Discharge
- Hull Color - Green, Blue, Black, Red, Yellow
- Leaning Post Backrest
- Lift Kit - (N/A w/Windlass)
- Lights - Remote Control Spot (T-Top Req.)
- Lights - Spreader (T-Top Req.)
- Outriggers - Gunnel Mount/Top Mount
- Shrink Wrap
- Stereo - AM/FM Cassette w/2 Speakers w/Remote
- Stereo - AM/FM CD w/2 Speakers w/Remote
- Top - Bimini
- T-Top w/Electronics Box
- Windlass - w/Rope & Chain

CONVENIENCE PACKAGE

- 12 Volt Receptacle
- Bow Cushions
- Cockpit Bolsters
- Cockpit Lights (1 Pair)
- Springline Cleats

ELECTRONICS PACKAGE #1

- Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #2

- LMS-160 GPS/Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #3

- Globalmap 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio

PRO PACKAGE

- Battery Switch for Dual Batteries
- Bimini Top
- Convenience Package
- Battery Charger
- Optional T-Top




Notes

Handwritten notes area with horizontal lines.



27 Sport



SPECIFICATIONS

Length Overall29'1" (8.86m)
Beam9'10" (3.0m)
Draft (Hull)20" (.51m)
Deadrise19°
Fuel Capacity200 Gal. (757.1L)
Weight (Hull - appr) .5,200 Lbs. (2359kg)
Weight (Trail - appr) .8,550 Lbs. (3879kg)
Cockpit Depth26" (.66m)
Max HP500 (373kw)
Fresh Water Capacity ..15 Gal. (56.78L)
Bridge Clearance7'1" (2.16m)
w/Tee Top8'2" (2.49m)
Baitwell Capacity35 Gal. (132.5L)
Fish Boxes Total Cap. (2) .50 Gal. (189.3L)

ENGINE OPTIONS

<u>ENGINE</u>	<u>HP</u>
Merc. T-200 (25" Shaft)	200 EA
Merc. T-200 EFI (25" Shaft)	200 EA
Merc. T-200 OPTIMAX (25" Shaft)	200 EA
Merc. T-225 EFI (25" Shaft)	225 EA
Merc. T-225 OPTIMAX (25" Shaft)	225 EA
Merc. T-250 EFI (25" Shaft)	250 EA
Mercury Pre-rig	
Mercury Optimax Pre-rig	
OMC Pre-rig	
Yamaha Pre-rig	

STANDARD EQUIPMENT

- Pro-Care 5 Year Limited Warranty
- 10 Year Transferable Hull Warranty
- 12 Volt Receptacle
- Accessory Bus Bar Under Dash

- Battery Trays
- Battery Switch - Dual
- Bilge Pump - 1250 GPH
- Bilge Pump - 500 GPH Aft.
- Bow Pulpit w/Anchor Roller
- Cleat - 8" (1)
- Cleats - Pop-Up (6)
- Cockpit Bolsters
- Cockpit Lights
- Cockpit Seat w/Cushion
- Compass
- Diamond Skid-Resistant Deck & Gunnels
- Electronics Box w/Lock
- Fasteners - Chrome Plated Stainless Steel
- Fish Boxes - Insulated
- F.I.S.T. Fiberglass Stringer System
- Fresh Water System - Transom Sink w/Pull-out Shower
- Fuel/Water Separators - N/A on Optimax
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Garboard Drain
- Gunnel Trim - Rigid Vinyl w/Stainless Insert
- Hardware - Stainless Steel
- Hatches w/True Gutter System
- Horn - Electric
- Integrated Dive Platform w/Ladder
- Leaning Post/Baitstation w/Rod Holders (4)
- Matching Engine Graphics - Factory Installed Merc. Only
- N.M.M.A. Certified
- Navigational Lights
- Porta Pottie - Enclosed in Console
- Premium Gel Coat
- Raw Water Washdown
- Rod Holders - Gunnel Mount - 2 Pair
- Rod Racks - (4) Horizontal
- Rope Locker Storage
- Seat - Forward Console w/Cushion & Storage
- Self-Bailing Cockpit
- Smartcraft Gauges - Optimax Only
- Steering - Hydraulic
- Striping Pkg. - Green, Blue, Black, Red, Yellow
- Switch & Breaker Panel
- Tackle Box
- Thru-Hulls - Stainless Steel
- Transom Door
- Transom Panel - Breakers & Battery Switches
- Transom Seating
- Trim Tabs
- Windshield - Plexiglass

OPTIONAL EQUIPMENT

- Battery Charger
- Console Cover
- Head w/Dockside Discharge
- Head - Electric w/Macerator, Holding tank, Overboard Discharge & Pump Out
- Hull Color - Green, Blue, Black, Red, Yellow
- Leaning Post - Back Rest
- Light - Remote Spot (T-Top Req.)
- Lights - Spreader (T-Top Req.)
- Outriggers - Gunnel Mount or Top Mount
- Shrink Wrap
- Stereo - AM/FM Cassette w/4 Speakers w/Remote
- Stereo - AM/FM CD w/4 Speakers w/Remote
- Top - Bimini
- T-Top Enclosure
- T-Top w/Electronics Box
- Windlass - W/Rope & Chain

ELECTRONICS PACKAGE #1

- Depth finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #2


- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #3

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio

Notes

30 Sport



SPECIFICATIONS

Length Overall	32'6" (9.91m)
Beam	10'10" (3.30m)
Draft (Hull)	22" (.56m)
Deadrise	19°
Fuel Capacity	300 Gal (1135.6L)
Weight (Hull - appr)	...6,300 Lbs (2858k)
Weight (Trail - appr)	..11,000 Lbs (4990k)
Max HP	500 (373kw)
Cockpit Area	145 Sq. Ft. (13.47m²)
Cockpit Depth	30" (.76m)
Bridge Clearance	7' 0" (2.13m)
w/T-Top	8' 3" (2.51m)
Fresh Water Capacity	...39 Gal. (147.6L)
Baitwell Capacity	45 Gal. (170.33L)
Fish Box Total Cap.(2)	...90 Gal. (340.7L)

ENGINE OPTIONS

ENGINE	HP
Merc. T-225 EFI (30" Shaft)	225 EA
Merc. T-225 Optimax (30" Shaft)	.225 EA
Merc. T-250 EFI (30" Shaft)	250 EA
Mercury Pre-rig	
Mercury Optimax Pre-rig	
OMC Pre-rig	
Yamaha Pre-rig	

STANDARD EQUIPMENT

- Pro-Care 5 Year Limited Warranty
- 10 Year Transferable Hull Warranty
- 12 Volt Receptacle
- Accessory Bus Bar Under Dash
- Bait Prep Station w/Built-in Tackle Box
- Baitwell - Circulating
- Battery Trays

- Battery Switch - Dual
- Bilge Pump - 1250 GPH
- Bilge Pump - 500 GPH Fwd.
- Bow Pulpit w/Anchor Roller
- Cabin - Cushions and Bolsters
- Cabin Pillows and Curtains
- Cleat - 8" (1)
- Cleats - 8" Pop-Up (6)
- Cockpit Bolsters
- Cockpit Lights
- Compass
- Diamond Skid-Resistant Deck & Gunnels
- Electronics Box w/Lock
- Fasteners - Chrome Plated Stainless Steel
- Fish Boxes - Insulated
- F.I.S.T. Fiberglass Stringer System
- Fresh Water System - Cabin Sink, Bait Prep Station, Transom Sink w/Pull-out Shower
- Fuel/Water Separators - N/A on Optimax
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Garboard Drain
- Gunnel Trim - Rigid Vinyl w/Stainless Insert
- Hardware - Stainless Steel
- Hatches w/True Gutter System
- Horn - Electric
- Ice Box - In Bait Prep Station
- Integrated Dive Platform w/Ladder
- Matching Engine Graphics - Factory Installed Merc. Only
- N.M.M.A. Certified
- Navigational Lights
- Porta Pottie - Enclosed in Cabin
- Premium Gel Coat
- Rod Holders - 2 Pair
- Rod Racks - (4) Horizontal
- Rope Locker Storage
- Seat - Forward Console w/Cushion & Storage
- Seat - Helm
- Seat - Transom Bench
- Self-Bailing Cockpit
- Smartcraft Gauges - Optimax Only
- Steering - Hydraulic
- Storage - Aft Deck
- Storage - Casting Deck
- Striping Pkg. - Green, Blue, Black, Red, Yellow
- Switch & Breaker Panel
- Thru-Hulls - Stainless Steel

Continued...

- Transom Door
- Transom Panel - Breakers & Battery Switches
- Trim Tabs
- Windshield - Curved Plexiglass
- 12v Refrigerator

OPTIONAL EQUIPMENT

- Battery Charger
- Curtain Package - T-Top
- Dive Ladder
- Head w/Dockside Discharge
- Head - Elec. w/Macerator, Holding Tank, Pump out and Overboard Discharge
- Hull Color - Green, Blue, Black, Red, Yellow
- Outriggers (Gunnel or T-Top)
- Remote Spot Light (T-Top Req.)
- Shrink Wrap
- Spreader Lights (T-Top Req.)
- Stereo - AM/FM Cass. w/4 Speakers w/Remote
- Stereo - AM/FM CD w/4 Speakers w/Remote
- Top - Bimini
- Top - T-Top
- VHF Radio
- Windlass - W/Bow Protector, Rope, Chain

ELECTRONICS PACKAGE #1

- Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #2


- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #3

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio

Notes

34 SS

**SPECIFICATIONS**

Length Overall	 34'6"(10.52m)
Beam	 9'0"(2.74m)
Draft (Hull)	 25"(.64m)
Hull Type	 22°
Fuel Capacity	 300 Gal.(1135.6L)
Weight (Hull - appr)	.. 6,350 Lbs.(2881kg)
Weight (Trail - appr)	14,000 Lbs.(6351kg)
Cockpit Area	 125 Sq. Ft.(11.61m²)
Cockpit Depth	 27"(.69m)
Bridge Clearance	 7'2"(2.18m)
w/T-Top	 8'10"(2.69m)
w/Radar Arch	 8'10"(2.69m)
Max HP - O/B	 750 (560kw)
Baitwell Capacity	 38Gal.(143.8L)
Fish Box Capacity (2)	... 39 Gal.(147.6L)
Fresh Water Capacity	 15 Gal.(56.8L)

ENGINE OPTIONS

<u>ENGINE</u>	<u>HP</u>
Merc. T-225 EFI (30" Shaft)	 225 EA
Merc. T-225 OPTIMAX(30" Shaft)	225 EA
Merc. T-250 EFI (30" Shaft)	 250 EA

(The Following are 30" CTR - 25" OUT)

Merc. TRP-225 EFI	 225 EA
Merc. TRP-225 OPTIMAX	 225 EA
Merc. TRP-250 EFI	 250 EA
Mercury Pre-rig	
Mercury Optimax Pre-rig	
OMC Pre-rig	
Yamaha Pre-rig	

STANDARD EQUIPMENT

- Pro-Care 5 Year Limited Warranty
- 10 Year Transferable Hull Warranty
- 12 Volt Receptacle
- Accessory Bus Bar Under Dash and Transom
- Baitwell - Circulating
- Battery Switches
- Battery Trays
- Bilge Pumps - 2 @ 1250 GPH ea.
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- City Water Hook-Up
- Cleats - 8" Pop-Up (4), 10" Aft (2) Under Gunnel
- Cockpit Lights
- Cockpit Bolsters
- Console Storage w/Seat - Forward
- Compass
- Diamond Skid-Resistant Deck & Gunnels
- Dive Ladder
- Dive Platform - Integrated
- Electronics Box w/Lock
- Fasteners - Chrome Plated Stainless Steel
- Fish Boxes Port & Starboard Insulated
- F.I.S.T. Fiberglass Stringer System
- Foam Flotation - Closed Cell
- Fuel/Water Separators - N/A on Optimax
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Garboard Drain
- Gunnel Trim - w/Stainless Steel Insert
- Hardware - Stainless Steel
- Hatches w/True Gutter System
- Hawse Pipes
- Head - Porta Pottie, Enclosed in Center Console w/Fresh Water Shower/Sink/Light (not w/Pro Series)
- Horn - Electric
- Leaning Post w/Rod Holders
- Matching Engine Graphics - Factory Installed Merc. Only
- N.M.M.A. Certified
- Navigational Lights
- Premium Gel Coat
- Raw Water Washdown
- Rod Holders - 2 Pair
- Rod Holders - Casting Deck (2)
- Rod Racks - 8 (Cockpit) Horizontal
- Rope Locker Storage
- Self-Bailing Cockpit
- Smartcraft Gauges - Optimax Only

Continued...

- Steering - Hydraulic
- Storage - Casting Deck
- Striping Pkg. - Green, Blue, Black, Red, Yellow
- Switches & Breaker Panel
- Thru-Hulls - Stainless Steel
- Transom Door
- Transom Panel - Breakers & Battery Switches
- Transom Sink w/Pull Out Shower
- Trim Tabs
- Windshield - Plexiglass

OPTIONAL EQUIPMENT

- Battery Charger
- Canvas - Arch Enclosure w/Top
- Console Cover
- Graphics Package - Custom
- Head - w/Dockside Discharge
- Head - Electric w/Macerator Pump Out and Holding Tank
- Hull Color - Green, Blue, Black, Red, Yellow
- Leaning Post Backrest
- Leaning Post/Baitstation
- Leaning Post w/Scuba Racks
- Lights - Docking
- Light - Remote Control Spot (T-Top or Arch Req.)
- Lights - Spreader (T-Top or Arch Req.)
- Outriggers - Gunnel, Top or Arch Mount
- Seat - Helm, Drop Down
- Seats - Rear Bench (Removable w/Backrest)
- Shrink Wrap
- Stereo - AM/FM Cassette w/4 Speakers w/Remote
- Stereo - AM/FM CD w/4 Speakers w/Remote
- Top - Radar Arch w/ Outriggers
- Top - Radar Arch w/Rod Holders
- Top - T-Top w/Electronics Box
- Top - Bimini
- Windlass - w/Bow Protector, Rope & Chain

ELECTRONICS PACKAGE #1

- Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #2


- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio

- 350 Gallon Fuel Tank (in lieu of Head)
- Back-Up Baitwell Pump - 1100 GPH
- Bow Rail - Low Profile
- K-Planes
- T-Top - Pro Series w/Grab Rail
- Trim Tab Pumps in Console

Notes

34 SSC



SPECIFICATIONS

Length Overall	34'6" (10.52m)
Beam	9'0" (2.74m)
Draft (Hull)	25" (.64m)
Hull Type	22°
Fuel Capacity	300 Gal. (1135.6L)
Weight (Hull - appr)	7,000 Lbs. (3176kg)
Weight (Trail - appr)	14,000 Lbs. (6351kg)
Cockpit Area	.90 Sq. Ft. (8.36m²)
Cockpit Depth	27" (.69m)
Bridge Clearance	7'2" (2.18m)
w/T-Top	8'10" (2.69m)
w/Radar Arch	8'10" (2.69m)
Max HP - O/B	750 (560kw)
Baitwell Capacity	.38 Gal. (143.8L)
Fish Box Capacity (2)	.39 Gal. (147.6L)
Fresh Water Capacity	.15 Gal. (56.8L)

ENGINE OPTIONS

<u>ENGINE</u>	<u>HP</u>
Merc. T-225 EFI (30" Shaft)	225 EA
Merc. T-225 OPTIMAX(30" Shaft)	225 EA
Merc. T-250 EFI (30" Shaft)	250 EA

(The Following are 30" CTR - 25" OUT)

Merc. TRP-225 EFI	225 EA
Merc. TRP-225 OPTIMAX	225 EA
Merc. TRP-250 EFI	250 EA

Mercury Pre-rig

Mercury Optimax Pre-rig

OMC Pre-rig

Yamaha Pre-rig

STANDARD EQUIPMENT

- Pro-Care 5 Year Limited Warranty
- 10 Year Transferable Hull Warranty
- 12 Volt Receptacle
- Accessory Bus Bar Under Dash and Transom
- Baitwell - Circulating
- Battery Switches
- Battery Trays
- Bilge Pumps - 2 @ 1250 GPH
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- Cabin Cushions
- Cabin Filler Cushion
- Cabin Lights
- Cabin Table and Pedestal
- City Water Hook-Up
- Cleats - 8" Pop-Up (4), 10" Aft (2) Under Gunnel
- Cockpit Lights
- Cockpit Bolsters
- Console Storage w/Seat - Forward
- Compass
- Diamond Skid-Resistant Deck & Gunnels
- Dive Ladder
- Dive Platform - Integrated
- Door - Companionway - Acrylic
- Electronics Box w/Lock
- Fasteners - Chrome Plated Stainless Steel
- Fish Boxes Port & Starboard Insulated
- F.I.S.T. Fiberglass Stringer System
- Foam Flotation - Closed Cell
- Fuel/Water Separators - N/A on Optimax
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Garboard Drain
- Gunnel Trim - Rigid Vinyl w/Stainless Insert
- Hardware - Stainless Steel
- Hatches w/True Gutter System
- Head - Porta Pottie, enclosed in Center Console w/Fresh Water Shower/Sink/Light (not w/Pro Series)
- Horn - Electric
- Leaning Post w/Rod Holders
- Matching Engine Graphics - Factory Installed Merc. Only
- N.M.M.A. Certified
- Navigational Lights
- Premium Gel Coat
- Raw Water Washdown
- Rod Holders - 2 Pair
- Rod Racks - 8 Horizontal
- Rope Locker Storage

34 SSC*Continued...*

- Self-Bailing Cockpit
- Smartcraft Gauges - Optimax Only
- Steering - Hydraulic
- Striping Pkg. - Green, Blue, Black, Red, Yellow
- Switches & Breaker Panel
- Thru-Hulls - Stainless Steel
- Transom Door
- Transom Panel - Breakers & Battery Switches
- Transom Sink w/Pull Out Shower
- Trim Tabs
- Windshield - Plexiglass

OPTIONAL EQUIPMENT

- Battery Charger
- Canvas - Arch Enclosure w/Top
- Console Cover
- Graphics Package - Custom
- Head - w/Dockside Discharge
- Head - Electric w/Macerator Pump Out and Holding Tank
- Hull Color - Green, Blue, Black, Red, Yellow
- Leaning Post Backrest
- Leaning Post/Baitstation
- Leaning Post w/Scuba Racks
- Lights - Docking
- Lights - Remote Spot (Top or Arch Req.)
- Lights - Spreader (Top or Arch Req.)
- Outriggers - Gunnel, Top or Arch Mount
- Seat - Helm, Drop Down
- Seats - Rear Bench (Removable w/Backrest)
- Shrink Wrap
- Stereo - AM/FM Cassette w/4 Speakers w/Remote
- Stereo - AM/FM CD w/4 Speakers w/Remote
- Top - Radar Arch w/ Outriggers
- Top - Radar Arch w/Rod Holders
- Top - T-Top w/Electronics Box
- Top - Bimini
- Windlass - w/Bow Protector, Rope & Chain

ELECTRONICS PACKAGE #1

- Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio



PERFORMANCE SPECIFICATIONS

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio

WALK SERIES

- 350 Gallon Fuel Tank (in lieu of Head)
- Back-Up Baitwell Pump - 1100 GPH
- Bow Rail - Low Profile
- K-Planes
- Trim Tab Pumps in Console
- T-Top - Pro Series w/Grab Rail

EXPRESS SERIES



Walk Series

20 • 22 • 23 • 25

26 • 27 I/O • 27 • 29 • 30

The new 2001 line of Pro-Line cabin boats are truly phenomenal. Demand for these fishing machines has been outstanding and, with the addition of new products, this line offers more models than any of the competition.

When presenting the Pro-Line cabin boats, be sure to get your prospects into the boat. Point out the deep interior freeboard, the placement of all the necessary fishing equipment, the deep wide walkarounds, collapsible hinges on the floor hatches, thru-bolted stainless steel hardware with backing plates, large cleats, molded bow pulpits (where applicable) and more.

Inside the cabins, your customers will find the most spacious and accommodating interiors of any on the market. Fabrics are made of high grade Scotchguarded materials that zip open to allow the covers to be washed. Hardware down below is second to none and the models with enclosed heads give your prospects plenty of room to make even the largest of anglers comfortable. Storage is abundant and headliners are made of premium foam backed materials for ease of maintenance.


Every Pro-Line model comes with full instrumentation and a complete set of weather resistant rocker switches. Wiring is color coded and every connection is heat shrunk to ensure no corrosion or breakage. Pro-Line even goes as far as labeling the busbars to make adding future equipment as easy as 1-2-3!

The hulls are all built with rough water capabilities in mind. Boasting deep vee hulls with reversed chines, the ride is stable, dry and feels like a much bigger boat.

If your prospects are looking for a true cabin boat with the amenities that no other offers, then a Pro-Line walk or express is for them!



20 Walk



SPECIFICATIONS

Length Overall	20'2" (6.15m)
Beam	8'0" (2.44m)
Deadrise	19°
Draft (Hull)	15" (.38m)
Fuel Capacity	70 Gal. (265.0m)
Weight (Hull - appr)	...2,100 Lbs. (953kg)
Weight (Trail - appr)	.4,500 Lbs. (2042kg)
Cockpit Area	47 Sq. Ft. (4.37m²)
Cockpit Depth	22" (.60m)
Bridge Clearance	5'10" (1.78m)
w/Hard Top	8'0" (2.44m)
Max HP - O/B	200 (150kw)
I/O	210 (157kw)
Baitwell Capacity	27 Gal. (102.2L)
Fish Box Capacity	27 Gal. (102.2L)

ENGINE OPTIONS

ENGINE	HP
Merc. 150 (25" Shaft)	150
Merc. 150 EFI (25" Shaft)	150
Merc. 150 Optimax (25" Shaft)	150
Merc. 200 (25" Shaft)	200
Merc. 200 EFI (25" Shaft)	200
Merc. 200 Optimax (25" Shaft)	200
Merc. 4.3 L EFI	210
Merc. 4.3 LH	205
Merc. 4.3 L	190
Volvo 4.3	190
Volvo 4.3GLDP	190
Mercury Pre-rig	
Mercury Optimax Pre-rig	
OMC Pre-rig	
Yamaha Pre-rig	

STANDARD EQUIPMENT

- Pro-Care 5 Year Limited Warranty
- 10 Year Transferable Hull Warranty
- Accessory Bus Bar Under Dash and Transom
- Battery Tray
- Bilge Pump - 1250 GPH
- Bow Rail - Stainless Steel
- Cabin Cushions
- Cabin Door - Poly Bi-Fold
- Cabin Hatch
- Cabin Portholes - 2
- Carbon Monoxide Detector with I/O Package Only
- Cleats - 8" (3) - Stainless Steel
- Cushion - Forward Filler
- Diamond Skid-Resistant Deck & Gunnels
- Dive Platform - Half w/Ladder
- Drink Holders
- Fasteners - Chrome Plated Stainless Steel
- F.I.S.T. Fiberglass Stringer System
- Foam Flotation - Closed Cell
- Fuel/Water Separator - N/A on Optimax
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Garboard Drain
- Gunnel Trim - Rigid Vinyl
- Hardware - Thru Bolted (Stainless Steel)
- Horn - Electric
- Matching Engine Graphics - factory Installed Merc. Only
- N.M.M.A. Certified
- Navigation Lights
- Porta Pottie
- Premium Gel Coat
- Rod Holders - 1 Pair
- Rod Racks - 6 Horizontal
- Rope Locker Storage
- Seats - Aft Jump - Molded
- Seats - Captain's Chairs
- Self-Bailing Cockpit
- Smartcraft Gauges - Optimax Only
- Steering - No Feed Back
- Striping Pkg. - Blue, Green, Black, Red, Yellow
- Switches & Breaker Panel
- Tackle Box
- Terminal Bar at Helm and Transom
- Windshield - Tempered Glass

OPTIONAL EQUIPMENT

- Battery Charger
- Battery Switch for Dual Batteries

20 Walk

- Battery Switch - on/off
- Compass
- Curtain Package - Bimini
- Curtain Package - Hard Top
- Cushions - Cabin Aft Filler
- Cushions - Fish Box
- Dive Ladder
- Dive Platform - Full w/Ladder (I/O only)
- Hull Color - Green, Blue, Black, Red, Yellow
- Lift Kit
- Lights - Spreader (Hard Top Only)
- Outriggers - Gunnel Mount or Top Mount
- Rod Holders - 1 Pair
- Shrink Wrap
- Steering - Hydraulic
- Stereo - AM/FM Cassette w/ 2 Speakers w/Remote
- Stereo - AM/FM CD w/ 2 Speakers w/Remote
- Top - Bimini w/Windscreen
- Top - Hard Top w/Electronics Box w/Windscreen

CONVENIENCE PACKAGE

- 12 Volt Receptacle
- Cockpit Bolsters
- Cockpit Lights (1 Pair)
- Spring Line Cleats 8" (2)

ELECTRONICS PACKAGE #1

- Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #3

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio

FISH PACKAGE

- Baitwell - Circulating
- Raw Water Washdown
- Rod Holders - 1 Pair

PRO PACKAGE

- Bimini Top
- Fish Package
- Compass
- Optional Hard Top w/Electronics Box w/Windscreen



Notes


SPORT SERIES

WALK SERIES

GENERAL FEATURES
AND BENEFITS



22 Walk



SPECIFICATIONS

Length Overall	.22'5" (6.83m)
Beam	.8'3" (2.51m)
Deadrise	.19°
Draft (Hull)	.16" (.41m)
Fuel Capacity	.95 Gal. (359.6L)
Weight (Hull - appr)	3,000 Lbs. (1361kg)
Weight (Trail - appr)	4,900 Lbs. (2223kg)
Cockpit Area	.58 Sq. Ft. (5.39m²)
Cockpit Depth	.27" (.69m)
Max HP - O/B	.225 (168kw)
Bridge Clearance	.5'10" (1.78m)
w/ Hard Top	.8'0" (2.44m)
Fish Box Capacity	.27 Gal. (102.2L)
Baitwell Capacity	.27 Gal. (102.2L)

ENGINE OPTIONS

ENGINE	HP
Merc. 150 (25" Shaft)	.150
Merc. 150 EFI (25" Shaft)	.150
Merc. 150 Optimax (25" Shaft)	.150
Merc. 200 (25" Shaft)	.200
Merc. 200 EFI (25" Shaft)	.200
Merc. 200 Optimax (25" Shaft)	.200
Merc. 225 EFI (25" Shaft)	.225
Merc. 225 Optimax (25" Shaft)	.225
Mercury Pre-rig	
Mercury Optimax Pre-rig	
OMC Pre-rig	
Yamaha Pre-rig	

PERFORMANCE
SPECIFICATIONS

GRAPHICS

EXPRESS SERIES

STANDARD EQUIPMENT

- Pro-Care 5 Year Limited Warranty
- 10 Year Transferable Hull Warranty
- Aft Jump Seats (2) Molded
- Battery Tray
- Bilge Pump - 1250 GPH
- Bow Rail - Stainless Steel
- Cabin Cushion
- Cabin Door - Poly/Bi-Fold
- Cabin Hatch
- Cabin Porthole Windows - 2
- Cleats - 8" (4)
- Cushion - Forward Filler
- Diamond Skid-Resistant Deck & Gunnels
- Dive Platform Half w/Ladder
- Drink Holders
- Electric Horn
- Fasteners - Chrome Plated Stainless Steel
- F.I.S.T. Fiberglass Stringer System
- Foam Flotation - Closed Cell
- Fuel/Water Separator - N/A on Optimax
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Garboard Drain
- Gunnel Trim - Rigid Vinyl w/Stainless Insert
- Hardware - Stainless Steel Thru-Bolted
- Matching Engine Graphics - Factory Installed Merc. Only
- N.M.M.A. Certified
- Navigation Lights
- Porta Pottie
- Premium Gel Coat
- Rod Holders - 1 Pair
- Rod Racks - Cockpit (6) Horizontal
- Rope Locker Storage
- Seats - Captain's Chairs
- Self-Bailing Cockpit
- Smartcraft Gauges - Optimax Only
- Steering - Hydraulic
- Striping Pkg. - Blue, Green, Black, Red, Yellow
- Switch & Breaker Panel
- Terminal Bar Helm and Transom
- Windshield - Tempered Glass

OPTIONAL EQUIPMENT

- Battery Charger
- Battery Switch For Dual Batteries
- Battery Switch - on/off
- Compass
- Curtain Package - Bimini
- Curtain Package - Hard Top

22 Walk

- Cushions - Fish Box
- Dive Ladder
- Head - Porta Pottie w/Dockside Discharge
- Hull Color - Green, Blue, Black, Red, Yellow
- Lift Kit
- Lights - Spreader (Hard Top Req.)
- Outriggers (Gunnel or Hard Top Mount)
- Remote Spot Light (Hard Top Req.)
- Rod Holders - 1 Pair
- Shrink Wrap
- Stereo - AM/FM Cassette w/2 Speakers w/Remote
- Stereo - AM/FM/CD w/2 Speakers w/Remote
- Top - Bimini w/Windscreen
- Top - Hard Top w/Electronics Box w/Windscreen

CONVENIENCE PACKAGE

- 12 Volt Receptacle
- Cockpit Bolsters
- Cockpit Lights (1 Pair)
- Spring Line Cleats 8" (2)

ELECTRONICS PACKAGE #1

- Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #3

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio

FISH PACKAGE

- Baitwell - Circulating
- Raw Water Washdown
- Rod Holders (1 Pair)

PRO PACKAGE

- Bimini Top
- Compass
- Fish Package
- Optional Hard Top w/Electronics Box w/Windscreen



Notes


SPORT SERIES

WALK SERIES

GENERAL FEATURES
AND BENEFITS



23 Walk



SPECIFICATIONS

Length Overall	.24'5" (7.44m)
Beam	.8'6" (2.59m)
Deadrise	.22°
Draft (Hull)	.18" (.46m)
Fuel Capacity	.140 GAL (530.0L)
Weight (Hull - appr)	.3,700 Lbs. (1679kg)
Weight (Trail - appr)	.6,500 Lbs (2949kg)
Cockpit Area	.49 sq. ft. (4.55m ²)
Cockpit Depth	.27" (.69m)
Max HP	.300 (224kw)
Fresh Water Capacity	.6 GAL (22.7L)
Bridge Clearance	.6'0" (1.83m)
w/ Hard Top	.8'1" (2.46m)
Baitwell Capacity	.15 GAL (56.8L)
Fish Boxes Cap. (2)	.20 GAL (75.7L)

ENGINE OPTIONS

Merc. 200 Optimax (30" Shaft)	.200
Merc. 225 EFI (30" Shaft)	.225
Merc. 225 Optimax (30" Shaft)	.225
Merc. 250 EFI (30" Shaft)	.250
Merc. T-135 Optimax (25" Shaft)	.135 EA
Merc. T-150 (25" Shaft)	.150 EA
Merc. T-150 EFI (25" Shaft)	.150 EA
Merc. T-150 Optimax (25" Shaft)	.150 EA
Mercury Pre-rig	
Mercury Optimax Pre-rig	
OMC Pre-rig	
Yamaha Pre-rig	

PERFORMANCE
SPECIFICATIONS

GRAPHICS

EXPRESS SERIES

STANDARD EQUIPMENT

- Accessory Bus Bar Under Dash and Transom
- Bilge Pumps - 1250 GPH Aft, 500 GPH Forward
- Battery Switches - Twin Engine Install. only
- Battery Tray
- Bow Seat w/Cushion
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- Cabin Bow Storage w/Mirrored Door
- Cabin Cushions & Bolsters
- Cabin Door - Acrylic
- Cabin Hatch
- Cabin Lights
- Cabin V-Berth Carpeted Storage
- Cabin Opening Porthole Windows & Screens (2)
- Cleats - 8" (1) & Pop-up Cleats - 6" (4)
- Diamond Skid-Resistant Deck & Gunnels
- Dive Platform - Integrated
- Drink Holders
- Fasteners - Chrome Plated Stainless Steel
- F.I.S.T. Fiberglass Stringer System
- Foam Flotation - Closed Cell
- Fresh Water Cabin Sink
- Fuel/Water Separator - N/A on Optimax
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Garboard Drain
- Gunnel Trim - Rigid Vinyl w/Stainless Steel Insert
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Hawse Pipes
- Head - Porta Pottie
- Horn - Electric
- Insulated Fish Storage Boxes
- Ladder - 2 step
- Matching Engine Graphics - Factory Installed Merc. Only
- N.M.M.A. Certified
- Navigation Lights
- Premium Gel Coat
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (6)
- Rope Locker Storage
- Seats - Captain's Chairs
- Self Bailing Cockpit
- Smartcraft Gauges - Optimax Only
- Steering - Hydraulic
- Striping Pkg. - Blue, Green, Black, Red, Yellow
- Switch and Breaker Panel
- Tackle Box
- Thru Hulls - Stainless Steel
- Transom Door
- Windshield - Tempered Glass w/Vent

23 Walk**OPTIONAL EQUIPMENT**

- Battery Charger
- Battery Switch - on/off
- Battery Switches - for Dual Batteries
- Cockpit Shower
- Compass
- Curtain Package - Bimini
- Curtain Package - Hard Top
- Cushion - Cabin Aft Filler
- Cushions - Mid Ship Fish Boxes
- Dive Ladder - N/A w/Twin Engines
- Head - Porta Pottie w/Dockside Discharge
- Hull Color - Green, Blue, Black, Red, Yellow
- Lift Kit - N/A w/ Windlass
- Lights - Remote Control Spot (Hard Top Req.)
- Lights - Spreader (Hard Top Req.)
- Outriggers - Top Mount Only
- Seat-Rear Bench Removable (Fold Down)
- Shrink Wrap
- Stereo - AM/FM Cassette w/4 Speakers w/Remote
- Stereo - AM/FM CD w/4 Speakers w/Remote
- Top - Bimini w/Windscreen
- Top - Hard w/Electronics Box and Windscreen
- Trim Tabs
- Wiper - Port and/or Stbd.
- Windlass - w/ Bow Protection, Rope & Chain

CONVENIENCE PACKAGE

- 12 Volt Receptacle
- Cockpit Bolsters
- Cockpit Lights (1 Pair)
- Spring Line Cleats
- Windshield Wiper

ELECTRONICS PACKAGE #1

- Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #3

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio

STANDARD EQUIPMENT

- Pro-Care 5 Year Limited Warranty
- 10 Year Transferable Hull Warranty
- Accessory Bus Bar Under Dash and Transom
- Bilge Pumps - 1250 GPH Aft, 500 GPH Forward
- Battery Switches - Twin Engines Install. only
- Battery Tray
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- Bracket - Single +2 (O/B)
- Cabin Bow Storage w/Mirrored Door
- Cabin Cushions & Bolsters
- Cabin Door - Acrylic
- Cabin Hatch
- Cabin Lights
- Cabin Pillows and Curtains
- Cabin V-Berth Carpeted Storage
- Cabin Opening Porthole Windows & Screens (2)
- Carbon Monoxide Detector (I/O Only)
- Cleats - 8" (5)
- Cockpit Shower
- Cushion - Motor Box (I/O Only)
- Diamond Skid-Resistant Deck & Gunnel
- Drink Holders
- Dive Platform - Half w/Ladder
- Fasteners - Chrome Plated Stainless Steel
- F.I.S.T. Fiberglass Stringer System
- Foam Flotation - Closed Cell
- Fresh Water Cabin Sink
- Fuel/Water Separator - N/A on Optimax
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt
- Garboard Drain
- Galley w/Butane Stove
- Gunnel Trim - Rigid Vinyl w/Stainless Insert
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Hawse Pipes
- Horn - Electric
- Insulated Aft Baitwell
- Insulated Fish Storage Box (Dual Mid-Cockpit)
- Matching Engine Graphics - factory Installed Merc. Only
- N.M.M.A. Certified
- Navigation Lights
- Porta-Pottie
- Premium Gel Coat
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (6) Horizontal
- Rope Locker Storage
- Seats - Captain's Chairs
- Self Bailing Cockpit
- Smartcraft Gauges - Optimax Only

25 Walk*Continued...*

- Steering - Hydraulic (O/B Only)
- Striping Pkg. - Blue, Green, Black, Red, Yellow
- Switch and Breaker Panel
- Tackle Box
- Thru Hull - Stainless Steel
- Transom Door
- Windshield - Tempered Glass w/Vent

OPTIONAL EQUIPMENT

- Battery Charger
- Battery Switch-on/off
- Battery Switch for Dual Batteries
- Bracket - Twin + 2 w/Full Dive Platform & Ladder
- Compass
- Curtain Package - Bimini
- Curtain Package - Hard Top
- Cushion - Cabin Aft Filler
- Cushions - Mid-Ship Fish Box
- Dive Ladder
- Dive Platform - Full w/Ladder (I/O Only)
- Head - Porta Pottie w/Dockside Discharge
- Hull Color - Green, Blue, Black, Red, Yellow
- Lift Kit - N/A w/Windlass
- Lights - Remote Control Spot (Hard Top Req.)
- Lights - Spreader (Hard Top Req.)
- Outriggers - Gunnel Mount or Top Mount
- Seat-Rear Bench Removable (O/B Only)
- Shrink Wrap
- Stereo - AM/FM Cassette w/4 Speakers w/Remote
- Stereo - AM/FM CD w/4 Speakers w/Remote
- Top - Bimini w/Windscreen
- Top - Hard w/Electronics Box & Windscreen
- Trim Tabs
- Wiper - Port and/or Stbd.

CONVENIENCE PACKAGE

- 12v Receptacle
- Cabin Table w/Pedestal & Forward Filler Cushion
- Cockpit Bolsters
- Cockpit Lights (1 Pair)
- Spring Line Cleats
- Windshield Wiper

DELUXE CONVENIENCE PACKAGE

- 12 Volt Receptacle
- Cabin Table w/Pedestal & Forward Filler Cushion
- Cockpit Bolsters

- Cockpit Lights (1 Pair)
- Full Dive Platform w/Ladder (Single Only)
- Spring Line Cleats
- Windshield Wiper

ELECTRONICS PACKAGE #1

- Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #3


- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio

FISH PACKAGE

- Baitwell - Circulating
- Raw Water Washdown

PRO PACKAGE

- Battery Switch for Dual Batteries
- Bimini Top
- Convenience Package
- Fish Package
- Compass
- Trim Tabs
- Optional Hard Top w/Electronics Box w/Windscreen

Notes**26 Walk****SPECIFICATIONS**

Length Overall	27'0" (8.23m)
Beam	8'6" (2.59m)
Deadrise	19°
Draft (Hull)	17" (.43m)
Fuel Capacity - O/B	..170 Gals.(643.52L)
Fuel Capacity - I/O	..165 Gals.(624.61L)
Weight (hull- appr)	..4,250 Lbs.(1928kg)
Weight (Trail- appr)	..7,250 Lbs.(3288kg)
Cockpit Area	45 Sq. Ft.(4.2m²)
Cockpit Depth	28" (.71m)
Bridge Clearance	6'11" (2.1m)
w/Hard Top	8'8" (2.6m)
Max HP	400 (298.28kw)
Baitwell Capacity O/B	..18 Gals.(68.13L)
Baitwell Capacity I/O	..11 Gals.(41.64L)
Fish Box Cap (2)	50 Gals. (242.31L)
Fresh Water Capacity	..15 Gals.(56.78L)

ENGINE OPTIONS

ENGINE	HP
Merc. 225 OPTIMAX (30" Shaft)	...225
Merc. 225 EFI (30" Shaft)	225
Merc. 250 EFI (30" Shaft)	250
Merc. T-135 OPTIMAX(25" Shaft)	135 EA
Merc. T-150 (25" Shaft)	150 EA
Merc. T-150 OPTIMAX(25" Shaft)	150 EA
Merc. T-150 EFI(25" Shaft)	150 EA
Merc. T-200 (25" Shaft)	200 EA
Merc. T-200 OPTIMAX(25" Shaft)	200 EA
Merc. T-200 EFI(25" Shaft)	200 EA
Merc. 5.7L EFI B3	250
Merc. 6.2L MPI B3	320
Volvo 5.7 GSIDP	280
Volvo 7.4 GIDP	310
Mercury Pre-rig	
Mercury Optimax Pre-rig	
OMC Pre-rig	
Yamaha Pre-rig	

STANDARD EQUIPMENT

- Pro-Care 5 Year Limited Warranty
- 10 Year Transferable Hull Warranty
- Accessory Bus Bar Under Dash and Transom
- Battery Switches - Twin Engine Install. only
- Battery Tray
- Bilge Pumps: 2, 1250 GPH Aft, 500 GPH Forward
- Bow Pulpit w/Anchor Roller
- Cabin Bow Storage w/Mirrored Door
- Cabin Cushions and Bolsters
- Cabin Door - Sliding Acrylic
- Cabin Hatch
- Cabin Lights
- Cabin Pillows and Curtains
- Cabin Portholes - (4) w/Screens
- Cabin Table w/Single Pedestal
- Cabin V-Berth Carpeted Storage
- Carbon Monoxide Detector (I/O Only)
- Cleats - 8" (5)
- Cockpit Bolsters
- Cockpit Shower
- Cockpit Storage Boxes
- Diamond Skid-Resistant Deck & Gunnels
- Drink Holders
- Fasteners - Chrome Plated Stainless Steel
- F.L.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Fuel/ Water Separators - N/A on Optimax
- Full Galley Sink, Icebox, & Butane Stove
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, & Volt
- Glove Box w/ Lock
- Gunnel Trim - Rigid Vinyl w/Stainless Insert
- Hardware - Thru-Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Hawse Pipes
- Head - Porta Pottie
- Horn - Electric
- Insulated Fish boxes w/Macerator Pump
- Insulated Baitwell
- Integrated Dive Platform
- Ladder - 3 Step
- Matching Engine Graphics - Factory Installed Merc. Only
- N.M.M.A. Certified
- Navigational Lights
- Premium Gel Coat
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (6)
- Rope Locker Storage

26 Walk*Continued...*

- Seating - Transom Bench
- Seats - Captain Chairs
- Self-Bailing Cockpit
- Smartcraft Gauges - Optimax Only
- Stainless Steel Bow Rail
- Stainless Steel Deck Hardware (Thru-Bolted)
- Steering - Hydraulic (O/B Only)
- Striping Pkg. - Blue, Green, Black, Red, Yellow
- Switches & Breaker Panel
- Tackle Boxes
- Transom Door
- Trim Tabs
- Windshield - Tempered Glass w/ Vents

OPTIONAL EQUIPMENT

- Air Conditioning - 5,000 BTU
- Battery Switch - on/off
- Battery Switch for Dual Batteries
- Compass
- Curtain Package - Bimini Top
- Curtain Package - Hard Top
- Cushions - Cabin Aft Filler
- Dive Ladder
- Head - Porta-Pottie w/Dockside Discharge
- Head - Electric w/Macerator and Holding Tank w/Pump Out
- Hull Color - Green, Blue, Black, Red, Yellow
- Lift Kit - (NA w/Windlass)
- Light - Remote Spot (Hard Top Req.)
- Light - Spreader (Hard Top Req.)
- Outriggers - Top Mount
- Shrink Wrap
- Stereo - AM/FM Cassette w/4 Speakers w/Remote
- Stereo - AM/FM CD w/4 Speakers w/Remote
- Top - Bimini w/Windscreen
- Top - Hard-Top w/Electronics Box and Windscreen
- Windlass w/Rope, Chain and Bow Protector
- Wiper - Port and/or Stbd.

CONVENIENCE PACKAGE

- 12 Volt Receptacle
- Cockpit Lights (3)
- Spring Line Cleats 8" (2)
- Windshield Wiper

FISH PACKAGE

- Baitwell - Circulating
- Raw Water Washdown

WEEKENDER PACKAGE

- 110v Outlets (2) GFI Protected
- Alcohol/Electric Stove
- Battery Charger
- Bonding System
- Electrical Distribution Panel
- Refrigerator
- Shore Power with Cord
- Galvanic Isolator

ELECTRONICS PACKAGE #1

- Depth Finder/Finder
- VHF Radio

ELECTRONICS PACKAGE #2


- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #3

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio

PRO PACKAGE

- Battery Switch for Dual Batteries
- Compass
- Convenience Package
- Fish Package
- Optional Hard Top w/Electronics Box and Windscreen
- Top - Bimini w/Windscreen

Notes**27 Walk****SPECIFICATIONS**

Length Overall	29' 1" (8.86m)
Beam	9' 10" (3.00m)
Draft (Hull)	21" (.53m)
Deadrise	19°
Fuel Capacity	200 Gal. (757.1L)
Weight (Hull - appr)	5,900 Lbs. (2677kg)
Weight (Trail - appr)	9,500 (4310kg)
Cockpit Area	65 Sq Ft (6.04m ²)
Cockpit Depth	26" (.66m)
Max HP	500 (373kw)
Fresh Water Capacity	30 Gal. (113.65L)
Bridge Clearance	7' 9" (2.36m)
w/ Hard Top	9' 7" (2.92m)
Baitwell Capacity	35 Gal. (132.5L)
Fish Boxes Cap. (2)	50 Gal. (189.3L)

ENGINE OPTIONS

<u>ENGINE</u>	<u>HP</u>
Merc. T-200 (25" Shaft)	200 EA
Merc. T-200 EFI (25" Shaft)	200 EA
Merc. T-200 OPTIMAX (25" Shaft)	200 EA
Merc. T-225 EFI (25" Shaft)	225 EA
Merc. T-225 OPTIMAX (25" Shaft)	225 EA
Merc. T-250 EFI (25" Shaft)	250 EA
Mercury Pre-rig	
Mercury Optimax Pre-rig	
OMC Pre-rig	
Yamaha Pre-rig	

STANDARD EQUIPMENT

- Pro-Care 5 Year Limited Warranty
- 10 Year Transferable Warranty
- 12 Volt Receptacle
- Accessory Bus Bar Under Dash and Transom
- Baitwell - Circulating
- Battery Trays

- Battery Switches
- Bilge Pumps - 1250 GPH (aft), 500 GPH (fwd)
- Bonding System
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- Cabin Hatch
- Cabin Lights
- Cabin Table - Single Pedestal
- Cabin Door - Acrylic Sliding
- Cabin Pillows and Curtains
- Cabin Windows w/Curtains and Screens
- City Water Hook-up
- Cleats - 6" Pop-Up (4)
- Cleat - 8" (1)
- Cleats - 10" (2)
- Cockpit Lights
- Cockpit Bolsters
- Compass
- Diamond Skid-Resistant Deck & Gunnels
- Drink Holders
- Electrical Distribution Panel w/ Breakers
- Glove Box with Lock
- Fasteners - Chrome Plated Stainless Steel
- Filler Board
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Freshwater Sink w/Pull Out Shower
- Fuel/Water Separators - N/A on Optimax
- Full Galley w/sink, ice box, butane stove
- Full Instrumentation - MPH, RPM, Temp, Trim and Volt
- Garboard Drain
- Gunnel Trim - Rigid Vinyl w/Stainless Inserts
- Hatches w/True Gutter System
- Head Porta-Pottie
- Head w/Stand-Up Shower
- Horn - Electric
- Insulated Fish Boxes
- Integrated Dive Platform w/Ladder
- Matching Engine Graphics - Factory Installed Merc. Only
- Navigational Lights
- N.M.M.A. Certified
- Premium Gel Coat
- Raw Water Washdown
- Rod Holders (2 Pair)
- Rod Racks - Cockpit (4)
- Rope Locker Storage
- Seat - Transom w/Cushion

27 Walk

Continued...

- Self-Bailing Cockpit
- Shore Power w/Cord
- Smartcraft Gauges - Optimax Only
- Steering - Hydraulic
- Storage Compartments
- Striping Pkg. - Blue, Green, Black, Red, Yellow
- Switches and Breaker Panel
- Tackle Box
- Transom Door
- Thru-Hulls - Stainless Steel
- Transom Panel - Breakers & Battery Switches
- Trim Tabs
- Windshield - Tempered Glass
- 110 Volt Outlets GFI Protected
- Galvanic Isolator

OPTIONAL EQUIPMENT

- Air Conditioning - 7000 BTU
- Battery Charger
- Curtain Package - Bimini
- Curtain Package - Hard Top
- Dive Ladder
- Head w/Dockside Discharge
- Head - Electric w/Macerator, Holding Tank, Pump-Out & Overboard Discharge
- Hull Color - Green, Blue, Black, Red, Yellow
- Lights - Spreader (Hard Top Req.)
- Microwave - In lieu of stove
- Outriggers (Gunnel or Hardtop Req.)
- Remote Spot Light (Hard Top Req.)
- Shrink Wrap
- Stereo AM/FM Cass. w/4 Speakers w/Remote
- Stereo - AM/FM CD w/4 Speakers w/Remote
- Teak Cabin - Upgrade
- Top - Bimini w/Windscreen
- Top - Hard Top w/Electronics Box and Windscreen
- Water Heater
- Windlass - w/Bow Protector, Rope, Chain
- Wiper - Port and/or Stbd.


- Depth Finder/Fish Finder
- VHF Radio

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio

Notes

27 Walk I/O



SPECIFICATIONS

Length Overall	27'6" (8.38m)
Beam	9'10" (3.00m)
Deadrise	19°
Draft (Hull)	21" (.53m)
Fuel Capacity - I/O	165 Gals.(624.6L)
Weight (hull- appr)	..6,000 Lbs.(2722kg)
Weight (Trail - appr)	..9,500 Lbs.(4310kg)
Cockpit Area	65 Sq. Ft.(6.04m²)
Cockpit Depth	25" (.64m)
Bridge Clearance	7'3" (2.21m)
w/Hard Top	9'1" (2.77m)
Max HP - I/O	320 (239kw)
Baitwell Capacity	13.5 Gals.(51.1L)
Fish Box Cap (2)	50 Gals. (189.3L ea)
Fresh Water Capacity	..30 Gals.(113.6L)

ENGINE OPTIONS

ENGINE	HP
Merc. 6.2 MPI B2	320
Merc. 6.2 MPI B3	320
Yanmar 300 Diesel	300
Volvo 7.4GIDP	310

STANDARD EQUIPMENT

- Pro-Care 5 Year Limited Warranty
- 10 Year Transferable Hull Warranty
- 12 Volt Dash Receptacle
- Accessory Bus Bar Under Dash and Transom
- Baitwell - Circulating
- Battery Tray
- Bilge Pumps - 2, 1250 GPH Aft, 500 GPH Forward
- Bonding System
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- Cabin Portholes w/Screens (4)

Continued...

- Cabin Lights
- Cabin Cushions and Bolsters
- Cabin Pillows and Curtains
- Cabin V-Berth Carpeted Storage
- Carbon Monoxide Detector
- City Water Hook-Up
- Cleats - 8" (5)
- Cleats - 10" (2)
- Cockpit Lights
- Cockpit Bolsters
- Cockpit Storage Boxes
- Companionway Door - Acrylic Sliding
- Compass
- Diamond Skid-Resistant Deck & Gunnels
- Dive Platform - Full w/Ladder
- Drink Holders
- Glove Box w/Lock
- Fasteners - Chrome Plated Stainless Steel
- Fish Boxes Port and Starboard - Insulated
- F.I.S.T. Fiberglass Stringer System
- Flotation Foam - Closed Cell
- Freshwater Sink w/Pull Out Shower
- Fuel/ Water Separators
- Full Instrumentation - Fuel, MPH, RPM, Temp., Trim, Volt, Oil
- Garboard Drain
- Galley - Sink, Ice Box and Butane Stove
- Grab Rail - S/S (Not Available w/Hard Top)
- Gunnel Trim - Rigid Vinyl w/Stainless Insert
- Hardware - Thru-Bolted (Stainless Steel)
- Hawse Pipes - (2) Aft
- Head - Stand-up Shower
- Head - Porta Pottie
- Helm Storage Tub
- Horn - Electric
- Navigational Lights
- N.M.M.A. Certified
- Premium Gel Coat
- Raw Water Washdown
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (6) Horizontal
- Rope Locker Storage
- Seats - Captain Chairs
- Self-Bailing Cockpit
- Shore Power w/Cord
- Striping Pkg. - Blue, Green, Black, Red, Yellow
- Storage - Port
- Switch and Breaker Panel
- Tackle Box
- Thru-Hull Fittings - Stainless Steel

27 Walk I/O

Continued...

- Transom Door
- Transom Panel - Breakers & Battery Switches
- Trim Tabs
- Windshield Vent
- 110 Volt Outlets GFI Protected
- Galvanic Isolator

OPTIONAL EQUIPMENT

- Air Conditioning - 7,000 BTU
- Battery Charger
- Curtain Package - Bimini Top
- Curtain Package - Hard Top
- Dive Ladder
- Head - w/Dockside Discharge
- Head - Electric w/Macerator and Holding Tank w/Pump Out
- Hull Color - Green, Blue, Black, Red, Yellow
- Light - Remote Spot (Hard Top Req.)
- Light - Spreader (Hard Top Req.)
- Outriggers - Gunnel Mount or Top Mount
- Seats - Mid-Ship Removable w/Cushions
- Shrink Wrap
- Stereo - AM/FM Cassette w/4 Speakers w/Remote
- Stereo - AM/FM CD w/4 Speakers w/Remote
- Teak - Cabin Upgrade
- Top - Bimini w/Windscreen
- Top - Hard w/Electronics Box and Windscreen
- Water Heater
- Windlass w/Rope, Chain and Bow Protector
- Wiper - Port and/or Stbd.

WEEKENDER PACKAGE

- Battery Charger
- DC Refrigerator
- Alcohol/Electric Stove

ELECTRONICS PACKAGE #1

- Depth Finder/Finder
- VHF Radio

ELECTRONICS PACKAGE #2


- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #3

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio

Notes

29 Walk I/O



SPECIFICATIONS

Length Overall	30'0" (9.14m)
Beam	10'9" (3.28m)
Deadrise	19°
Draft, (Hull)	22" (.56m)
Fuel Cap (Dual Tanks)	..220 Gal.(832.8L)
Weight (hull - appr)	..7,500 Lbs.(3402kg)
Weight (trail - appr)	14,000 Lbs.(6,351kg)
Cockpit Area	80 Sq. Ft.(7.43m²)
Cockpit Depth	30" (.76m)
Max HP	560 (418kw)
Fresh Water Capacity	...39 Gal.(147.6L)
Bridge Clearance	7'1" (2.16m)
w/Hard Top	9'6" (2.90m)
Fish Box	50 Gal.(189.3L)
Baitwell	25 Gals.(94.6L)

ENGINE OPTIONS

ENGINE	HP
Merc. T-5.7L B2	250 EA
Merc. T-5.7L B3	250 EA
Merc. T-5.7L EFI B2	260 EA
Merc. T-5.7L EFI B3	260 EA
Volvo T-5.0 GIDP	250 EA
Volvo T-5.7GSIDP	280 EA

STANDARD EQUIPMENT

- Pro-Care 5 Year Limited Warranty
- 10 Year Transferable Hull Warranty
- 12 Volt Dash Receptacle
- Accessory Bus Bar Under Dash and Transom
- Baitwell - Circulating
- Battery Trays
- Battery Switches
- Bench Seat - Helm Command
- Bilge Pumps - 1250 GPH (1), 500 GPH (2)

- Bonding System
- Bow Pulpit - w/Anchor Roller
- Bow Rail - Stainless Steel
- Bow Seat w/Cushion
- Cabin Bow Storage w/Mirrored Door
- Cabin Cushions & Bolsters
- Cabin Hatch
- Cabin Lights
- Cabin Pillows and Curtains
- Cabin Rod Racks
- Cabin Table - Single Pedestal Support
- Cabin Windows w/Curtains and Screens (4)
- Carbon Monoxide Detector
- City Water Hook-Up
- Cleats - 10" (4)
- Cleats - 8" (3)
- Cockpit Bolsters
- Cockpit Seat with Cushion
- Cockpit Lights
- Compass
- Diamond Skid-Resistant Deck & Gunnel
- Dive Platform - Full w/Ladder
- Door - Cabin - Acrylic Bi-Fold
- Drink Holders
- Electrical Dist. Panel w/Circuit Breakers
- Fasteners - Chrome Plated Stainless Steel
- Glove Box w/Lock
- Fish Storage Box - Insulated Fiberglass (Single Mid-Cockpit)
- F.I.S.T. Fiberglass Stringer System
- Foam Flotation - Closed Cell
- Fresh Water Sink w/Pull Out Shower
- Full Instrumentation - Fuel, MPH, Oil, RPM, Temp., Trim, Volt
- Full Galley w/Sink, Ice Box & Butane Stove
- Gunnel Trim - Rigid Vinyl w/Stainless Insert
- Hardware - Thru Bolted (Stainless Steel)
- Hatches w/True Gutter System
- Hawse Pipes
- Head - Full Stand-up Shower
- Head - Porta Pottie
- Horn - Electric
- Knife & Pliers Holder - Transom
- Mid-Cabin Berth w/Privacy Curtain
- Mid-Cabin Window & Screen and Curtain
- N.M.M.A. Certified
- Navigational Light
- Outlets - 110 V (2) - GFI Protected
- Premium Gel Coat
- Raw Water Washdown

29 Walk I/O

Continued...

- Rod Holders - 2 Pair
- Rod Racks - Cockpit (6) Horizontal
- Rope Locker Storage
- Self-Bailing Cockpit
- Shore Power w/Cord
- Storage - Compartment (Port Wing)
- Storage - V-Berth (Carpeted)
- Striping Pkg - Blue, Green, Black, Red, Yellow
- Switch and Breaker Panel
- Tackle Box
- Thru-Hulls - Stainless Steel
- Transom Door
- Transom Panel - Breakers & Battery Switches
- Trim Tabs
- Windshield - Tempered Glass w/Center Vent and Actuator
- Zinc Saver/Galvanic Isolator

OPTIONAL EQUIPMENT

- Air Conditioning - 10,000 BTU
- Battery Charger
- Curtain Package - Bimini Top
- Curtain Package - Hard Top
- Dive Ladder
- Generator - 5.0 kw
- Head - w/Dockside Discharge
- Head - Electric w/Macerator, Holding Tank, Pump Out, Overboard Discharge
- Hull Color - Green, Blue, Black, Red, Yellow
- Lights - Remote Control Spot (Requires Hard Top)
- Lights - Spreader (Requires Hard Top)
- Microwave
- Outriggers - Gunnel or Top Mount
- Seat - Rear Bench (Removable)
- Shrink Wrap
- Stereo - AM/FM Cassette w/4 Speakers w/Remote
- Stereo - AM/FM CD w/4 Speakers w/Remote
- Teak - Cabin Upgrade
- Top - Bimini w/Windscreen
- Top - Hard w/Electronics Box and Windscreen
- Water Heater
- Windlass - Bow Protector w/Rope and Chain
- Wiper - Port and/or Stbd.

- Depth Finder/Fish Finder
- VHF Radio


- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio

- Alcohol/Electric Stove
- Battery Charger
- DC Refrigerator

Notes

30 Walk



SPECIFICATIONS

Length Overall	32'6" (9.91m)
Beam	10'10" (3.30m)
Deadrise	19°
Draft (Hull)	22" (.56m)
Fuel Capacity - O/B	..300 Gal. (1135.5L)
Weight (Hull- appr)	..7,550 Lbs. (3425kg)
Weight (Trail- appr)	..14,000 Lbs. (6351kg)
Cockpit Area	84 Sq. Ft. (7.8 m ²)
Cockpit Depth	30" (.76m)
Max HP - O/B	500 (372.85kw)
Bridge Clearance	7' 1" (2.16m)
w/Hard Top	9' 6" (2.90m)
Baitwell Capacity	45 Gal. (170.33L)
Fishbox Capacity	50 Gals. (189.3L)
Freshwater Capacity	...39 Gals. (147.6L)

ENGINE OPTIONS

ENGINE	HP
Merc. T-225 EFI (30" Shaft)	225 EA
Merc. T-225 Optimax (30" Shaft)	225 EA
Merc. T-250 EFI (30" Shaft)	250 EA
Mercury Pre-rig	
Mercury Optimax Pre-rig	
OMC Pre-rig	
Yamaha Pre-rig	

STANDARD EQUIPMENT

- Pro-Care 5 Year Limited Warranty
- 10 Year Transferable Warranty
- 12 Volt Receptacle
- Accessory Bus Bar Under Dash and Transom
- Baitwell - Circulating
- Battery Charger
- Battery Trays
- Battery Switches
- Bilge Pumps - 1250 GPH Aft, 500 GPH Fwd

- Bonding System
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- Cabin Hatch
- Cabin Lights
- Cabin Pillows and Curtains
- Cabin Rod Racks
- Cabin Door - Acrylic Bi-Fold
- Cabin Table - Single Pedestal
- Cabin Windows w/Curtains and Screens (4)
- City Water Hook-up
- Cleats - 6" Pop-Up (6)
- Cleat - 8" (1)
- Cockpit Lights
- Cockpit Bolsters
- Cockpit Seat w/Cushion
- Compass
- Diamond Skid-Resistant Deck & Gunnels
- Drink Holders
- Electrical Distribution w/Panel & Breaker
- Fasteners - Chrome Plated Stainless Steel
- Filler Board
- F.I.S.T. Fiberglass Stringer System
- Foam Flotation - Closed Cell
- Freshwater Sink w/Pull Out Shower
- Fuel/Water Separators - N/A on Optimax
- Full Galley w/Sink, Ice Box, Butane Stove
- Full Instrumentation - MPH, RPM, Temp, Trim and Volt
- Garboard Drain
- Glove Box w/Lock
- Gunnel Trim - Rigid Vinyl w/Stainless Insert
- Hatches w/True Gutter System
- Head - Porta-Pottie
- Head w/Stand-Up Shower
- Horn - Electric
- Integrated Dive Platform w/Ladder
- Insulated Fish Box
- Matching Engine Graphics - Factory Installed Merc. Only
- Mid Cabin Berth w/Privacy Curtain
- Mid Cabin Window w/Screen and Curtain
- Navigational Lights
- N.M.M.A. Certified
- Premium Gel Coat
- Raw Water Washdown
- Rod Holders (2 Pair)
- Rod Racks - Cockpit (4) Horizontal
- Rope Locker Storage
- Self-Bailing Cockpit

30 Walk

Continued...

- Shore Power w/Cord
- Smartcraft Gauges - Optimax Only
- Steering - Hydraulic
- Storage Compartments
- Striping Pkg. - Blue, Green, Black, Red, Yellow
- Switch and Breaker Panel
- Tackle Box
- Transom Door
- Thru-Hulls - Stainless Steel
- Transom Panel - Breakers & Battery Switches
- Trim Tabs
- Windshield - Tempered Glass w/Center Vent and Actuator
- 110 Volt Outlets GFI Protected (2)
- Galvanic Isolator

OPTIONAL EQUIPMENT

- Air Conditioning - 10,000 BTU
- Curtain Package - Bimini
- Curtain Package - Hard Top
- Dive Ladder
- Generator - 5.0 kw w/Carbon Monoxide Detector and 500 GPH Bilge Pump
- Head w/Dockside Discharge
- Head - Electric w/Macerator, Holding Tank, Pump-Out & Overboard Discharge
- Hull Color - Green, Blue, Black, Red, Yellow
- Microwave
- Outriggers (Gunnel or Top Mount)
- Remote Spot Light (Hard Top Req.)
- Shrink Wrap
- Spreader Lights (Hard Top Req.)
- Stereo AM/FM Cass. w/4 Speakers w/Remote
- Stereo - AM/FM CD w/4 Speakers w/Remote
- Teak Cabin - Upgrade
- Top - Bimini w/Windscreen
- Top - Hard w/Electronics Box & Windscreen
- Water Heater
- Windlass - w/Bow Protector, Rope, Chain
- Wiper - Port and/or Stbd.



WEEKENDER PACKAGE

- Alcohol/Electric Stove
- Refrigerator DC

ELECTRONICS PACKAGE #1

- Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #3

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio

Notes

Express Series

27 • 30 • 32 • 33

PERFORMANCE
SPECIFICATIONS

GRAPHICS

The Pro-Line Expresses were built for the family that loves to fish and fish hard, yet wants to entertain and have fun on the boat as well.


The Expresses use the same high quality construction as the Sport and Walk Series, including the finest in fabrics and vinyls that so easily handle wear and tear. Below deck there is ample storage space for a weekend trip with room for overnights to spare.

The major difference in the 27 and 30 Expresses can be seen in the above deck galley. Countertop, stove, refrigerator/ice box, and storage allow for easy entertainment to be served up for all. Seating wraps around the galley and opens into the cockpit for even more room.

The larger Expresses boasts large amounts of space for fishing, entertainment, and just about anything else the family can think of - above and below deck. These boats feature more rod storage, baitwell and fish box storage, and many other amenities - making for excellent overnights or weekend cruising boats.

For the customer looking for the boat with a dual personality - then any one of the Expresses is just right for him.

27 Express



SPECIFICATIONS

Length Overall	29'1" (8.86m)
Beam	9'10" (3.00m)
Draft (Hull)	21" (.53m)
Deadrise	19°
Fuel Capacity	200 Gal. (757.1L)
Weight (Hull - appr)	..5,900 Lbs. (2677kg)
Weight (Trail - appr)	..9,500 Lbs. (4310kg)
Cockpit Area	80 Sq Ft. (7.43m ²)
Cockpit Depth	26" (.66m)
Max HP	500 (373kw)
Fresh Water Capacity	..30 Gal. (113.6L)
Bridge Clearance	7'3" (2.21m)
w/Hard Top	9'7" (2.92m)
Baitwell Capacity	35 Gal. (132.5L)
Fish Boxes Cap. (2)	50 Gal. (189.3L)

ENGINE OPTIONS

ENGINE	HP
Merc. T-200 (25" Shaft)	200 EA
Merc. T-200 EFI (25" Shaft)	200 EA
Merc. T-200 OPTIMAX (25" Shaft)	200 EA
Merc. T-225 EFI (25" Shaft)	225 EA
Merc. T-225 OPTIMAX (25" Shaft)	225 EA
Merc. T-250 EFI (25" Shaft)	250 EA
Mercury Pre-rig	
Mercury Optimax Pre-rig	
OMC Pre-rig	
Yamaha Pre-rig	

STANDARD EQUIPMENT

- Pro-Care 5 Year Limited Warranty
- 10 Year Transferable Warranty
- 12 Volt Receptacle
- Accessory Bus Bar Under Dash and Transom
- Baitwell - Circulating
- Battery Charger
- Battery Trays

- Battery Switches
- Bilge Pump - 1250 GPH
- Bonding System
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- Cabin Hatch
- Cabin Lights
- Cabin Pillows and Curtains
- Cabin Shelves
- Cabin Door - Acrylic Sliding
- Cabin Windows w/Curtains and Screens
- City Water Hook-up
- Cleats - 6 Pop-Up
- Cleats - 8" (1)
- Cockpit Lights
- Cockpit Bolsters
- Compass
- Diamond Skid-Resistant Deck & Gunnels
- Drink Holders
- Electrical Distribution Panel w/ Breakers
- Glove Box with Lock
- Fasteners - Chrome Plated Stainless Steel
- Filler Board
- F.I.S.T. Fiberglass Stringer System
- Foam Flotation - Closed Cell
- Freshwater Sink w/Pull Out Shower
- Fuel/Water Separators - N/A on Optimax
- Full Galley w/Sink, Ice Box, Butane Stove
- Full Instrumentation - MPH, RPM, Temp, Trim and Volt
- Garboard Drain
- Gunnel Trim - Rigid Vinyl w/Stainless Inserts
- Hatches w/True Gutter System
- Head Porta-Pottie
- Horn - Electric
- Insulated Fish Boxes
- Integrated Dive Platform
- Ladder - 3 Step
- Matching Engine Graphics - Factory Installed Merc. Only
- Navigational Lights
- N.M.M.A. Certified
- Premium Gel Coat
- Raw Water Washdown
- Rod Holders (2 Pair)
- Rod Racks - Cockpit Horizontal (4)
- Rope Locker Storage
- Seat - Captain's Chair at Helm
- Seat - Cockpit lounge w/Cushion and Storage
- Seat - Transom w/Cushion

27 Express

Continued...

- Self-Bailing Cockpit
- Shore Power w/Cord
- Smartcraft Gauges - Optimax Only
- Steering - Hydraulic
- Storage Compartments
- Striping Pkg. - Green, Blue, Black, Red, Yellow
- Switches and Breaker Panel
- Tackle Box
- Transom Door
- Thru-Hulls - Stainless Steel
- Transom Panel - Breakers & Battery Switches
- Trim Tabs
- Windshield - Tempered Glass
- 110 Volt Outlets - GFI Protected
- Galvanic Isolator

OPTIONAL EQUIPMENT

- Air Conditioning - 5,000 BTU
- Curtain Package - Calcutta
- Dive Ladder
- Head w/Dockside Discharge
- Head - Electric w/Macerator, Holding Tank, Pump-Out & Overboard Discharge
- Hull Color - Green, Blue, Black, Red, Yellow
- Ice Maker - In Lieu of Storage Box
- Light - Remote Spot (Calcutta Top Req.)
- Lights - Spreader (Calcutta Top Req.)
- Outriggers (Gunnel or Top Req.)
- Refrigerator DC
- Shrink Wrap
- Stereo AM/FM Cass. w/4 Speakers w/Remote
- Stereo - AM/FM CD w/4 Speakers w/Remote
- Teak Cabin - Upgrade
- Top - Calcutta Top w/Electronics Box and Windscreen
- Water Heater
- Windlass - w/Bow Protector, Rope, & Chain
- Windshield - Tempered Glass
- Wiper - Port and/or Stbd.

Continued...

ELECTRONICS PACKAGE #1


- Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #3

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio

Notes**30 Express****SPECIFICATIONS**

Length Overall	32'6" (9.91m)
Beam	10'10" (3.30m)
Deadrise	19°
Draft (Hull)	22" (.56m)
Fuel Capacity	312 Gal. (1181.0L)
Weight (Hull- appr)	...7,700 Lbs (3493kg)
Weight (Trail- appr)	.14,000 Lbs (6351kg)
Max HP	500 (372.85kw)
Cockpit Area	102 Sq. Ft. (9.48m²)
Cockpit Depth	30" (.76m)
Bridge Clearance	7'1" (2.16m)
w/Hard Top	9'6" (2.90m)
Baitwell Capacity	45 Gal. (170.33L)
Fishbox Capacity	110 Gals. (416.4L)
Freshwater Capacity	...30 Gals. (113.6L)

ENGINE OPTIONS

<u>ENGINE</u>	<u>HP</u>
Merc. T-225 EFI (30" Shaft)	225 EA
Merc. T-225 OPTIMAX (30" Shaft)	225 EA
Merc. T-250 EFI (30" Shaft)	250 EA
Mercury Pre-rig	
Mercury Optimax Pre-rig	
OMC Pre-rig	
Yamaha Pre-rig	

STANDARD EQUIPMENT

- Pro-Care 5 Year Limited Warranty
- 10 Year Transferable Warranty
- 110 Volt Outlets GFI Protected (2)
- 12 Volt Receptacle
- Accessory Bus Bar Under Dash and Transom
- Baitwell - Circulating
- Battery Charger
- Battery Trays
- Battery Switches
- Bilge Pumps - 1250 GPH aft, 500 GPH fwd

- Bonding System
- Bow Pulpit w/Anchor Roller
- Bow Rail - Stainless Steel
- Cabin Hatch
- Cabin Lights
- Cabin Pillows and Curtains
- Cabin Shelves
- Cabin Door - Acrylic Bi-Fold
- Cabin Windows w/Curtains and Screens
- City Water Hook-up
- Cleats - 6 Pop-Up
- Cleats - 8" (1)
- Cockpit Lights
- Cockpit Bolsters
- Compass
- Diamond Skid-Resistant Deck & Gunnels
- Drink Holders
- Electrical Distribution Panel w/ Breaker
- Fasteners - Chrome Plated Stainless Steel
- Filler Board
- F.I.S.T. Fiberglass Stringer System
- Foam Flotation - Closed Cell
- Freshwater Sink w/Pull Out Shower
- Fuel/Water Separators - N/A on Optimax
- Full Galley w/Sink, Ice Box, Butane Stove
- Full Instrumentation - MPH, RPM, Temp, Trim and Volt
- Garboard Drain
- Glove Box w/Lock
- Gunnel Trim - Rigid Vinyl w/ Stainless Inserts
- Hatches w/True Gutter System
- Head Porta-Pottie
- Head w/Stand-Up Shower
- Horn - Electric
- Insulated Fish Boxes
- Integrated Dive Platform
- Ladder - 3 Step
- Matching Engine Graphics - Factory Installed
- Merc. Only
- Navigational Lights
- N.M.M.A. Certified
- Premium Gel Coat
- Raw Water Washdown
- Rod Holders (2 Pair)
- Rod Racks - Cockpit Horizontal (4)
- Rope Locker Storage
- Seats - Captain's Chair at Helm
- Seat - Cockpit Lounge w/Cushion and Storage
- Seat - Transom w/Cushion

30 Express

Continued...

- Self-Bailing Cockpit
- Shore Power w/Cord
- Smartcraft Gauges - Optimax Only
- Steering - Hydraulic
- Storage Compartments
- Striping Pkg. - Green, Blue, Black, Red, Yellow
- Switch and Breaker Panel
- Tackle Box
- Transom Door
- Thru-Hulls - Stainless Steel
- Transom Panel - Breakers & Battery Switches
- Trim Tabs
- Windshield - Tempered Glass w/Center Vent and Actuator
- Galvanic Isolator

OPTIONAL EQUIPMENT

- Air Conditioning - 7000 BTU
- Curtain Package - Calcutta
- Dive Ladder
- Generator - 5.0 kw w/Carbon Monoxide Detector and 500GPH Bilge Pump
- Head w/Dockside Discharge
- Head - Electric w/Macerator, Holding Tank, Pump-Out & Overboard Discharge
- Hull Color - Green, Blue, Black, Red, Yellow
- Ice Maker (in lieu of tackle box)
- Light - Remote Spot (Calcutta Top Req.)
- Lights - Spreader (Calcutta Top Req.)
- Outriggers (Gunnel or Top Mount)
- Refrigerator DC
- Shrink Wrap
- Stereo AM/FM Cass. w/4 Speakers w/Remote
- Stereo - AM/FM CD w/4 Speakers w/Remote
- Teak Cabin - Upgrade
- Top - Calcutta Top w/Electronics Box w/Windscreen
- Water Heater
- Windlass - w/Bow Protector, Rope, Chain
- Wiper - Port and/or Stbd.

ELECTRONICS PACKAGE #1

- Depth Finder/Fish Finder
- VHF Radio


ELECTRONICS PACKAGE #2

- LMS/160 GPS/Depth Finder/Fish Finder
- VHF Radio

ELECTRONICS PACKAGE #3

- Global Map 1600
- X 85 Depth Finder/Fish Finder
- VHF Radio

Notes

32 *Express*

SPECIFICATIONS

Length Overall	33'8" (10.26m)
Beam	11'0" (3.35m)
Deadrise	19°
Draft (Hull)	25" (.64m)
Fuel Capacity	250 Gal. (946.4L)
Weight (Hull-appr)	..12,000 Lbs. (5444kg)
Weight (Trail-appr)	..15,000 Lbs. (6804kg)
Cockpit Area	75 Sq. Ft. (6.97m²)
Cockpit Depth	26' (.66m)
Bridge Clearance	7'8" (2.34m)
w/Hard Top	9'6" (2.90m)
w/Tower	15'3" (4.65m)
Max HP	760 (567kw)
Cabin Head Room	6'8" (2.03m)
Fresh Water Cap	35 Gal (132.5L)
Baitwell Capacity	35 Gal. (132.5L)
Fish Box Capacity	50 Gal. (189.3L)

ENGINE OPTIONS

MERCUISER HP

Merc. T-7.4 MPI B1	310 EA
Merc. T-7.4 MPI B3	310 EA
MX 6.2 MPI	320 HP
T-454 MAG MPI B1	385 EA
T-502 MAG MPI B1	415 EA

VOLVO PENTA **HP**

Volvo T-7.4 GL/DP310 EA

YANMAR **HP**

T-YANMAR 300 I/O B3300 EA

STANDARD EQUIPMENT

- Pro Care 5-Year Limited Warranty
- 5 Year Transferable Hull Warranty
- Baitwell - Circulating & Raw Water Wash Down w/Transom Fresh Water Sink w/Control
- Battery Charger
- Battery Switch - Mid-Cabin
- Battery Trays - Stainless Steel
- Bilge Blowers
- Bilge Pump - 1500 GPH (2 each)
- Bow Rails - Stainless Steel
- Carbon Monoxide Detector
- Cleats - 10" (6) Bow, Springline & Stern - Pop-Up (Stainless Steel)
- Bow Pulpit w/Roller
- Bow & Stern Eyes - Stainless Steel
- Cabin Entry - 3 Step w/Storage Below and Grab Rail
- Cabin Lighting - Indirect & Direct
- Circuit Breakers
- City Water hookup
- Cockpit Courtesy Lights
- Compass - Surface Mount
- Crossover Fuel System
- Dash - Full Instrumentation
- Dash Receptacle - 12 Volt
- Deck Hatches - w/Screens
- Depth Finder
- Dinette w/Storage - In Cabin
- Dinette Storage Below & Telescopic Table That Lowers To Form Sleeping Area
- Door - Sliding Plexiglass w/Lock
- Drink Holders
- Engine Hatches Access - 3
- Engine Alarm
- Engine Room Lights
- Galley - 2 Burner Electric Stove, Refrigerator (DC), Pressurized Water (Hot & Cold), Stainless Steel Round Sink & Hi-Rise Faucet, Microwave, Cabinets - Direct Lighting, Coffee Maker
- F.I.S.T. Fiberglass Stringer System
- Grab Rails - Stainless Steel
- Gunnel Trim - Rigid Vinyl w/Insert
- Hatches - Deck (3)
- Head - Vacuum Flush W/Pumpout & Overboard Discharge
- Head - Hot & Cold Shower & Vanity, Stainless Steel Oval Sink w/Storage, Tinted Plexiglass Skylight, Wall Mirror and Grab Rail
- Helm Seat - Double Wide w/Storage (Adjustable)

32 Express Fish*Continued...*

- Horn - Electric
- Hour Meters
- Hull & Deck Joint - Chemically Bonded
- Hull Color Premium Gelcoat
- Ignition - Safety Switch
- Midcabin Berth w/Foam Mattress
- Navigation Lights
- Non-Skid Decks & Gunnels
- Port Light - (6)
- Outlet - Head - 110 Volt
- Port Holes - w/Screens (Stainless Steel)
- Private Forward Berth w/Foam Mattress and Privacy Door
- Rod Storage - Lockable
- Self-Bailing Cockpit
- Shore Power w/Cord
- Steering Wheel - Stainless Steel
- Stereo - Sony AM/FM CD w/6 Speakers & Remote
- Tackle Box - Built-In
- Transom Door - Starboard Entrance
- Transom Shower - Cold
- Trim Tabs
- Vinyl - Heavy Duty, Stain Resistant UV Protected
- Water Heater
- Water Resistant Rocker Switches
- Water & Waste Tank Indicator
- Windshield - Powder Coated
- Wiper - Stbd.

OPTIONAL EQUIPMENT

- Air Conditioning - 16,000 BTU w/Heat
- Cockpit Carpet - 40 ox. Marine Grade, Removable
- Cockpit Cover
- Cockpit Outlet - 110 Volt
- Compass - Digital
- Curtain Package - Bimini
- Curtain Package - Hard Top
- Curtain Package - Tower
- Dive Platform w/Ladder
- Fume Detector
- Generator - 7.3 kw - gas with C/O Detector
- Generator - 5.0 kw - diesel with C/O Detector
- Graphics - Custom
- Grey Water System
- Light - Remote Control Spot
- Lights - Spreader (Req. Hard Top, Tower or Arch)

- Battery Charger
- Bilge Blowers
- Bilge Pumps - Three Auto/Manual
- Bow Rails - Stainless Steel
- Cleats - 10" Bow & Stern (Stainless Steel)
- Bow Pulpit - Molded In
- Bow Roller
- Cabin Lighting - Indirect and direct
- Carbon Monoxide Detector
- Circuit Breakers
- City Water hookup
- Cleats - 10" Springline (Stainless Steel)
- Cockpit Courtesy Lights
- Compass - Surface Mount
- Dash - Full Instrumentation
- Dinette w/Storage - In Cabin
- Dinette - Turns into Berth
- Drink Holders
- Engine Alarm
- F.I.S.T. Fiberglass Stringer System
- Foam Flotation - Closed Cell
- Forward Berth
- Fresh Water Sink & Control In Transom
- Galley - 2 Burner Electric Stove, Refrigerator (DC), Pressurized Water (Hot & Cold), Stainless Steel Round Sink & Hi-Rise Faucet, Microwave, Cabinets - 12 Volt Lighting, Coffee Maker, Drawers
- Grab Rails - Stainless Steel
- Gunnel Trim - Rigid Vinyl w/Insert
- Hatches - Deck w/True Gutter System
- Head - Vacuum Flush w/Overboard Discharge
- Head - Hot & Cold Shower & Vanity, Molded Sink w/Storage, Wall Mirror
- Helm Seat - Adjustable
- Horn - Dual Electric Trumpet
- Hour Meters
- N.M.M.A. Certified
- Navigation Lights
- DiamondNon-Skid Decks & Gunnels
- Perma-Grid Fiberglass Stringers System
- Port Light - (4)
- Premium Gel Coat
- Rod Storage In Cabin
- Seacocks and All Underwater Thru-Hull Fittings - Bronze
- Self-Bailing Cockpit
- Shore Power w/Cord
- Steering - Hydraulic
- Steering Wheel - Stainless Steel

33 Express

Continued...

- Stereo - AM/FM CD w/6 Speakers and Remote
- Tackle Box - Built-In
- Television w/Video Cassette Player
- Top - Tower w/Dual Station Cable Controls
- Trim Tabs
- Water Heater
- Water Resistant Rocker Switches
- Water & Waste Tank Indicator
- Windshield - Custom Curved Glass w/Aluminum Frame
- Windshield Wiper (Starboard Only)
- Windlass

OPTIONAL EQUIPMENT

- Air Conditioning - 16,000 BTU w/Heat
- Cockpit Carpet
- Cockpit Cover
- Compass - Digital
- Corian Counter Top
- Curtain Package - Tower
- Dive Platform w/Ladder
- Freezer - Baitstation
- Generator - Gas (5.0) or Diesel (7.3)
- Graphics Package
- Grey Water System
- Hull Color - Premium Gelcoat
- Lights - Remote Control Spot
- Lights - Spreader
- Outriggers - Lee Towers
- Outriggers - Top Guns For Hard Top
- Shaft Seals - Dripless
- Shrink Wrap
- Stereo - Ultimate Sony AM/FM CD w/7 Speakers 10-Disc Changer, 40 Watt Amplifier w/Remote
- Teak and Holly Sole in Lieu of Carpet
- Top - Hard Top w/Radio Box & Rocket Launchers
- Water Filter
- Wiper - Port

ELECTRONICS PACKAGE

- Lowrance LMS 160
- VHF Radio w/Antenna

SPORT SERIES

WALK SERIES

EXPRESS SERIES



Notes

Lined area for notes, consisting of 25 horizontal lines.

PERFORMANCE
SPECIFICATIONS

GRAPHICS

Performance

*PRO-LINE BOATS advises that the performance figures are merely an estimate of what you can expect based on our factory testing program. Boat speeds will vary depending on weight, fuel load, number of passengers, air temperature, altitude, humidity, barometric pressure, water conditions, wind, engine tuning, horsepower (HP) variance from engine to engine, propellers, and numerous other factors beyond our control. All speeds are obtained by professional test boat drivers in optimum conditions.



17 SPORT

<u>ENGINE</u>	<u>MPH</u>
Mercury 90	.34 - 36
Mercury 90	.34 - 36
Mercury 115	.37 - 39
Mercury 125	.41 - 43
Mercury 135 Optimax	TBD

18 SU

<u>ENGINE</u>	<u>MPH</u>
Mercury 90	.34 - 36
Mercury 90	.34 - 36
Mercury 115	.37 - 39
Mercury 125	.41 - 43
Mercury 135 Optimax	TBD

18 FLATS

<u>ENGINE</u>	<u>MPH</u>
Merc. 125	.41 - 43
Merc. 135 Optimax	TBD
Merc. 150	.43 - 45
Merc. 150 OPTIMAX	.44 - 46
Merc. 200	.51 - 53
Merc. 200 EFI	.52 - 54
Merc. 200 Optimax	.53 - 56

19 SPORT

<u>ENGINE</u>	<u>MPH</u>
Merc. 90	.35 - 37
Merc. 90/4 Stroke	TBD
Merc. 115/4 Stroke	TBD
Merc. 125	.38 - 40
Merc. 135 Optimax	.41 - 43
Merc. 150	TBD
Merc. 150 EFI	TBD
Merc. 150 Optimax	.45 - 47

20 DC

<u>ENGINE</u>	<u>MPH</u>
Merc. 150	40 - 42
Merc. 150 EFI	40 - 42
Merc. 150 Optimax	40 - 42
Merc. 200	44 - 46
Merc. 200 EFI	45 - 47
Merc. 200 Optimax	45 - 47
Merc. 4.3L	37 - 39
Merc. 4.3LH	37 - 39
Merc. 4.3L EFI	38 - 40
Volvo 4.3 GI	39 - 41
Volvo 4.3 GLDP	TBD

20 SPORT

<u>ENGINE</u>	<u>MPH</u>
Merc. 150	43 - 45
Merc. 150 EFI	43 - 45
Merc. 150 Optimax	42 - 44
Merc. 200	48 - 50
Merc. 200 EFI	48 - 50
Merc. 200 Optimax	49 - 51

22 SPORT

<u>ENGINE</u>	<u>MPH</u>
Merc. 150	TBD
Merc. 150 EFI	TBD
Merc. 150 Optimax	TBD
Merc. 200	46 - 48
Merc. 200 EFI	46 - 48
Merc. 200 Optimax	45 - 47
Merc. 225 EFI	49 - 51
Merc. 225 Optimax	48 - 50

23 SPORT

<u>ENGINE</u>	<u>MPH</u>
Merc. 200 Optimax	45 - 47
Merc. 225 EFI	49 - 51
Merc. 225 Optimax	47 - 49
Merc. 250 EFI	48 - 50
Merc. T-150	45 - 47
Merc. T-150 EFI	45 - 47
Merc. T-150 Optimax	45 - 47

25 SPORT

<u>ENGINE</u>	<u>MPH</u>
Merc. 200	40 - 42
Merc. 200 EFI	42 - 44
Merc. 200 Optimax	42 - 44
Merc. 225 EFI	46 - 48
Merc. 225 Optimax	44 - 46
Merc. 250 EFI	47 - 49
Merc. T-150	46 - 48
Merc. T-150 EFI	49 - 51
Merc. T-150 Optimax	49 - 51

26 SPORT

<u>ENGINE</u>	<u>MPH</u>
Merc. 225 Optimax	42 - 44
Merc. 225 EFI	42 - 44
Merc. 250 EFI	44 - 46
Merc. T-135 Optimax	46 - 48
Merc. T-200	48 - 50
Merc. T-200 EFI	50 - 52
Merc. T-200 Optimax	50 - 52

27 SPORT

<u>ENGINE</u>	<u>MPH</u>
Merc. T-200	50 - 52
Merc. T-200 EFI	50 - 52
Merc. T-200 Optimax	50 - 52
Merc. T-225 EFI	53 - 55
Merc. T-225 Optimax	53 - 55
Merc. T-250 EFI	54 - 57

30 SPORT

<u>ENGINE</u>	<u>MPH</u>
Merc. T-225 EFI	48 - 50
Merc. T-225 Optimax	46 - 48
Merc. T-250 EFI	49 - 51

34 SS

<u>ENGINE</u>	<u>MPH</u>
Merc. T-225 EFI	43 - 45
Merc. T-225 Optimax	43 - 45
Merc. T-250 EFI	52 - 54
Merc. TRP-225 EFI	58 - 60
Merc. TRP-225 Optimax	63 - 65
Merc. TRP-250 EFI	62 - 64

34 SSC

<u>ENGINE</u>	<u>MPH</u>
Merc. T-225 EFI	43 - 45
Merc. T-225 OPTIMAX	46 - 48
Merc. T-250 EFI	52 - 54
Merc. TRP-225 EFI	58 - 60
Merc. TRP-225 OPTIMAX	63 - 65
Merc. TRP-250 EFI	62 - 64

20 WALK

<u>ENGINE</u>	<u>MPH</u>
Merc. 150	38 - 40
Merc. 150 EFI	38 - 40
Merc. 150 Optimax	39 - 40
Merc. 200	TBD
Merc. 200 EFI	TBD
Merc. 200 Optimax	TBD
Merc. 4.3 L	41 - 43
Merc. 4.3 LH	41 - 43
Merc. 4.3 L EFI	42 - 44
Volvo 4.3	41 - 43
Volvo 4.3 GLDP	42 - 44

22 WALK

<u>ENGINE</u>	<u>MPH</u>
Merc. 150	40 - 42
Merc. 150 EFI	40 - 42
Merc. 150 Optimax	41 - 43
Merc. 200	44 - 46
Merc. 200 EFI	44 - 46
Merc. 200 Optimax	43 - 45
Merc. 225 EFI	44 - 46
Merc. 225 Optimax	45 - 47

23 WALK

<u>ENGINE</u>	<u>MPH</u>
Merc. 200 OPTIMAX	42 - 44
Merc. 225 EFI	43 - 45
Merc. 225 OPTIMAX	43 - 45
Merc. 250 EFI	44 - 46
Merc. T-135 Optimax	TBD
Merc. T-150	45 - 47
Merc. T-150 EFI	45 - 47
Merc. T-150 Optimax	45 - 47

25 WALK

ENGINE	MPH
Merc. 200	38 - 40
Merc. 200 EFI	38 - 40
Merc. 200 Optimax	38 - 40
Merc. 225 EFI	44 - 46
Merc. 225 Optimax	44 - 46
Merc. 250 EFI	46 - 48
Merc. T-135 Optimax	TBD
Merc. T-150	50 - 52
Merc. T-150 EFI	50 - 52
Merc. T-150 Optimax	50 - 52
Merc. 5.7L B2	37 - 39
Merc. 5.7L B3	43 - 45
Merc. 5.7L EFI B3	45 - 47
Volvo 5.0 GIDP	35 - 38
Volvo 5.7 GSIDP	43 - 45

26 WALK

ENGINE	MPH
Merc. 225 EFI	TBD
Merc. 225 Optimax	37 - 39
Merc. 250 EFI	40 - 42
Merc. T-135 Optimax	TBD
Merc. T-150	TBD
Merc. T-150 Optimax	TBD
Merc. T-150 EFI	TBD
Merc. T-200	TBD
Merc. T-200 Optimax	TBD
Merc. T-200 EFI	TBD

26 WALK I/O

ENGINE	MPH
Merc. 5.7L EFI B3	TBD
Merc. 6.2L MPI B3	TBD
Volvo 5.7 GSIDP	TBD
Volvo 7.4 GIDP	TBD

27 WALK

ENGINE	MPH
Merc. T-200	43 - 45
Merc. T-200 EFI	43 - 45
Merc. T-200 Optimax	45 - 47
Merc. T-225 EFI	TBD
Merc. T-225 Optimax	45 - 47
Merc. T-250 EFI	TBD

27 WALK I/O

ENGINE	MPH
Merc. 6.2 MPI B2	TBD
Merc. 6.2 MPI B3	TBD
Yanmar 300 DIESEL	37 - 40
Volvo 7.4 GIDP	38 - 40

29 WALK I/O

ENGINE	MPH
Merc. T-5.7L B2	43 - 45
Merc. T-5.7L B3	46 - 48
Merc. T-5.7L EFI B2	42 - 44
Merc. T-5.7L EFI B3	46 - 44
Volvo T-5.0 GIDP	41 - 43
Volvo T-5.7 GSIDP	41 - 43

30 WALK

ENGINE	MPH
Merc. T-225 EFI	47 - 49
Merc. T-225 Optimax	47 - 49
Merc. T-250 EFI	48 - 50

27 EXPRESS

ENGINE	MPH
Merc. T-200	TBD
Merc. T-200 EFI	TBD
Merc. T-200 Optimax	45 - 47
Merc. T-225 EFI	48 - 50
Merc. T-225 Optimax	48 - 50
Merc. T-250 EFI	TBD

30 EXPRESS

<u>ENGINE</u>	<u>MPH</u>
Merc. T-225 EFI	47 - 49
Merc. T-225 Optimax	47 - 49
Merc. T-250 EFI	48 - 50

32 EXPRESS

<u>ENGINE</u>	<u>MPH</u>
Merc. T-6.2 MPI B1	50 - 53
Merc. T-6.2 MPI B3	51 - 54
Merc. 454 MAG MPI B3	57 - 59
Yanmar Diesel T-300 B3	TBD
Volvo T-7.4 GIDP	TBD


33 EXPRESS

<u>ENGINE</u>	<u>MPH</u>
Merc. T-6.2L MPI	37 - 40
Merc. T-8.15 HORIZON	TBD
Merc. T-8.2 MPI	39 - 42
Caterpillar T-300	37 - 40
Caterpillar T-350	39 - 42
Yanmar T-300	37 - 40
Yanmar T-350	39 - 42
Yanmar T-420	42 - 45




Graphics

2001
MODEL YEAR
GRAPHICS
PACKAGES




A. Black Stripe
w/Silver Highlight



B. Black hull side
Silver Stripe
w/Silver Highlight



C. Black hull side
Black Stripe
w/Silver Highlight



D. Black hull side
Red Stripe
w/Silver Highlight




A. Blue Stripe
w/Silver Highlight



B. Blue hull side
Blue Stripe
w/Silver Highlight



C. Blue hull side
Yellow Stripe
w/Silver Highlight



D. Blue hull side
Green Stripe
w/Silver Highlight



A. Green Stripe
w/Silver Highlight



B. Green hull side
Green Stripe
w/Silver Highlight



C. Green hull side
Blue Stripe
w/Silver Highlight



C. Red hull side
Black Stripe
w/Silver Highlight



A. Yellow Stripe
w/Silver Highlight



B. Yellow hull side
Yellow Stripe
w/Silver Highlight



C. Yellow hull side
Blue Stripe
w/Silver Highlight



D. Yellow hull side
Black Stripe
w/Silver Highlight



PRO-LINE BOATS

P.O. Box 1348

Crystal River, FL 34423

(352) 795-4111

(800) 866-2771

prolineboats.com

2001-A
