

PRO·LINE
BOATS



2003
PRODUCT
INFORMATION
GUIDE

**TABLE OF CONTENTS
& AMORTIZATION CHART**

**THE PRO-LINE
STORY**

**GENERAL FEATURES
AND BENEFITS**



TABLE OF CONTENTS

- *Amortization Chart*2
- *The Pro-Line Story*3
- *Pro-Care 5 Year Limited Warranty*5
- *General Features & Benefits*7-8

- *Sport Series Introduction*9
 - 19 Sport11-12
 - 20 Sport13-14
 - 20 DC15-16
 - 20 Bay17-19
 - 22 Sport21-22
 - 22 DC23-24
 - 22 Bay25-27
 - 23 Sport29-31
 - 24 Bay33-35
 - 25 Sport37-39
 - 26 Sport41-43
 - 27 Sport45-47
 - 30 Sport49-51

- *Walk Series Introduction*53
 - 20 Walk55-56
 - 22 Walk57-58
 - 23 Walk59-61
 - 25 Walk63-65
 - 26 Walk67-69
 - 27 Walk71-73
 - 30 Walk75-78
 - 33 Walk79-82

- *Express Series Introduction*83
 - 27 Express85-88
 - 30 Express89-92
 - 33 Express93-96

- *Performance*97
 - 19 Sport - 20 Bay98
 - 22 Sport - 22 Bay99
 - 24 Bay - 25 Sport100
 - 26 Sport - 27 Sport101
 - 30 Sport - 22 Walk102
 - 23 Walk - 26 Walk103
 - 27 Walk - 33 Walk104
 - 27 Express - 33 Express105

SPORT SERIES

THE PRO-LINE
STORY

GENERAL FEATURES
AND BENEFITS

AMORTIZATION

EQUAL MONTHLY PAYMENTS
TO AMORTIZE A LOAN OF
\$1,000.

TERM	5 YRS	7 YRS	10 YRS	12 YRS	15 YRS	20 YRS
RATE						
8%	20.28	15.59	12.14	10.83	9.56	8.37
8-1/4	20.40	15.72	12.27	10.97	9.71	8.53
8-1/2	20.52	15.84	12.40	11.11	9.85	8.68
8-3/4	20.64	15.97	12.54	11.24	10.00	8.84
9	20.76	16.09	12.67	11.39	10.15	9.00
9-1/4	20.88	16.22	12.81	11.53	10.30	9.16
9-1/2	21.01	16.35	12.94	11.67	10.45	9.33
9-3/4	21.13	16.48	13.08	11.81	10.60	9.49
10	21.25	16.51	13.22	11.96	10.75	9.66
10-1/4	21.38	16.74	13.36	12.10	10.90	9.82
10-1/2	21.50	16.87	13.50	12.25	11.06	9.99
10-3/4	21.62	17.00	13.64	12.39	11.21	10.16
11	21.75	17.13	13.78	12.54	11.37	10.33
11-1/4	21.87	17.26	13.92	12.69	11.53	10.50
11-1/2	22.00	17.39	14.06	12.84	11.69	10.67
11-3/4	22.12	17.52	14.21	12.99	11.85	10.84
12	22.25	17.66	14.35	13.14	12.01	11.02
12-1/4	22.38	17.79	14.50	13.29	12.17	11.19
12-1/2	22.50	17.93	14.64	13.44	12.33	11.37
12-3/4	22.63	18.06	14.79	13.60	12.49	11.54
13	22.76	18.20	14.94	13.75	12.66	11.72
13-1/4	22.89	18.33	15.08	13.91	12.82	11.90
13-1/2	23.01	18.47	15.23	14.06	12.99	12.08
13-3/4	23.14	18.61	15.38	14.22	13.15	12.26
14	23.27	18.75	15.53	14.38	13.32	12.44

SPORT SERIES

THE PRO-LINE
STORY

GENERAL FEATURES
AND BENEFITS

THE PRO-LINE STORY

In 1968, Dan Atwood started a fishing boat company that would eventually take the market by storm. The first model was a 24-foot twin console that was designed for the professional fishing guides in Inglis and Crystal River, Florida. Since Dan's target market was the local fishing Pros the new company name came naturally - Pro-Line Boats.

Customers and boat dealers alike began to take notice of the little manufacturer in Florida. There was no escaping the fact that every Pro-Line was built by fishermen for fishermen. Other models soon came off the line such as the Pro 17 and the Pro 20. Pro-Line now had dealers throughout Florida, Georgia and Alabama.

As the orders grew so did their need for larger quarters and in 1970 Dan moved his crew to the present facility in Homosassa, Florida. In the late 70's and early 80's Pro-Line introduced cuddy cabins and walkarounds.

In 1986 Dan Atwood, along with Wall Street investors, Lee Kimmell and Lewis Ranieri of Salomon Brothers fame, formed American Marine Holdings, Inc. This infusion of working capital gave Dan the necessary funds to take Pro-Line worldwide.

1989 was the year of change for Pro-Line. The company had grown and models now ranged from 16 to 28 feet. The introduction of the new 230 Walk secured Pro-Line's position in the marketplace. Orders rushed in and more and more dealers signed-up to carry this unbelievable product. People around the world had come to know the Pro-Line name.

Today, Pro-Line offers over 30 models from 17 to 33 feet. The line includes center consoles, walkarounds, express, performance fishing boats, sportfish boats, and bay boats. More articles by boating publications were written last year about Pro-Line than any other fishing boat company. Excitement is in the air (and on the water)!

CEO and Chairman Lee Kimmell, President Mike Collins, and Dan Atwood owe their success to the simple but important philosophy of building the highest quality boat in the world. Nowhere is there a better boat on the water. That's why an independent survey found that over .97% of existing Pro-Line owners said they would buy another Pro-Line.

From a small boat company in Inglis, Florida to the largest manufacturer of rough water fish boats in the United States, Pro-line Boats has become the ultimate fishing boat company and more.

SPORT SERIES

WALK SERIES

GENERAL FEATURES
AND BENEFITS

PRO-CARE

5 YEAR LIMITED WARRANTY

For 2003 we are pleased to include on all models 25 feet and up a 5-year limited warranty, called Pro-Care, on all factory installed accessories, factory installed electronics, engines, out-drives, mechanical systems, electrical systems, controls, and more!

Be sure and explain to every prospect that comes into your store that Pro-Line is the only fishing boat manufacturer that offers anything like this on midsize and larger boats. The number one reason people leave the sport of boating is due to the high cost of maintaining a boat. Pro-Line has attacked the problem head on!

The revolutionary 5-year limited warranty is transferable, comes with a 24-hour, 1-800 hotline, and much more. See your manager for all the details. This is the one feature and benefit that you want to share with all of your prospects.

For 2003 the #1 selling saltwater fishing boat in America is now the best-backed boat in the world!!

(Pro-Care is only standard and available on all Pro-Line boat models 25' and larger for the 2003 model year.)

SPORT SERIES

WALK SERIES

GENERAL FEATURES
AND BENEFITS

THE PRO-LINE
STORY

TABLE OF CONTENTS
& AMORTIZATION CHART

SPORT SERIES

WALK SERIES

GENERAL FEATURES
AND BENEFITS

PRO-LINE

GENERAL FEATURES & BENEFITS

- Feature:** Pro-Line History
Benefit: Solidifies our position in the fishing boat market.
- Feature:** Pro-Care 5-Year Limited Warranty (Standard and available on models 25' and larger only)
Benefit: Peace of mind boating with extended engine coverage and factory installed accessories coverage as a standard feature.
- Feature:** 10-Year transferable hull warranty.
Benefit: Warranty may be transferred to new owner. Aids in higher resale value.
- Feature:** 22 mils of Premium Gelcoat.
Benefit: Strong yet flexible gel. Cracking and chalking is almost non-existent.
- Feature:** 3610 Bi-axial fiberglass.
Benefit: Stronger than conventional fiberglass mat. Will not delaminate due to stitching.
- Feature:** Deep Vee with reversed chines
Benefit: Stable, dry ride. Gets on plane quicker and enables better overall performance.
- Feature:** F.I.S.T. Construction (Fiberglass Integrated Structural Technology).
Benefit: Anti-wood construction using Divinycell PVC core and closed cell injected foam. No wood, no rot.
- Feature:** 32 oz. UV protected vinyl.
Benefit: High grade of vinyl with UV protectants to ensure long life.
- Feature:** Sunbrella Canvas (optional).
Benefit: The finest marine canvas. Comes with a 5-year warranty against rotting and breakage.
- Feature:** 316-L Stainless Steel hardware.
Benefit: Highest marine grade stainless. Ensures great looking hardware for the life of the boat.

SPORT SERIES

WALK SERIES

EXPRESS SERIES



FEATURES & BENEFITS

- Feature:** Thru-bolted hardware fastened with aircraft locking nuts.
Benefit: Hardware will take all kinds of punishment. Never comes loose.
- Feature:** Premium interior fabrics with Scotchguard protection.
Benefit: Low maintenance and easy to clean cushion covers.
- Feature:** N.M.M.A., U.S.C.G. AND C.E. Certified.
Benefit: This guarantees a safe, well built boat for your peace of mind.
- Feature:** Largest cabins and widest beams.
Benefit: More room inside and out, with a more stable ride in rough conditions.
- Feature:** Foam insulated fish boxes.
Benefit: Ice and fish stay cold throughout the day.
- Feature:** Self-bailing cockpit.
Benefit: Rainwater runs overboard immediately, not into the bilge.
- Feature:** Large foam insulated baitwells.
Benefit: Plenty of space for your bait that will last the entire day.
- Feature:** Deep interior Freeboard.
Benefit: Safe ride in any condition. Makes fighting the fish easier.
- Feature:** Heat shrink wiring.
Benefit: All wire connections are heat shrunk to eliminate breakage and corrosion.
- Feature:** Deep, wide walkarounds.
Benefit: Allow the angler to fish the entire boat from stern to bow.
- Feature:** Labeled buss-bars.
Benefit: Makes adding future equipment easy and worry free.

SPORT SERIES

19 • 20 • 20 BAY • 20 DC

22 • 22 BAY • 22 DC

23 • 24 BAY • 25 • 26 • 27 • 30

Pro-Line's first Sportsman was produced in 1968 and instantly became a hit with professional anglers. The 2003 line of Sports, Bay, and Dual Consoles have everything your prospect could want and more.

The first thing you should point out is the spaciousness of the cockpit. By using CAD (computer assisted design) programs, every feature on the Pros are designed long before the first model is ever produced. This ensures the best placement of the necessary features while still maintaining plenty of room to fight the fish.


All fish boxes are foam insulated. Rod storage is abundant and the casting decks are large enough to allow the angler room to spread out. Foam insulated bait boxes are close by and gunwale mount rod holders are strategically placed for serious fishermen.

The consoles are designed to offer plenty of storage while still allowing room enough to fish the entire boat, not just at the transom. Hardware is 316 L stainless steel and thru-bolted with backing plates and aircraft lock nuts. Grab rails are located in the proper place to ensure a safe ride even in the most precarious situations.

Wiring is color-coded and heat shrunk at every connection to ensure no corrosion or breakage. Buss-bars are placed under the console and at the transom with identification labels to take away all the guesswork of adding additional equipment.

Whether your customers want to head offshore in search of the biggest fish or just cruise the backwaters, Pro-Line has a Sport for them!

19 SPORT



SPECIFICATIONS

L.O.A.	19'2" (5.84m)
BEAM	7'9" (2.36m)
DRAFT - HULL	12" (0.30m)
DEADRISE	19°
FUEL CAPACITY	50 GAL (189.3L)
WEIGHT - HULL (APPR) ...	2,000 LBS (907kg)
WEIGHT - TRAILER (APPR)	3,150 LBS (1429kg)
COCKPIT AREA	54 SQ. FT. (16.46m ²)
COCKPIT DEPTH	22" (0.56m)
BRIDGE CLEARANCE	4'8" (1.42m)
MAX. HP	150 (111.86kw)
BAITWELL CAPACITY	13 GAL (49.2L)

ENGINE OPTIONS

ENGINE	HP
(ALL 20" SHAFT UNLESS NOTED)	
HONDA 115 4-STROKE	115
MERCURY 115	115
MERCURY 115 4-STROKE	115
MERCURY 150	150
MERCURY 150 OPTI	150
YAMAHA 115 4-STROKE	115

HONDA PRE-RIG
MERC. PRE-RIG
MERC. OPTIMAX PRE-RIG
YAMAHA PRE-RIG


STANDARD EQUIPMENT

BAITWELL - W/ RAW WATER WASHDOWN
 BILGE PUMP
 BIMINI TOP
 BOW RAIL-STAINLESS STEEL
 CASTING DECK W/ INSULATED STORAGE BOX
 CENTER CONSOLE W/ OUT HEAD
 CLEATS - (3)
 COMPASS
 DIVE PLATFORM W/ LADDER - INTEGRATED
 DRINK HOLDERS
 INSTRUMENTATION: FUEL, MPH, RPM
 GLOVE BOX W/ LOCK
 GRAB RAIL - WINDSHIELD (STAINLESS STEEL)
 GUNNEL TRIM - RIGID VINYL
 HORN - ELECTRIC
 ROD HOLDERS - 1 PAIR
 ROD RACKS - COCKPIT (6) HORIZONTAL
 ROPE LOCKER STORAGE
 SEATS - FLIP FLOP COOLER
 STEERING - NO FEED BACK
 STORAGE - CENTER CONSOLE
 STRIPING - BLUE
 SWITCH AND BREAKER PANEL
 TRAILER
 WINDSHIELD - PLEXIGLASS

OPTIONAL EQUIPMENT

CENTER CONSOLE W/ ENCLOSED HEAD
 SHRINK WRAP
 STEERING - HYDRAULIC
 TOP - T-TOP W/ ELECTRONICS BOX

NOTES



SPECIFICATIONS

L.O.A.20'2" (6.15m)
 BEAM8'0" (2.44m)
 DRAFT - HULL15" (0.38m)
 DEADRISE19°
 FUEL CAPACITY70 GAL (265.0L)
 WEIGHT - HULL (APPR) ...2,200 LBS (998kg)
 WEIGHT - TRAILER (APPR) 3,700 LBS (1678kg)
 COCKPIT AREA81 SQ. FT. (24.69m²)
 COCKPIT DEPTH22" (0.56m)
 BRIDGE CLEARANCE5'10" (1.78m)
 W/ T-TOP8'0" (2.44m)
 MAX. HP200 (149.14kw)
 BAITWELL CAPACITY20 GAL (132.5L)
 FISH BOX CAPACITY18 GAL (68.2L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT UNLESS NOTED)	
HONDA 130 4-STROKE	130
HONDA 200 4-STROKE	200
MERCURY 150	150
MERCURY 150 OPTI	150
MERCURY 200	200
MERCURY 200 OPTI	200
YAMAHA 200 4-STROKE	200

HONDA PRE-RIG
 MERC. PRE-RIG
 MERC. OPTIMAX PRE-RIG
 YAMAHA PRE-RIG

20 SPORT

STANDARD EQUIPMENT


BAITWELL - W/ RAW WATER WASHDOWN
 BILGE PUMP
 BIMINI TOP
 BOW RAIL-STAINLESS STEEL
 CASTING DECK FISHBOX / STORAGE
 CLEATS - (3)
 COMPASS
 DRINK HOLDERS
 INSTRUMENTATION: FUEL, MPH, RPM
 GLOVE BOX W/ LOCK
 GRAB RAIL - WINDSHIELD (STAINLESS STEEL)
 GUNNEL TRIM - RIGID VINYL
 HALF DIVE PLATFORM W/ LADDER
 HATCHES - W/ TRUE GUTTER SYSTEM
 HORN - ELECTRIC
 PORTA-POTTIE - ENCLOSED IN CONSOLE
 ROD HOLDERS - 1 PAIR
 ROPE LOCKER STORAGE
 ROD RACKS - COCKPIT (6) HORIZONTAL
 SEATS - AFT JUMP - 2 MOLDED
 SEAT - LEANING POST BAITSTATION
 SPRINGLINE CLEATS
 STEERING - NO FEED BACK
 STRIPING - BLUE
 SWITCH AND BREAKER PANEL
 WINDSHIELD - PLEXIGLASS

OPTIONAL EQUIPMENT

SHRINK WRAP
 STEERING - HYDRAULIC
 TOP - T-TOP W/ ELECTRONICS BOX

NOTES

20 DC



SPECIFICATIONS

L.O.A.20'2" (6.15m)
 BEAM8'0" (2.44m)
 DRAFT - HULL15" (0.38m)
 DEADRISE19°
 FUEL CAPACITY70 GAL (265.0L)
 WEIGHT - HULL (APPR) .2,500 LBS (1134kg)
 WEIGHT - TRAILER (APPR) 4,000 LBS (1814kg)
 COCKPIT AREA87 SQ. FT. (26.52m²)
 COCKPIT DEPTH22" (0.56m)
 BRIDGE CLEARANCE6'2" (1.88m)
 MAX. HP200 (149.14kw)
 BAITWELL CAPACITY9.75 GAL (36.9L)
 FISH BOX CAPACITY9.75 GAL (36.9L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT UNLESS NOTED)	
HONDA 130 4-STROKE	130
HONDA 200 4-STROKE	200
MERCURY 150	150
MERCURY 150 OPTI	150
MERCURY 200	200
MERCURY 200 OPTI	200
YAMAHA 200 4-STROKE	200

HONDA PRE-RIG
 MERC. PRE-RIG
 MERC. OPTIMAX PRE-RIG
 YAMAHA PRE-RIG

20 DC

STANDARD EQUIPMENT


BAITWELL - W/ RAW WATER WASHDOWN
BILGE PUMP
BIMINI TOP
BOW RAIL-STAINLESS STEEL
CASTING DECK FISHBOX / STORAGE BOX
(INSULATED)
CONSOLE - DUAL W/ STORAGE
CLEATS - (4)
COMPASS
DRINK HOLDERS
INSTRUMENTATION: FUEL, MPH, RPM
GLOVE BOX W/ LOCK
GUNNEL TRIM - RIGID VINYL
HALF DIVE PLATFORM W/ LADDER
HATCHES - W/ TRUE GUTTER SYSTEM
HORN - ELECTRIC
ROD HOLDERS - 1 PAIR
ROD RACKS - COCKPIT (6) HORIZONTAL
ROPE LOCKER STORAGE
SEATS - AFT JUMP - 2 MOLDED
SEAT - CAPTAINS CHAIRS
SPRINGLINE CLEATS
STEERING - NO FEED BACK
STRIPING - BLUE
SWITCH AND BREAKER PANEL
WINDSHIELD - TEMPERED GLASS W/ PASS THRU

OPTIONAL EQUIPMENT

BOW CUSHIONS
SHRINK WRAP
STEERING - HYDRAULIC

NOTES

20 BAY




SPECIFICATIONS

L.O.A.20'5" (6.22m)
BEAM8'6" (2.59m)
DRAFT - HULL11" (0.28m)
DEADRISE13°
FUEL CAPACITY60 GAL (227.2L)
WEIGHT - HULL (APPR) ...2,059 LBS (934kg)
WEIGHT - TRAILER (APPR) 2,437 LBS (1105kg)
COCKPIT AREA79 SQ. FT. (24.08m²)
COCKPIT DEPTH17" (0.43m)
BRIDGE CLEARANCE4'7" (1.40m)
W/ TOP8'0" (2.44m)
MAX. HP200 (149.14kw)
BAITWELL CAPACITY15 GAL (56.8L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT UNLESS NOTED)	
MERCURY 115	115
MERCURY 115-4 STROKE	115
YAMAHA 115-4 STROKE	115
HONDA 115-4 STROKE	115
HONDA 130 4-STROKE	130
MERCURY 150	150
MERCURY 150 OPTI	150
MERCURY 200	200
MERCURY 200 OPTI	200
YAMAHA 200 4-STROKE	200
HONDA 200 4-STROKE	200

HONDA PRE-RIG
MERC. PRE-RIG
MERC. OPTIMAX PRE-RIG
YAMAHA PRE-RIG

22 SPORT**SPECIFICATIONS**

LOA	22'5" (6.83m)
BEAM	8'3" (2.51m)
DRAFT - HULL	15" (0.38m)
DEADRISE	19°
FUEL CAPACITY	90 GAL (340.8L)
WEIGHT - HULL (APPR)	..2,750 LBS (1247kg)
WEIGHT - TRAILER (APPR)	4,500 LBS (2041kg)
COCKPIT AREA	92 SQ. FT. (28.04m ²)
COCKPIT DEPTH	27" (0.69m)
BRIDGE CLEARANCE	5'10" (1.78m)
W/ T-TOP	8'0" (2.44m)
MAX. HP	225 (167.78kw)
BAITWELL CAPACITY	20 GAL (132.5L)
CASTING DECK BOX CAP.	..27 GAL (102.2L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT UNLESS NOTED)	
HONDA 200 4-STROKE	200
HONDA 225 4-STROKE	225
MERCURY 150	150
MERCURY 150 OPTI	150
MERCURY 200	200
MERCURY 200 OPTI	200
MERCURY 225 EFI	225
MERCURY 225 OPTI	225
MERCURY 225 4-STROKE	225
YAMAHA 200 4-STROKE	200
YAMAHA 225 4-STROKE	225

HONDA PRE-RIG
MERC. PRE-RIG
MERC. OPTIMAX PRE-RIG
YAMAHA PRE-RIG

22 SPORT

STANDARD EQUIPMENT


BAITWELL - W/ RAW WATER WASHDOWN
 BILGE PUMP
 BIMINI TOP
 BOW RAIL-STAINLESS STEEL
 CASTING DECK FISHBOX / STORAGE BOX
 CLEATS - (3)
 COMPASS
 DRINK HOLDERS
 GLOVE BOX W/ LOCK
 GRAB RAIL - WINDSHIELD (STAINLESS STEEL)
 GUNNEL TRIM - RIGID VINYL
 HALF DIVE PLATFORM W/ LADDER
 HATCHES - W/ TRUE GUTTER SYSTEM
 HORN - ELECTRIC
 INSTRUMENTATION: FUEL, MPH, RPM
 PORTA-POTTIE - ENCLOSED IN CONSOLE
 ROD HOLDERS - 1 PAIR
 ROD RACKS - COCKPIT (6) HORIZONTAL
 ROPE LOCKER STORAGE
 SEAT - LEANING POST BAITSTATION
 SEATS - AFT JUMP - 2 MOLDED
 SPRINGLINE CLEATS
 STEERING - NO FEED BACK
 STRIPING - BLUE
 SWITCH AND BREAKER PANEL
 WINDSHIELD - PLEXIGLASS

OPTIONAL EQUIPMENT

SHRINK WRAP
 STEERING - HYDRAULIC
 TOP - T-TOP W/ ELECTRONICS BOX

NOTES

22 DC



SPECIFICATIONS

L.O.A.22'5" (6.83m)
 BEAM8'3" (2.51m)
 DRAFT - HULL15" (0.38m)
 DEADRISE19°
 FUEL CAPACITY90 GAL (340.8L)
 WEIGHT - HULL (APPR) 3,050 LBS (1383kg)
 WEIGHT - TRAILER (APPR) 4,179 LBS (1896kg)
 COCKPIT AREA92 SQ. FT. (28.04m²)
 COCKPIT DEPTH22" (0.56m)
 BRIDGE CLEARANCE6'2" (1.88m)
 MAX. HP225 (167.78kw)
 BAITWELL CAPACITY9.75 GAL (36.9L)
 FISH BOX CAPACITY9.75 GAL (36.9L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT UNLESS NOTED)	
HONDA 200 4- STROKE	200
HONDA 225 4-STROKE	225
MERCURY 150	150
MERCURY 150 OPTI	150
MERCURY 200	200
MERCURY 200 OPTI	200
MERCURY 225 EFI	225
MERCURY 225 4-STROKE	225
MERCURY 225 OPTI	225
YAMAHA 200 4-STROKE	200
YAMAHA 225 4-STROKE	225


HONDA PRE-RIG
 MERC. PRE-RIG
 MERC. OPTIMAX PRE-RIG
 YAMAHA PRE-RIG

STANDARD EQUIPMENT

BAITWELL - W/ RAW WATER WASHDOWN
BILGE PUMP
BIMINI TOP
BOW RAIL-STAINLESS STEEL
CASTING DECK FISHBOX / STORAGE BOX
CONSOLE - DUAL W/ STORAGE
CLEATS - (4)
COMPASS
DRINK HOLDERS
INSTRUMENTATION: FUEL, MPH, RPM
GLOVE BOX W/ LOCK
GUNNEL TRIM - RIGID VINYL
HALF DIVE PLATFORM W/ LADDER
HATCHES - W/ TRUE GUTTER SYSTEM
HORN - ELECTRIC
ROD HOLDERS - 1 PAIR
ROD RACKS - COCKPIT (6) HORIZONTAL
ROPE LOCKER STORAGE
SEATS - AFT JUMP - 2 MOLDED
SEAT - CAPTAINS CHAIRS
SPRINGLINE CLEATS
STEERING - NO FEED BACK
STRIPING - BLUE
SWITCH AND BREAKER PANEL
WINDSHIELD - TEMPERED GLASS W/ PASS THRU

OPTIONAL EQUIPMENT

BOW CUSHIONS
SHRINK WRAP
STEERING - HYDRAULIC

NOTES**SPECIFICATIONS**

L.O.A.21'11" (6.68m)
BEAM8'6" (2.59m)
DRAFT - HULL11" (0.28m)
DEADRISE13°
FUEL CAPACITY60 GAL (227.2L)
WEIGHT - HULL (APPR) . 2,284 LBS (1036kg)
WEIGHT - TRAILER (APPR) 3248 LBS (1207kg)
COCKPIT AREA87 SQ. FT. (26.52m²)
COCKPIT DEPTH17" (0.43m)
BRIDGE CLEARANCE4'7" (1.40m)
W/ TOP8'0" (2.44m)
MAX. HP225 (167.78kw)
BAITWELL CAPACITY15 GAL (56.8L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT UNLESS NOTED)	
HONDA 200 4-STROKE	.200
HONDA 225 4-STROKE	.225
MERCURY 150	.150
MERCURY 150 OPTI	.150
MERCURY 200	.200
MERCURY 200 OPTI	.200
MERCURY 225 EFI	.225
MERCURY 225 OPTI	.225
MERCURY 225 4-STROKE	.225
YAMAHA 200 4-STROKE	.200
YAMAHA 225 4-STROKE	.225

HONDA PRE-RIG
MERC. PRE-RIG
MERC. OPTIMAX PRE-RIG
YAMAHA PRE-RIG

STANDARD EQUIPMENT

BAITWELL - W/ RAW WATER WASHDOWN
 BILGE PUMP
 BOW RAIL - SPLIT AT CASTING DECK
 CASTING DECK W/ STORAGE
 CLEATS - 4 1/2" POP-UPS (4)
 COMPASS
 COOLER UNDER LEANING POST
 DRINK HOLDERS
 FULL INSTRUMENTATION:
 - FUEL, MPH, RPM, TEMP, TRIM, VOLT
 GRAB RAIL - WINDSHIELD (STAINLESS STEEL)
 GUNNEL TRIM - RIGID VINYL
 HALF DIVE PLATFORM W/ LADDER
 HATCHES - W/ TRUE GUTTER SYSTEM
 HORN - ELECTRIC
 LOCKABLE STORAGE - PORT & STARBOARD
 MATCHING ENGINE GRAPHICS - FACTORY
 INSTALLED ON MERC ONLY
 PRE-WIRE FOR TROLLING MOTOR (WIRE ONLY)
 ROD HOLDERS - VERTICAL (9)
 ROPE LOCKER STORAGE
 SEATS - LEANING POST w/cooler
 STEERING - HYDRAULIC
 STORAGE - CENTER CONSOLE
 STRIPING - BLUE
 SWITCH AND BREAKER PANEL
 TACKLE BOX
 WINDSHIELD - PLEXIGLASS

OPTIONAL EQUIPMENT

BATTERY SWITCH - ON/OFF
BATTERY CHARGER
BIMINI TOP
BOW RAIL-STAINLESS STEEL SPLIT
- CASTING DECK TO TRANSOM (PORT & STRBD)
COCKPIT LIGHTS
COOLER W/ CUSHION (FORWARD CONSOLE)
COOLER SEAT W/ FLIP-FLOP BACKREST
CUSHIONS-PORT & STARBOARD FORWARD SEATS
DIVE LADDER
GRAPHICS (HULL COLOR): BLACK, BLUE, GREEN
RECIRCULATING BAITWELL SYSTEM W/ TIMER
REMOVABLE CASTING DECK SEATS (FWD. & AFT)
SPREADER LIGHTS (T-TOP REQUIRED)
STEREO - AM/FM CD W/ 4 SPEAKERS
STRIPING - GREEN, BLACK
T-TOP w/ ELECTRONICS BOX
TRIM TABS

OPTIONs CONT.

ELECTRONICS PACKAGE #1
DEPTH FINDER / FISHFINDER
VHF RADIO


ELECTRONICS PACKAGE #2
GPS / DEPTHFINDER / FISHFINDER
VHF RADIO

ELECTRONICS PACKAGE #3
CHART PLOTTER / GPS
DEPTH FINDER / FISH FINDER
VHF RADIO

NOTES

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no text or other markings on the paper.

23 SPORT



SPECIFICATIONS

L.O.A.	24'5" (7.44m)
BEAM	8'6" (2.59m)
DRAFT - HULL	18" (0.46m)
DEADRISE	22°
FUEL CAPACITY	140 GAL (530.1L)
WEIGHT - HULL (APPR)	3,300 LBS (1497kg)
WEIGHT - TRAILER (APPR)	5850 LBS (2654kg)
COCKPIT AREA	80 SQ. FT. (24.38m ²)
COCKPIT DEPTH	27" (0.69m)
BRIDGE CLEARANCE	6'7" (2.01m)
W/ T-TOP	7'9" (2.36m)
MAX. HP	300 (223.71kw)
BAITWELL CAPACITY	35 GAL (132.5L)
FISH BOX CAPACITY	32 GAL (121.2L)
FISH BOX CAP (FWD)	70 GAL (265.0L)

ENGINE OPTIONS

ENGINE	HP
(25" SHAFT FOR TWINS / 30" SHAFT FOR SINGLE)	
HONDA 225 4-STROKE	225
MERCURY 225 EFI	225
MERCURY 225 OPTI	225
MERCURY 225 4-STROKE	225
MERCURY 250 EFI	250
MERCURY TWIN 150	300
MERCURY TWIN 150 OPTI	300
YAMAHA 225 4-STROKE	225
YAMAHA TWIN 115	230

MERC. PRE-RIG
MERC. OPTIMAX PRE-RIG
YAMAHA PRE-RIG

STANDARD EQUIPMENT

BAITWELL - W/ RAW WATER WASHDOWN
 BILGE PUMP
 BIMINI TOP
 BOW RAIL-STAINLESS STEEL
 BOW PULPIT W/ ANCHOR ROLLER
 CLEATS - (4)
 CLEATS - (2) UNDER GUNNEL
 COMPASS
 DIVE PLATFORM - INTEGRATED W/ LADDER
 DRINK HOLDERS
 FISH BOXES W/ MACERATOR
 FLOOR STORAGE
 FULL INSTRUMENTATION - FUEL, MPH, RPM,
 TEMP, TRIM, VOLT
 ELECTRONICS BOX W/ LOCK
 GUNNEL TRIM - RIGID VINYL
 HAWSE PIPES
 HORN - ELECTRIC
 LEANING POST / BAITSTATION
 PORTA-POTTIE - ENCLOSED IN CONSOLE
 ROD HOLDERS - 1 PAIR
 ROD RACKS - COCKPIT (8) HORIZONTAL
 ROPE LOCKER STORAGE
 SPRINGLINE CLEATS
 STEERING - HYDRAULIC
 STORAGE - CASTING DECK
 STRIPING - BLUE
 SWITCH AND BREAKER PANEL
 TACKLE BOX
 TRANSOM DOOR
 WINDSHIELD - PLEXIGLASS

OPTIONAL EQUIPMENT

BATTERY SWITCH FOR DUAL BATTERIES
BOW CUSHION
COCKPIT BOLSTERS
COCKPIT LIGHTS
CURTAIN PACKAGE (T-TOP REQUIRED)
FRESH WATER TRANSOM SHOWER
GRAPHICS (HULL COLOR): BLACK, BLUE, GREEN
LIGHT - REMOTE SPOT (T-TOP REQUIRED)
LIGHTS - SPREADER (T-TOP REQUIRED)
MATCHING ENGINE GRAPHICS - FACTORY
INSTALLED - MERC ONLY
OUTRIGGERS - T-TOP REQUIRED
ROD HOLDERS - 1 PAIR
SHRINK WRAP
STEREO - AM/FM CD W/ 4 SPEAKERS
STRIPING - GREEN, BLACK

OPTIONS CONT.

TRIM TABS
T-TOP W/ ELECTRONICS BOX
WINDLASS

ELECTRONICS PACKAGE #1

DEPTH FINDER / FISHFINDER
VHF RADIO


ELECTRONICS PACKAGE #2

GPS / DEPTHFINDER / FISHFINDER
VHF RADIO

ELECTRONICS PACKAGE #3

CHART PLOTTER / GPS
DEPTH FINDER / FISH VHF RADIO

NOTES



SPECIFICATIONS


L.O.A.	23'11" (7.29m)
BEAM	8'6" (2.59m)
DRAFT - HULL	11" (0.28m)
DEADRISE	13°
FUEL CAPACITY	82 GAL (310.5L)
WEIGHT - HULL (APPR)	2,513 LBS (1140kg)
WEIGHT - TRAILER (APPR)	3,887 LBS (1310kg)
COCKPIT AREA	90 SQ. FT. (27.43m ²)
COCKPIT DEPTH	17" (0.43m)
BRIDGE CLEARANCE	4'7" (1.40m)
W/ TOP	8'0" (2.44m)
MAX. HP	225 (167.78kw)
BAITWELL CAPACITY	18 GAL (68.2L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT UNLESS NOTED)	
HONDA 200 4-STROKE	200
HONDA 225 4-STROKE	225
MERCURY 150	150
MERCURY 150 OPTI	150
MERCURY 200	200
MERCURY 200 OPTI	200
MERCURY 225 EFI	225
MERCURY 225 OPTI	225
MERCURY 225 4-STROKE	225
YAMAHA 200 4-STROKE	200
YAMAHA 225 4-STROKE	225

HONDA PRE-RIG
MERC. PRE-RIG
MERC. OPTIMAX PRE-RIG
YAMAHA PRE-RIG

25 SPORT



SPECIFICATIONS


L.O.A.	25'5" (7.75m)
BEAM	8'6" (2.59m)
DRAFT - HULL	14" (0.36m)
DEADRISE	19°
FUEL CAPACITY	138 GAL (545.2L)
WEIGHT - HULL (APPR)	3,600 LBS (1633kg)
WEIGHT - TRAILER (APPR)	5,750 LBS (2608kg)
COCKPIT AREA	104 SQ. FT. (31.70m²)
COCKPIT DEPTH	29" (0.74m)
BRIDGE CLEARANCE	6'9" (2.06m)
W/ T-TOP	8'1" (2.46m)
MAX. HP	300 (223.71kw)
BAITWELL CAPACITY	15 GAL (132.5L)
FISH BOX CAPACITY	40 GAL (151.4L)
CONSOLE COOLER CAP.	16 GAL (60.6L)
FRESH WATER CAPACITY	15 GAL (56.8L)

ENGINE OPTIONS

ENGINE	HP
HONDA 225 4-STROKE	225
HONDA TWIN 130 4-STROKE	260
MERCURY 225 4-STROKE	225
MERCURY 225 EFI	225
MERCURY 225 OPTI	225
MERCURY 250 EFI	250
MERC. TWIN 135 OPTI	270
MERC. TWIN 150	300
MERC. TWIN 150 OPTI	300
YAMAHA 200 4-STROKE	200
YAMAHA 225 4-STROKE	225

HONDA PRE-RIG
MERC. PRE-RIG
MERC. OPTIMAX PRE-RIG
YAMAHA PRE-RIG

26 SPORT



SPECIFICATIONS


L.O.A.	27'0" (8.23m)
BEAM	8'6" (2.59m)
DRAFT - HULL	16" (0.41m)
DEADRISE	19°
FUEL CAPACITY	170 GAL (643.7L)
WEIGHT - HULL (APPR)	4,500 LBS (2041kg)
WEIGHT - TRAILER (APPR)	7,500 LBS (3402kg)
COCKPIT AREA	91 SQ. FT. (27.74m²)
COCKPIT DEPTH	28" (0.71m)
BRIDGE CLEARANCE	6'9" (2.06m)
W/ T-TOP	8'6" (2.59m)
MAX. HP	400 (298.28kw)
BAITWELL CAPACITY	35 GAL (132.5L)
FISH BOX CAP. (2)	45 GAL (170.4L)
FRESH WATER CAPACITY	15 GAL (56.8L)

ENGINE OPTIONS

ENGINE	HP
(25" SHAFT FOR TWIN / 30" FOR SINGLES)	
HONDA 225 4-STROKE	225
HONDA TWIN 130 4-STROKE	260
HONDA TWIN 200 4-STROKE	400
MERCURY 225 EFI	225
MERCURY 225 OPTI	225
MERCURY 225 4-STROKE	225
MERCURY 250 EFI	250
MERCURY TWIN 150	300
MERCURY TWIN 150 OPTI	300
MERCURY TWIN 200	400
MERCURY TWIN 200 OPTI	400
YAMAHA 225 4-STROKE	225

HONDA TWIN PRE-RIG
 MERC. PRE-RIG
 MERC. OPTIMAX PRE-RIG
 YAMAHA PRE-RIG

27 SPORT



SPECIFICATIONS

L.O.A.	29'1" (8.86m)
BEAM	9'10" (3.00m)
DRAFT - HULL	.20" (0.56m)
DEADRISE	19°
FUEL CAPACITY	200 GAL (757.2L)
WEIGHT - HULL (APPR) ..	5,200 LBS (2359kg)
WEIGHT - TRAILER (APPR)	8,550 LBS (3878kg)
COCKPIT DEPTH	.26" (0.66m)
BRIDGE CLEARANCE	7'1" (2.16m)
W/ T-TOP	8'2" (2.49m)
MAX. HP	500 (372.85kw)
BAITWELL CAPACITY	35 GAL (132.5L)
FISH BOX CAP. (2)	50 GAL (189.3L)
FRESH WATER CAPACITY	15 GAL (56.8L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT FOR TWINS)	
HONDA TWIN 200 4-STROKE	400
HONDA TWIN 225 4-STROKE	450
MERCURY TWIN 200	400
MERCURY TWIN 200 OPTI	400
MERCURY TWIN 225 4-STROKE ...	450
MERCURY TWIN 225 EFI	450
MERCURY TWIN 225 OPTI	450
MERCURY TWIN 250 EFI	500
YAMAHA TWIN 200 4-STROKE	400
YAMAHA TWIN 225 4-STROKE ...	450

HONDA TWIN PRE-RIG
 MERC. PRE-RIG
 MERC. OPTIMAX PRE-RIG
 YAMAHA PRE-RIG

SPORT SERIES

THE PRO-LINE STORY

GENERAL FEATURES AND BENEFITS

46

LIGHTS - SPREADER (TOP REQUIRED)
MATCHING ENGINE GRAPHICS - FACTORY
INSTALLED - MERC ONLY
OUTRIGGERS - T-TOP REQUIRED
SHRINK WRAP
STEREO - AM/FM CD W/ 4 SPEAKERS
T-TOP W/ ELECTRONICS BOX
STRIPING - GREEN, BLACK
WINDLASS -W/ ROPE & CHAIN

ELECTRONICS PACKAGE #1
DEPTH FINDER / FISHFINDER
VHF RADIO


ELECTRONICS PACKAGE #3
CHART PLOTTER / GPS
DEPTH FINDER / FISH FINDER
VHF RADIO

PERFORMANCE SPECIFICATIONS

WALK SERIES

EXPRESS SERIES

30 SPORT



SPECIFICATIONS

L.O.A.	32'6" (9.91m)
BEAM	10'10" (3.30m)
DRAFT - HULL	22" (0.56m)
DEADRISE	19°
FUEL CAPACITY	300 GAL (1135.9L)
WEIGHT - HULL (APPR)	6,300 LBS (2858kg)
WEIGHT - TRAILER (APPR)	11,000 LBS (4990kg)
COCKPIT DEPTH	30" (0.76m)
COCKPIT AREA	145 SQ. FT. (44.20m²)
BRIDGE CLEARANCE	7'0" (2.13m)
W/ T-TOP	8'3" (2.51m)
MAX. HP	500 (372.85kw)
BILGEWELL CAPACITY	45 GAL (170.4L)
FISH BOX CAP. (2)	90 GAL (340.8L)
FRESH WATER CAP.	39 GAL (147.7L)

ENGINE OPTIONS

ENGINE	HP
(ALL 30" SHAFTS)	
HONDA TWIN 225 4-STROKE	450
MERC. TWIN 225 EFI	450
MERC. TWIN 225 OPTI	450
MERC. TWIN 225 4- STROKE	450
MERC. TWIN 250 EFI	500
YAMAHA TWIN 225 4-STROKE ...	450

HONDA PRE-RIG
MERC. PRE-RIG
MERC. OPTIMAX PRE-RIG
YAMAHA PRE-RIG

SPORT SERIES

**THE PRO-LINE
STORY**

**GENERAL FEATURES
AND BENEFITS**

**PERFORMANCE
SPECIFICATIONS**

WALK SERIES

EXPRESS SERIES

WALK SERIES

20 • 22 • 23 • 25

26 • 27 • 30 • 33

The new 2003 line of Pro-Line cabin boats are truly phenomenal. Demand for these fishing machines has been outstanding and, with the addition of new interior fabrics and many model updates, this line offers more than any of the competition.

When presenting a Pro-Line Walk, be sure to get your prospects into the boat. Point out the deep interior freeboard, the placement of all the necessary fishing equipment, the deep wide walkarounds, collapsible hinges on the floor hatches, 316 L thru-bolted stainless steel hardware with backing plates and aircraft lock nuts, large cleats, molded bow pulpits (where applicable) and more.


Inside the cabins, your customers will find the most spacious and accommodating interiors of any on the market. Fabrics are made of high-grade Scotchguarded materials. Hardware down below is second to none and the models with enclosed heads give your prospects plenty of room to make even the largest of anglers comfortable. Storage is abundant and headliners are made of premium foam backed materials for ease of maintenance.

Every Pro-Line model comes with full instrumentation and a complete set of weather resistant rocker switches. Wiring is color-coded and every connection is heat shrunk to ensure no corrosion or breakage. Pro-Line even goes as far as labeling the buss-bars to make adding future equipment as easy as 1-2-3!

The hulls are all built with rough water capabilities in mind. Boasting deep vee hulls with reversed chines, the ride is stable, dry and feels like a much bigger boat.

If your prospects are looking for a true cabin boat with the amenities that no other offers, then a Pro-Line Walk or Express is the boat for them!

20 WALK



SPECIFICATIONS

L.O.A.	20'2" (6.15m)
BEAM	8'0" (2.44m)
DRAFT - HULL	15" (0.38m)
DEADRISE	19°
FUEL CAPACITY	70 GAL (265.0L)
WEIGHT - HULL (APPR) ...	2,100 LBS (935kg)
WEIGHT - TRAILER (APPR)	4,500 LBS (2041kg)
COCKPIT AREA	47 SQ. FT. (14.33m ²)
COCKPIT DEPTH	22" (0.56m)
BRIDGE CLEARANCE	5'10" (1.78m)
W/ TOP	8'0" (2.44m)
MAX. HP	200 (149.14kw)
BAITWELL CAPACITY	27 GAL (102.2L)
FISH BOX CAPACITY	27 GAL (102.2L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT UNLESS NOTED)	
HONDA 130 4-STROKE	130
HONDA 200 4-STROKE	200
MERCURY 150	150
MERCURY 150 OPTI	150
MERCURY 200	200
MERCURY 200 OPTI	200
YAMAHA 200 4-STROKE	200

HONDA PRE-RIG
 MERC. PRE-RIG
 MERC. OPTIMAX PRE-RIG
 YAMAHA PRE-RIG

20 WALK

STANDARD EQUIPMENT


BAITWELL - W/ RAW WATER WASHDOWN
 BILGE PUMP
 BIMINI TOP
 BOW RAIL-STAINLESS STEEL
 CABIN CUSHIONS
 CABIN DOOR - POLY BI-FOLD
 CABIN HATCH
 CABIN PORTHOLES - 2
 CLEATS - (3)
 CUSHION - FORWARD FILLER
 COMPASS
 DRINK HOLDERS
 INSTRUMENTATION:
 - FUEL, MPH, RPM
 GUNNEL TRIM - RIGID VINYL
 HALF DIVE PLATFORM W/ LADDER
 HORN - ELECTRIC
 PORTA-POTTIE W/ FILLER BOARD
 ROD HOLDERS - 1 PAIR
 ROD RACKS - COCKPIT (6) HORIZONTAL
 ROPE LOCKER STORAGE
 SEATS - AFT JUMP - 2 MOLDED
 SEAT - CAPTAINS CHAIRS
 SPRINGLINE CLEATS
 STEERING - NO FEED BACK
 STRIPING - BLUE
 SWITCH AND BREAKER PANEL
 WINDSHIELD - TEMPERED GLASS

OPTIONAL EQUIPMENT

HARD TOP W/ ELECTRONICS BOX
 SHRINK WRAP
 STEERING - HYDRAULIC

NOTES

22 WALK



SPECIFICATIONS

LOA22'5" (6.83m)
 BEAM8'3" (2.51m)
 DRAFT - HULL16" (0.41m)
 DEADRISE19°
 FUEL CAPACITY90 GAL (340.8L)
 WEIGHT - HULL (APPR) ..3,000 LBS (1634kg)
 WEIGHT - TRAILER (APPR) 4,900 LBS (2223kg)
 COCKPIT AREA58 SQ. FT. (17.68m²)
 COCKPIT DEPTH27" (0.69m)
 BRIDGE CLEARANCE5'10" (1.78m)
 W/ TOP8'0" (2.44m)
 MAX. HP225 (167.78kw)
 BAITWELL CAPACITY27 GAL (102.2L)
 FISH BOX CAPACITY27 GAL (102.2L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT UNLESS NOTED)	
HONDA 200 4-STROKE	200
HONDA 225 4-STROKE	225
MERCURY 150	150
MERCURY 150 OPTI	150
MERCURY 200	200
MERCURY 200 OPTI	200
MERCURY 225 EFI	225
MERCURY 225 OPTIMAX	225
MERCURY 225 4-STROKE	225
YAMAHA 200 4-STROKE	200
YAMAHA 225 4-STROKE	225

HONDA PRE-RIG
 MERC. PRE-RIG
 MERC. OPTIMAX PRE-RIG
 YAMAHA PRE-RIG

22 WALK

STANDARD EQUIPMENT


BAITWELL - W/ RAW WATER WASHDOWN
 BILGE PUMP
 BIMINI TOP
 BOW RAIL-STAINLESS STEEL
 CABIN CUSHIONS
 CABIN DOOR - POLY BI-FOLD
 CABIN HATCH
 CABIN PORTHOLES - 2
 CLEATS - (4)
 CUSHION - FORWARD FILLER
 COMPASS
 DRINK HOLDERS
 INSTRUMENTATION:
 - FUEL, MPH, RPM
 GUNNEL TRIM - RIGID VINYL W/ INSERT
 HALF DIVE PLATFORM W/ LADDER
 HORN - ELECTRIC
 PORTA-POTTIE W/ FILLER BOARD
 ROD HOLDERS - 1 PAIR
 ROD RACKS - COCKPIT (6) HORIZONTAL
 ROPE LOCKER STORAGE
 SEATS - AFT JUMP - 2 MOLDED
 SEAT - CAPTAINS CHAIRS
 STEERING - NO FEED BACK
 STRIPING - BLUE
 SWITCH AND BREAKER PANEL
 WINDSHIELD - TEMPERED GLASS

OPTIONAL EQUIPMENT

HARD TOP W/ ELECTRONICS BOX
 SHRINK WRAP
 STEERING - HYDRAULIC

NOTES

23 WALK



SPECIFICATIONS

LOA24'5" (7.44m)
 BEAM8'6" (2.59m)
 DRAFT - HULL18" (0.46m)
 DEADRISE22°
 FUEL CAPACITY140 GAL (530.1L)
 WEIGHT - HULL (APPR) ...3,700 LBS (1678kg)
 WEIGHT - TRAILER (APPR) 6,500 LBS (2948kg)
 COCKPIT AREA49 SQ. FT. (14.94m²)
 COCKPIT DEPTH27" (0.69m)
 BRIDGE CLEARANCE6'0" (1.83m)
 W/ TOP8'1" (2.46m)
 MAX. HP300 (223.71kw)
 BAITWELL CAPACITY15 GAL (56.8L)
 FISH BOX CAPACITY (2)20 GAL (75.7L)
 FRESH WATER CAPACITY6 GAL (22.7L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT ON TWINS, 30" ON SINGLE)	
HONDA 225 4-STROKE	225
MERCURY 225 EFI	225
MERCURY 225 OPTIMAX	225
MERCURY 225 4-STROKE	225
MERCURY 250 EFI	250
MERCURY TWIN 150	300
MERCURY TWIN 150 OPTI	300
YAMAHA 225 4-STROKE	225
YAMAHA TWIN 115	230

MERC. PRE-RIG
 MERC. OPTIMAX PRE-RIG
 YAMAHA PRE-RIG



STANDARD EQUIPMENT

12-VOLT RECEPTACLE
BIMINI TOP
BOW PULPIT W/ ANCHOR ROLLER
BOW SEAT W/ CUSHION
BAITWELL - W/ RAW WATER WASHDOWN
BILGE PUMP
BOW RAIL-STAINLESS STEEL
CABIN CUSHIONS & BOLSTERS
CABIN DOOR - ACRYLIC
CABIN HATCH
CABIN LIGHTS
CABIN PORTHOLES - 2
CLEATS - 8" (1), 6" POP-UPS (4)
COMPASS
DRINK HOLDERS
FULL INSTRUMENTATION:
- FUEL, MPH, RPM, TEMP, TRIM, VOLT
GUNNEL TRIM - RIGID VINYL
HALF DIVE PLATFORM W/ LADDER (INTEGRATED)
HATCHES W/ TRUE GUTTER SYSTEM
HAWSE PIPES
HORN - ELECTRIC
INSULATED FISH BOXES
PORTA-POTTIE
ROD HOLDERS - 1 PAIR
ROD RACKS - COCKPIT (6) HORIZONTAL
ROPE LOCKER STORAGE
SEAT - CAPTAINS CHAIRS
SPRINGLINE CLEATS
STEERING - HYDRAULIC
STRIPING - BLUE
SWITCH AND BREAKER PANEL
TACKLE BOX
TRANSOM DOOR
WINDSHIELD - TEMPERED GLASS

OPTIONAL EQUIPMENT

BATTERY SWITCH FOR DUAL BATTERIES
COCKPIT BOLSTERS
COCKPIT LIGHTS
COCKPIT SHOWER
CURTAIN PKG. - BIMINI
CURTAIN PKG. HARD TOP
GRAPHICS (HULL COLOR): BLACK, BLUE, GREEN
LIGHT - REMOTE SPOT - HARD TOP REQUIRED
LIGHTS - SPREADER (TOP REQUIRED)
MATCHING ENGINE GRAPHICS - FACTORY
INSTALLED - MERC ONLY



OPTIONS CONT.


OUTRIGGERS - HARD TOP REQUIRED
ROD HOLDERS - 1 PAIR
SHRINK WRAP
STEREO - AM/FM CD W/ 4 SPEAKERS
STRIPING - GREEN, BLACK
TOP - HARD W/ ELECTRONICS BOX
TRIM TABS
WIPER - PORT and/or STARBOARD
WINDLASS - W/ BOW PROTECTOR, ROPE
& CHAIN

ELECTRONICS PACKAGE #1
DEPTH FINDER / FISHFINDER
VHF RADIO

ELECTRONICS PACKAGE #2
GPS / DEPTHFINDER / FISHFINDER
VHF RADIO

ELECTRONICS PACKAGE #3
GPS / CHARTPLOTTER
DEPTH FINDER / FISH FINDER
VHF RADIO

NOTES

25 WALK**SPECIFICATIONS**

L.O.A.	25'5" (7.75m)
BEAM	8'6" (2.59m)
DRAFT - HULL	14" (0.36m)
DEADRISE	19°
FUEL CAPACITY	138 GAL (522.5L)
WEIGHT - HULL (APPR) .	4,150 LBS (1882kg)
WEIGHT - TRAILER (APPR)	7,000 LBS (3175kg)
COCKPIT AREA	.60 SQ. FT. (18.29m²)
COCKPIT DEPTH	.28" (0.71m)
BRIDGE CLEARANCE	5'8" (1.73m)
W/ TOP	8'4" (2.54m)
MAX. HP	300 (223.71kw)
BAITWELL CAPACITY	.15 GAL (56.8L)
FISH BOX CAPACITY (2) .	.30 GAL (113.6L)
FRESH WATER CAPACITY .	.6 GAL (22.7L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT)	
HONDA TWIN 130 4-STROKE	260
MERCURY 225 EFI	225
MERCURY 225 OPTIMAX	225
MERCURY 250 EFI	250
MERCURY TWIN 135 OPTI	270
MERCURY TWIN 150	300
MERCURY TWIN 150 OPTI	300
YAMAHA 225 4-STROKE	225

HONDA PRE-RIG
MERC. PRE-RIG
MERC. OPTIMAX PRE-RIG
YAMAHA PRE-RIG

STANDARD EQUIPMENT

12-VOLT RECEPTACLE
BOW SEAT W/ CUSHION
BAITWELL - W/ RAW WATER WASHDOWN
BILGE PUMPS - 1250 AFT, 500 FORWARD
BIMINI TOP
BOW PULPIT W/ ANCHOR ROLLER
BOW RAIL-STAINLESS STEEL
BRACKET - SINGLE + 2 (O/B)
CABIN BOW STORAGE W/ MIRRORED DOOR
CABIN CUSHIONS & BOLSTERS
CABIN DOOR - ACRYLIC
CABIN HATCH
CABIN LIGHTS
CABIN PORTHOLES - 2
CABIN TABLE W/ PED & FILLER CUSHION
CABIN V-BERTH STORAGE
CLEATS - (5)
COMPASS
COCKPIT SHOWER
DIVE PLATFORM - FULL W/ LADDER
DRINK HOLDERS
FRESH WATER CABIN SINK
FULL INSTRUMENTATION:
- FUEL, MPH, RPM, TEMP, TRIM, VOLT
GALLEY W/ BUTANE STOVE
GUNNEL TRIM - RIGID VINYL W/ STAINLESS
STEEL INSERT
HATCHES W/ TRUE GUTTER SYSTEM
HORN - ELECTRIC
FISH BOXES
PORTA-POTTIE
ROD HOLDERS - 2 PAIR
ROD RACKS - COCKPIT (6) HORIZONTAL
ROPE LOCKER STORAGE
SEAT - CAPTAINS CHAIRS
SPRINGLINE CLEATS
STEERING - HYDRAULIC
STRIPING - BLUE
SWITCH AND BREAKER PANEL
TACKLE BOX
TRANSOM DOOR
TRANSOM SEATING
TRIM TABS
WINDSHIELD - TEMPERED GLASS W/ VENT

OPTIONAL EQUIPMENT

BATTERY SWITCH FOR DUAL BATTERIES
COCKPIT BOLSTERS
COCKPIT LIGHTS
CURTAIN PKG. - BIMINI
CURTAIN PKG. - HARD TOP
CUSHION -CABIN AFT FILLER
DIVE LADDER
GRAPHICS (HULL COLOR):BLACK, BLUE, GREEN
HEAD - PORTA POTTIE W/ DOCKSIDE DISCHARGE
LIGHT - REMOTE SPOT - HARD TOP REQUIRED

25 WALK

OPTIONS CONT.

LIGHTS - SPREADER (TOP REQUIRED)
MATCHING ENGINE GRAPHICS - FACTORY
INSTALLED - MERC ONLY
OUTRIGGERS - HARD TOP REQUIRED
SHRINK WRAP
STEREO - AM/FM CD W/ 4 SPEAKERS
STRIPING - GREEN, BLACK
TOP - HARD W/ ELECTRONICS BOX
WINDLASS
WIPER - PORT and/or STARBOARD

ELECTRONICS PACKAGE #1

DEPTH FINDER / FISHFINDER
VHF RADIO

ELECTRONICS PACKAGE #2


GPS / DEPTHFINDER / FISHFINDER
VHF RADIO

ELECTRONICS PACKAGE #3

GPS / CHARTPLOTTER
DEPTH FINDER / FISH FINDER
VHF RADIO

NOTES

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

26 WALK
**SPECIFICATIONS**

L.O.A.	27'0" (8.23m)
BEAM	8'6" (2.59m)
DRAFT - HULL	17" (0.43m)
DEADRISE	19°
FUEL CAPACITY	165 GAL (624.7L)
WEIGHT - HULL (APPR) ..	4,250 LBS (1928kg)
WEIGHT - TRAILER (APPR)	7,250 LBS (3289kg)
COCKPIT AREA	45 SQ. FT. (13.72m ²)
COCKPIT DEPTH	28" (0.71m)
BRIDGE CLEARANCE	6'11" (2.11m)
W/ TOP	8'8" (2.64m)
MAX. HP	400 (298.28kw)
BAITWELL CAPACITY O/B ..	18 GAL (68.2L)
FISH BOX CAPACITY (2) ...	50 GAL (189.3L)
FRESHWATER CAPACITY ...	15 GAL (56.8L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT ON TWINS, 30" ON SINGLE)	
HONDA 200 4-STROKE	200
HONDA 225 4-STROKE	225
HONDA TWIN 130 4-STROKE	260
MERCURY 200 4-STROKE	200
MERCURY 225 EFI	225
MERCURY 225 OPTIMAX	225
MERCURY 225 4-STROKE	225
MERCURY 5.7L B3	250
MERCURY 250 EFI	250
MERCURY TWIN 135 OPTI	270
MERCURY TWIN 150	300
MERCURY TWIN 150 OPTI	300
MERCURY 6.2L MPI B3	320
MERCURY TWIN 200	400
MERCURY TWIN 200 OPTI	400
YAMAHA 225 4-STROKE	225
HONDA PRE-RIG	
MERC. PRE-RIG	
MERC. OPTIMAX PRE-RIG	
YAMAHA PRE-RIG SINGLE (EXCEPT ON 4-STROKE)	

26 WALK

STANDARD EQUIPMENT

12-VOLT RECEPTACLE
 BAITWELL - W/ RAW WATER WASHDOWN
 BILGE PUMPS - 1250 AFT, 500 FORWARD
 BIMINI TOP
 BOW PULPIT W/ ANCHOR ROLLER
 BOW RAIL-STAINLESS STEEL
 CABIN BOW STORAGE W/ MIRROR DOOR
 CABIN CUSHIONS & BOLSTERS
 CABIN DOOR - SLIDING ACRYLIC
 CABIN HATCH
 CABIN LIGHTS
 CABIN PORTHOLES - 4
 CABIN TABLE
 CABIN V-BERTH STORAGE
 CLEATS - 8" (5)
 COMPASS
 COCKPIT BOLSTERS
 COCKPIT SHOWER
 DIVE PLATFORM, INTEGRATED W/ LADDER
 DRINK HOLDERS
 FRESH WATER CABIN SINK
 FULL INSTRUMENTATION:
 - FUEL, MPH, RPM, TEMP, TRIM, VOLT
 FULL GALLEY W/ BUTANE STOVE AND ICEBOX
 GLOVE BOX W/ LOCK
 GUNNEL TRIM - RIGID VINYL W/ STAINLESS
 STEEL INSERT
 HATCHES W/ TRUE GUTTER SYSTEM
 HAWSE PIPES
 HORN - ELECTRIC
 FISH BOXES W/ MACERATOR
 PORTA-POTTIE
 ROD HOLDERS - 2 PAIR
 ROD RACKS - COCKPIT (6) HORIZONTAL
 ROPE LOCKER STORAGE
 SEAT - CAPTAINS CHAIRS
 SEATING - TRANSOM BENCH
 SPRINGLINE CLEATS
 STEERING - HYDRAULIC
 STRIPING - BLUE
 SWITCH AND BREAKER PANEL
 TACKLE BOX
 TRANSOM DOOR
 TRIM TABS
 WINDSHIELD - TEMPERED GLASS W/ VENT

OPTIONAL EQUIPMENT

AIR CONDITIONING - 5000 BTU (REQUIRES WEEK-
 ENDER PACKAGE)
 BATTERY SWITCH FOR DUAL BATTERIES
 COCKPIT LIGHTS
 CURTAIN PKG. - BIMINI
 CURTAIN PKG. HARD TOP
 CUSHION - CABIN AFT FILLER
 DIVE LADDER
 GRAPHICS (HULL COLOR): BLACK, BLUE, GREEN

26 WALK

OPTIONS CONT.

HEAD - PORTA POTTIE W/ DOCKSIDE DISCHARGE
 HEAD, ELECTRIC - W/ MACERATOR AND
 HOLDING TANK W/ PUMP-OUT
 LIGHT - REMOTE SPOT - HARD TOP REQUIRED
 LIGHTS - SPREADER (TOP REQUIRED)
 MATCHING ENGINE GRAPHICS - FACTORY
 INSTALLED - MERC ONLY
 OUTRIGGERS - HARD TOP REQUIRED
 SHRINK WRAP
 STEREO - AM/FM CD W/ 4 SPEAKERS
 STRIPING - GREEN, BLACK
 TOP - HARD W/ ELECTRONICS BOX
 WINDLASS - W/ BOW PROTECTOR, ROPE
 AND CHAIN
 WIPER - PORT and/or STARBOARD

WEEKENDER PACKAGE

110v OUTLETS (GFI PROTECTED)
 ALCOHOL/ELECTRIC STOVE
 BATTERY CHARGER
 BONDING SYSTEM
 ELECTRICAL DISTRIBUTION CENTER
 REFRIGERATOR
 SHORE POWER W/ CORD
 GALVANIC ISOLATOR

ELECTRONICS PACKAGE #1

DEPTH FINDER / FISHFINDER
 VHF RADIO

ELECTRONICS PACKAGE #2


GPS / DEPTHFINDER / FISHFINDER
 VHF RADIO

ELECTRONICS PACKAGE #3

GPS / CHARTPLOTTER
 DEPTH FINDER / FISH FINDER
 VHF RADIO

NOTES

27 WALK



SPECIFICATIONS

L.O.A.	29'1" (8.86m)
BEAM	9'10" (3.00m)
DRAFT - HULL	21" (0.53m)
DEADRISE	19°
FUEL CAP	200 GAL (757.2L)
WEIGHT - HULL (APPR)	..5,900 LBS (2676kg)
WEIGHT - TRAILER (APPR)	9,500 LBS (4309kg)
COCKPIT AREA	65 SQ. FT. (19.81m ²)
COCKPIT DEPTH	26" (0.66m)
BRIDGE CLEARANCE	7'9" (2.36m)
W/ TOP	9'7" (2.91m)
MAX. HP	500 (372.85kw)
BAITWELL CAPACITY O/B	..35 GAL (132.5L)
FISH BOX CAPACITY (2)	50 GAL (189.3L)
FRESH WATER CAPACITY	..30 GAL (113.6L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT)	
HONDA TWIN 200 4-STROKE	400
HONDA TWIN 225 4-STROKE	450
MERCURY TWIN 200	400
MERCURY TWIN 200 OPTI	400
MERCURY TWIN 200 4-STROKE	400
MERCURY TWIN 225 EFI	450
MERCURY TWIN 225 OPTI	450
MERCURY TWIN 225 4-STROKE	450
MERCURY TWIN 250 EFI	500
YAMAHA TWIN 200 4-STROKE	400
YAMAHA TWIN 225 4-STROKE	450

HONDA PRE-RIG
 MERC. PRE-RIG
 MERC. OPTIMAX PRE-RIG
 YAMAHA PRE-RIG

27 WALK

STANDARD EQUIPMENT

12-VOLT RECEPTACLE
 110v OUTLETS - GFI PROTECTED
 BATTERY CHARGER
 BATTERY SWITCHES
 BAITWELL - W/ RAW WATER WASHDOWN
 BILGE PUMPS - 1250 AFT, 500 FORWARD
 BONDING SYSTEM
 BOW PULPIT W/ ANCHOR ROLLER
 BOW RAIL-STAINLESS STEEL
 CABIN BOW STORAGE W/ MIRRORRED DOOR
 CABIN CUSHIONS & BOLSTERS
 CABIN DOOR - ACRYLIC SLIDING
 CABIN HATCH
 CABIN LIGHTS
 CABIN PILLOWS AND CURTAINS
 CABIN PORTHOLES - 4
 CABIN TABLE
 CABIN V-BERTH STORAGE
 CITY WATER HOOK-UP
 CLEATS - 6" POPUPS (4), 10" (2), 8" (1)
 COMPASS
 COCKPIT BOLSTERS
 COCKPIT LIGHTS
 COCKPIT SHOWER
 DIVE PLATFORM - INTEGRATED W/ LADDER
 DRINK HOLDERS
 ELECTRICAL DISTRIBUTION PANEL
 FRESH WATER W/ PULL OUT SHOWER
 FULL INSTRUMENTATION
 FULL GALLEY W/ BUTANE STOVE AND ICEBOX
 GALVANIC ISOLATOR
 GLOVE BOX W/ LOCK
 GUNNEL TRIM - RIGID VINYL W/ STAINLESS
 STEEL INSERT
 HATCHES W/ TRUE GUTTER SYSTEM
 HAWSE PIPES
 HEAD W/ STAND UP SHOWER & POTTA POTTIE
 HORN - ELECTRIC
 FISH BOXES W/ MACERATOR
 ROD HOLDERS - 2 PAIR
 ROD RACKS - COCKPIT (4) HORIZONTAL
 ROPE LOCKER STORAGE
 SEAT - CAPTAINS CHAIR
 SEATING - TRANSOM BENCH
 SHORE POWER W/ CORD
 SPRINGLINE CLEATS
 STEERING - HYDRAULIC
 STRIPING - BLUE
 TACKLE BOX

27 WALK

STANDARD EQUIP. CONT.

TRANSOM PANEL - BATTERY SWITCHES &
 BREAKERS
 TRIM TABS
 WINDSHIELD - TEMPERED GLASS W/ VENT

OPTIONAL EQUIPMENT

AIR CONDITIONING - 7000BTU
 BIMINI TOP
 CURTAIN PKG. - BIMINI
 CURTAIN PKG. HARD TOP
 DIVE LADDER
 GRAPHICS (HULL COLOR):
 BLACK, BLUE, GREEN
 HEAD - PORTA POTTIE W/ DOCKSIDE DISCHARGE
 HEAD, ELECTRIC -W/ MACERATOR AND HOLDING
 TANK W/ PUMP-OUT
 LIGHT - REMOTE SPOT - HARD TOP REQUIRED
 LIGHTS - SPREADER (TOP REQUIRED)
 MATCHING ENGINE GRAPHICS - FACTORY
 INSTALLED - MERC ONLY
 MICROWAVE - IN LIEU OF STOVE
 OUTRIGGERS - HARD TOP REQUIRED
 SHRINK WRAP
 STEREO - AM/FM CD W/ 4 SPEAKERS
 STRIPING - GREEN, BLACK
 TEAK CABIN - UPGRADE
 TOP - HARD W/ ELECTRONICS BOX
 WINDLASS - W/ BOW PROTECTOR, ROPE
 AND CHAIN
 WIPER - PORT and/or STARBOARD


WEEKENDER PACKAGE
 ALCOHOL / ELECTRIC STOVE
 REFRIGERATOR

ELECTRONICS PACKAGE #1
 DEPTH FINDER / FISHFINDER
 VHF RADIO

ELECTRONICS PACKAGE #2
 GPS / DEPTHFINDER / FISHFINDER
 VHF RADIO

ELECTRONICS PACKAGE #3
 GPS / CHARTPLOTTER
 DEPTH FINDER / FISH FINDER
 VHF RADIO

30 WALK



SPECIFICATIONS

L.O.A.	32'6" (9.91m)
BEAM	10'10" (3.30m)
DRAFT - HULL	22" (0.56m)
DEADRISE	19°
FUEL CAPACITY	300 GAL (1135.9L)
WEIGHT - HULL (APPR)	...7,550 LBS (3425kg)
WEIGHT - TRAILER (APPR)	14,000 LBS (6350kg)
COCKPIT AREA	84 SQ. FT. (25.60m ²)
COCKPIT DEPTH	30" (0.76m)
BRIDGE CLEARANCE	7'1" (2.16m)
W/ TOP	9'6" (2.90m)
MAX. HP	500 (372.85kw)
BAITWELL CAPACITY	45 GAL (170.4L)
FISH BOX CAPACITY (2)	50 GAL (189.3L)
FRESH WATER CAPACITY	...39 GAL (147.7L)

ENGINE OPTIONS

ENGINE	HP
(ALL 30" SHAFT)	
HONDA 225 4-STROKE	225
MERCURY TWIN 225 EFI	450
MERCURY TWIN 225 OPTI	450
MERCURY TWIN 225 4-STROKE	...450
MERCURY TWIN 250 EFI	500
YAMAHA TWIN 225 4-STROKE	...450

HONDA PRE-RIG
MERC. PRE-RIG
MERC. OPTIMAX PRE-RIG
YAMAHA PRE-RIG

30 WALK

12-VOLT RECEPTACLE
 110v OUTLETS - GFI PROTECTED
 BATTERY CHARGER
 BATTERY SWITCHES
 BAITWELL - W/ RAW WATER WASHDOWN
 BILGE PUMPS - 1250 AFT, 500 FORWARD
 BONDING SYSTEM
 BOW SEAT W/ CUSHION
 BOW PULPIT W/ ANCHOR ROLLER
 BOW RAIL-STAINLESS STEEL
 CABIN BOW STORAGE W/ MIRRORRED DOOR
 CABIN CUSHIONS & BOLSTERS
 CABIN DOOR - ACRYLIC BI-FOLD
 CABIN HATCH
 CABIN LIGHTS
 CABIN PILLOWS AND CURTAINS
 CABIN PORTHOLES - 4
 CABIN TABLE, AND FILLER BOARD
 CABIN V-BERTH STORAGE
 CITY WATER HOOK-UP
 CLEATS - 6" POPUPS (6), 8" (1)
 COMPASS
 COCKPIT BOLSTERS
 COCKPIT LIGHTS
 COCKPIT SEAT W/ CUSHION
 COCKPIT SHOWER
 DIVE PLATFORM, INTEGRATED W/ LADDER
 DRINK HOLDERS
 ELECTRICAL DISTRIBUTION PANEL
 FRESH WATER SINK W/ PULL OUT SHOWER
 FULL INSTRUMENTATION
 FULL GALLEY W/ BUTANE STOVE AND ICEBOX
 GALVANIC ISOLATOR
 GLOVE BOX W/ LOCK
 GUNNEL TRIM - RIGID VINYL W/ STAINLESS
 STEEL INSERT
 HATCHES W/ TRUE GUTTER SYSTEM
 HAWSE PIPES
 HEAD W/ STAND UP SHOWER & PORTA POTTIE
 HORN - ELECTRIC
 FISH BOXES W/ MACERATOR
 MID CABIN BERTH W/ PRIVACY CURTAIN
 MID CABIN WINDOW W/ SCREEN AND CURTAIN
 ROD HOLDERS - 2 PAIR
 ROD RACKS - COCKPIT (4) HORIZONTAL
 ROPE LOCKER STORAGE
 SEAT - HELM BENCH
 SEATING - TRANSOM BENCH
 SHORE POWER W/ CORD
 SPRINGLINE CLEATS
 STEERING - HYDRAULIC
 STRIPING - BLUE
 SWITCH AND BREAKER PANEL
 TACKLE BOX
 TRANSOM DOOR

30 WALK

STANDARD EQUIP. CONT.

TRANSOM PANEL - BATTERY SWITCHES &
 BREAKERS
 TRIM TABS
 WINDSHIELD - TEMPERED GLASS W/ VENT AND
 ACTUATOR

OPTIONAL EQUIPMENT

AIR CONDITIONING - 10,000BTU
 BIMINI TOP
 CURTAIN PKG. - BIMINI
 CURTAIN PKG. HARD TOP
 DIVE LADDER
 GENERATOR 5.0 KW W/ CARBON MONOXIDE
 DETECTOR
 GRAPHICS (HULL COLOR): BLACK, BLUE, GREEN
 HEAD - PORTA POTTIE W/ DOCKSIDE DISCHARGE
 HEAD, ELECTRIC -W/ MACERATOR AND HOLDING
 TANK W/ PUMP-OUT
 LIGHT - REMOTE SPOT - HARD TOP REQUIRED
 LIGHTS - SPREADER (TOP REQUIRED)
 MATCHING ENGINE GRAPHICS - FACTORY
 INSTALLED - MERC ONLY
 MICROWAVE
 OUTRIGGERS - HARD TOP REQUIRED
 SHRINK WRAP
 STEREO - AM/FM CD W/ 4 SPEAKERS
 STRIPING - GREEN, BLACK
 TEAK CABIN - UPGRADE
 TOP - HARD W/ ELECTRONICS BOX
 WATER HEATER
 WINDLASS - W/ BOW PROTECTOR, ROPE AND
 CHAIN
 WIPER - PORT and/or STARBOARD

WEEKENDER PACKAGE
 ALCOHOL / ELECTRIC STOVE
 REFRIGERATOR

ELECTRONICS PACKAGE #1
 DEPTH FINDER / FISHFINDER
 VHF RADIO


ELECTRONICS PACKAGE #2
 GPS / DEPTHFINDER / FISHFINDER
 VHF RADIO

ELECTRONICS PACKAGE #3
 GPS / CHARTPLOTTER
 DEPTH FINDER / FISH FINDER
 VHF RADIO

30 WALK

NOTES

33 WALK



SPECIFICATIONS

LOA	33'8" (10.26m)
BEAM	11'0" (3.35m)
DRAFT - HULL	25" (0.64m)
DEADRISE	19°
FUEL CAPACITY	285 GAL (1079.1L)
WEIGHT - HULL (APPR)	12,000 LBS (5443kg)
COCKPIT AREA	75 SQ. FT. (22.86m ²)
COCKPIT DEPTH	26" (0.66m)
MAX. HP	500 (372.85kw)
FRESH WATER CAPACITY	28 GAL (106L)

ENGINE OPTIONS

ENGINE	HP
(ALL 30" SHAFT)	
HONDA 225 4-STROKE	225
MERCURY 225 4-STROKE	225
MERCURY TWIN 225 EFI	450
MERCURY TWIN 225 OPTI	450
MERCURY TWIN 250 EFI	500
YAMAHA TWIN 225 4-STROKE	...450

HONDA PRE-RIG
 MERC. PRE-RIG
 MERC. OPTIMAX PRE-RIG
 YAMAHA PRE-RIG

33 WALK

STANDARD EQUIPMENT

12-VOLT RECEPTACLE
 110v OUTLETS - GFI PROTECTED
 BAITWELL
 BATTERY CHARGER
 BATTERY SWITCHES IN STARBOARD COCKPIT
 UTILITIES CABINET
 BILGE PUMPS - 1250 AFT, 500 FORWARD
 BONDING SYSTEM
 BOW PULPIT W/ ANCHOR ROLLER
 BOW RAIL-STAINLESS STEEL
 BOW SEAT W/ CUSHION
 CABIN BOW STORAGE W/ MIRRORING DOOR
 CABIN CUSHIONS
 CABIN DOOR - ACRYLIC BI-FOLD
 CABIN HATCH
 CABIN LIGHTS
 CABIN PILLOWS AND CURTAINS
 CABIN PORTHOLES - 4
 CITY WATER HOOK-UP
 CLEATS
 COCKPIT BOLSTERS
 COCKPIT LIGHTS
 COMPASS
 DINETTE W/ TABLE
 DIVE PLATFORM, INTEGRATED W/ LADDER
 DRINK HOLDERS
 ELECTRICAL DISTRIBUTION PANEL
 FRESH WATER SINK W/ PULL OUT
 SHOWER - HOT/COLD
 FULL GALLEY
 FULL INSTRUMENTATION
 GALVANIC ISOLATOR
 GUNNEL TRIM - RIGID VINYL W/ STAINLESS
 STEEL INSERT
 HANGING LOCKER - CEDAR LINED
 HATCHES W/ TRUE GUTTER SYSTEM
 HEAD, ELECTRIC -W/ MACERATOR AND HOLDING
 TANK W/ PUMP-OUT
 HORN - ELECTRIC
 FISH BOXES W/ MACERATOR
 MID CABIN BERTH W/ PRIVACY CURTAIN
 REFRIGERATOR
 ROD HOLDERS - 2 PAIR
 ROD RACKS - LOCKABLE
 ROPE LOCKER STORAGE
 SEAT - HELM BENCH
 SEATING - LOUNGE W/BOLSTER
 SEATING - TRANSOM BENCH
 SHORE POWER W/ CORD
 SPRINGLINE CLEATS
 STEERING - HYDRAULIC
 STRIPING - BLUE
 SWITCH AND BREAKER PANEL
 TACKLE STATION W/ SINK, LURE CABINET &
 TACKLE BOX
 TRANSOM DOOR

33 WALK

STANDARD EQUIP. CONT.

TRIM TABS
 WINDSHIELD - TEMPERED GLASS W/ VENT

OPTIONAL EQUIPMENT

AIR CONDITIONING - 10,000BTU
 BIMINI TOP
 CD PLAYER W/ CHANGER
 COFFEE MAKER
 CURTAIN PKG. - BIMINI
 CURTAIN PKG. - HARD TOP
 CURTAIN PKG. - TOWER
 DIVE LADDER
 GENERATOR 5.0 KW W/ CARBON MONOXIDE
 DETECTOR
 GRAPHICS (HULL COLOR):
 BLACK, BLUE, GREEN
 ICEMAKER
 LIGHT - REMOTE SPOT - HARD TOP REQUIRED
 LIGHTS - SPREADER (TOP REQUIRED)
 MATCHING ENGINE GRAPHICS - FACTORY
 INSTALLED - MERC ONLY
 MICROWAVE
 OUTRIGGERS - HARD TOP REQUIRED
 SHRINK WRAP
 STEREO - AM/FM CD W/4 speakers
 STRIPING - GREEN, BLACK
 TEAK UPGRADE
 TELEVISION W/VIDEO CASSETTE PLAYER
 TELEVISION W/ DVD PLAYER
 TOP - HARD W/ ELECTRONICS BOX
 TOP - TOWER W/ DUAL STATION CONTROLS
 WIPER - PORT

WEEKENDER PACKAGE

COFFEE MAKER
 ICE MAKER - COCKPIT
 MICROWAVE

ELECTRONICS PACKAGE

LOWRANCE LCX 16
 ICOM VHF RADIO

SPORT SERIES

WALK SERIES

GENERAL FEATURES
AND BENEFITS



88 WALK

NOTES

Lined area for notes, consisting of 20 horizontal lines.

PERFORMANCE
SPECIFICATIONS

EXPRESS SERIES

EXPRESS SERIES

27 • 30 • 33


The Pro-Line Expresses were built for the family that loves to fish and fish hard, yet wants to entertain and have fun onboard as well.

The Expresses use the same high quality construction as the Sport and Walk Series, including the finest in fabrics and vinyls that are designed to handle wear and tear. Below deck there is ample storage space for a weekend trip with room for overnighting.

The major features in the 27 and 30 Expresses can be seen in the above deck, open-air galley. Countertop, stove, refrigerator/ice box, and storage allow for easy entertainment to be served up for all. Seating wraps around the galley and opens into the cockpit for even more room.

The bigger Expresses boast large amounts of space for fishing, entertaining, overnighting, and more. Designed for a large family, a large group of fisherman, or just your large friend, the Express line gives you room to roam.

For the customer looking for a boat with a dual personality they'll find it in one of our Express models for 2003.

27 EXPRESS**SPECIFICATIONS**

L.O.A.	29'1" (8.86m)
BEAM	9'10" (3.0m)
DRAFT - HULL	.21" (0.53m)
DEADRISE	19°
FUEL CAPACITY	200 GAL (757.2L)
WEIGHT - HULL (APPR) ..	5,900 LBS (2676kg)
WEIGHT - TRAILER (APPR)	9,500 LBS (4309kg)
COCKPIT AREA	.80 SQ. FT. (24.38m ²)
COCKPIT DEPTH	.26" (0.66m)
BRIDGE CLEARANCE	.7'3" (2.21m)
W/ TOP	.9'7" (2.92m)
MAX. HP	500 (372.85kw)
BAITWELL CAPACITY O/B ..	.35 GAL (132.5L)
FISH BOX CAPACITY (2) ..	.50 GAL (189.3L)
FRESH WATER CAPACITY ..	.30 GAL (113.6L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT)	
HONDA TWIN 200 4-STROKE	.400
HONDA TWIN 225 4-STROKE	.450
MERCURY TWIN 200	.400
MERCURY TWIN 200 OPTI	.400
MERCURY TWIN 225 EFI	.450
MERCURY TWIN 225 OPTI	.450
MERCURY TWIN 225 4-STROKE ...	.450
MERCURY TWIN 250 EFI	.500
YAMAHA TWIN 200 4-STROKE ...	.400
YAMAHA TWIN 225 4-STROKE ...	.450

HONDA PRE-RIG
MERC. PRE-RIG
MERC. OPTIMAX PRE-RIG
YAMAHA PRE-RIG

STANDARD EQUIPMENT

12-VOLT RECEPTACLE
 110v OUTLETS - GFI PROTECTED
 BATTERY CHARGER
 BATTERY SWITCHES
 BAITWELL - W/ RAW WATER WASHDOWN
 BILGE PUMPS - 1250 AFT, 500 FORWARD
 BONDING SYSTEM
 BOW PULPIT W/ ANCHOR ROLLER
 BOW RAIL-STAINLESS STEEL
 CABIN BOW STORAGE W/ MIRRORRED DOOR
 CABIN CUSHIONS & BOLSTERS
 CABIN DOOR - ACRYLIC SLIDING
 CABIN HATCH
 CABIN LIGHTS
 CABIN PILLOWS AND CURTAINS
 CABIN PORTHOLES - 4
 CABIN TABLE W/ FILLER BOARD
 CABIN V-BERTH STORAGE
 CITY WATER HOOK-UP
 CLEATS - 6" POP-UPS (4), 8" (1)
 COMPASS
 COCKPIT BOLSTERS
 COCKPIT LIGHTS
 COCKPIT SHOWER
 DIVE PLATFORM, INTEGRATED W/ LADDER
 DRINK HOLDERS
 ELECTRICAL DISTRIBUTION PANEL
 FRESH WATER SINK W/ PULL OUT SHOWER
 FULL INSTRUMENTATION
 FULL GALLEY W/ BUTANE STOVE AND ICEBOX
 GALVANIC ISOLATOR
 GLOVE BOX W/ LOCK
 GUNNEL TRIM - RIGID VINYL W/ STAINLESS
 STEEL INSERT
 HATCHES W/ TRUE GUTTER SYSTEM
 HAWSE PIPES
 HEAD- PORTA POTTIE
 HORN - ELECTRIC
 FISH BOXES W/ MACERATOR
 ROD HOLDERS - 2 PAIR
 ROD RACKS - COCKPIT (4) HORIZONTAL
 ROPE LOCKER STORAGE
 SEAT - CAPTAINS CHAIR AT HELM
 SEATING - COCKPIT LOUNGE W/ STORAGE
 SEATING - TRANSOM BENCH
 SHORE POWER W/ CORD
 SPRINGLINE CLEATS
 STEERING - HYDRAULIC
 STRIPING - BLUE
 TACKLE BOX
 TRANSOM DOOR
 TRANSOM PANEL - BATTERY SWITCHES &
 BREAKERS
 TRIM TABS
 WINDSHIELD - TEMPERED GLASS W/ VENT

OPTIONAL EQUIPMENT

AIR CONDITIONING - 5000 BTU
 CURTAIN PKG. -CALCUTTA
 DIVE LADDER
 GRAPHICS (HULL COLOR)
 - BLACK, BLUE, GREEN
 HEAD - PORTA POTTIE W/ DOCKSIDE DISCHARGE
 HEAD, ELECTRIC -W/ MACERATOR AND
 HOLDING TANK W/ PUMP-OUT
 ICE MAKER
 LIGHT - REMOTE SPOT - CALCUTTA TOP
 REQUIRED
 LIGHTS - SPREADER (TOP REQUIRED)
 MATCHING ENGINE GRAPHICS - FACTORY
 INSTALLED - MERC ONLY
 OUTRIGGERS - CALCUTTA TOP REQUIRED
 REFRIGERATOR
 SHRINK WRAP
 STEREO - AM/FM CD W/ 4 SPEAKERS
 STRIPING - GREEN, BLACK
 TEAK CABIN - UPGRADE
 TOP - CALCUTTA W/ ELECTRONICS BOX
 WATER HEATER
 WINDLASS - W/ BOW PROTECTOR, ROPE AND
 CHAIN
 WIPER - PORT and/or STARBOARD

ELECTRONICS PACKAGE #1
 DEPTH FINDER / FISHFINDER
 VHF RADIO

ELECTRONICS PACKAGE #2
 GPS / DEPTHFINDER / FISHFINDER
 VHF RADIO

ELECTRONICS PACKAGE #3
 GPS / CHARTPLOTTER
 DEPTH FINDER / FISH FINDER
 VHF RADIO

27 EXPRESS


NOTES

SPORT SERIES

WALK SERIES

EXPRESS SERIES

30 EXPRESS



SPECIFICATIONS

LO.A	32'6" (9.91m)
BEAM	10'10" (3.30m)
DRAFT - HULL	22" (0.56m)
DEADRISE	19°
FUEL CAPACITY	312 GAL (1181.3)
WEIGHT - HULL (APPR)	..7,700 LBS (3493kg)
WEIGHT - TRAILER (APPR)	14,000 LBS (6350kg)
COCKPIT AREA	102 SQ. FT. (31.09m ²)
COCKPIT DEPTH	30" (0.79m)
BRIDGE CLEARANCE	7'1" (2.16m)
W/ TOP	9'6" (2.90m)
MAX. HP	500 (372.85kw)
BAITWELL CAPACITY O/B	..45GAL (170.4L)
FISH BOX CAPACITY (2)	...110 GAL (416.5L)
FRESH WATER CAPACITY	...30 GAL (113.6L)

ENGINE OPTIONS

ENGINE	HP
(ALL 30" SHAFT)	
HONDA TWIN 225 4-STROKE	450
MERCURY TWIN 225 EFI	450
MERCURY TWIN 225 OPTI	450
MERCURY TWIN 225 4-STROKE	...450
MERCURY TWIN 250 EFI	500
YAMAHA TWIN 225 4-STROKE	...450

HONDA PRE-RIG
 MERC. PRE-RIG
 MERC. OPTIMAX PRE-RIG
 YAMAHA PRE-RIG

PERFORMANCE
SPECIFICATIONS

30 EXPRESS

STANDARD EQUIPMENT

12-VOLT RECEPTACLE
 110v OUTLETS - GFI PROTECTED
 BATTERY CHARGER
 BATTERY SWITCHES
 BAITWELL - W/ RAW WATER WASHDOWN
 BILGE PUMPS - 1250 AFT, 500 FORWARD
 BONDING SYSTEM
 BOW PULPIT W/ ANCHOR ROLLER
 BOW RAIL-STAINLESS STEEL
 CABIN BOW STORAGE W/ MIRRORRED DOOR
 CABIN CUSHIONS & BOLSTERS
 CABIN DOOR - ACRYLIC BI-FOLD
 CABIN HATCH
 CABIN LIGHTS
 CABIN PILLOWS AND CURTAINS
 CABIN PORTHOLES - 4
 CABIN TABLE W/ FILLER BOARD
 CABIN V-BERTH CARPETED STORAGE
 CITY WATER HOOK-UP
 CLEATS - 6" POPUPS (4), 8" (1)
 COMPASS
 COCKPIT BOLSTERS
 COCKPIT LIGHTS
 COCKPIT SHOWER
 DIVE PLATFORM, INTEGRATED W/ LADDER
 DRINK HOLDERS
 ELECTRICAL DISTRIBUTION PANEL
 FRESH WATER SINK W/ PULL OUT SHOWER
 FULL INSTRUMENTATION
 FULL GALLEY W/ BUTANE STOVE AND ICEBOX
 GALVANIC ISOLATOR
 GLOVE BOX W/ LOCK
 GUNNEL TRIM - RIGID VINYL W/ STAINLESS
 STEEL INSERT
 HATCHES W/ TRUE GUTTER SYSTEM
 HAWSE PIPES
 HEAD- PORTA POTTIE
 HORN - ELECTRIC
 INSULATED FISH BOXES W/ MACERATOR
 ROD HOLDERS - 2 PAIR
 ROD RACKS - COCKPIT (4) HORIZONTAL
 ROPE LOCKER STORAGE
 SEAT - CAPTAINS CHAIR AT HELM
 SEATING - COCKPIT LOUNGE W/ STORAGE
 SEATING - TRANSOM BENCH
 SHORE POWER W/ CORD
 SPRINGLINE CLEATS
 STEERING - HYDRAULIC
 STRIPING - BLUE
 TACKLE BOX
 TRANSOM DOOR
 TRANSOM PANEL W/ BATTERY SWITCHES
 TRIM TABS
 WINDSHIELD - TEMPERED GLASS W/ VENT AND
 ACTUATOR

30 EXPRESS

OPTIONAL EQUIPMENT

AIR CONDITIONING - 7000 BTU
 CURTAIN PKG. -CALCUTTA
 DIVE LADDER
 GENERATOR - 5.0 KW W/ CARBON MONOXIDE
 DETECTOR
 GRAPHICS (HULL COLOR) :
 BLACK, BLUE, GREEN
 HEAD - PORTA POTTIE W/ DOCKSIDE DISCHARGE
 HEAD, ELECTRIC -W/ MACERATOR AND HOLDING
 TANK W/ PUMP-OUT
 ICE MAKER - IN LIEU OF TACKLE BOX
 LIGHT - REMOTE SPOT - CALCUTTA TOP REQ.
 LIGHTS - SPREADER (TOP REQUIRED)
 MATCHING ENGINE GRAPHICS - FACTORY
 INSTALLED - MERC ONLY
 OUTRIGGERS - CALCUTTA TOP REQ.
 REFRIGERATOR
 SHRINK WRAP
 STEREO - AM/FM CD W/ 4 SPEAKERS
 STRIPING - GREEN, BLACK
 TEAK CABIN - UPGRADE
 TOP - CALCUTTA W/ ELECTRONICS BOX
 WATER HEATER
 WINDLASS - W/ BOW PROTECTOR, ROPE AND
 CHAIN
 WIPER - PORT and/or STARBOARD


ELECTRONICS PACKAGE #1
 DEPTH FINDER / FISHFINDER
 VHF RADIO

ELECTRONICS PACKAGE #2
 GPS / CHARTPLOTTER
 DEPTH FINDER / FISH FINDER
 VHF RADIO

30 EXPRESS

NOTES

33 EXPRESS



SPECIFICATIONS

LOA	33'0" (10.06m)
BEAM	12'6" (3.81m)
DRAFT - HULL	41" (1.04m)
DEADRISE	19°
FUEL CAPACITY	300 GAL (1135.9L)
WEIGHT - HULL (APPR)	14,500 LBS (6577kg)
WEIGHT - TRAILER (APPR)	18,000 LBS (8165kg)
COCKPIT AREA	115 SQ. FT. (35.05m ²)
COCKPIT DEPTH	25" (0.64m)
BRIDGE CLEARANCE W/TOWER	15'3" (4.65m)
MAX HP	840 (626.39kw)
CABIN HEAD ROOM	6'3" (1.91m)
BAITWELL CAPACITY	35 GAL (132.5L)
FISH BOX CAPACITY	75 GAL (284.0L)
FRESH-WATER CAPACITY	40 GAL (151.4L)

ENGINE OPTIONS

ENGINE	HP
MERC. T-8.1 HO	370 EA
CATERPILLAR T-300	300 EA
YANMAR T-315	315 EA

33 EXPRESS

STANDARD EQUIPMENT

BAITWELL - CIRCULATING & RAW WATER WASH DOWN
 BATTERY CHARGER
 BILGE PUMPS - THREE AUTO/MANUAL
 BOW RAILS - STAINLESS STEEL
 CLEATS - 10" -6 (STAINLESS STEEL)
 BOW PULPIT - MOLDED IN
 BOW ROLLER
 CABIN LIGHTING - INDIRECT AND DIRECT
 CARBON MONOXIDE DETECTOR
 CITY WATER HOOKUP
 COCKPIT COURTESY LIGHTS
 COMPASS - SURFACE MOUNT
 DASH - FULL INSTRUMENTATION
 DINETTE W/STORAGE - BUNK CONVERSION
 DRINK HOLDERS
 ENGINE ALARM
 FOAM FLOTATION - CLOSED CELL
 FORWARD BERTH
 FRESH WATER SINK IN TRANSOM
 GALLEY - 2 BURNER ELECTRIC STOVE, REFRIGERATOR (DC), STAINLESS STEEL ROUND SINK & HOT/COLD HI-RISE FAUCET, MICROWAVE, CABINETS - 12 VOLT LIGHTING, COFFEE MAKER
 GRAB RAILS - STAINLESS STEEL
 GUNNEL TRIM - RIGID VINYL W/ STAINLESS STEEL INSERT
 HATCHES - DECK W/TRUE GUTTER SYSTEM
 HEAD - VACUUM FLUSH W/ OVERBOARD DISCHARGE
 HEAD - HOT & COLD SHOWER & VANITY, MOLDED SINK W/STORAGE, WALL MIRROR
 HELM SEAT - ADJUSTABLE
 HORN - DUAL ELECTRIC TRUMPET
 HOUR METERS
 PORT LIGHT - (4)
 PREMIUM GEL COAT
 SEACOCKS AND ALL UNDERWATER THRU-HULL FITTINGS - BRONZE
 SHORE POWER W/CORD W/ 110V OUTLETS
 STEERING - HYDRAULIC
 STEERING WHEEL - STAINLESS STEEL
 STEREO - AM/FM CD W/6 SPEAKERS AND REMOTE
 TACKLE BOX
 TEAK & HOLLY CABIN FLOOR
 TELEVISION W/DVD PLAYER
 TOP - HARD TOP W/ STORAGE
 TRIM TABS
 WATER HEATER

33 EXPRESS

STANDARD EQUIP. CONT.

WATER RESISTANT ROCKER SWITCHES
 WATER & WASTE TANK INDICATOR
 WINDSHIELD - CUSTOM CURVED GLASS W/ ALUMINUM FRAME
 WINDSHIELD WIPER (STARBOARD ONLY)
 WINDLASS

OPTIONAL EQUIPMENT

AIR CONDITIONING - 16,000 BTU W/HEAT
 COCKPIT CARPET
 COMPASS - DIGITAL
 CURTAIN PACKAGE - TOWER
 DIVE PLATFORM W/LADDER
 FREEZER - BAITSTATION
 GENERATOR - GAS (5.0) OR DIESEL (7.3)
 GRAPHICS PACKAGE
 GREY WATER SYSTEM
 HULL COLOR - PREMIUM GELCOAT
 LIGHTS - REMOTE CONTROL SPOT
 LIGHTS - SPREADER
 OIL CHANGE PUMP - CATERPILLAR /YANMAR / MERCURY
 OUTRIGGERS - TOWER
 SHAFT SEALS - DRIPLESS
 SHRINK WRAP
 STEREO - ULTIMATE SONY AM/FM CD W/ 7 SPEAKERS
 10-DISC CHANGER, 40 WATT AMPLIFIER W/ REMOTE
 TOP - TOWER
 WATER FILTER
 WIPER - PORT

ELECTRONICS PACKAGE

LCX 16CI
 ICOM VHF RADIO

SPORT SERIES

WALK SERIES

EXPRESS SERIES



33 EXPRESS

NOTES

Lined area for notes, consisting of multiple horizontal lines.

PERFORMANCE
SPECIFICATIONS

 PERFORMANCE

Pro-Line Boats advises that these performance figures are merely an estimate of what you can expect based on our factory testing program.

Boat speeds will vary depending on weight, fuel load, number of passengers, air temperature, altitude, humidity, barometric pressure, water conditions, wind, engine tuning, horsepower (HP) variance from engine to engine, propellers, and numerous other factors beyond our control.

All speeds are obtained by professional test boat drivers in optimum conditions.

PERFORMANCE

19 SPORT

ENGINE	MPH
HONDA 115 4-STROKE	34 - 36
MERCURY 115	*
MERCURY 115 4-STROKE	36 - 38
MERCURY 150	43 - 45
MERCURY 150 OPTI	45 - 47
YAMAHA 115 4-STROKE	34 - 36

20 SPORT

ENGINE	MPH
HONDA 130 4-STROKE	33 - 35
HONDA 200 4-STROKE	*
MERCURY 150	43 - 45
MERCURY 150 OPTI	42 - 44
MERCURY 200	48 - 50
MERCURY 200 OPTI	48 - 50
YAMAHA 200 4-STROKE	42 - 44

20 DC

ENGINE	MPH
HONDA 130 4-STROKE	33 - 35
HONDA 200 4-STROKE	38 - 40
MERCURY 150	40 - 42
MERCURY 150 OPTI	40 - 42
MERCURY 200	44 - 46
MERCURY 200 OPTI	44 - 46
YAMAHA 200 4-STROKE	*

20 BAY

ENGINE	MPH
MERCURY 115	38 - 40
MERCURY 115-4 STROKE	38 - 40
YAMAHA 115-4 STROKE	*
HONDA 115-4 STROKE	*
HONDA 130 4-STROKE	*
MERCURY 150	47 - 49
MERCURY 150 OPTI	47 - 49
MERCURY 200	49 - 51
MERCURY 200 OPTI	49 - 51
YAMAHA 200 4-STROKE	*
HONDA 200 4-STROKE	*

* Not yet tested at time of printing -
speed range is unavailable

PERFORMANCE

22 SPORT

ENGINE	MPH
HONDA 200 4-STROKE	*
HONDA 225 4-STROKE	*
MERCURY 150	39 - 41
MERCURY 150 OPTI	43 - 45
MERCURY 200	41 - 43
MERCURY 200 OPTI	41 - 43
MERCURY 225 EFI	49 - 51
MERCURY 225 OPTI	47 - 49
YAMAHA 200 4-STROKE	39 - 41
YAMAHA 225 4-STROKE	42 - 44

22 DC

ENGINE	MPH
HONDA 200 4-STROKE	*
HONDA 225 4-STROKE	*
MERCURY 150	*
MERCURY 150 OPTI	*
MERCURY 200	45 - 47
MERCURY 200 OPTI	45 - 47
MERCURY 225 EFI	46 - 48
MERCURY 225 OPTI	*
YAMAHA 200 4-STROKE	*
YAMAHA 225 4-STROKE	42 - 44

22 BAY

ENGINE	MPH
HONDA 200 4-STROKE	*
HONDA 225 4-STROKE	*
MERCURY 150	45 - 47
MERCURY 150 OPTI	*
MERCURY 200	52 - 54
MERCURY 200 OPTI	52 - 56
MERCURY 225 EFI	56 - 58
MERCURY 225 OPTI	56 - 58
YAMAHA 200 4-STROKE	50 - 51
YAMAHA 225 4-STROKE	51 - 53

* Not yet tested at time of printing -
speed range is unavailable

PERFORMANCE

24 BAY

ENGINE	MPH
HONDA 200 4-STROKE	*
HONDA 225 4-STROKE	48 - 50
MERCURY 150	*
MERCURY 150 OPTI	*
MERCURY 200	*
MERCURY 200 OPTI	*
MERCURY 225 EFI	51 - 53
MERCURY 225 OPTI	51 - 53
YAMAHA 200 4-STROKE	*
YAMAHA 225 4-STROKE	*

23 SPORT

ENGINE	MPH
HONDA 225 4-STROKE	*
MERCURY 225 EFI	49 - 51
MERCURY 225 OPTI	47 - 49
MERCURY 250 EFI	48 - 50
MERCURY TWIN 150	45 - 47
MERCURY TWIN 150 OPTI	45 - 47
YAMAHA 225 4-STROKE	42 - 44
YAMAHA TWIN 115	*

25 SPORT

ENGINE	MPH
HONDA 225 4-STROKE	38 - 40
HONDA TWIN 130 4-STROKE	40 - 42
MERCURY 225 EFI	46 - 48
MERCURY 225 OPTI	44 - 46
MERCURY 250 EFI	47 - 49
MERC. TWIN 135 OPTI	*
MERC. TWIN 150	46 - 48
MERC. TWIN 150 OPTI	49 - 51
YAMAHA 200 4-STROKE	*
YAMAHA 225 4-STROKE	39 - 41

* Not yet tested at time of printing -
speed range is unavailable

PERFORMANCE

26 SPORT

ENGINE	MPH
HONDA 225 4-STROKE	*
HONDA TWIN 130 4-STROKE	35 - 37
HONDA TWIN 200 4-STROKE	*
MERCURY 225 EFI	42 - 44
MERCURY 225 OPTI	42 - 44
MERCURY 250 EFI	44 - 46
MERCURY TWIN 150	*
MERCURY TWIN 150 OPTI	*
MERCURY TWIN 200	48 - 50
MERCURY TWIN 200 OPTI	50 - 52
YAMAHA 225 4-STROKE	40 - 42

27 SPORT

ENGINE	MPH
HONDA TWIN 200 4-STROKE	*
HONDA TWIN 225 4-STROKE	47 - 49
MERCURY TWIN 200	50 - 52
MERCURY TWIN 200 OPTI	50 - 52
MERCURY TWIN 225 EFI	53 - 55
MERCURY TWIN 225 OPTI	53 - 55
MERCURY TWIN 250 EFI	54 - 57
YAMAHA TWIN 200 4-STROKE	*
YAMAHA TWIN 225 4-STROKE	48 - 50

* Not yet tested at time of printing -
speed range is unavailable

PERFORMANCE

30 SPORT

ENGINE	MPH
HONDA TWIN 225 4-STROKE	*
MERC. TWIN 225 EFI	48 - 50
MERC. TWIN 225 OPTI	46 - 48
MERC. TWIN 250 EFI	*
YAMAHA TWIN 225 4-STROKE ..	44 - 46

20 WALK

ENGINE	MPH
HONDA 130 4-STROKE	33 - 35
HONDA 200 4-STROKE	*
MERCURY 150	38 - 40
MERCURY 150 OPTI	39 - 40
MERCURY 200	45 - 47
MERCURY 200 OPTI	*
YAMAHA 200 4-STROKE	*

22 WALK

ENGINE	MPH
HONDA 200 4-STROKE	*
HONDA 225 4-STROKE	40 - 42
MERCURY 150	40 - 42
MERCURY 150 OPTI	41 - 43
MERCURY 200	44 - 46
MERCURY 200 OPTI	43 - 45
MERCURY 225 EFI	44 - 46
MERCURY 225 OPTIMAX	45 - 47
YAMAHA 200 4-STROKE	39 - 41
YAMAHA 225 4-STROKE	40 - 42

* Not yet tested at time of printing -
speed range is unavailable

PERFORMANCE

23 WALK

ENGINE	MP
--------	----

PERFORMANCE

27 WALK

ENGINE	MPH
HONDA TWIN 200 4-STROKE	*
HONDA TWIN 225 4-STROKE	*
MERCURY TWIN 200	43 - 45
MERCURY TWIN 200 OPTI	45 - 47
MERCURY TWIN 225 EFI	*
MERCURY TWIN 225 OPTI	45 - 47
MERCURY TWIN 250 EFI	*
YAMAHA TWIN 200 4-STROKE	..41 - 43
YAMAHA TWIN 225 4-STROKE	..46 - 48

30 WALK

ENGINE	MPH
HONDA 225 4-STROKE	45 - 47
MERCURY TWIN 225 EFI	47 - 49
MERCURY TWIN 225 OPTI	47 - 49
MERCURY TWIN 250 EFI	48 - 50
YAMAHA TWIN 225 4-STROKE	..44 - 46

33 WALK

ENGINE	MPH
HONDA 225 4-STROKE	42 - 44
MERCURY TWIN 225 EFI	*
MERCURY TWIN 225 OPTI	44 - 46
MERCURY TWIN 250 EFI	*
YAMAHA TWIN 225 4-STROKE	..42 - 44

* Not yet tested at time of printing -
speed range is unavailable

PERFORMANCE

27 EXPRESS

ENGINE	MPH
HONDA TWIN 200 4-ST	

PRO•LINE
BOATS

www.prolineboats.com

PO BOX 1348 • Homosassa, FL
34448

800 866-2771

^{v.1}
Tony Cipelli