

PRO·LINE

BOATS

The #1 Choice of America's Fisherman

2004 PRODUCT GUIDE




TABLE OF CONTENTS

• Amortization Chart	2
• The Pro-Line Story	3
• General Features & Benefits	5-6
 • Sport Series Introduction	7
19 Sport	9-10
20 Sport	11-12
20 DC	13-14
20 Bay	15-17
22 Sport	19-20
22 DC	21-22
22 Bay	23-25
23 Sport	27-29
24 Bay	31-33
25 Sport	35-37
26 Sport	39-41
27 Sport	43-45
30 Sport	47-49
 • Walk Series Introduction	51
20 Walk	53-54
22 Walk	55-56
23 Walk	57-59
25 Walk	61-63
26 Walk	65-67
27 Walk	69-71
30 Walk	73-76
33 Walk	77-80
 • Express Series Introduction	81
27 Express	83-86
30 Express	87-90
33 Express	91-94
 • Performance	95
19 Sport - 20 Bay	96
22 Sport - 22 Bay	97
24 Bay - 25 Sport	98
26 Sport - 30 Sport	99
20 Walk - 23 Walk	100
25 Walk - 26 Walk	101
27 Walk - 33 Walk	102
27 Express - 33 Express	103

AMORTIZATION

EQUAL MONTHLY PAYMENTS
TO AMORTIZE A LOAN OF
\$ 1,000.

TERM	5 YRS	7 YRS	10 YRS	12 YRS	15 YRS	20 YRS
RATE						
8%	20.28	15.59	12.14	10.83	9.56	8.37
8-1/4	20.40	15.72	12.27	10.97	9.71	8.53
8-1/2	20.52	15.84	12.40	11.11	9.85	8.68
8-3/4	20.64	15.97	12.54	11.24	10.00	8.84
9	20.76	16.09	12.67	11.39	10.15	9.00
9-1/4	20.88	16.22	12.81	11.53	10.30	9.16
9-1/2	21.01	16.35	12.94	11.67	10.45	9.33
9-3/4	21.13	16.48	13.08	11.81	10.60	9.49
10	21.25	16.51	13.22	11.96	10.75	9.66
10-1/4	21.38	16.74	13.36	12.10	10.90	9.82
10-1/2	21.50	16.87	13.50	12.25	11.06	9.99
10-3/4	21.62	17.00	13.64	12.39	11.21	10.16
11	21.75	17.13	13.78	12.54	11.37	10.33
11-1/4	21.87	17.26	13.92	12.69	11.53	10.50
11-1/2	22.00	17.39	14.06	12.84	11.69	10.67
11-3/4	22.12	17.52	14.21	12.99	11.85	10.84
12	22.25	17.66	14.35	13.14	12.01	11.02
12-1/4	22.38	17.79	14.50	13.29	12.17	11.19
12-1/2	22.50	17.93	14.64	13.44	12.33	11.37
12-3/4	22.63	18.06	14.79	13.60	12.49	11.54
13	22.76	18.20	14.94	13.75	12.66	11.72
13-1/4	22.89	18.33	15.08	13.91	12.82	11.90
13-1/2	23.01	18.47	15.23	14.06	12.99	12.08
13-3/4	23.14	18.61	15.38	14.22	13.15	12.26
14	23.27	18.75	15.53	14.38	13.32	12.44



THE PRO-LINE STORY

In 1968, Dan Atwood started a fishing boat company that would eventually take the market by storm. The first model was a 24-foot twin console that was designed for the professional fishing guides in Inglis and Crystal River, Florida. Since Dan's target market was the local fishing Pros the new company name came naturally to Pro-Line Boats.

Customers and boat dealers alike began to take notice of the little manufacturer in Florida. There was no escaping the fact that every Pro-Line was built by fishermen for fishermen. Other models soon came off the line such as the Pro 17 and the Pro 20. Pro-Line now had dealers throughout Florida, Georgia and Alabama.

As the orders grew so did their need for larger quarters and in 1970 Dan moved his crew to the present facility in Homosassa, Florida. In the late 70's and early 80's Pro-Line introduced cuddy cabins and walkarounds.

In 1986 Dan Atwood, along with Wall Street investors, Lee Kimmell and Lewis Ranieri of Salomon Brothers fame, formed American Marine Holdings, Inc. This infusion of working capital gave Dan the necessary funds to take Pro-Line worldwide.

1989 was the year of change for Pro-Line. The company had grown and models now ranged from 16 to 28 feet. The introduction of the new 230 Walk secured Pro-Line's position in the marketplace. Orders rushed in and more and more dealers signed-up to carry this unbelievable product. People around the world had come to know the Pro-Line name.

Today, Pro-Line offers over 30 models from 19 to 33 feet. The line includes center consoles, walkarounds, express, performance fishing boats, sportfish boats, and bay boats. More articles by boating publications were written last year about Pro-Line than any other fishing boat company. Excitement is in the air (and on the water)!

CEO and Chairman Lee Kimmell, President Mike Collins, and Dan Atwood owe their success to the simple but important philosophy of building the highest quality boat in the world. Nowhere is there a better boat on the water. That's why an independent survey found over that 97% of existing Pro-Line owners said they would buy another Pro-Line.

From a small boat company in Inglis, Florida to the largest manufacturer of rough water fish boats in the United States, Pro-Line Boats has become the ultimate fishing boat company and more.



PRO-LINE

GENERAL FEATURES & BENEFITS

Feature: Pro-Line History.
Benefit: Solidifies our position in the fishing boat market.

Feature: 10-Year transferable hull warranty.
Benefit: Warranty may be transferred to new owner. Aids in higher resale value.

Feature: 25 mils of Premium Gelcoat.
Benefit: Strong yet flexible gel. Cracking and chalking is almost non-existent.

Feature: Bi- & Tri-axial fiberglass.
Benefit: Stronger than conventional fiberglass mat. Will not delaminate due to stitching.

Feature: Deep Vee with reversed chines.
Benefit: Stable, dry ride. Gets on plane quicker and enables better overall performance.

Feature: F.I.S.T. Construction (Fiberglass Integrated Structural Technology).
Benefit: Anti-wood construction using Divinycell PVC core and closed cell injected foam. No wood, no rot.

Feature: 32 oz. UV protected vinyl.
Benefit: High grade of vinyl with UV protectants to ensure long life.

Feature: Sunbrella Canvas (optional).
Benefit: The finest marine canvas. Comes with a 5-year warranty against rotting and breakage.

Feature: 316-L Stainless Steel hardware.
Benefit: Highest marine grade stainless. Ensures great looking hardware for the life of the boat.

Feature: Thru-bolted hardware fastened with aircraft locking nuts.
Benefit: Hardware will take all kinds of punishment. Never comes loose.

FEATURES & BENEFITS

- Feature:** Premium interior fabrics with Scotchguard protection.
- Benefit:** Low maintenance and easy to clean cushion covers.
- Feature:** N.M.M.A., U.S.C.G. AND C.E. Certified.
- Benefit:** This guarantees a safe, well built boat for your peace of mind.
- Feature:** Largest cabins and widest beams.
- Benefit:** More room inside and out, with a more stable ride in rough conditions.
- Feature:** Foam insulated fish boxes.
- Benefit:** Ice and fish stay cold throughout the day.
- Feature:** Self-bailing cockpit.
- Benefit:** Rainwater runs overboard immediately, not into the bilge.
- Feature:** Large foam insulated baitwells.
- Benefit:** Plenty of space for your bait that will last the entire day.
- Feature:** Deep interior Freeboard.
- Benefit:** Safe ride in any condition. Makes fighting the fish easier.
- Feature:** Heat shrink wiring.
- Benefit:** All wire connections are heat shrunk to eliminate breakage and corrosion.
- Feature:** Deep, wide walkarounds.
- Benefit:** Allow the angler to fish the entire boat from stern to bow.
- Feature:** Labeled buss-bars.
- Benefit:** Makes adding future equipment easy and worry free.

SPORT SERIES

19 • 20 • 20 BAY • 20 DC

22 • 22 BAY • 22 DC • 23

24 BAY • 25 • 26 • 27 • 30

Pro-Line's first Sportsman was produced in 1968 and instantly became a hit with professional anglers. The 2004 line of Sports, Bay, and Dual Consoles have everything your prospect could want and more.

The first thing you should point out is the spaciousness of the cockpit. By using CAD (computer assisted design) programs, every feature on the Pros are designed long before the first model is ever produced. This ensures the best placement of the necessary features while still maintaining plenty of room to fight the fish.


All fish boxes are foam insulated. Rod storage is abundant and the casting decks are large enough to allow the angler room to spread out. Foam insulated bait boxes are close by and gunwale mount rod holders are strategically placed for serious fishermen.

The consoles are designed to offer plenty of storage while still allowing room enough to fish the entire boat, not just at the transom. Hardware is 316 L stainless steel and thru-bolted with backing plates and aircraft lock nuts. Grab rails are located in the proper place to ensure a safe ride even in the most precarious situations.

Wiring is color-coded and heat shrunk at every connection to ensure no corrosion or breakage. Buss-bars are placed under the console and at the transom with identification labels to take away all the guesswork of adding additional equipment.

Whether your customers want to head offshore in search of the biggest fish or just cruise the backwaters, Pro-Line has a Sport for them!

19 SPORT



SPECIFICATIONS

L.O.A.	19'2" (5.84m)
BEAM	7'9" (2.36m)
DRAFT - HULL	12" (0.30m)
DEADRISE	19°
FUEL CAPACITY	50 GAL (189.3L)
WEIGHT - HULL (APPR)	2,000 LBS (907kg)
WEIGHT - TRAILER (APPR)	3,150 LBS (1429kg)
COCKPIT AREA	54 SQ. FT. (16.46m ²)
COCKPIT DEPTH	22" (0.56m)
BRIDGE CLEARANCE	4'8" (1.42m)
MAX. HP	150 (111.86kw)
BAITWELL CAPACITY	13 GAL (49.2L)

ENGINE OPTIONS

ENGINE	HP
(ALL 20" SHAFT UNLESS NOTED)	
HONDA 115 4-STROKE	115
MERCURY 115	115
MERCURY 115 4-STROKE	115
HONDA 130 4-STROKE	130
MERCURY 135 OPTI	135
MERCURY 150	150
MERCURY 150 OPTI	150

HONDA 4-STROKE PRE-RIG
MERC. CARB., EFI, & OPTI PRE-RIG

STANDARD EQUIPMENT

BAITWELL - W/ RAW WATER WASHDOWN
BILGE PUMP
BIMINI TOP
BOW HANDRAIL-STAINLESS STEEL
BOW PULPIT w/ ANCHOR ROLLER
CASTING DECK W/ INSULATED STORAGE BOX
CENTER CONSOLE W/ OUT HEAD - WITH
FORWARD COOLER SEAT

19 SPORT

STANDARD EQUIPMENT

CLEATS - (3)
 COMPASS
 DIVE PLATFORM W/ LADDER - INTEGRATED
 DRINK HOLDERS
 INSTRUMENTATION: FUEL, MPH, RPM
 (DETERMINED BY ENGINE PKG.)
 GLOVE BOX W/ LOCK
 GRAB RAIL - WINDSHIELD (STAINLESS STEEL)
 GUNNEL TRIM - RIGID VINYL
 HORN - ELECTRIC
 ROD HOLDERS - 1 PAIR
 ROD RACKS - COCKPIT (4) HORIZONTAL
 ROPE LOCKER STORAGE
 SEATS - FLIP FLOP COOLER
 SPRINGLINE CLEATS
 STEERING - NO FEED BACK
 STORAGE - CENTER CONSOLE
 STRIPING - BLUE, BLACK
 SWITCH AND BREAKER PANEL
 WINDSHIELD - PLEXIGLASS

OPTIONAL EQUIPMENT


BATTERY SWITCH - ON/OFF
 BOW CUSHION
 CENTER CONSOLE W/ ENCLOSED HEAD
 SHRINK WRAP
 SPREADER LIGHTS (T-TOP REQUIRED)
 STEERING - HYDRAULIC
 STEREO - AM/FM CD PLAYER w/ 4 SPEAKERS

ELECTRONICS PKG. #1
 GPS / DEPTHFINDER / FISHFINDER (ALL IN ONE)
 VHF RADIO

ELECTRONICS PKG. #2
 GPS (STAND ALONE)
 DEPTHFINDER / FISHFINDER
 VHF RADIO

ELECTRONICS PACKAGE #3
 GPS / COLOR CHART PLOTTER / DEPTH FINDER /
 FISH FINDER
 VHF RADIO
 TOP - T-TOP (CANVAS) W/ ELECTRONICS BOX

20 SPORT



SPECIFICATIONS

L.O.A.21'8" (6.64m)
 BEAM8'5" (2.50m)
 DRAFT - HULL15" (0.38m)
 DEADRISE19°
 FUEL CAPACITY70 GAL (265.0L)
 WEIGHT - HULL (APPR) ..2,200 LBS (998kg)
 WEIGHT - TRAILER (APPR) 3,700 LBS (1678kg)
 COCKPIT AREA81 SQ. FT. (24.69m²)
 COCKPIT DEPTH22" (0.56m)
 BRIDGE CLEARANCE5'10" (1.78m)
 W/ T-TOP8'0" (2.44m)
 MAX. HP200 (149.14kw)
 BAITWELL CAPACITY25 GALS. (94.63L)
 FISH BOX CAPACITY18 GAL (68.2L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT UNLESS NOTED)	
HONDA 130 4-STROKE	130
HONDA 200 4 - STROKE	200
MERCURY 135 OPTI	135
MERCURY 150	150
MERCURY 150 OPTI	150
MERCURY 150 EFI	150
MERCURY 200	200
MERCURY 200 OPTI	200
MERCURY 200 EFI	200
HONDA 4-STROKE PRE-RIG	
MERCURY - OPTI, EFI, CARB. PRE-RIG	

STANDARD EQUIPMENT

BAITWELL - W/ RAW WATER WASHDOWN
 BILGE PUMP
 BIMINI TOP
 BOW HANDRAIL-STAINLESS STEEL
 BOW PULPIT w/ ANCHOR ROLLER
 CASTING DECK FISHBOX / STORAGE
 CLEATS - (5)

STANDARD EQUIPMENT

COMPASS
 DRINK HOLDERS
 INSTRUMENTATION: FUEL, MPH, RPM
 (DETERMINED BY ENGINE PKG.)
 GLOVE BOX W/ LOCK
 GRAB RAIL - WINDSHIELD (STAINLESS STEEL)
 GUNNEL TRIM - RIGID VINYL
 HALF DIVE PLATFORM W/ LADDER
 HORN - ELECTRIC
 PORTA-POTTIE - ENCLOSED IN CONSOLE
 ROD HOLDERS - 1 PAIR
 ROPE LOCKER STORAGE
 ROD RACKS - COCKPIT (6) HORIZONTAL
 SEATS - AFT JUMP - 2 MOLDED
 SEAT - LEANING POST BAITWELL
 SPRINGLINE CLEATS
 STEERING - NO FEED BACK
 STRIPING - BLUE, BLACK
 SWITCH AND BREAKER PANEL
 WINDSHIELD - PLEXIGLASS

OPTIONAL EQUIPMENT


BAITWELL / SEAT (IN LIEU OF
 BAITWELL / LEANING POST)
 BOW CUSHION
 BATTERY SWITCH FOR DUAL BATTERIES
 SHRINK WRAP
 SPREADER LIGHTS (T-TOP REQUIRED)
 STEREO AM / FM CD PLAYER w/ 4 SPEAKERS
 STEERING - HYDRAULIC
 TOP - T-TOP (RIGID OR CANVAS)
 W/ ELECTRONICS BOX

CONVENIENCE PKG.
 12 VOLT RECEPTACLE
 COCKPIT BOLSTERS
 COCKPIT LIGHTS (1 PAIR)
 ROD HOLDERS 1 PAIR

ELECTRONICS PKG. #1
 GPS / DEPTHFINDER / FISHFINDER (ALL IN ONE)
 VHF RADIO

ELECTRONICS PKG. #2
 GPS (STAND ALONE)
 DEPTHFINDER / FISHFINDER
 VHF RADIO

ELECTRONICS PACKAGE #3
 GPS / COLOR CHART PLOTTER / DEPTH FINDER /
 FISH FINDER
 VHF RADIO



SPECIFICATIONS

LOA20'6" (6.12m)
 BEAM8'2" (2.50m)
 DRAFT - HULL15" (0.38m)
 DEADRISE19°
 FUEL CAPACITY70 GAL (265.0L)
 WEIGHT - HULL (APPR) ..2,500 LBS (1134kg)
 WEIGHT - TRAILER (APPR) 4,000 LBS (1814kg)
 COCKPIT AREA87 SQ. FT. (26.52m²)
 COCKPIT DEPTH22" (0.56m)
 BRIDGE CLEARANCE6'2" (1.88m)
 MAX. HP200 (149.14kw)
 BAITWELL CAPACITY9.75 GAL (36.9L)
 FISH BOX CAPACITY9.75 GAL (36.9L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT UNLESS NOTED)	
HONDA 130 4 - STROKE	130
HONDA 200 4 - STROKE	200
MERCURY 135 OPTI	135
MERCURY 150	150
MERCURY 150 OPTI	150
MERCURY 150 EFI	150
MERCURY 200	200
MERCURY 200 OPTI	200
MERCURY 200 EFI	200

HONDA - 4-STROKE PRE-RIG
 MERCURY - OPTI, EFI, CARB. PRE-RIG

20 DC

STANDARD EQUIPMENT

BAITWELL - W/ RAW WATER WASHDOWN
 BILGE PUMP
 BIMINI TOP
 BOW HANDRAIL-STAINLESS STEEL
 CASTING DECK FISHBOX / STORAGE BOX
 (INSULATED)
 CONSOLE - DUAL W/ STORAGE
 CLEATS - (4)
 COMPASS
 DRINK HOLDERS
 INSTRUMENTATION: FUEL, MPH, RPM
 (DETERMINED BY ENGINE PKG.)
 GLOVE BOX W/ LOCK
 GUNNEL TRIM - RIGID VINYL
 HALF DIVE PLATFORM W/ LADDER
 HORN - ELECTRIC
 ROD HOLDERS - 1 PAIR
 ROD RACKS - COCKPIT (6) HORIZONTAL
 ROPE LOCKER STORAGE
 SEATS - AFT JUMP - 2 MOLDED
 SEAT - CAPTAINS CHAIRS
 SPRINGLINE CLEATS
 STEERING - NO FEED BACK
 STRIPING - BLUE, BLACK
 SWITCH AND BREAKER PANEL
 WINDSHIELD - TEMPERED GLASS W/ PASS THRU

OPTIONAL EQUIPMENT

BOW CUSHIONS
 BATTERY SWITCH FOR DUAL BATTERIES
 SHRINK WRAP
 STEERING - HYDRAULIC
 STEREO, AM /FM CD PLAYER w/ 4 SPEAKERS


CONVENIENCE PKG.
 12 VOLT RECEPTACLE
 COCKPIT BOLSTERS
 COCKPIT LIGHTS (1 PAIR)
 ROD HOLDERS 1 PAIR

ELECTRONICS PKG. #1
 GPS / DEPTHFINDER / FISHFINDER (ALL IN ONE)
 VHF RADIO

ELECTRONICS PKG. #2
 GPS (STAND ALONE)
 DEPTHFINDER / FISHFINDER
 VHF RADIO

ELECTRONICS PACKAGE #3
 GPS /COLOR CHART PLOTTER/ DEPTH FINDER /
 FISH FINDER
 VHF RADIO

20 BAY



SPECIFICATIONS

L.O.A.20'5" (6.22m)
 BEAM8'6" (2.59m)
 DRAFT - HULL11" (0.28m)
 DEADRISE13°
 FUEL CAPACITY60 GAL (227.2L)
 WEIGHT - HULL (APPR) .. 2,059 LBS (934kg)
 WEIGHT - TRAILER (APPR) 2,437 LBS (1105kg)
 COCKPIT AREA79 SQ. FT. (24.08m²)
 COCKPIT DEPTH17" (0.43m)
 BRIDGE CLEARANCE4'7" (1.40m)
 W/ TOP8'0" (2.44m)
 MAX. HP200 (149.14kw)
 BAITWELL CAPACITY15 GAL (56.8L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT UNLESS NOTED)	
MERCURY 115	115
MERCURY 115 - 4 STROKE	115
HONDA 115 - 4 STROKE	115
HONDA 130 4 - STROKE	130
HONDA 200 4 - STROKE	200
MERCURY 135 OPTI	135
MERCURY 150	150
MERCURY 150 OPTI	150
MERCURY 150 EFI	150
MERCURY 200	200
MERCURY 200 OPTI	200
MERCURY 200 EFI	200

HONDA - 4-STROKE PRE - RIG
 MERCURY - OPTI, EFI, CARB. PRE - RIG

OPTIONS CONT.

ELECTRONICS PACKAGE #1
GPS / DEPTHFINDER / FISHFINDER (ALL IN ONE)
VHF RADIO


ELECTRONICS PACKAGE #2
GPS (STAND ALONE)
DEPTHFINDER / FISHFINDER
VHF RADIO

ELECTRONICS PACKAGE #3
GPS /COLOR CHART PLOTTER / DEPTH FINDER /
FISH FINDER
VHF RADIO

NOTES

BATTERY SWITCH – ON/OFF
BATTERY CHARGER
BIMINI TOP
BOW RAIL-STAINLESS STEEL SPLIT – CASTING
DECK TO TRANSOM (PORT & STRBD)
COCKPIT LIGHTS
COOLER W/ CUSHION – FORWARD CONSOLE
CUSHIONS-PORT & STARBOARD FORWARD SEATS
DIVE LADDER
GRAPHICS (HULL COLOR) : BLACK, BLUE
RECIRCULATING BAITWELL TIMER
REMOVABLE CASTING DECK SEAT – FORWARD
SEATS- LEANING POST W/ COOLER
SHRINK WRAP
SPREADER LIGHTS (T-TOP REQUIRED)
SPRINGLINE CLEATS (POP-UP)
STEREO – AM/FM CD W/ 4 SPEAKERS
T-TOP (CANVAS)
TRIM TABS

[The page contains faint horizontal lines and some illegible markings.]

22 SPORT
**SPECIFICATIONS**

L.O.A.	.23'7" (7.086m)
BEAM	.8'5" (2.51m)
DRAFT - HULL	.15" (0.38m)
DEADRISE	.19°
FUEL CAPACITY	90 GAL (340.8L)
WEIGHT - HULL (APPR) ..	2,750 LBS (1247kg)
WEIGHT - TRAILER (APPR)	4,500 LBS (2041kg)
COCKPIT AREA	.92 SQ. FT. (28.04m ²)
COCKPIT DEPTH	.27" (0.69m)
BRIDGE CLEARANCE	.5'10" (1.78m)
W/ T-TOP	.8'0" (2.44m)
MAX. HP	.225 (167.78kw)
BAITWELL CAPACITY	.25 GAL. (95.63L)
CASTING DECK BOX CAP. ..	.27 GAL (102.2L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT UNLESS NOTED)	
HONDA 200 4 - STROKE	.200
HONDA 225 4 - STROKE	.225
MERCURY 150	.150
MERCURY 150 EFI	.150
MERCURY 150 OPTI	.150
MERCURY 200	.200
MERCURY 200 EFI	.200
MERCURY 200 OPTI	.200
MERCURY 225 EFI	.225
MERCURY 225 OPTI	.225
MERCURY 225 4 - STROKE	.225
HONDA 4-STROKE PRE-RIG	
MERC. CARB, EFI, OPTI, & 4-STROKE PRE-RIG	

STANDARD EQUIPMENT

BAITWELL - W/ RAW WATER WASHDOWN
 BILGE PUMP
 BIMINI TOP
 BOW HANDRAIL-STAINLESS STEEL
 BOW PULPIT w/ ANCHOR ROLLER

22 SPORT

STANDARD EQUIPMENT

CASTING DECK FISHBOX / STORAGE BOX
CLEATS - (5)
COMPASS
DRINK HOLDERS
GLOVE BOX W/ LOCK
GRAB RAIL - WINDSHIELD (STAINLESS STEEL)
GUNNEL TRIM - RIGID VINYL
HALF DIVE PLATFORM W/ LADDER
HORN - ELECTRIC
INSTRUMENTATION: FUEL, MPH, RPM
(DETERMINED BY ENGINE PKG.)
PORTA-POTTIE - ENCLOSED IN CONSOLE
ROD HOLDERS - 1 PAIR
ROD RACKS - COCKPIT (6) HORIZONTAL
ROPE LOCKER STORAGE
SEAT - LEANING POST BAITWELL
SEATS - AFT JUMP - 2 MOLDED
SPRINGLINE CLEATS
STEERING - NO FEED BACK
STRIPING - BLUE, BLACK
SWITCH AND BREAKER PANEL
WINDSHIELD - PLEXIGLASS

OPTIONAL EQUIPMENT

BATTERY SWITCH FOR DUAL BATTERIES
BAITWELL / SEAT (IN LIEU OF
BAITWELL/LEANING POST)
BOW CUSHION
SHRINK WRAP
SPREADER LIGHTS
STEREO, AM / FM CD PLAYER w/ 4 SPEAKERS
STEERING - HYDRAULIC
TOP - T-TOP (RIGID OR CANVAS)
W/ ELECTRONICS BOX


CONVENIENCE PKG.
12 VOLT RECEPTACLE
COCKPIT BOLSTERS
COCKPIT LIGHTS (1 PAIR)
ROD HOLDERS 1 PAIR

ELECTRONICS PKG. #1
GPS / DEPTHFINDER / FISHFINDER (ALL IN ONE)
VHF RADIO

ELECTRONICS PKG. #2
GPS (STAND ALONE)
DEPTHFINDER / FISHFINDER
VHF RADIO

ELECTRONICS PKG. #3
GPS / COLOR CHART PLOTTER / DEPTH FINDER /
FISH FINDER
VHF RADIO

22 DC



SPECIFICATIONS

L.O.A.22'5" (6.83m)
BEAM8'2" (2.50m)
DRAFT - HULL15" (0.38m)
DEADRISE19°
FUEL CAPACITY90 GAL (340.8L)
WEIGHT - HULL (APPR) 3,050 LBS (1383kg)
WEIGHT - TRAILER (APPR) 4,179 LBS (1896kg)
COCKPIT AREA92 SQ. FT. (28.04m²)
COCKPIT DEPTH22" (0.56m)
BRIDGE CLEARANCE6'2" (1.88m)
MAX. HP225 (167.78kw)
BAITWELL CAPACITY9.75 GAL (36.9L)
FISH BOX CAPACITY9.75 GAL (36.9L)

ENGINE OPTIONS

ENGINE HP
(ALL 25" SHAFT UNLESS NOTED)
HONDA 200 4 - STROKE200
HONDA 225 4 - STROKE225
MERCURY 150150
MERCURY 150 OPTI150
MERCURY 150 EFI150
MERCURY 200200
MERCURY 200 OPTI200
MERCURY 200 EFI200
MERCURY 225 EFI25
MERCURY 225 OPTI225
MERCURY 225 4 - STROKE225

HONDA 4-STROKE PRE - RIG
MERCURY - OPTI, EFI, CARB. PRE-RIG

STANDARD EQUIPMENT

BAITWELL - W/ RAW WATER WASHDOWN
 BILGE PUMP
 BIMINI TOP
 BOW HANDRAIL-STAINLESS STEEL
 CASTING DECK FISHBOX / STORAGE BOX
 CONSOLE - DUAL W/ STORAGE
 CLEATS - (4)
 COMPASS
 DRINK HOLDERS
 INSTRUMENTATION: FUEL, MPH, RPM
 GLOVE BOX W/ LOCK
 GUNNEL TRIM - RIGID VINYL
 HALF DIVE PLATFORM W/ LADDER
 HORN - ELECTRIC
 ROD HOLDERS - 1 PAIR
 ROD RACKS - COCKPIT (6) HORIZONTAL
 ROPE LOCKER STORAGE
 SEATS - AFT JUMP - 2 MOLDED
 SEAT - CAPTAINS CHAIRS
 SPRINGLINE CLEATS
 STEERING - NO FEED BACK
 STRIPING - BLUE, BLACK
 SWITCH AND BREAKER PANEL
 WINDSHIELD - TEMPERED GLASS W/ PASS THRU

OPTIONAL EQUIPMENT

BATTERY SWITCH FOR DUAL BATTERIES
 BOW CUSHIONS
 SHRINK WRAP
 STEERING - HYDRAULIC
 STEREO, AM/FM CD PLAYER w/ 4 SPEAKERS

CONVENIENCE PKG.
 12 VOLT RECEPTACLE
 COCKPIT BOLSTERS
 COCKPIT LIGHTS (1 PAIR)
 ROD HOLDERS (1 PAIR)

ELECTRONICS PKG. #1
 GPS / DEPTHFINDER / FISHFINDER (ALL IN ONE)
 VHF RADIO

ELECTRONICS PKG. #2
 GPS (STAND ALONE)
 DEPTHFINDER / FISHFINDER
 VHF RADIO

ELECTRONICS PKG. #3
 GPS /COLOR CHART PLOTTER/ DEPTH FINDER /
 FISH FINDER
 VHF RADIO



SPECIFICATIONS

L.O.A.21'11" (6.68m)
 BEAM8'6" (2.59m)
 DRAFT - HULL11" (0.28m)
 DEADRISE13°
 FUEL CAPACITY60 GAL (227.2L)
 WEIGHT - HULL (APPR) ..2,284 LBS (1036kg)
 WEIGHT - TRAILER (APPR) 3248 LBS (1207kg)
 COCKPIT AREA87 SQ. FT. (26.52m²)
 COCKPIT DEPTH22" (0.56m)
 BRIDGE CLEARANCE4'7" (1.40m)
 W/ TOP8'0" (2.44m)
 MAX. HP225 (167.78kw)
 BAITWELL CAPACITY15 GAL (56.8L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT UNLESS NOTED)	
HONDA 200	200
HONDA 225	225
MERCURY 150	150
MERCURY 150 OPTI	150
MERCURY 150 EFI	50
MERCURY 200	200
MERCURY 200 OPTI	200
MERCURY 200 EFI	200
MERCURY 225 EFI	225
MERCURY 225 OPTI	225
MERCURY 225 4 - STROKE	225
HONDA 4-STROKE PRE-RIG	
MERCURY CARB, EFI, OPTI, & 4-STROKE PRE-RIG	

STANDARD EQUIPMENT

12 VOLT RECEPTACLE
BAITWELL - W/ RAW WATER WASHDOWN
BILGE PUMP
BOW HANDRAIL - SPLIT AT CASTING DECK
CASTING DECK W/ STORAGE
CLEATS - 4 1/2" POP-UPS (2) - 6" POP-UPS (1)
COMPASS
COOLER UNDER LEANING POST
DRINK HOLDERS
FULL INSTRUMENTATION:
- FUEL, MPH, RPM, TEMP, TRIM, VOLT
GRAB RAIL - WINDSHIELD (STAINLESS STEEL)
GUNNEL TRIM - RIGID VINYL
HALF DIVE PLATFORM W/ LADDER
HATCHES - W/ TRUE GUTTER SYSTEM
HORN - ELECTRIC
LOCKABLE STORAGE - PORT & STARBOARD
PRE-WIRE FOR TROLLING MOTOR (WIRE ONLY)
ROD HOLDERS - VERTICAL (9)
ROPE LOCKER STORAGE
SEATS - LEANING POST
STEERING - HYDRAULIC
STORAGE - CENTER CONSOLE
STRIPING - BLUE, BLACK
SWITCH AND BREAKER PANEL
TACKLE BOX
WINDSHIELD - PLEXIGLASS

OPTIONAL EQUIPMENT

BATTERY SWITCH - ON/OFF
BATTERY CHARGER
BIMINI TOP
BOW RAIL-STAINLESS STEEL SPLIT
- CASTING DECK TO TRANSOM (PORT & STRBD)
COCKPIT LIGHTS
COOLER W/ CUSHION (FORWARD CONSOLE)
COOLER SEAT W/ FLIP-FLOP BACKREST
CUSHIONS-PORT & STARBOARD FORWARD SEATS
DIVE LADDER
GRAPHICS (HULL COLOR): BLACK, BLUE
RECIRCULATING BAITWELL TIMER
REMOVABLE CASTING DECK SEATS (FWD. & AFT)
SPREADER LIGHTS (T-TOP REQUIRED)
SPRINGLINE CLEATS (POP-UP)
STEREO - AM/FM CD W/ 4 SPEAKERS
T-TOP (CANVAS)
TRIM TABS

OPTIONS CONT.


ELECTRONICS PACKAGE #1
GPS / DEPTHFINDER / FISHFINDER (ALL IN ONE)
VHF RADIO

ELECTRONICS PACKAGE #2
GPS (STAND ALONE)
DEPTHFINDER / FISHFINDER
VHF RADIO

ELECTRONICS PACKAGE #3
GPS / COLOR CHARTPLOTTER/ DEPTH FINDER /
FISH FINDER
VHF RADIO

NOTES

This image shows a single page of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no text or other markings on the page.


23 SPORT**SPECIFICATIONS**

L.O.A.	24'5" (7.44m)
BEAM	8'6" (2.59m)
DRAFT - HULL	18" (0.46m)
DEADRISE	22°
FUEL CAPACITY	140 GAL (530.1L)
WEIGHT - HULL (APPR)	3,300 LBS (1497kg)
WEIGHT - TRAILER (APPR)	5850 LBS (2654kg)
COCKPIT AREA	80 SQ. FT. (24.38m ²)
COCKPIT DEPTH	27" (0.69m)
BRIDGE CLEARANCE	6'7" (2.01m)
W/ T-TOP	7'9" (2.36m)
MAX. HP	300 (223.71kw)
BAITWELL CAPACITY	25 GAL (94.63L)
FISH BOX CAPACITY	32 GAL (121.2L)
FISH BOX CAP (FWD)	70 GAL (265.0L)

ENGINE OPTIONS

ENGINE	HP
(25" SHAFT FOR TWINS / 30" SHAFT FOR SINGLE)	
HONDA 225 4 - STROKE	225
MERCURY 225 EFI	225
MERCURY 225 OPTI	225
MERCURY 225 4 - STROKE	225
MERCURY 250 EFI	250
MERCURY TWIN 135 OPTI	270
MERCURY TWIN 150	300
MERCURY TWIN 150 OPTI	300
MERCURY TWIN 150 EFI	300

HONDA 4 - STROKE PRE-RIG
MERCURY CARB, EFI, OPTI &
4-STROKE PRE-RIG

24 BAY
**SPECIFICATIONS**

L.O.A.	23'11" (7.29m)
BEAM	8'6" (2.59m)
DRAFT - HULL	11" (0.28m)
DEADRISE	13°
FUEL CAPACITY	.82 GAL (310.5L)
WEIGHT - HULL (APPR) .	2,513 LBS (1140kg)
WEIGHT - TRAILER (APPR)	3,887 LBS (1310kg)
COCKPIT AREA	.90 SQ. FT. (27.43m²)
COCKPIT DEPTH	.17" (0.43m)
BRIDGE CLEARANCE	.4'7" (1.40m)
W/ TOP	.8'0" (2.44m)
MAX. HP	225 (167.78kw)
BAITWELL CAPACITY	18 GAL (68.2L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT UNLESS NOTED)	
HONDA 200 4 - STROKE	200
HONDA 225 4 - STROKE	225
MERCURY 150	150
MERCURY 150 EFI	150
MERCURY 150 OPTI	150
MERCURY 200	200
MERCURY 200 EFI	200
MERCURY 200 OPTI	200
MERCURY 225 EFI	225
MERCURY 225 OPTI	225
MERCURY 225 4 - STROKE	225

HONDA 4 -STROKE PRE-RIG
 MERCURY - CARB, EFI, OPTI,
 4-STROKE, PRE-RIGS

STANDARD EQUIPMENT

12-VOLT RECEPTACLE
BAITWELL - W/ RAW WATER WASHDOWN
BILGE PUMP
BOW HANDRAIL - SPLIT AT CASTING DECK
CASTING DECK W/ STORAGE
CLEATS - 6" POP-UPS (4)
COMPASS
COOLER UNDER LEANING POST
DRINK HOLDERS
FULL INSTRUMENTATION: FUEL, MPH, RPM, TEMP,
TRIM, VOLT (DETERMINED BY ENGINE PKG.)
GRAB RAIL - WINDSHIELD (STAINLESS STEEL)
GUNNEL TRIM - RIGID VINYL
HALF DIVE PLATFORM W/ LADDER
HATCHES - W/ TRUE GUTTER SYSTEM
HORN - ELECTRIC
LOCKABLE STORAGE - PORT & STARBOARD
PRE-WIRE FOR TROLLING MOTOR (WIRE ONLY)
ROD HOLDERS - VERTICAL (9)
ROPE LOCKER STORAGE
SEAT - ALUMINUM LEANING POST
STEERING - HYDRAULIC
STORAGE - CENTER CONSOLE
STRIPING - BLUE, BLACK
SWITCH AND BREAKER PANEL
TACKLE BOX
WINDSHIELD - PLEXIGLASS

OPTIONAL EQUIPMENT

BATTERY SWITCH - ON/OFF
BATTERY CHARGER
BIMINI TOP
BOW RAIL-STAINLESS STEEL SPLIT - CASTING
DECK TO TRANSOM (PORT & STRBD)
COCKPIT LIGHTS
COOLER W/ CUSHION (FORWARD CONSOLE)
COOLER SEAT W/ FLIP-FLOP BACKREST
CUSHIONS-PORT & STARBOARD FORWARD SEATS
DIVE LADDER
GRAPHICS (HULL COLOR): BLACK, BLUE
RECIRCULATING BAITWELL SYSTEM W/ TIMER
REMOVABLE CASTING DECK SEATS (FWD. & AFT)
SEATS - LEANING POST w/ STORAGE
SEATS - LEANING POST w/BAITWELL
SPREADER LIGHTS - T-TOP REQUIRED
SPRINGLINE CLEATS (POP-UP)
STEREO - AM/FM CD W/ 4 SPEAKERS
T-TOP (CANVAS)
TRIM TABS

OPTIONS CONT.


ELECTRONICS PACKAGE #1
DEPTH FINDER/FISHFINDER (ALL IN ONE)
VHF RADIO

ELECTRONICS PACKAGE #2
GPS (STAND ALONE)
DEPTHFINDER / FISHFINDER
VHF RADIO

ELECTRONICS PACKAGE #3
GPS / COLOR CHARTPLOTTER/ DEPTH FINDER /
FISH FINDER
VHF RADIO

NOTES

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

25 SPORT
**SPECIFICATIONS**

L.O.A.	25'5" (7.75m)
BEAM	8'6" (2.59m)
DRAFT - HULL	14" (0.36m)
DEADRISE	19°
FUEL CAPACITY	138 GAL (545.2L)
WEIGHT - HULL (APPR) ..	3,600 LBS (1633kg)
WEIGHT - TRAILER (APPR)	5,750 LBS (2608kg)
COCKPIT AREA	104 SQ. FT. (31.70m²)
COCKPIT DEPTH	29" (0.74m)
BRIDGE CLEARANCE	6'9" (2.06m)
W/ T-TOP	8'1" (2.46m)
MAX. HP	300 (223.71kw)
BAITWELL CAPACITY	15 GAL (132.5L)
BAITWELL CAPACITY (opt. leaning post)	35 GAL (132.5L)
FISH BOX CAPACITY	40 GAL (151.4L)
CONSOLE COOLER CAP.	16 GAL (60.6L)
FRESH WATER CAPACITY	15 GAL (56.8L)

ENGINE OPTIONS

ENGINE	HP
HONDA 225 4 - STROKE	225
HONDA TWIN 130 4 STROKE	260
MERCURY 225 4 STROKE	225
MERCURY 225 EFI	225
MERCURY 225 OPTI	225
MERCURY 250 EFI	250
MERCURY TWIN 135 OPTI	270
MERCURY TWIN 150	300
MERCURY TWIN 150 OPTI	300
MERCURY TWIN 150 EFI	300

HONDA 4-STROKE PRE-RIG
MERCURY CARB, EFI, OPTI, &
4-STROKE PRE-RIGS

25 SPORT

STANDARD EQUIPMENT

12-VOLT RECEPTACLE
 BAITWELL - W/ RAW WATER WASHDOWN
 BILGE PUMP
 BIMINI TOP
 BOW HANDRAIL-STAINLESS STEEL
 BOW PULPIT W/ ANCHOR ROLLER
 BRACKET - SINGLE + 2
 CASTING DECK FISH BOXES - INSULATED
 CLEATS - 3 - 8" & 2 - 6" POP-UPS
 COCKPIT SHOWER FRESHWATER IN
 TRANSON SINK
 COMPASS
 COOLER, FOR ALUMINUM LEANING POST
 DIAMOND SKID RESISTANT DECK & GUNNELS
 DIVE PLATFORM - FULL W/ LADDER
 DRINK HOLDERS
 FISH BOXES
 FULL INSTRUMENTATION: FUEL, MPH, RPM, TEMP,
 TRIM, VOLT (DETERMINED BY ENGINE PKG.)
 ELECTRONICS BOX W/ LOCK
 GUNNEL TRIM - RIGID VINYL W/ S.S. INSERT
 HATCHES - W/ TRUE GUTTER SYSTEM & LATCHES
 HORN - ELECTRIC
 LEANING POST - ALUMINUM W/ ROD HOLDERS
 PORTA-POTTIE - ENCLOSED IN CONSOLE
 ROD HOLDERS - 2 PAIR
 ROD RACKS - COCKPIT (6) HORIZONTAL
 ROPE LOCKER STORAGE
 SPRINGLINE CLEATS
 STEERING - HYDRAULIC
 STORAGE - CASTING DECK
 STRIPING - BLUE, BLACK
 SWITCH AND BREAKER PANEL
 TACKLE STORAGE
 TRANSON DOOR
 TRANSON SEATING
 TRIM TABS
 WINDSHIELD - PLEXIGLASS

OPTIONAL EQUIPMENT

BATTERY SWITCH FOR DUAL BATTERIES
 BOW CUSHION
 DIVE LADDER
 GRAPHICS (HULL COLOR): BLACK, BLUE
 HEAD, ELECTRIC
 LEANING POST, / BAITWELL W/ ROD HOLDERS (4)
 LEANING POST BACKREST
 LIGHT - REMOTE SPOT (T-TOP REQUIRED)
 LIGHTS - SPREADER -(T-TOP REQUIRED)

25 SPORT

OPTIONS CONT.

OUTRIGGERS - T-TOP REQUIRED
 SHRINK WRAP
 STEREO - AM/FM CD W/ 4 SPEAKERS
 T-TOP (RIGID) W/ ELECTRONICS BOX
 WINDLASS W/ ROPE & CHAIN

ELECTRONICS PACKAGE #1
 DEPTH FINDER/FISHFINDER (ALL IN ONE)
 VHF RADIO

ELECTRONICS PACKAGE #2
 GPS (STAND ALONE)
 DEPTHFINDER / FISHFINDER
 VHF RADIO

ELECTRONICS PACKAGE #3
 GPS / COLOR CHARTPLOTTER/ DEPTH FINDER /
 FISH FINDER
 VHF RADIO


CONVENIENCE PACKAGE
 COCKPIT LIGHTS (1 PAIR)
 COCKPIT BOLSTERS

TOURNAMENT PACKAGE
 BATTERY SWITCH FOR DUAL BATTERIES
 COCKPIT BOLSTERS
 COCKPIT LIGHTS
 T-TOP (RIGID) w/ SPREADER LIGHTS

NOTES



26 SPORT




SPECIFICATIONS

L.O.A.	27'0" (8.23m)
BEAM	8'6" (2.59m)
DRAFT - HULL	.16" (0.41m)
DEADRISE	19°
FUEL CAPACITY	170 GAL (643.7L)
WEIGHT - HULL (APPR) ..	4,500 LBS (2041kg)
WEIGHT - TRAILER (APPR)	7,500 LBS (3402kg)
COCKPIT AREA	.91 SQ. FT. (27.74m ²)
COCKPIT DEPTH	.28" (0.71m)
BRIDGE CLEARANCE	.6'9" (2.06m)
W/ T-TOP	.8'6" (2.59m)
MAX. HP	400 (298.28kw)
BAITWELL CAPACITY	.35 GAL (132.5L)
BAITWELL CAPACITY	
(opt. leaning post)	.35 GAL (132.5L)
FISH BOX CAP. (2)	.45 GAL (170.4L)
CONSOLE COOLER CAP	.16 GAL (60.6L)
FRESH WATER CAPACITY ..	.15 GAL (56.8L)

ENGINE OPTIONS

ENGINE	HP
(25" SHAFT FOR TWIN / 30" FOR SINGLES)	
HONDA 225 4 - STROKE	225
HONDA TWIN 130 4-STROKE	260
HONDA TWIN 200 4-STROKE	400
MERCURY 225 EFI	225
MERCURY 225 OPTI	225
MERCURY 225 4-STROKE	225
MERCURY 250 EFI	225
MERCURY TWIN 135 OPTI	270
MERCURY TWIN 150	300
MERCURY TWIN 150 EFI	300
MERCURY TWIN 150 OPTI	300
MERCURY TWIN 200	400
MERCURY TWIN 200 OPTI	400
MERCURY TWIN 200 EFI	400

HONDA 4-STROKE PRE-RIG
MERCURY CARB, EFI, OPTI, &
4-STROKE, PRE-RIGS

27 SPORT
**SPECIFICATIONS**

L.O.A.	29'1" (8.86m)
BEAM	9'10" (3.00m)
DRAFT - HULL	20" (0.56m)
DEADRISE	19°
FUEL CAPACITY	200 GAL (757.2L)
WEIGHT - HULL (APPR) ..	5,200 LBS (2359kg)
WEIGHT - TRAILER (APPR)	8,550 LBS (3878kg)
COCKPIT DEPTH	26" (0.66m)
BRIDGE CLEARANCE	7'1" (2.16m)
W/ T-TOP	8'2" (2.49m)
MAX. HP	500 (372.85kw)
BAITWELL CAPACITY	35 GAL (132.5L)
FISH BOX CAP. (2)	50 GAL (189.3L)
FRESH WATER CAPACITY ..	15 GAL (56.8L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT FOR TWINS)	
HONDA TWIN 200 4-STROKE	400
HONDA TWIN 225 4-STROKE	450
MERCURY TWIN 200 OPTI	400
MERCURY TWIN 225 EFI	450
MERCURY TWIN 225 4-STROKE ...	450
MERCURY TWIN 225 OPTI	450

HONDA 4-STROKE PRE-RIG
MERCURY CARB, EFI, OPTI, &
4-STROKE PRE-RIGS

SPORT SERIES

THE PRO-LINE STORY

GENERAL FEATURES AND BENEFITS


44

PERFORMANCE SPECIFICATIONS

NOTES

WALK SERIES

EXPRESS SERIES

30 SPORT
**SPECIFICATIONS**

L.O.A.	32'6" (9.91m)
BEAM	10'10" (3.30m)
DRAFT - HULL	.22" (0.56m)
DEADRISE	.19°
FUEL CAPACITY	300 GAL (1135.9L)
WEIGHT - HULL (APPR)	6,300 LBS (2858kg)
WEIGHT - TRAILER (APPR)	11,000 LBS (4990kg)
COCKPIT DEPTH	.30" (0.76m)
COCKPIT AREA	145 SQ. FT. (44.20m²)
BRIDGE CLEARANCE	.7'0" (2.13m)
W/ T-TOP	.8'3" (2.51m)
MAX. HP	.500 (372.85kw)
BAITWELL CAPACITY	.50 GAL (189.3L)
FISH BOX CAP. (2)	.90 GAL (340.8L)
FRESH WATER CAP.	.39 GAL (147.7L)

ENGINE OPTIONS

ENGINE	HP
(ALL 30" SHAFTS)	
HONDA TWIN 225 4-STROKE	.450
MERCURY TWIN 225 OPTI	.450
MERCURY TWIN 225 EFI	.450
MERCURY TWIN 225 4-STROKE ...	.450

HONDA 4-STROKE PRE-RIG
MERCURY EFI, OPTI, 4-STROKE PRE-RIG

**PERFORMANCE
SPECIFICATIONS**

WALK SERIES

EXPRESS SERIES



SPORT SERIES

**THE PRO-LINE
STORY**

**GENERAL FEATURES
AND BENEFITS**

WALK SERIES

20 • 22 • 23 • 25

26 • 27 • 30 • 33

The new 2004 line of Pro-Line cabin boats are truly phenomenal. Demand for these fishing machines has been outstanding and, with the addition of new interior fabrics and many model updates, this line offers more than any of the competition.

When presenting a Pro-Line Walk, be sure to get your prospects into the boat. Point out the deep interior freeboard, the placement of all the necessary fishing equipment, the deep wide walkarounds, collapsible hinges on the floor hatches, 316 L thru-bolted stainless steel hardware with backing plates and aircraft lock nuts, large cleats, molded bow pulpits (where applicable) and more.


Inside the cabins, your customers will find the most spacious and accommodating interiors of any on the market. Fabrics are made of high-grade Scotchguarded materials. Hardware down below is second to none and the models with enclosed heads give your prospects plenty of room to make even the largest of anglers comfortable. Storage is abundant and headliners are made of premium foam backed materials for ease of maintenance.

Every Pro-Line model comes with full instrumentation and a complete set of weather resistant rocker switches. Wiring is color-coded and every connection is heat shrunk to ensure no corrosion or breakage. Pro-Line even goes as far as labeling the buss-bars to make adding future equipment as easy as 1-2-3!

The hulls are all built with rough water capabilities in mind. Boasting deep vee hulls with reversed chines, the ride is stable, dry and feels like a much bigger boat.

If your prospects are looking for a true cabin boat with the amenities that no other offers, then a Pro-Line Walk or Express is the boat for them!

20 WALK



SPECIFICATIONS

L.O.A.	21'8" (6.64m)
BEAM	.8'5" (2.50m)
DRAFT - HULL	.15" (0.38m)
DEADRISE	19°
FUEL CAPACITY	70 GAL (265.0L)
WEIGHT - HULL (APPR) ...	2,100 LBS (935kg)
WEIGHT - TRAILER (APPR)	4,500 LBS (2041kg)
COCKPIT AREA	.47 SQ. FT. (14.33m ²)
COCKPIT DEPTH	.22" (0.56m)
BRIDGE CLEARANCE	.5'10" (1.78m)
W/ TOP	.8'0" (2.44m)
MAX. HP	200 (149.14kw)
BAITWELL CAPACITY	.27 GAL (102.2L)
FISH BOX CAPACITY	.27 GAL (102.2L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT UNLESS NOTED)	
HONDA 130 4 - STROKE	130
HONDA 200 4 - STROKE	200
MERCURY 135 OPTI	135
MERCURY 150	150
MERCURY 150 OPTI	150
MERCURY 150 EFI	150
MERCURY 200	200
MERCURY 200 OPTI	200
MERCURY 200 EFI	200
HONDA 4-STROKE PRE - RIG	
MERCURY - OPTI, EFI, CARB. PRE - RIG	

STANDARD EQUIPMENT

BAITWELL - W/ RAW WATER WASHDOWN
 BILGE PUMP
 BIMINI TOP
 BOW PULPIT w/ ANCHOR ROLLER
 BOW HANDRAIL-STAINLESS STEEL
 CABIN CUSHIONS
 CABIN DOOR - POLY BI-FOLD

20 WALK

STANDARD EQUIPMENT

CABIN HATCH
CABIN PORTHOLES - 2
CLEATS - (5)
CUSHION - FORWARD FILLER
COMPASS
DRINK HOLDERS
INSTRUMENTATION:- FUEL, MPH, RPM
(DETERMINED BY ENGINE PKG.)
GUNNEL TRIM - RIGID VINYL
HALF DIVE PLATFORM W/ LADDER
HORN - ELECTRIC
PORTA-POTTIE W/ FILLER BOARD
ROD HOLDERS - 1 PAIR
ROD RACKS - COCKPIT (6) HORIZONTAL
ROPE LOCKER STORAGE
SEATS - AFT JUMP - 2 MOLDED
SEATS - CAPTAINS CHAIRS
SPRINGLINE CLEATS
STEERING - NO FEED BACK
STRIPING - BLUE, BLACK
SWITCH AND BREAKER PANEL
WINDSHIELD - TEMPERED GLASS

OPTIONAL EQUIPMENT

BATTERY SWITCH FOR DUAL BATTERIES
CURTAIN PKG. HARD OR BIMINI TOP
HARD TOP W/ ELECTRONICS BOX
SHRINK WRAP
STEERING - HYDRAULIC
STEREO AM/FM CD PLAYER w/ 4 SPEAKERS


CONVENIENCE PACKAGE
12 VOLT RECEPTACLE
COCKPIT LIGHTS (1 PAIR)
COCKPIT BOLSTERS
ROD HOLDERS (1 PAIR)

ELECTRONICS PACKAGE#1
DEPTHFINDER / FISHFINDER (ALL IN ONE)
VHF RADIO

ELECTRONICS PACKAGE #2
GPS (STAND ALONE)
DEPTHFINDER / FISHFINDER
VHF RADIO

ELECTRONICS PACKAGE #3
GPS / COLOR CHARTPLOTTER/ DEPTH FINDER /
FISH FINDER
VHF RADIO

22 WALK



SPECIFICATIONS

LOA23'7" (7.086m)
BEAM8'5" (2.51m)
DRAFT - HULL16" (0.41m)
DEADRISE19°
FUEL CAPACITY90 GAL (340.8L)
WEIGHT - HULL (APPR) ..3,000 LBS (1634kg)
WEIGHT - TRAILER (APPR) 4,900 LBS (2223kg)
COCKPIT AREA58 SQ. FT. (17.68m²)
COCKPIT DEPTH27" (0.69m)
BRIDGE CLEARANCE5'10" (1.78m)
W/ TOP8'0" (2.44m)
MAX. HP225 (167.78kw)
BAITWELL CAPACITY27 GAL (102.2L)
FISH BOX CAPACITY27 GAL (102.2L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT UNLESS NOTED)	
HONDA 200 4 - STROKE	200
HONDA 225 4 - STROKE	225
MERCURY 150	150
MERCURY 150 EFI	150
MERCURY 150 OPTI	150
MERCURY 200	200
MERCURY 200 EFI	200
MERCURY 200 OPTI	200
MERCURY 225 EFI	225
MERCURY 225 OPTI	225
MERCURY 225 4 - STROKE	225
HONDA 4 - STROKE PRE-RIG	
MERCURY - CARB, EFI, OPTI, & 4-STROKE PRE-RIG	

STANDARD EQUIPMENT

BAITWELL - W/ RAW WATER WASHDOWN
BILGE PUMP
BIMINI TOP
BOW PULPIT w/ ANCHOR ROLLER

22 WALK

STANDARD EQUIPMENT

BOW HANDRAIL-STAINLESS STEEL
CABIN CUSHIONS
CABIN DOOR - POLY BI-FOLD
CABIN HATCH
CABIN PORTHOLES - 2
CLEATS - (5)
CUSHION - FORWARD FILLER
COMPASS
DRINK HOLDERS
INSTRUMENTATION: - FUEL, MPH, RPM
(DETERMINED BY ENGINE PKG.)
GUNNEL TRIM - RIGID VINYL W/ INSERT
HALF DIVE PLATFORM W/ LADDER
HORN - ELECTRIC
PORTA-POTTIE W/ FILLER BOARD
ROD HOLDERS - 1 PAIR
ROD RACKS - COCKPIT (6) HORIZONTAL
ROPE LOCKER STORAGE
SEATS - AFT JUMP - 2 MOLDED
SEATS - CAPTAINS CHAIRS
SPRINGLINE CLEATS
STEERING - NO FEED BACK
STRIPING - BLUE, BLACK
SWITCH AND BREAKER PANEL
WINDSHIELD - TEMPERED GLASS

OPTIONAL EQUIPMENT

BATTERY SWITCH FOR DUAL BATTERIES
CURTAIN PKG. HARD OR BIMINI TOP
HARD TOP W/ ELECTRONICS BOX
SHRINK WRAP
STEERING - HYDRAULIC
STEREO AM/FM CD PLAYER w/4 SPEAKERS


CONVENIENCE PACKAGE
12 VOLT RECEPTACLE
COCKPIT BOLSTERS
COCKPIT LIGHTS (1 PAIR)
ROD HOLDERS (1 PAIR)

ELECTRONICS PACKAGE #1
DEPTHFINDER / FISHFINDER (ALL IN ONE)
VHF RADIO

ELECTRONICS PACKAGE #2
GPS (STAND ALONE)
DEPTHFINDER / FISHFINDER
VHF RADIO

ELECTRONICS PACKAGE #3
GPS / COLOR CHARTPLOTTER/ DEPTH FINDER /
FISH FINDER
VHF RADIO

23 WALK



SPECIFICATIONS

L.O.A.24'5" (7.44m)
BEAM8'6" (2.59m)
DRAFT - HULL18" (0.46m)
DEADRISE22°
FUEL CAPACITY140 GAL (530.1L)
WEIGHT - HULL (APPR) ...3,700 LBS (1678kg)
WEIGHT - TRAILER (APPR) 6,500 LBS (2948kg)
COCKPIT AREA49 SQ. FT. (14.94m²)
COCKPIT DEPTH27" (0.69m)
BRIDGE CLEARANCE6'0" (1.83m)
W/ TOP8'1" (2.46m)
MAX. HP300 (223.71kw)
BAITWELL CAPACITY15 GAL (56.8L)
FISH BOX CAPACITY (2)20 GAL (75.7L)
FRESH WATER CAPACITY6 GAL (22.7L)

ENGINE OPTIONS

ENGINE HP
(ALL 25" SHAFT ON TWINS, 30" ON SINGLE)
HONDA 225 4 - STROKE225
MERCURY 225 EFI225
MERCURY 225 OPTI225
MERCURY 225 4 - STROKE225
MERCURY 250 EFI250
MERCURY TWIN 135 OPTI270
MERCURY TWIN 150300
MERCURY TWIN 150 OPTI300
MERCURY TWIN 150 EFI00
HONDA 4 - STROKE PRE-RIG
MERCURY CARB, EFI, OPTI &
4-STROKE PRE-RIG

BIMINI TOP
BOW PULPIT W/ ANCHOR ROLLER
BOW SEAT W/ CUSHION
BAITWELL - W/ RAW WATER WASHDOWN
BILGE PUMP
BOW HANDRAIL-STAINLESS STEEL
CABIN CUSHIONS & BOLSTERS
CABIN DOOR - ACRYLIC
CABIN HATCH
CABIN LIGHTS
CABIN PORTHOLES - 2
CLEATS - 8" (1), 6" POP-UPS (4)
COMPASS
DRINK HOLDERS
FULL INSTRUMENTATION: FUEL, MPH, RPM, TEMP,
TRIM, VOLT (DETERMINED BY ENGINE PKG.)
FRESH WATER CABIN SINK
GUNNEL TRIM - RIGID VINYL
HALF DIVE PLATFORM W/ LADDER (INTEGRATED)
HATCHES W/ TRUE GUTTER SYSTEM
HAWSE PIPES
HORN - ELECTRIC
INSULATED FISH BOXES
PORTA-POTTIE
ROD HOLDERS - 1 PAIR
ROD RACKS - COCKPIT (6) HORIZONTAL
ROPE LOCKER STORAGE
SEATS - CAPTAINS CHAIRS
SPRINGLINE CLEATS
STEERING - HYDRAULIC
STRIPING - BLUE, BLACK
SWITCH AND BREAKER PANEL
TRANSOM DOOR
WINDSHIELD - TEMPERED GLASS

BATTERY SWITCH FOR DUAL BATTERIES
CURTAIN PKG. - BIMINI
CURTAIN PKG. HARD TOP
GRAPHICS (HULL COLOR): BLACK, BLUE
LIGHT - REMOTE SPOT - HARD TOP REQUIRED
LIGHTS - SPREADER (HARD TOP REQUIRED)
OUTRIGGERS - HARD TOP REQUIRED
REAR BENCH SEAT - REMOVABLE
ROD HOLDERS - 1 PAIR
SHRINK WRAP
STEREO - AM/FM CD W/ 4 SPEAKERS
TOP - HARD W/ ELECTRONICS BOX
TRIM TABS
WIPER - PORT and/or STARBOARD

WINDLASS - W/ ROPE & CHAIN

CONVENIENCE PACKAGE
12 VOLT RECEPTACLE
COCKPIT BOLSTERS
COCKPIT LIGHTS (1 PAIR)
ROD HOLDERS (1 PAIR)

TOURNAMENT PACKAGE
BATTERY SWITCH FOR DUAL BATTERIES
12 VOLT RECEPTACLE
HARDTOP w/ SPREADER LIGHTS
FRESHWATER COCKPIT SHOWER
COCKPIT BOLSTERS
COCKPIT LIGHTS
COCKPIT SHOWER
TRIM TABS
ROD HOLDERS - 1 PAIR

ELECTRONICS PACKAGE #1
DEPTH FINDER/FISHFINDER (ALL IN ONE)
VHF RADIO


ELECTRONICS PACKAGE #2
GPS (STAND ALONE)
DEPTHFINDER / FISHFINDER
VHF RADIO

ELECTRONICS PACKAGE #3
GPS / COLOR CHARTPLOTTER / DEPTH FINDER /
FISH FINDER
VHF RADIO

NOTES



25 WALK




SPECIFICATIONS

L.O.A.	25'5" (7.75m)
BEAM	8'6" (2.59m)
DRAFT - HULL	14" (0.36m)
DEADRISE	19°
FUEL CAPACITY	138 GAL (522.5L)
WEIGHT - HULL (APPR) ..	4,150 LBS (1882kg)
WEIGHT - TRAILER (APPR)	7,000 LBS (3175kg)
COCKPIT AREA	.60 SQ. FT. (18.29m ²)
COCKPIT DEPTH	.28" (0.71m)
BRIDGE CLEARANCE	.5'8" (1.73m)
W/ TOP	.8'4" (2.54m)
MAX. HP	300 (223.71kw)
BAITWELL CAPACITY	15 GAL (56.8L)
FISH BOX CAPACITY (2) ..	30 GAL (113.6L)
FRESH WATER CAPACITY ..	6 GAL (22.7L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT)	
HONDA 225 4 - STROKE	225
HONDA TWIN 130 4 STROKE	260
MERCURY 225 4 STROKE	225
MERCURY 225 EFI	225
MERCURY 225 OPTI	225
MERCURY 250 EFI	250
MERCURY TWIN 135 OPTI	270
MERCURY TWIN 150	300
MERCURY TWIN 150 OPTI	300
MERCURY TWIN 150 EFI	300
HONDA 4-STROKE PRE-RIG	
MERCURY CARB, EFI, OPTI, & 4-STROKE PRE-RIGS	

26 WALK
**SPECIFICATIONS**

L.O.A.	.27'0" (8.23m)
BEAM	.8'6" (2.59m)
DRAFT - HULL	.17" (0.43m)
DEADRISE	.19°
FUEL CAPACITY	165 GAL (624.7L)
WEIGHT - HULL (APPR)	4,250 LBS (1928kg)
WEIGHT - TRAILER (APPR)	7,250 LBS (3289kg)
COCKPIT AREA	.45 SQ. FT. (13.72m ²)
COCKPIT DEPTH	.28" (0.71m)
BRIDGE CLEARANCE	.6'11" (2.11m)
W/ TOP	.8'8" (2.64m)
MAX. HP	.400 (298.28kw)
BAITWELL CAPACITY O/B	.18 GAL (68.2L)
FISH BOX CAPACITY (2)	.50 GAL (189.3L)
FRESHWATER CAPACITY	.15 GAL (56.8L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT ON TWINS, 30" ON SINGLE)	
HONDA 225 4 - STROKE	.225
HONDA TWIN 130 4-STROKE	.260
HONDA TWIN 200 4-STROKE	.400
MERCURY 225 EFI	.225
MERCURY 225 OPTI	.225
MERCURY 225 4-STROKE	.225
MERCURY 250 EFI	.250
MERCURY TWIN 135 OPTI	.270
MERCURY TWIN 150	.300
MERCURY TWIN 150 OPTI	.300
MERCURY TWIN 150 EFI	.300
MERCURY TWIN 200	.400
MERCURY TWIN 200 OPTI	.400
MERCURY TWIN 200 EFI	.400
MERCURY 5.7L B3 I/O	.250
MERCURY 6.2L MPI B3 I/O	.320

HONDA 4-STROKE PRE-RIG
MERCURY CARB, EFI, OPTI, &
4-STROKE PRE-RIGS

26 WALK

STANDARD EQUIPMENT

12-VOLT RECEPTACLE
 BAITWELL - W/ RAW WATER WASHDOWN
 BILGE PUMPS - 1250 AFT, 600 FORWARD
 BIMINI TOP
 BOW PULPIT W/ ANCHOR ROLLER
 BOW HANDRAIL-STAINLESS STEEL
 CABIN BOW STORAGE W/ MIRROR DOOR
 CABIN CURTAINS AND PILLOWS
 CABIN CUSHIONS & BOLSTERS
 CABIN DOOR - SLIDING ACRYLIC
 CABIN HATCH
 CABIN LIGHTS
 CABIN PORTHOLES - 4
 CABIN TABLE
 CABIN V-BERTH STORAGE
 CLEATS - 8" (5)
 COMPASS
 COCKPIT SHOWER
 DIVE PLATFORM, INTEGRATED W/ LADDER
 DRINK HOLDERS
 FRESH WATER CABIN SINK
 FULL INSTRUMENTATION: FUEL, MPH, RPM, TEMP,
 TRIM, VOLT (DETERMINED BY ENGINE PKG.)
 FULL GALLEY W/ BUTANE STOVE AND ICEBOX
 GLOVE BOX W/ LOCK
 GUNNEL TRIM - RIGID VINYL W/ S.S. INSERT
 HATCHES W/ TRUE GUTTER SYSTEM
 HAWSE PIPES
 HORN - ELECTRIC
 FISH BOXES W/ MACERATOR
 PORTA-POTTIE
 ROD HOLDERS - 2 PAIR
 ROD RACKS - COCKPIT (6) HORIZONTAL
 ROPE LOCKER STORAGE
 SEATS - CAPTAINS CHAIRS
 SEATING - TRANSOM BENCH
 SPRINGLINE CLEATS
 STEERING - HYDRAULIC
 STRIPING - BLUE, BLACK
 SWITCH AND BREAKER PANEL
 TACKLE BOX
 TRANSOM DOOR
 TRIM TABS
 WINDSHIELD - TEMPERED GLASS W/ VENT

OPTIONAL EQUIPMENT

AIR CONDITIONING - (REQUIRES WEEKENDER
 PACKAGE)
 BATTERY SWITCH FOR DUAL BATTERIES
 CURTAIN PKG. - BIMINI
 CURTAIN PKG. HARD TOP
 CUSHION - CABIN AFT FILLER
 DIVE LADDER -
 GRAPHICS (HULL COLOR): BLACK, BLUE
 HEAD - PORTA POTTIE W/ DOCKSIDE DISCHARGE
 HEAD, ELECTRIC -W/ MACERATOR AND
 HOLDING TANK W/ PUMP-OUT

26 WALK

OPTIONS CONT.

LIGHT - REMOTE SPOT - HARD TOP REQUIRED
 LIGHTS - SPREADER (HARD TOP REQUIRED)
 OUTRIGGERS - HARD TOP REQUIRED
 SHRINK WRAP
 STEREO - AM/FM CD W/ 4 SPEAKERS
 TOP - HARD W/ ELECTRONICS BOX
 WINDLASS - W/ ROPE AND CHAIN
 WIPER - PORT and/or STARBOARD

WEEKENDER PACKAGE
 110v OUTLETS (GFI PROTECTED)
 ALCOHOL/ELECTRIC STOVE
 BATTERY CHARGER
 BONDING SYSTEM
 ELECTRICAL DISTRIBUTION CENTER
 REFRIGERATOR
 SHORE POWER W/ CORD
 STEREO - AM/FM CD W/ 4 SPEAKERS
 GALVANIC ISOLATOR


CONVENIENCE PACKAGE
 COCKPIT LIGHTS (1 PAIR)
 COCKPIT BOLSTERS

TOURNAMENT PACKAGE
 HARDTOP w/ SPREADER LIGHTS
 BATTERY SWITCH FOR DUAL BATTERIES
 COCKPIT BOLSTERS
 COCKPIT LIGHTS

ELECTRONICS PACKAGE #1
 DEPTH FINDER/FISHFINDER (ALL IN ONE)
 VHF RADIO

ELECTRONICS PACKAGE #2
 GPS (STAND ALONE)
 DEPTHFINDER / FISHFINDER
 VHF RADIO

ELECTRONICS PACKAGE #3
 GPS/COLOR CHARTPLOTTER/ DEPTH FINDER /
 FISH FINDER
 VHF RADIO

27 WALK
**SPECIFICATIONS**

L.O.A.	29'1" (8.86m)
BEAM	9'10" (3.00m)
DRAFT - HULL	.21" (0.53m)
DEADRISE	19°
FUEL CAP	200 GAL (757.2L)
WEIGHT - HULL (APPR) .	5,900 LBS (2676kg)
WEIGHT - TRAILER (APPR)	9,500 LBS (4309kg)
COCKPIT DEPTH	.26" (0.66m)
BRIDGE CLEARANCE	.7'9" (2.36m)
W/ TOP	.9'7" (2.91m)
MAX. HP	.500 (372.85kw)
BAITWELL CAPACITY O/B .	.35 GAL (132.5L)
FISH BOX CAPACITY (2) .	.50 GAL (189.3L)
FRESH WATER CAPACITY .	.30 GAL (113.6L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT)	
HONDA TWIN 200 4-STROKE	.400
HONDA TWIN 225 4-STROKE	.450
MERCURY TWIN 200 OPTI	.400
MERCURY TWIN 225 4-STROKE ...	.450
MERCURY TWIN 225 EFI	.450
MERCURY TWIN 225 OPTI	.450

HONDA 4-STROKE PRE-RIG
MERCURY CARB, EFI, OPTI, &
4-STROKE PRE-RIGS

27 WALK

STANDARD EQUIPMENT

12-VOLT RECEPTACLE
110v OUTLETS - GFI PROTECTED
BATTERY CHARGER
BATTERY SWITCHES
BAITWELL - W/ RAW WATER WASHDOWN
BILGE PUMPS - 1250 AFT, 600 FORWARD
BONDING SYSTEM
BOW PULPIT W/ ANCHOR ROLLER
BOW HANDRAIL-STAINLESS STEEL
CABIN BOW STORAGE W/ MIRRORRED DOOR
CABIN CUSHIONS & BOLSTERS
CABIN DOOR - ACRYLIC SLIDING
CABIN HATCH
CABIN LIGHTS
CABIN PILLOWS AND CURTAINS
CABIN PORTHOLES - 4
CABIN TABLE
CABIN V-BERTH STORAGE
CITY WATER HOOK-UP
CLEATS - 6" POPUPS (4), 10" (2), 8" (1)
COMPASS
COCKPIT BOLSTERS
COCKPIT LIGHTS
COCKPIT SHOWER
DIVE PLATFORM - INTEGRATED W/ LADDER
DRINK HOLDERS
ELECTRICAL DISTRIBUTION PANEL
FRESH WATER W/ PULL OUT SHOWER
FULL INSTRUMENTATION-FUEL, MPH, RPM, TEMP,
TRIM, VOLT(DETERMINED BY ENGINE PKG.)
FULL GALLEY W/ BUTANE STOVE AND ICEBOX
GALVANIC ISOLATOR
GLOVE BOX W/ LOCK
GUNNEL TRIM - RIGID VINYL W/ S.S. INSERT
HATCHES W/ TRUE GUTTER SYSTEM
HAWSE PIPES
HEAD W/ STAND UP SHOWER & POTTIE
HORN - ELECTRIC
FISH BOXES W/ MACERATOR
ROD HOLDERS - 2 PAIR
ROD RACKS - COCKPIT (4) HORIZONTAL
ROPE LOCKER STORAGE
SEATS - CAPTAINS CHAIR
SEATING - TRANSOM BENCH
SHORE POWER W/ CORD
SPRINGLINE CLEATS
STEERING - HYDRAULIC
STRIPING - BLUE, BLACK
TACKLE BOX
TRANSOM PANEL - BATTERY SWITCHES &
BREAKERS

27 WALK

STANDARD EQUIP. CONT.

TRIM TABS
WINDSHIELD - TEMPERED GLASS W/ VENT
WOOD GRAIN CABINETRY

OPTIONAL EQUIPMENT


AIR CONDITIONING
BIMINI TOP
CURTAIN PKG. - BIMINI
CURTAIN PKG. HARD TOP
DIVE LADDER
GRAPHICS (HULL COLOR): BLUE, BLACK
HEAD - PORTA POTTIE W/ DOCKSIDE DISCHARGE
HEAD, ELECTRIC -W/ MACERATOR AND HOLDING
TANK W/ PUMP-OUT
LIGHT - REMOTE SPOT - HARD TOP REQUIRED
LIGHTS - SPREADER (HARD TOP REQUIRED)
MICROWAVE - IN LIEU OF STOVE
OUTRIGGERS - HARD TOP REQUIRED
SHRINK WRAP
STEREO - AM/FM CD W/ 4 SPEAKERS
TEAK FLOOR
TOP - HARD W/ ELECTRONICS BOX
WINDLASS - W/ ROPE AND CHAIN
WIPER - PORT and/or STARBOARD

WEEKENDER PACKAGE
ALCOHOL/ELECTRIC STOVE
REFRIGERATOR
STEREO - AM/FM CD W/ 4 SPEAKERS

ELECTRONICS PACKAGE #1
DEPTH FINDER/FISHFINDER (ALL IN ONE)
VHF RADIO

ELECTRONICS PACKAGE #2
GPS (STAND ALONE)
DEPTHFINDER / FISHFINDER
VHF RADIO

ELECTRONICS PACKAGE #3
GPS / COLOR CHARTPOLTER/ DEPTH FINDER /
FISH FINDER
VHF RADIO

30 WALK
**SPECIFICATIONS**

L.O.A.	32'6" (9.91m)
BEAM	10'10" (3.30m)
DRAFT - HULL	.22" (0.56m)
DEADRISE	19°
FUEL CAPACITY	300 GAL (1135.9L)
WEIGHT - HULL (APPR) ..	7,550 LBS (3425kg)
WEIGHT - TRAILER (APPR)	14,000 LBS (6350kg)
COCKPIT AREA	84 SQ. FT. (25.60m ²)
COCKPIT DEPTH	.30" (0.76m)
BRIDGE CLEARANCE	.7'1" (2.16m)
W/ TOP	9'6" (2.90m)
MAX. HP	500 (372.85kw)
BAITWELL CAPACITY	.45 GAL (170.4L)
FISH BOX CAPACITY (2) ..	.50 GAL (189.3L)
FRESH WATER CAPACITY ..	.39 GAL (147.7L)

ENGINE OPTIONS

ENGINE	HP
(ALL 30" SHAFT)	
HONDA TWIN 225 4-STROKE	450
MERCURY TWIN 225 OPTI	450
MERCURY TWIN 225 4-STROKE ...	450
MERCURY TWIN 225 EFI	450

HONDA 4-STROKE PRE-RIG
MERCURY EFI, OPTI, 4-STROKE PRE-RIG

30 WALK

STANDARD EQUIPMENT

12-VOLT RECEPTACLE
 110v OUTLETS - GFI PROTECTED
 BATTERY CHARGER
 BATTERY SWITCHES
 BAITWELL - W/ RAW WATER WASHDOWN
 BILGE PUMPS - 1250 AFT, 600 FORWARD
 BONDING SYSTEM
 BOW SEAT W/ CUSHION
 BOW PULPIT W/ ANCHOR ROLLER
 BOW HANDRAIL-STAINLESS STEEL
 CABIN BOW STORAGE W/ MIRROR DOOR
 CABIN CUSHIONS & BOLSTERS
 CABIN DOOR - ACRYLIC BI-FOLD
 CABIN HATCH
 CABIN LIGHTS
 CABIN PILLOWS AND CURTAINS
 CABIN PORTHOLES - 4
 CABIN TABLE, AND FILLER BOARD
 CABIN V-BERTH STORAGE
 CITY WATER HOOK-UP
 CLEATS - 6" POPUPS (6), 8" (1)
 COMPASS
 COCKPIT BOLSTERS
 COCKPIT LIGHTS
 COCKPIT SEAT W/ CUSHION
 COCKPIT SHOWER
 DIVE PLATFORM, INTEGRATED W/ LADDER
 DRINK HOLDERS
 ELECTRICAL DISTRIBUTION PANEL
 FRESH WATER SINK W/ PULL OUT SHOWER
 FULL INSTRUMENTATION: FUEL, MPH, RPM, TEMP
 TRIM, VOLT, (DETERMINED BY ENGINE PKG.)
 FULL GALLEY W/ BUTANE STOVE AND ICEBOX
 GALVANIC ISOLATOR
 GLOVE BOX W/ LOCK
 GUNNEL TRIM - RIGID VINYL W/ S.S. INSERT
 HATCHES W/ TRUE GUTTER SYSTEM
 HAWSE PIPES
 HEAD W/ STAND UP SHOWER & POTTA POTTIE
 HORN - ELECTRIC
 FISH BOXES W/ MACERATOR
 MID CABIN BERTH W/ PRIVACY CURTAIN
 MID CABIN WINDOW W/ SCREEN AND CURTAIN
 ROD HOLDERS - 2 PAIR
 ROD RACKS - COCKPIT (4) HORIZONTAL
 ROPE LOCKER STORAGE
 SEAT - HELM BENCH
 SEATING - TRANSOM BENCH
 SHORE POWER W/ CORD
 SPRINGLINE CLEATS
 STEERING - HYDRAULIC
 STRIPING - BLUE, BLACK
 SWITCH AND BREAKER PANEL
 TACKLE BOX
 TRANSOM DOOR

30 WALK

STANDARD EQUIP. CONT.

TRANSOM PANEL - BATTERY SWITCHES &
 BREAKERS
 TRIM TABS
 WINDSHIELD - TEMPERED GLASS W/ VENT AND
 ACTUATOR
 WOOD GRAIN CABINERY

OPTIONAL EQUIPMENT

AIR CONDITIONING
 BIMINI TOP
 CURTAIN PKG. - BIMINI
 CURTAIN PKG. HARD TOP
 DIVE LADDER
 GENERATOR - W/ CARBON MONOXIDE
 DETECTOR
 GRAPHICS (HULL COLOR): BLACK, BLUE
 HEAD - PORTA POTTIE W/ DOCKSIDE DISCHARGE
 HEAD, ELECTRIC -W/ MACERATOR AND HOLDING
 TANK W/ PUMP-OUT
 LIGHT - REMOTE SPOT - HARD TOP REQUIRED
 LIGHTS - SPREADER (HARD TOP REQUIRED)
 MICROWAVE
 OUTRIGGERS - HARD TOP REQUIRED
 SHRINK WRAP
 STEREO - AM/FM CD W/ 4 SPEAKERS
 TEAK FLOOR
 TOP - HARD W/ ELECTRONICS BOX
 WATER HEATER
 WINDLASS - W/ ROPE AND CHAIN
 WIPER - PORT and/or STARBOARD


WEEKENDER PACKAGE
 ALCOHOL/ELECTRIC STOVE
 REFRIGERATOR
 STEREO - AM/FM CD W/ 4 SPEAKERS

ELECTRONICS PACKAGE #1
 DEPTH FINDER/FISHFINDER (ALL IN ONE)
 VHF RADIO

ELECTRONICS PACKAGE #2
 GPS (STAND ALONE)
 DEPTHFINDER / FISHFINDER
 VHF RADIO

ELECTRONICS PACKAGE #3
 GPS / COLOR CHARTPLOTTER/ DEPTH FINDER /
 FISH FINDER
 VHF RADIO

30 WALK
NOTES

33 WALK
**SPECIFICATIONS**

L.O.A.	33'8" (10.26m)
BEAM	11'0" (3.35m)
DRAFT - HULL	25" (0.64m)
DEADRISE	19°
FUEL CAPACITY	270 GAL (1022L)
WEIGHT - HULL (appr) ..	12,000 LBS (5443kg)
WEIGHT - TRAILER (appr)	15,460 LBS (7058kg)
COCKPIT AREA	75 SQ. FT. (22.86m ²)
COCKPIT DEPTH	26" (0.66m)
MAX. HP	500 (372.85kw)
FRESH WATER CAP	39 GAL (147.63L)
FISHBOX (2) CAP	50 GAL (189.3L)
BAITWELL CAP	50 GAL (189.3L)
BRIDGE CLEARANCE	96" (2.43m)
W/TOP	127" (3.22m)

ENGINE OPTIONS

ENGINE	HP
(ALL 30" SHAFT)	
HONDA TWIN 225 4-STROKE	450
MERCURY TWIN 225 OPTI	450
MERCURY TWIN 225 4-STROKE	450
MERCURY TWIN 225 EFI	450

HONDA 4-STROKE PRE-RIG
MERCURY EFI, OPTI, 4-STROKE PRE-RIG

33 WALK

STANDARD EQUIPMENT

12-VOLT RECEPTACLE
 110v OUTLETS - GFI PROTECTED
 BAITWELL
 BATTERY CHARGER
 BATTERY SWITCHES IN STARBOARD COCKPIT
 UTILITIES CABINET
 BILGE PUMPS - 1250 AFT, 600 FORWARD
 BONDING SYSTEM
 BOW PULPIT W/ ANCHOR ROLLER
 BOW HANDRAIL-STAINLESS STEEL
 BOW SEAT W/ CUSHION
 CABIN BOW STORAGE W/ MIRRORING DOOR
 CABIN CUSHIONS
 CABIN DOOR - ACRYLIC BI-FOLD
 CABIN HATCH
 CABIN LIGHTS
 CABIN PILLOWS AND CURTAINS
 CABIN PORTHOLES - 4
 CITY WATER HOOK-UP
 CLEATS
 COCKPIT BOLSTERS
 COCKPIT LIGHTS
 COMPASS
 DINETTE W/ TABLE
 DIVE PLATFORM, INTEGRATED W/ LADDER
 DRINK HOLDERS
 ELECTRICAL DISTRIBUTION PANEL
 FRESH WATER SINK W/ PULL OUT SHOWER -
 HOT/COLD
 FULL GALLEY
 FULL INSTRUMENTATION: FUEL, MPH, RPM, TEMP
 TRIM, VOLT (DETERMINED BY ENGINE PKG.)
 GALVANIC ISOLATOR
 GUNNEL TRIM - RIGID VINYL W/ S.S. INSERT
 HANGING LOCKER - CEDAR LINED
 HATCHES W/ TRUE GUTTER SYSTEM
 HEAD, ELECTRIC -W/ MACERATOR AND HOLDING
 TANK W/ PUMP-OUT
 HORN - ELECTRIC
 FISH BOXES W/ MACERATOR
 MID CABIN BERTH W/ PRIVACY CURTAIN
 REFRIGERATOR
 ROD HOLDERS - 2 PAIR
 ROD RACKS - LOCKABLE
 ROPE LOCKER STORAGE
 SEAT - HELM BENCH
 SEATING - LOUNGE W/BOLSTER
 SEATING - TRANSOM BENCH
 SHORE POWER W/ CORD
 SPRINGLINE CLEATS
 STEERING - HYDRAULIC
 STRIPING - BLUE, BLACK
 SWITCH AND BREAKER PANEL
 TACKLE STATION W/ SINK, LURE CABINET &
 TACKLE BOX
 TRANSOM DOOR

33 WALK

STANDARD EQUIP. CONT.

TRIM TABS
 WATER HEATER
 WINDSHIELD - TEMPERED GLASS W/ VENT
 WINDLASS - W/ROPE AND CHAIN
 WOOD GRAIN CABINETRY
 WIPER - STARBOARD

OPTIONAL EQUIPMENT

AIR CONDITIONING
 COMPACT DISK CHANGER
 COFFEE MAKER
 CURTAIN PKG. - HARD TOP
 DIVE LADDER
 GENERATOR W/ CARBON MONOXIDE DETECTOR
 GRAPHICS (HULL COLOR): BLUE, BLACK
 ICE MAKER
 LIGHT - REMOTE SPOT -(HARD TOP REQUIRED)
 LIGHTS - SPREADER (HARD TOP REQUIRED)
 MICROWAVE
 OUTRIGGERS - HARD TOP REQUIRED
 SHRINK WRAP
 STEREO - AM/FM CD W/4 SPEAKERS
 TEAK FLOOR
 TELEVISION W/VIDEO CASSETTE PLAYER
 TELEVISION W/ DVD PLAYER
 TOP - HARD W/ ELECTRONICS BOX
 WIPER - PORT

WEEKENDER PACKAGE
 COFFEE MAKER
 ICE MAKER - COCKPIT
 MICROWAVE

ELECTRONICS PACKAGE
 COLOR CHARTPLOTTER / GPS / DEPTH FINDER /
 FISHFINDER
 VHF RADIO


33 WALK

NOTES

EXPRESS SERIES**27 • 30 • 33**


The Pro-Line Expresses were built for the family that loves to fish and fish hard, yet wants to entertain and have fun onboard as well.

The Expresses use the same high quality construction as the Sport and Walk Series, including the finest in fabrics and vinyls that are designed to handle wear and tear. Below deck there is ample storage space for a weekend trip with room for overnighting.

The major features in the 27 and 30 Expresses can be seen in the above deck, open-air galley. Countertop, stove, refrigerator/ice box, and storage allow for easy entertainment to be served up for all. Seating wraps around the galley and opens into the cockpit for even more room.

The bigger Expresses boast large amounts of space for fishing, entertaining, overnighting, and more. Designed for a large family, a large group of fisherman, or just your large friend, the Express line gives you room to roam.

For the customer looking for a boat with a dual personality they'll find it in one of our Express models for 2004.

27 EXPRESS

**PERFORMANCE
SPECIFICATIONS**
SPECIFICATIONS

L.O.A.	29'1" (8.86m)
BEAM	9'10" (3.0m)
DRAFT - HULL	.21" (0.53m)
DEADRISE	19°
FUEL CAPACITY	200 GAL (757.2L)
WEIGHT - HULL (APPR) ..	5,900 LBS (2676kg)
WEIGHT - TRAILER (APPR) ..	9,500 LBS (4309kg)
COCKPIT AREA	.80 SQ. FT. (24.38m ²)
COCKPIT DEPTH	.26" (0.66m)
BRIDGE CLEARANCE	.7'3" (2.21m)
W/ TOP	.9'7" (2.92m)
MAX. HP	500 (372.85kw)
BAITWELL CAPACITY O/B ..	.35 GAL (132.5L)
FISH BOX CAPACITY (2)	.50 GAL (189.3L)
FRESH WATER CAPACITY ..	.30 GAL (113.6L)

ENGINE OPTIONS

ENGINE	HP
(ALL 25" SHAFT)	
HONDA TWIN 200 4-STROKE	.400
HONDA TWIN 225 4-STROKE	.450
MERCURY TWIN 200 OPTI	.400
MERCURY TWIN 225 4-STROKE ...	.450
MERCURY TWIN 225 EFI	.450
MERCURY TWIN 225 OPTI	.450

HONDA 4-STROKE PRE-RIG
MERCURY CARB, EFI, OPTI, &
4-STROKE PRE-RIGS

27 EXPRESS

STANDARD EQUIPMENT

12-VOLT RECEPTACLE
 110v OUTLETS - GFI PROTECTED
 BATTERY CHARGER
 BATTERY SWITCHES
 BAITWELL - W/ RAW WATER WASHDOWN
 BILGE PUMPS - 1250 AFT, 600 FORWARD
 BONDING SYSTEM
 BOW PULPIT W/ ANCHOR ROLLER
 BOW HANDRAIL-STAINLESS STEEL
 CABIN BOW STORAGE W/ MIRRORRED DOOR
 CABIN CUSHIONS & BOLSTERS
 CABIN DOOR - ACRYLIC SLIDING
 CABIN HATCH
 CABIN LIGHTS
 CABIN PILLOWS AND CURTAINS
 CABIN PORTHOLES - 4
 CABIN TABLE W/ FILLER BOARD
 CABIN V-BERTH STORAGE
 CITY WATER HOOK-UP
 CLEATS - 6" POP-UPS (4), 8" (1)
 COMPASS
 COCKPIT BOLSTERS
 COCKPIT LIGHTS
 COCKPIT SHOWER
 DIVE PLATFORM, INTEGRATED W/ LADDER
 DRINK HOLDERS
 ELECTRICAL DISTRIBUTION PANEL
 FRESH WATER SINK W/ PULL OUT SHOWER
 FULL INSTRUMENTATION: FUEL, MPH, RPM, TEMP,
 TRIM, VOLT, (DETERMINED BY ENGINE PKG.)
 FULL GALLEY W/ BUTANE STOVE AND ICEBOX
 GALVANIC ISOLATOR
 GLOVE BOX W/ LOCK
 GUNNEL TRIM - RIGID VINYL W/ S.S. INSERT
 HATCHES W/ TRUE GUTTER SYSTEM
 HAWSE PIPES
 HEAD- PORTA POTTIE
 HORN - ELECTRIC
 FISH BOXES W/ MACERATOR
 ROD HOLDERS - 2 PAIR
 ROD RACKS - COCKPIT (4) HORIZONTAL
 ROPE LOCKER STORAGE
 SEAT - CAPTAINS CHAIR AT HELM
 SEATING - COCKPIT LOUNGE W/ STORAGE
 SEATING - TRANSOM BENCH
 SHORE POWER W/ CORD
 SPRINGLINE CLEATS
 STEERING - HYDRAULIC
 STRIPING - BLUE, BLACK
 TACKLE BOX
 TRANSOM DOOR
 TRANSOM PANEL - BATTERY SWITCHES &
 BREAKERS
 TRIM TABS
 WINDSHIELD - TEMPERED GLASS W/ VENT

27 EXPRESS

OPTIONAL EQUIPMENT

AIR CONDITIONING
 CURTAIN PKG. -CALCUTTA
 DIVE LADDER
 GRAPHICS (HULL COLOR) - BLACK, BLUE
 HEAD - PORTA POTTIE W/ DOCKSIDE DISCHARGE
 HEAD, ELECTRIC -W/ MACERATOR AND
 HOLDING TANK W/ PUMP-OUT
 ICE MAKER
 LIGHT - REMOTE SPOT - CALCUTTA TOP
 REQUIRED
 LIGHTS - SPREADER (TOP REQUIRED)
 OUTRIGGERS - CALCUTTA TOP REQUIRED
 REFRIGERATOR
 SHRINK WRAP
 STEREO - AM/FM CD W/ 4 SPEAKERS
 TEAK FLOOR
 TOP - CALCUTTA W/ ELECTRONICS BOX
 WATER HEATER
 WINDLASS - W/ROPE AND CHAIN
 WIPER - PORT and/or STARBOARD

ELECTRONICS PACKAGE #1
 DEPTH FINDER/FISHFINDER (ALL IN ONE)
 VHF RADIO


ELECTRONICS PACKAGE #2
 GPS (STAND ALONE)
 DEPTHFINDER / FISHFINDER
 VHF RADIO

ELECTRONICS PACKAGE #3
 GPS/COLOR CHARTPLOTTER/ DEPTH FINDER /
 FISH FINDER
 VHF RADIO

27 EXPRESS

NOTES

30 EXPRESS



SPECIFICATIONS

L.O.A.	32'6" (9.91m)
BEAM	10'10" (3.30m)
DRAFT - HULL	22" (0.56m)
DEADRISE	19°
FUEL CAPACITY	312 GAL (1181.3)
WEIGHT - HULL (APPR)	..7,700 LBS (3493kg)
WEIGHT - TRAILER (APPR)	14,000 LBS (6350kg)
COCKPIT AREA	102 SQ. FT. (31.09m ²)
COCKPIT DEPTH	30" (0.79m)
BRIDGE CLEARANCE	7'1" (2.16m)
W/ TOP	9'6" (2.90m)
MAX. HP	500 (372.85kw)
BAITWELL CAPACITY	50 GAL (189.3L)
FISH BOX CAPACITY (2)	110 GAL (416.5L)
FRESH WATER CAPACITY	..30 GAL (113.6L)

ENGINE OPTIONS

ENGINE	HP
(ALL 30" SHAFT)	
HONDA TWIN 225 4-STROKE	450
MERCURY TWIN 225 OPTI	450
MERCURY TWIN 225 EFI	450
MERCURY TWIN 225 4-STROKE	450

HONDA 4-STROKE PRE-RIG
MERCURY EFI, OPTI, & 4-STROKE PRE-RIG

30 EXPRESS
STANDARD EQUIPMENT

12-VOLT RECEPTACLE
 110v OUTLETS - GFI PROTECTED
 BATTERY CHARGER
 BATTERY SWITCHES
 BAITWELL - W/ RAW WATER WASHDOWN
 BILGE PUMPS - 1250 AFT, 600 FORWARD
 BONDING SYSTEM
 BOW PULPIT W/ ANCHOR ROLLER
 BOW HANDRAIL-STAINLESS STEEL
 CABIN BOW STORAGE W/ MIRRORRED DOOR
 CABIN CUSHIONS & BOLSTERS
 CABIN DOOR - ACRYLIC BI-FOLD
 CABIN HATCH
 CABIN LIGHTS
 CABIN PILLOWS AND CURTAINS
 CABIN PORTHOLES - 4
 CABIN TABLE W/ FILLER BOARD
 CABIN V-BERTH CARPETED STORAGE
 CITY WATER HOOK-UP
 CLEATS - 6" POPUPS (4), 8" (1)
 COMPASS
 COCKPIT BOLSTERS
 COCKPIT LIGHTS
 COCKPIT SHOWER
 DIVE PLATFORM, INTEGRATED W/ LADDER
 DRINK HOLDERS
 ELECTRICAL DISTRIBUTION PANEL
 FRESH WATER SINK W/ PULL OUT SHOWER
 FULL INSTRUMENTATION: FUEL, MPH, RPM, TEMP,
 TRIM, VOLT, (DETERMINED BY ENGINE PKG.)
 FULL GALLEY W/ BUTANE STOVE AND ICEBOX
 GALVANIC ISOLATOR
 GLOVE BOX W/ LOCK
 GUNNEL TRIM - RIGID VINYL W/ S.S. INSERT
 HATCHES W/ TRUE GUTTER SYSTEM
 HAWSE PIPES
 HEAD- PORTA POTTIE
 HORN - ELECTRIC
 INSULATED FISH BOXES W/ MACERATOR
 ROD HOLDERS - 2 PAIR
 ROD RACKS - COCKPIT (4) HORIZONTAL
 ROPE LOCKER STORAGE
 SEAT - CAPTAINS CHAIR AT HELM
 SEATING - COCKPIT LOUNGE W/ STORAGE
 SEATING - TRANSOM BENCH
 SHORE POWER W/ CORD
 SPRINGLINE CLEATS
 STEERING - HYDRAULIC
 STRIPING - BLUE, BLACK
 TACKLE BOX
 TRANSOM DOOR
 TRANSOM PANEL W/ BATTERY SWITCHES
 TRIM TABS
 WINDSHIELD - TEMPERED GLASS W/ VENT
 AND ACTUATOR

30 EXPRESS
OPTIONAL EQUIPMENT


AIR CONDITIONING
 CURTAIN PKG. -CALCUTTA
 DIVE LADDER
 GENERATOR - W/ CARBON MONOXIDE
 DETECTOR
 GRAPHICS (HULL COLOR): BLACK, BLUE
 HEAD - PORTA POTTIE W/ DOCKSIDE DISCHARGE
 HEAD, ELECTRIC -W/ MACERATOR AND HOLDING
 TANK W/ PUMP-OUT
 ICE MAKER - IN LIEU OF TACKLE BOX
 LIGHT - REMOTE SPOT - CALCUTTA TOP REQ.
 LIGHTS - SPREADER (TOP REQUIRED)
 OUTRIGGERS - CALCUTTA TOP REQ.
 REFRIGERATOR
 SHRINK WRAP
 STEREO - AM/FM CD W/ 4 SPEAKERS
 TEAK FLOOR
 TOP - CALCUTTA W/ ELECTRONICS BOX
 WATER HEATER
 WINDLASS - W/ ROPE AND CHAIN
 WIPER - PORT and/or STARBOARD

 ELECTRONICS PACKAGE #1
 DEPTH FINDER/FISHFINDER (ALL IN ONE)
 VHF RADIO

 ELECTRONICS PACKAGE #2
 GPS (STAND ALONE)
 DEPTH FINDER / FISH FINDER
 VHF RADIO

 ELECTRONICS PACKAGE #3
 GPS / COLOR CHARTPLOTTER/ DEPTH FINDER /
 FISH FINDER
 VHF RADIO

This image shows a single page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or printed text on the page.



LOA	33'0" (10.06m)
BEAM	12'6" (3.81m)
DRAFT - HULL	41" (1.04m)
DEADRISE	19°
FUEL CAPACITY	300 GAL (1135.9L)
WEIGHT - HULL (APPR)	14,500 LBS (6577kg)
WEIGHT - TRAILER (APPR)	18,000 LBS (8165kg)
COCKPIT AREA	115 SQ. FT. (35.05m ²)
COCKPIT DEPTH	25" (0.64m)
BRIDGE CLEARANCE W/ TOWER	15'3" (4.65m)
MAX HP	.840 (626.39kw)
BAITWELL CAPACITY	35 GAL (132.5L)
FISH BOX CAPACITY	75 GAL (284.0L)
FRESH-WATER CAPACITY	40 GAL (151.4L)

ENGINE	HP
MERC. TWIN 8.1 HO	.370 EACH
CATERPILLAR TWIN 300 . . .	.300 EACH
YANMAR TWIN 315	.315 EACH

STANDARD EQUIPMENT

- ✓ BAITWELL - CIRCULATING & RAW WATER
- ✓ WASH DOWN
- ✓ BATTERY CHARGER
- ✓ BILGE PUMPS - THREE AUTO/MANUAL
- ✓ BOW RAILS - STAINLESS STEEL
- ✓ CLEATS - 10" -6 (STAINLESS STEEL)
- ✓ BOW PULPIT - MOLDED IN
- ✓ BOW ROLLER
- ✓ CABIN LIGHTING - INDIRECT AND DIRECT
- ✓ CARBON MONOXIDE DETECTOR
- ✓ CITY WATER HOOKUP
- ✓ COCKPIT COURTESY LIGHTS
- ✓ COMPASS - SURFACE MOUNT
- ✓ DASH - FULL INSTRUMENTATION
- ✓ DINETTE W/STORAGE - BUNK CONVERSION
- ✓ DRINK HOLDERS
- ✓ ENGINE ALARM
- ✓ FOAM FLOTATION - CLOSED CELL Basic
- ✓ FORWARD BERTH
- ✓ FRESH WATER SINK - IN TRANSOM in Boat station
- ✓ GALLEY - 2 BURNER ELECTRIC STOVE,
- ✓ REFRIGERATOR (DC), STAINLESS STEEL ROUND
- ✓ SINK & HOT/COLD HI-RISE FAUCET,
- ✓ MICROWAVE, CABINETS - 12 VOLT LIGHTING,
- ✓ COFFEE MAKER
- ✓ GRAB RAILS - STAINLESS STEEL vinyl
- ✓ GUNNEL TRIM - RIGID VINYL W/5.5" INSERT
- ✓ HATCHES - DECK W/TRUE GUTTER SYSTEM
- ✓ HEAD - VACUUM FLUSH W/ OVERBOARD
- ✓ DISCHARGE
- ✓ HEAD - HOT & COLD SHOWER & VANITY,
- ✓ MOLDED SINK W/STORAGE, WALL MIRROR
- ✓ HELM SEAT - ADJUSTABLE Command
- ✓ HORN - DUAL ELECTRIC TRUMPET
- ✓ HOUR METERS
- ✓ PORT LIGHT - (4)
- ✓ PREMIUM GEL COAT
- ✓ SEACOCKS AND ALL UNDERWATER THRU-HULL
- ✓ FITTINGS - BRONZE
- ✓ SHORE POWER W/CORD W/ 110V OUTLETS
- ✓ STEERING - HYDRAULIC
- ✓ STEERING WHEEL - STAINLESS STEEL opt.
- ✓ STEREO - AM/FM CD W/5 SPEAKERS AND REMOTE
- ✓ TACKLE BOX
- ✓ TEAK & HOLLY CABIN FLOOR
- ✓ TELEVISION W/DVD PLAYER opt.
- ✓ TOP - HARD TOP W/STORAGE opt.
- ✓ TRIM TABS
- ✓ WATER HEATER
- ✓ WATER RESISTANT ROCKER SWITCHES

STANDARD EQUIP. CONT.

- ✓ WATER & WASTE TANK INDICATOR
- ✓ WINDSHIELD - CUSTOM CURVED GLASS W/
- ✓ ALUMINUM FRAME
- ✓ WINDSHIELD WIPER (STARBOARD ONLY)
- ✓ WINDLASS

OPTIONAL EQUIPMENT

- ✓ AIR CONDITIONING - W/HEAT
- ✓ COCKPIT CARPET
- ✓ COCKPIT COVER
- ✓ COMPASS - DIGITAL
- ✓ CURTAIN PACKAGE - TOWER /HARD T-TOP
- ✓ CUSHION - BAITWELL / FREEZER
- ✓ DIVE PLATFORM W/LADDER
- ✓ FREEZER - BAITSTATION
- ✓ GENERATOR - GAS OR DIESEL
- ✓ GREY WATER SYSTEM
- ✓ HULL COLOR - PREMIUM GELCOAT BLACK,
- ✓ GREEN, BLUE Yellow Lt Blue
- ✓ LIGHTS - REMOTE CONTROL SPOT
- ✓ LIGHTS - SPREADER
- ✓ OIL CHANGE PUMP - CATERPILLAR /TANMAR/
- ✓ MERCURY
- ✓ OUTRIGGERS - TOWER /HARD TOP
- ✓ SEA STRAINERS
- ✓ SHAFT SEALS - DRIPLESS
- ✓ SHRINK WRAP
- ✓ STEREO - ULTIMATE SONY AM/FM CD
- ✓ W/7 SPEAKERS
- ✓ DISC CHANGER, 40 WATT AMPLIFIER
- ✓ W/REMOTE PAD
- ✓ TOP - TOWER W/ DUAL STATION
- ✓ WATER FILTER
- ✓ WIPER - PORT #1
- ✓ #2
- ✓ ELECTRONICS PACKAGE #3
- ✓ GPS / COLOR CHARTPLOTTER / DEPTHFINDER /
- ✓ FISH FINDER
- ✓ VHF RADIO
- ✓ ELECTRONICS PACKAGE #4
- ✓ COLOR RADAR, GPS, DEPTHFINDER, FISHFINDER,
- ✓ 4KW RAYDOME ANTENNA
- ✓ AUTO PILOT
- ✓ VHF RADIO


33 EXPRESS

NOTES

SPORT SERIES

WALK SERIES

EXPRESS SERIES



PERFORMANCE

Pro-Line Boats advises that these performance figures are merely an estimate of what you can expect based on our factory testing program.

Boat speeds will vary depending on weight, fuel load, number of passengers, air temperature, altitude, humidity, barometric pressure, water conditions, wind, engine tuning, horsepower (HP) variance from engine to engine, propellers, and numerous other factors beyond our control.

All speeds are obtained by professional test boat drivers in optimum conditions.

PERFORMANCE

19 SPORT

ENGINE	MPH
HONDA 115 4-STROKE	.34 - 36
MERCURY 115	.36 - 38
MERCURY 115 4-STROKE	.36 - 38
MERCURY 135 OPTI	.46 - 48
MERCURY 150	.43 - 45
MERCURY 150 OPTI	.45 - 47

20 SPORT

ENGINE	MPH
HONDA 130 4-STROKE	.33 - 35
HONDA 200 4-STROKE	.39 - 41
MERCURY 135 OPTI	*
MERCURY 150	.43 - 45
MERCURY 150 OPTI	.42 - 44
MERCURY 200	.48 - 50
MERCURY 200 OPTI	.48 - 50

20 DC

ENGINE	MPH
HONDA 130 4-STROKE	.33 - 35
HONDA 200 4-STROKE	.39 - 41
MERCURY 135 OPTI	.38 - 40
MERCURY 150	.40 - 42
MERCURY 150 OPTI	.40 - 42
MERCURY 200	.44 - 46
MERCURY 200 OPTI	.44 - 46

20 BAY

ENGINE	MPH
MERCURY 115	.38 - 40
MERCURY 115-4 STROKE	.38 - 40
HONDA 115-4 STROKE	*
HONDA 130 4-STROKE	.39 - 41
MERCURY 135 OPTI	.45 - 47
MERCURY 150	.48 - 50
MERCURY 150 OPTI	.47 - 49
MERCURY 200	.49 - 51
MERCURY 200 OPTI	*
HONDA 200 4-STROKE	*

* Not yet tested at time of printing -
speed range is unavailable.

PERFORMANCE

22 SPORT

ENGINE	MPH
HONDA 200 4-STROKE	.42 - 44
HONDA 225 4-STROKE	.44 - 46
MERCURY 150	.39 - 41
MERCURY 150 OPTI	.41 - 43
MERCURY 200	.41 - 43
MERCURY 200 OPTI	.41 - 43
MERCURY 225 EFI	.49 - 51
MERCURY 225 OPTI	.47 - 49
MERCURY 225 4-STROKE	.44 - 46

22 DC

ENGINE	MPH
HONDA 200 4- STROKE	.43 - 45
HONDA 225 4-STROKE	*
MERCURY 150	*
MERCURY 150 OPTI	*
MERCURY 200	.43 - 45
MERCURY 200 OPTI	.43 - 45
MERCURY 225 EFI	.46 - 48
MERCURY 225 OPTI	.48 - 50

22 BAY

ENGINE	MPH
HONDA 200 4-STROKE	*
HONDA 225 4-STROKE	.54 - 56
MERCURY 150	.45 - 47
MERCURY 150 OPTI	*
MERCURY 200	.52 - 54
MERCURY 200 OPTI	.52 - 54
MERCURY 225 EFI	.56 - 58
MERCURY 225 OPTI	.56 - 58

* Not yet tested at time of printing -
speed range is unavailable.

PERFORMANCE

24 BAY

ENGINE	MPH
HONDA 200 4-STROKE	.44 - 46
HONDA 225 4-STROKE	.48 - 50
MERCURY 150	*
MERCURY 150 OPTI	*
MERCURY 200	.49 - 51
MERCURY 200 OPTI	*
MERCURY 225 EFI	.51 - 53
MERCURY 225 OPTI	.51 - 53

23 SPORT

ENGINE	MPH
HONDA 225 4-STROKE	.41 - 43
MERCURY 225 EFI	.49 - 51
MERCURY 225 OPTI	.47 - 49
MERCURY 250 EFI	.48 - 50
MERCURY TWIN 135 OPTI	*
MERCURY TWIN 150	.45 - 47
MERCURY TWIN 150 OPTI	.45 - 47
MERCURY 225 4-STROKE	.41 - 43

25 SPORT

ENGINE	MPH
HONDA 225 4-STROKE	.38 - 40
HONDA TWIN 130 4-STROKE	.40 - 42
MERCURY 225 EFI	.46 - 48
MERCURY 225 OPTI	.44 - 46
MERCURY 250 EFI	.47 - 49
MERC. TWIN 135 OPTI	*
MERC. TWIN 150	.46 - 48
MERC. TWIN 150 OPTI	.49 - 51
MERCURY 225 4-STROKE	.38 - 40

* Not yet tested at time of printing -
speed range is unavailable.

PERFORMANCE

26 SPORT

ENGINE	MPH
HONDA 225 4-STROKE	*
HONDA TWIN 130 4-STROKE	.35 - 37
HONDA TWIN 200 4-STROKE	.45 - 47
MERCURY 225 EFI	.42 - 44
MERCURY 225 OPTI	.42 - 44
MERCURY 250 EFI	.44 - 46
MERCURY TWIN 135 OPTI	.41 - 43
MERCURY TWIN 150	.44 - 46
MERCURY TWIN 150 OPTI	.44 - 46
MERCURY TWIN 200	.48 - 50
MERCURY TWIN 200 OPTI	.50 - 52

27 SPORT

ENGINE	MPH
HONDA TWIN 200 4-STROKE	*
HONDA TWIN 225 4-STROKE	.47 - 49
MERCURY TWIN 200	.50 - 52
MERCURY TWIN 200 OPTI	.50 - 52
MERCURY TWIN 225 EFI	.53 - 55
MERCURY TWIN 225 OPTI	.53 - 55
MERCURY TWIN 250 EFI	.54 - 57
MERCURY T-225 4-STROKE	.45 - 47

30 SPORT

ENGINE	MPH
HONDA TWIN 225 4-STROKE	.45 - 49
MERC. TWIN 225 EFI	.48 - 50
MERC. TWIN 225 OPTI	.46 - 48
MERC. TWIN 250 EFI	.50 - 52
MERCURY T-225 4-STROKE	.45 - 47

* Not yet tested at time of printing -
speed range is unavailable.

PERFORMANCE

20 WALK

ENGINE	MPH
HONDA 130 4-STROKE	.33 - 35
HONDA 200 4-STROKE	*
MERCURY 135 OPTI	*
MERCURY 150	.38 - 40
MERCURY 150 OPTI	.39 - 40
MERCURY 200	.45 - 47
MERCURY 200 OPTI	*

22 WALK

ENGINE	MPH
HONDA 200 4-STROKE	.38 - 40
HONDA 225 4-STROKE	.40 - 42
MERCURY 150	.38 - 40
MERCURY 150 OPTI	.41 - 43
MERCURY 200	.42 - 44
MERCURY 200 OPTI	.43 - 45
MERCURY 225 EFI	.44 - 46
MERCURY 225 OPTIMAX	.45 - 47
MERCURY 225 4-STROKE	.45 - 47

23 WALK

ENGINE	MPH
HONDA 225 4-STROKE	.37 - 39
MERCURY 225 EFI	.43 - 45
MERCURY 225 OPTIMAX	.43 - 45
MERCURY 250 EFI	.44 - 46
MERCURY TWIN 150	.45 - 47
MERCURY TWIN 150 OPTI	.45 - 47
MERCURY 225 4-STROKE	.42 - 44

* Not yet tested at time of printing -
speed range is unavailable.

PERFORMANCE

25 WALK

ENGINE	MPH
HONDA 225 4-STROKE	.38 - 40
MERCURY 225 EFI	.44 - 46
MERCURY 225 OPTIMAX	.44 - 46
MERCURY 225 4-STROKE	.39 - 41
MERCURY 250 EFI	.46 - 48
MERCURY TWIN 135 OPTI	.46 - 48
MERCURY TWIN 150	.50 - 52
MERCURY TWIN 150 OPTI	.50 - 52

26 WALK

ENGINE	MPH
HONDA 200 4-STROKE	*
HONDA 225 4-STROKE	.35 - 37
HONDA TWIN 130 4-STROKE	.37 - 39
MERCURY 225 EFI	.38 - 40
MERCURY 225 OPTIMAX	.37 - 39
MERCURY 225 4-STROKE	.35 - 37
MERCURY 250 EFI	.40 - 42
MERCURY TWIN 135 OPTI	.41 - 43
MERCURY TWIN 150	*
MERCURY TWIN 150 OPTI	.45 - 47
MERCURY TWIN 200	.49 - 51
MERCURY TWIN 200 OPTI	*

* Not yet tested at time of printing -
speed range is unavailable.

PERFORMANCE

27 WALK

ENGINE	MPH
HONDA TWIN 200 4-STROKE	*
HONDA TWIN 225 4-STROKE	*
MERCURY TWIN 200	.43 - 45
MERCURY TWIN 200 OPTI	.45 - 47
MERCURY TWIN 225 EFI	.45 - 47
MERCURY TWIN 225 OPTI	.45 - 47
MERCURY T-225 4-STROKE	.46 - 48
MERCURY TWIN 250 EFI	.50 - 52

30 WALK

ENGINE	MPH
HONDA 225 4-STROKE	.45 - 47
MERCURY TWIN 225 EFI	.47 - 49
MERCURY TWIN 225 OPTI	.47 - 49
MERCURY T-225 4-STROKE	.43 - 45
MERCURY TWIN 250 EFI	.48 - 50

33 WALK

ENGINE	MPH
HONDA 225 4-STROKE	.42 - 44
MERCURY TWIN 225 EFI	*
MERCURY TWIN 225 OPTI	.44 - 46
MERCURY T-225 4-STROKE	.42 - 44
MERCURY TWIN 250 EFI	*

* Not yet tested at time of printing -
speed range is unavailable.

PERFORMANCE

27 EXPRESS

ENGINE	MPH
HONDA TWIN 200 4-STROKE	*
HONDA TWIN 225 4-STROKE	*
MERCURY TWIN 200	.44 - 46
MERCURY TWIN 200 OPTI	.44 - 46
MERCURY TWIN 225 EFI	.48 - 50
MERCURY TWIN 225 OPTI	.48 - 50
MERCURY TWIN 250 EFI	*

30 EXPRESS

ENGINE	MPH
HONDA TWIN 225 4-STROKE ..	.43 - 45
MERCURY TWIN 225 EFI	.47 - 49
MERCURY TWIN 225 OPTI	.47 - 49
MERCURY T-225 4-STROKE	.45 - 47
MERCURY TWIN 250 EFI	.48 - 50

33 EXPRESS

ENGINE	MPH
MERC. T-6.2L MPI	.37 - 40
MERC. T-8.15 HORIZON	*
MERC. T-8.2 MPI	.39 - 42
CATERPILLAR T-300	.37 - 40
CATERPILLAR T-350	.39 - 42
YANMAR T-300	.37 - 40
YANMAR T-350	.39 - 42
YANMAR T-420	.42 - 45

* Not yet tested at time of printing -
speed range is unavailable.



www.prolineboats.com

PO BOX 1348 • Homosassa, FL 34448

800 866-2771