

# **PRO·LINE**

**BOATS**

## **THE 2005 LINE-UP FROM PRO-LINE BOATS**

**SPORTS  
BAYS  
DUAL CONSOLES  
WALKS  
EXPRESSES**





# Pro-Line Boats.

Proudly Building America's Fishing Boats  
For Over 36 Years.

Since 1968, Pro-Line has been designing, building and delivering some of the finest fishing boats throughout the world. In fact, our leading edge technologies and award winning designs have earned us a well deserved saying- Built by fishermen, for fishermen.



With 28 models and a variety of configurations to choose from, Pro-Line has the right boat for your specific fishing needs. In addition, Pro-Line has designed in a host of non-fishing amenities into our models to provide you and your family with all the comforts of home. So, even when you're not going after the big ones, you can enjoy your Pro-Line for a variety of other water related sports.



No matter where you fish Pro-Lines are built to withstand the rigors of Mother Nature. Our boats exceed NMMA, US Coast Guard

and European CE requirements. Only top quality materials are used in our boats such as 3610 multi-axial fiberglass, stainless steel hardware that's thru-bolted with aircraft locking nuts and 32 oz. UV protected vinyl.

Our Fiberglass Integrated Structural Technology, or FIST construction, uses hi-tech materials for a wood-free, rot-free stringer system. Pro-Line owners take their boats out and fish with the confidence, and peace of mind, that comes with owning a well-built boat.




The National Marine Manufacturers Association recently presented Pro-Line Boats with their prestigious CSI Award, honoring Pro-Line for excellence in

customer satisfaction. For the third consecutive time Pro-Line was recognized in the category of *Fiberglass Outboard Boats* and produced a benchmark score of 90 or above from boat owners rating *Overall Satisfaction with the*

*Boat*. Since 1990, our own independent surveys have shown that over 98% of Pro-Line owners would recommend our boats to a friend.

**For Complete Information Log on to  
[www.prolineboats.com](http://www.prolineboats.com)**



Whether you're planning the purchase of your next boat or just looking around, we invite you to log on to the Pro-Line web site at [www.prolineboats.com](http://www.prolineboats.com). Our nationwide dealer

locator will direct you to the dealer closest to where you live. You will also find everything from detailed specs on each boat to engine performance comparisons.

We have the most current and detailed information on our impressive list of standards, options and options packages available. We feature stories and adventures submitted to us by Pro-Line owners in our Pro-Line Owners Profiles section.

We've been proudly building America's fishing boats for over 36 years and as you look



around on the water, you are always sure to see a fellow Pro-Line owner where ever your travels take you.



# THE 2005 SPORT LINE-UP

Nothing defines the perfect hard-core fishing boat better than a Pro-Line Sport. From the all new 17 Sport to the 29 Super Sport and the 31 Sport, these fishing machines embody all the critical components today's demanding angler requires. Spacious cockpits, huge raised casting platforms, big consoles with stand-up heads and plenty of rod storage are just the start. They feature large fish boxes, big baitwells, washdown systems, tackle stations and much more. Bred from decades of Pro-Line innovation and design, Pro-Line Sports offer fishermen and their families the right boat for their fishing lifestyle.



17 SPORT



19 SPORT

	17 SPORT	19 SPORT
LOA	17'4" (5.28m)	19'2" (5.84m)
BEAM	7'8" (2.33m)	7'9" (2.36m)
DRAFT	12" (0.30m)	12" (0.30m)
DEADRISE	19°	19°
FUEL	40 Gal. (151.4L)	50 Gal. (189.3L)
WEIGHT-HULL	1,700 lbs. (771kg)	2,000 lbs. (907kg)
WEIGHT-TRAILER	2,400 lbs. (1081kg)	2,900 lbs. (1315kg)
COCKPIT AREA	50 sq.ft. (4.64m <sup>2</sup> )	54 sq.ft. (5.02m <sup>2</sup> )
COCKPIT DEPTH	18" (0.46m)	22" (0.56m)
BRIDGE CLEARANCE	4'9" (1.44m)	4'8" (1.42m)
MAX HP	115 (87.4kw)	150 (111.86kw)
BAITWELL	12 Gal. (45.4L)	13 Gal. (49.2L)



# THE 2005 SPORT LINE-UP



	21 SPORT	23 SPORT
LOA	21'8" (6.64m)	23'7" (7.086m)
BEAM	8'5" (2.50m)	8'5" (2.51m)
DRAFT	15" (0.38m)	15" (0.38m)
DEADRISE	19°	19°
FUEL	70 Gal. (265.0L)	90 Gal. (340.8L)
WEIGHT-HULL	2,600 lbs. (1174kg)	3,000 lbs. (1361kg)
WEIGHT-TRAILER	3,700 lbs. (1678kg)	4,200 lbs. (1905kg)
COCKPIT AREA	81 sq.ft. (7.53m <sup>2</sup> )	92 sq.ft. (8.55m <sup>2</sup> )
COCKPIT DEPTH	22" (0.56m)	27" (0.69m)
BRIDGE CLEARANCE	5'10" (1.78m)	5'10" (1.78m)
WITH TOP	8'0" (2.44m)	8'0" (2.44m)
MAX HP	200 (149.14kw)	225 (167.78kw)
BAITWELL	25 Gal. (94.63L)	25 Gal. (94.63L)
FISHBOX	18 Gal. (68.2L)	27 Gal. (102.2L)



24 SPORT



25 SPORT

**24 SPORT**

24'5" (7.44m)  
 8'6" (2.59m)  
 18" (0.46m)  
 22°  
 140 Gal. (530.1L)  
 3,400 lbs. (1542kg)  
 5,500 lbs. (2495kg)  
 80 sq.ft. (7.43m<sup>2</sup>)  
 27" (0.69m)  
 6'7" (2.01m)  
 7'9" (2.36m)  
 300 (223.71kw)  
 25 Gal. (94.63L)  
 32 Gal. (121.2L)  
 70 Gal. (265.0L)

**25 SPORT**

25'5" (7.75m)  
 8'6" (2.59m)  
 14" (0.36m)  
 19°  
 138 Gal. (545.2L)  
 4,700 lbs. (2132kg)  
 6,900 lbs. (3130kg)  
 104 sq.ft. (9.66m<sup>2</sup>)  
 29" (0.74m)  
 6'9" (2.06m)  
 8'1" (2.46m)  
 300 (223.71kw)  
 15 Gal. (56.8L)  
 40 Gal. (151.4L)  
 15 Gal. (56.8L)  
 15 Gal. (56.8L)

LOA  
 BEAM  
 DRAFT  
 DEADRISE  
 FUEL  
 WEIGHT-HULL  
 WEIGHT-TRAILER  
 COCKPIT AREA  
 COCKPIT DEPTH  
 BRIDGE CLEARANCE  
 WITH TOP  
 MAX HP  
 BAITWELL  
 FISHBOX  
 FISHBOX FWD  
 FRESH WATER





# THE 2005 SPORT LINE-UP

27 SPORT



29 SPORT



LOA  
BEAM  
DRAFT  
DEADRISE  
FUEL  
WEIGHT-HULL  
WEIGHT-TRAILER  
COCKPIT AREA  
COCKPIT DEPTH  
BRIDGE CLEARANCE  
WITH TOP  
MAX HP  
BAITWELL  
FISHBOX  
FRESH WATER

**27 SPORT**  
27'0" (8.23m)  
8'6" (2.59m)  
16" (0.41m)  
19°  
170 Gal. (643.7L)  
4,400 lbs. (1996kg)  
7,200 lbs. (3266kg)  
91 sq.ft. (8.45m<sup>2</sup>)  
28" (0.71m)  
6'9" (2.06m)  
8'6" (2.59m)  
400 (298.28kw)  
25 Gal. (94.6L)  
(2) 45 Gal. (170.4L)  
15 Gal. (56.8L)

**29 SPORT**  
29'1" (8.86m)  
9'10" (3.0m)  
22" (0.56m)  
19°  
200 Gal. (757.2L)  
5,200 lbs. (2359kg)  
8,200 lbs. (3719kg)  
105 sq.ft. (9.75m<sup>2</sup>)  
26" (0.66m)  
7'1" (2.16m)  
8'2" (2.49m)  
500 (372.85kw)  
35 Gal. (132.5L)  
(2) 50 Gal. (189.3L)  
15 Gal. (56.8L)





29 SUPER SPORT



**29 SUPER SPORT**

LOA 28'7" (8.71m)  
 BEAM 9'0" (2.74m)  
 DRAFT 21" (0.53m)  
 DEADRISE 22°  
 FUEL 192 Gal. (726.6L)  
 WEIGHT-HULL 5,300 lbs. (2404kg)  
 WEIGHT-TRAILER 8,300 lbs. (3765kg)  
 COCKPIT AREA 101 sq.ft. (9.38m<sup>2</sup>)  
 COCKPIT DEPTH 30" (0.76m)  
 BRIDGE CLEARANCE WITH TOP 7'7" (2.31m)  
 8'10" (2.69m)  
 MAX HP 600 (447.42kw)  
 BAITWELL 45 Gal. (170.4L)  
 FISHBOX (2) 15 Gal. (56.8L)  
 113 Gal. (514.2L)  
 FRESH WATER 15 Gal. (58.6L)


**31 SPORT**

32'6" (9.91m)  
 10'10" (3.30m)  
 22" (0.56m)  
 19°  
 300 Gal. (1135.9L)  
 7,000 lbs. (3175kg)  
 10,900 lbs. (4944kg)  
 145 sq.ft. (13.47m<sup>2</sup>)  
 30" (0.76m)  
 7'0" (2.13m)  
 8'3" (2.51m)  
 600 (447.42kw)  
 50 Gal. (189.3L)  
 (2) 90 Gal. (340.8L)  
 39 Gal. (147.7L)



## THE 2005 WALK LINE-UP


Pro-Line Walks are built for wide-open waters and live-aboard comfort. They offer the widest, deepest walks in the industry. Cabins are designed with a bright, airy feeling that takes full advantage of live-aboard amenities and abundant storage. If you're looking for a superbly performing fishing machine that's packed with creature comforts, then look no further than a new Pro-Line Walk.



	21 WALK	23 WALK
LOA	21'8" (6.64m)	23'7" (7.086m)
BEAM	8'5" (2.51m)	8'5" (2.51m)
DRAFT	15" (0.38m)	16" (0.41m)
DEADRISE	19°	19°
FUEL	70 Gal. (265.0L)	90 Gal. (340.8L)
WEIGHT-HULL	2,500 lbs. (1134kg)	3,100 lbs. (1406kg)
WEIGHT-TRAILER	3,800 lbs. (1724kg)	4,500 lbs. (2041kg)
COCKPIT AREA	47 sq.ft. (4.37m <sup>2</sup> )	58 sq.ft. (5.39m <sup>2</sup> )
COCKPIT DEPTH	22" (0.56m)	27" (0.69m)
BRIDGE CLEARANCE	5'10" (1.78m)	5'10" (1.78m)
WITH TOP	8'0" (2.44m)	8'0" (2.44m)
MAX HP	200 (149.14kw)	225 (167.78kw)
BAITWELL	27 Gal. (102.2L)	27 Gal. (102.2L)
FISHBOX	27 Gal. (102.2L)	27 Gal. (102.2L)



24 WALK



25 WALK



**24 WALK**

**25 WALK**

LOA	24'5" (7.44m)	25'5" (7.75m)
BEAM	8'6" (2.59m)	8'6" (2.59m)
DRAFT	18" (0.46m)	14" (0.36m)
DEADRISE	22°	19°
FUEL	140 Gal. (530.1L)	138 Gal. (522.5L)
WEIGHT-HULL	3,700 lbs. (1678kg)	4,200 lbs. (1905kg)
WEIGHT-TRAILER	5,900 lbs. (2676kg)	6,400 lbs. (2903kg)
COCKPIT AREA	49 sq.ft. (4.55m <sup>2</sup> )	60 sq.ft. (5.57m <sup>2</sup> )
COCKPIT DEPTH	27" (0.69m)	28" (0.71m)
BRIDGE CLEARANCE	6'0" (1.83m)	5'8" (1.73m)
WITH TOP	8'1" (2.46m)	8'4" (2.54m)
MAX HP	300 (223.71kw)	300 (223.71kw)
BAITWELL	15 Gal. (56.8L)	15 Gal. (56.8L)
FISHBOX	(2) 20 Gal. (75.7L)	30 Gal. (113.6L)
FRESH WATER	6 Gal. (22.7L)	6 Gal. (22.7L)



# THE 2005 WALK LINE-UP

27 WALK



29 WALK



LOA  
BEAM  
DRAFT  
DEADRISE  
FUEL  
WEIGHT-HULL  
WEIGHT-TRAILER  
COCKPIT AREA  
COCKPIT DEPTH  
BRIDGE CLEARANCE  
WITH TOP  
MAX HP  
BAITWELL  
FISHBOX  
FRESH WATER

**27 WALK**

27'0" (8.23m)  
8'6" (2.59m)  
17" (0.43m)  
19°  
165 Gal. (624.7L)  
5,700 lbs. (2586kg)  
8,400 lbs. (3810kg)  
45 sq.ft. (4.18m<sup>2</sup>)  
28" (0.71m)  
6'11" (2.11m)  
8'8" (2.64m)  
400 (298.28kw)  
18 Gal. (68.2L)  
(2) 50 Gal. (189.3L)  
15 Gal. (56.8L)

**29 WALK**

29'1" (8.86m)  
9'10" (3.0m)  
21" (0.53m)  
19°  
200 Gal. (757.2L)  
5,900 lbs. (2676kg)  
9,000 lbs. (4082kg)  
65 sq.ft. (6.04m<sup>2</sup>)  
26" (0.66m)  
7'9" (2.36m)  
9'7" (2.91m)  
500 (372.85kw)  
35 Gal. (132.5L)  
(2) 50 Gal. (189.3L)  
30 Gal. (113.6L)



31 WALK



34 WALK



**31 WALK**

LOA 32'6" (9.91m)  
 BEAM 10'10" (3.30m)  
 DRAFT 22" (0.56m)  
 DEADRISE 19°  
 FUEL 300 Gal. (1135.9L)  
 WEIGHT-HULL 7,600 lbs. (3447kg)  
 WEIGHT-TRAILER 11,400 lbs. (5171kg)  
 COCKPIT AREA 84 sq.ft. (7.80m<sup>2</sup>)  
 COCKPIT DEPTH 30" (0.76m)  
 BRIDGE CLEARANCE 7'1" (2.16m)  
 WITH TOP 9'6" (2.90m)  
 MAX HP 600 (447.42kw)  
 BAITWELL 45 Gal. (170.4L)  
 FISHBOX (2) 50 Gal. (189.3L)  
 FRESH WATER 39 Gal. (147.6L)

**34 WALK**

LOA 33'8" (10.26m)  
 BEAM 11'0" (3.35m)  
 DRAFT 25" (0.64m)  
 DEADRISE 19°  
 FUEL 285 Gal. (1078.5L)  
 WEIGHT-HULL 9,900 lbs. (4491kg)  
 WEIGHT-TRAILER 13,500 lbs. (6124kg)  
 COCKPIT AREA 75 sq.ft. (6.97m<sup>2</sup>)  
 COCKPIT DEPTH 26" (0.66m)  
 BRIDGE CLEARANCE 8'0" (2.44m)  
 WITH TOP 10'7" (3.22m)  
 MAX HP 600 (447.42kw)  
 BAITWELL 50 Gal. (189.3L)  
 FISHBOX (2) 50 Gal. (189.3L)  
 FRESH WATER 39 Gal. (147.6L)



## THE 2005 EXPRESS LINE-UP

When it comes to big-water tournament fish boats, a Pro-Line Express sets new standards in performance, luxury and fish-ability. The cabins are well designed, large and airy. Enclosed heads are tall and spacious. Helm stations are ergonomically designed and abundant fishing features are everywhere. Bring on the fish, bring on the party or bring on both. A Pro-Line Express can handle it all.



	29 EXPRESS	31 EXPRESS
LOA	29'1" (8.86m)	32'6" (9.91m)
BEAM	9'10" (3.0m)	10'10" (3.30m)
DRAFT	21" (0.53m)	22" (0.56m)
DEADRISE	19°	19°
FUEL	200 Gal. (757.2L)	312 Gal. (1181.3L)
WEIGHT-HULL	5,900 lbs. (2676kg)	8,200 lbs. (3720kg)
WEIGHT-TRAILER	9,000 lbs. (4082kg)	12,000 lbs. (5443kg)
COCKPIT AREA	80 sq.ft. (7.43m <sup>2</sup> )	102 sq.ft. (9.48m <sup>2</sup> )
COCKPIT DEPTH	26" (0.66m)	30" (0.79m)
BRIDGE CLEARANCE	7'3" (2.21m)	7'1" (2.16m)
WITH TOP	9'7" (2.92m)	9'6" (2.90m)
MAX HP	500 (372.85kw)	600 (447.42kw)
BAITWELL	35 Gal. (132.5L)	50 Gal. (189.3L)
FISHBOX	(2) 50 Gal. (189.3L)	(2) 110 Gal. (416.5L)
FRESH WATER	30 Gal. (113.6L)	30 Gal. (113.6L)



32 EXPRESS



**HONDA**  
**MARINE**

Equipped with Honda Outboards

Always wear a personal flotation device while boating and read your owner's manual.



<b>LOA</b>	<b>32'4" (9.86m)</b>
<b>BEAM</b>	<b>10'10" (3.90m)</b>
<b>DRAFT</b>	<b>23" (0.58m)</b>
<b>DEADRISE</b>	<b>22°</b>
<b>FUEL</b>	<b>300 Gal. (1135.3L)</b>
<b>WEIGHT-HULL</b>	<b>9,900 lbs. (4491kg)</b>
<b>WEIGHT-TRAILER</b>	<b>13,700 lbs. (6214kg)</b>
<b>COCKPIT AREA</b>	<b>81 sq.ft. (7.53m<sup>2</sup>)</b>
<b>COCKPIT DEPTH</b>	<b>29" (0.74m)</b>
<b>BRIDGE CLEARANCE</b>	<b>8'3" (2.51m)</b>
<b>WITH TOP</b>	<b>10'0" (3.04m)</b>
<b>MAX HP</b>	<b>600 (447.42kw)</b>
<b>BAITWELL</b>	<b>35 Gal. (132.5L)</b>
<b>FISHBOX</b>	<b>(2) 125 Gal. (478.1L)</b>
<b>FRESH WATER</b>	<b>39 Gal. (147.7L)</b>




# THE 2005 EXPRESS LINE-UP

33 EXPRESS





35 EXPRESS



	33 EXPRESS	35 EXPRESS
LOA	33'0" (10.06m)	36'0" (10.97m)
BEAM	12'6" (3.81m)	12'6" (3.81m)
DRAFT	41" (1.04m)	25" (0.64m)
DEADRISE	19°	19°
FUEL	300 Gal. (1135.9L)	300 Gal. (1135.9L)
WEIGHT-HULL	11,200 lbs. (5080kg)	11,200 lbs. (5080kg)
WEIGHT-TRAILER	16,500 lbs. (7484kg)	16,700 lbs. (7575kg)
COCKPIT AREA	115 sq.ft. (10.68m <sup>2</sup> )	115 sq.ft. (10.68m <sup>2</sup> )
COCKPIT DEPTH	25" (0.64m)	25" (0.64m)
BRIDGE CLEARANCE		10'2" (3.09m)
WITH TOWER	15'3" (4.65m)	15'3" (4.65m)
MAX HP	740 (753kw)	750 (760.5kw)
BAITWELL	35 Gal. (132.5L)	35 Gal. (132.5L)
FISHBOX	(2) 75 Gal. (284.0L)	(2) 50 Gal. (189.3L)
FRESH WATER	40 Gal. (151.4L)	40 Gal. (151.4L)







# OPTION PACKAGES

	19 Sport	20 Bay	21 DC	21 Sport	21 Walk	22 Bay	23 DC	23 Sport	23 Walk	24 Bay	24 Sport	24 Walk	25 Sport	26 Walk	27 Sport	27 Walk	29 Express	29 Sport	29 Super Sport	29 Walk	31 Express	31 Sport	31 Walk	32 Express	33 Express LB	34 Walk	35 Express	
<b>Convenience Package</b>																												
12-Volt Receptacle			■	■	■		■	■	■		■	■																
Cockpit Bolsters			■	■	■		■	■	■		■	■																
Jump Seat Backrest			■	■	■		■	■	■		■	■																
Cockpit Lights			■	■	■		■	■	■		■	■																
Rod Holders (1 Pair)			■	■	■		■	■	■		■	■																
<b>Electronics Package 1</b>																												
GPS/Depth Finder/Fish Finder (All In One)	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
VHF Radio	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
<b>Electronics Package 2</b>																												
Depth Finder/Fish Finder	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
GPS (Stand Alone)	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
VHF Radio	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
<b>Electronics Package 3</b>																												
GPS/Chart Plotter(Color)/Depth Finder/Fish Finder	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
VHF Radio	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
<b>Electronics Package 4</b>																												
4kw Raydome Antenna																											■	■
Auto Pilot																											■	■
GPS/Chart Plotter(Color)/Depth Finder/Fish Finder																											■	■
VHF Radio																											■	■
<b>Electronics Package 5</b>																												
10" Color Display Monitor																											■	■
Electronics Pkg 4																											■	■
Open Array Radar Antenna																											■	■
<b>Tournament Package</b>																												
Battery Switch for Dual Batteries			■	■			■	■			■	■	■	■	■	■												
Cockpit Bolsters													■	■	■	■												
Cockpit Lights													■	■	■	■												
Convenience Pkg			■	■			■	■			■	■																
Freshwater Cockpit Shower												■	■															
Lights - Spreader			■	■			■	■			■	■	■	■	■	■												
Top - Hard Top w/ Storage Box				■			■	■			■	■	■	■	■	■												
Top - T-Top (Rigid) w/ Storage Box			■				■	■			■	■	■	■	■	■												
Trim Tabs											■	■																
<b>Weekender Package</b>																												
110v Outlets - GFI Protected																												■
Battery Charger																												■
Bonding System																												■
Coffee Maker																												■
Electrical Distribution Panel																												■
Galvanic Isolator																												■
Ice Maker - Cockpit																												■
Microwave																												■
Refrigerator																												■
Shore Power w/ Cord																												■
Stereo - AM/FM CD w/ 4 Speakers w/Remote																												■
Stove - Alcohol/Electric																												■

# GRAPHICS



**MERCURY**



**HONDA**  
**MARINE**

Equipped with Honda Outboards



**PRO-LINE**  
**BOATS**

P.O. Box 1348 Crystal River, FL 34423-1348  
[www.prolineboats.com](http://www.prolineboats.com) (800) 344-1281

While we endeavor to be as accurate as possible, certain changes in standard equipment, options and the like may have occurred which would not be included in the catalog. All weights and fuel capacities are estimates and could/will vary with each vessel and with each application. In all cases, consult your local Pro-Line dealer for the most current information.