

PRO-LINE
SPORTS

2005



Product Information Guide

October 21, 2004

The Pro-Line Story

Table of Contents

Amortization Chart	2
The Pro-Line Story	3
General Features & Benefits	5-6

Sport Series Introduction	7
20 Bay	8
22 Bay	9
24 Bay	10

21 Dual Console	11
23 Dual Console	12

17 Sport	13
19 Sport	14
21 Sport	15
23 Sport	16
24 Sport	17
25 Sport	18
27 Sport	19
29 Sport	20
29 Super Sport	21
31 Sport	22

Walk Series Introduction	23
---------------------------------	-----------

21 Walk	24
23 Walk	25
24 Walk	26
25 Walk	27
27 Walk	28-29
29 Walk	30-31
31 Walk	32-33
34 Walk	34-35

Express Series Introduction	37
------------------------------------	-----------

29 Express	38-39
31 Express	40-41
32 Express	42-43
33 Express	44
35 Express	45

Amortization

Equal monthly payments to amortize a loan of \$1,000

Rate	5 Years	7 Years	10 Years	12 Years	15 Years	20 Years
6.00%	19.33	14.61	11.10	9.76	8.44	7.16
6.25%	19.45	14.73	11.23	9.89	8.57	7.31
6.50%	19.57	14.85	11.35	10.02	8.71	7.46
6.75%	19.68	14.97	11.48	10.15	8.85	7.60
7.00%	19.80	15.09	11.61	10.28	8.99	7.75
7.25%	19.92	15.22	11.74	10.42	9.13	7.90
7.50%	20.04	15.34	11.87	10.55	9.27	8.06
7.75%	20.16	15.46	12.00	10.69	9.41	8.21
8.00%	20.28	15.59	12.13	10.82	9.56	8.36
8.25%	20.40	15.71	12.27	10.96	9.70	8.52
8.50%	20.52	15.84	12.40	11.10	9.85	8.68
8.75%	20.64	15.96	12.53	11.24	9.99	8.84
9.00%	20.76	16.09	12.67	11.38	10.14	9.00
9.25%	20.88	16.22	12.80	11.52	10.29	9.16
9.50%	21.00	16.34	12.94	11.66	10.44	9.32
9.75%	21.12	16.47	13.08	11.81	10.59	9.49
10.00%	21.25	16.60	13.22	11.95	10.75	9.65
10.25%	21.37	16.73	13.35	12.10	10.90	9.82
10.50%	21.49	16.86	13.49	12.24	11.05	9.98
10.75%	21.62	16.99	13.63	12.39	11.21	10.15
11.00%	21.74	17.12	13.78	12.54	11.37	10.32
11.25%	21.87	17.25	13.92	12.68	11.52	10.49
11.50%	21.99	17.39	14.06	12.83	11.68	10.66
11.75%	22.12	17.52	14.20	12.98	11.84	10.84
12.00%	22.24	17.65	14.35	13.13	12.00	11.01
12.25%	22.37	17.79	14.49	13.29	12.16	11.19
12.50%	22.50	17.92	14.64	13.44	12.33	11.36
12.75%	22.63	18.06	14.78	13.59	12.49	11.54
13.00%	22.75	18.19	14.93	13.75	12.65	11.72

The Pro-Line Story

In 1968, Dan Atwood started a fishing boat company that would eventually take the market by storm. The first model was a 24-foot twin console that was designed for the professional fishing guides in Inglis and Crystal River, Florida. Since Dan's target market was the local fishing Pros, the new company name came naturally...Pro-Line Boats.

Customers and boat dealers alike began to take notice of the little manufacturer in Florida. There was no escaping the fact that every Pro-Line was built by fishermen, for fishermen. Other models soon came off the line such as the Pro 17 and the Pro 20. Pro-Line now had dealers throughout Florida, Georgia and Alabama.

As the orders grew so did their need for larger quarters and in 1970 Dan moved his crew to the present facility in Homosassa, Florida. In the late 70's and early 80's Pro-Line introduced cuddy cabins and walkarounds.

In 1986 Dan Atwood, along with Wall Street investors, Lee Kimmell and Lewis Ranieri of Salomon Brothers fame, formed American Marine Holdings, Inc. This infusion of working capital gave Dan the necessary funds to take Pro-Line worldwide.

1989 was the year of change for Pro-Line. The company had grown and models now ranged from 16 to 28 feet. The introduction of the new 230 Walk secured Pro-Line's position in the marketplace. Orders rushed in and more and more dealers signed-up to carry this unbelievable product. People around the world had come to know the Pro-Line name.

Today, Pro-Line offers 28 models from 17 to 34 feet. The line includes center consoles, walkarounds, expresses, performance fishing boats, sportfish boats, dual consoles and bay boats. More articles, by boating publications, were written about Pro-Line the last several years than any other fishing boat company. With a Pro-Line, there is excitement in the air (and on the water).

Pro-Line owes it's success to the simple, but important, philosophy of building the highest quality boat in the world. Nowhere is there a better boat on the water. That's why an independent survey found that over 97% of existing Pro-Line owners said they would buy another Pro-Line.

From a small boat company in Inglis, Florida to the largest manufacturer of rough water fish boats in the United States, Pro-Line Boats has become the ultimate fishing boat company and more.

The Pro-Line Boat

Pro-Line General Features & Benefits

Feature: Pro-Line History.

Benefit: Solidifies our position in the fishing boat market.

Feature: 10-Year transferable (non-prorated) hull warranty.

Benefit: Warranty is non-prorated and may be transferred to new owner. Aid in higher resale value.

Feature: 25 mils of Premium Gelcoat.

Benefit: Strong, yet flexible, gel. Cracking and chalking is almost non-existent.

Feature: Bi- & Tri-axial fiberglass.

Benefit: Stronger than conventional fiberglass mat. Will not delaminate due to stitching.

Feature: Deep Vee with reversed chines.

Benefit: Stable, dry ride. Gets on plane quicker and enables better overall performance.

Feature: F.I.S.T. Construction (Fiberglass Integrated Structural Technology).

Benefit: Anti-wood construction using Divinycell PVC core and closed cell injected foam in our hulls and decks. No wood, no rot. Integrated stringer system and transom vacuum process provides superior structural integrity.

Feature: 32 oz. UV protected vinyl.

Benefit: High grade of vinyl with UV protectants to ensure long life.

Feature: Sunbrella Canvas.

Benefit: The finest marine canvas. Comes with a 5-year warranty against rotting and breakage.

Feature: Stainless Steel hardware.

Benefit: Marine grade stainless to ensure great looking hardware for the life of the boat.

Feature: Thru-bolted hardware, with backing plates, fastened with aircraft locking nuts.

Benefit: High quality hardware construction practices.

Feature: Premium interior stain-resistant fabrics.

Benefit: Low maintenance and easy to clean cushion covers.

Feature: N.M.M.A., U.S.C.G. and C.E. certified.

Benefit: This guarantees a safe, well-built boat for your peace of mind.

Features & Benefits

- Feature:** Largest cabins and widest beams.
Benefit: More room inside and out, with a more stable ride in rough conditions.
- Feature:** Foam insulated fish boxes and coolers.
Benefit: Ice and fish stay cold throughout the day.
- Feature:** Self-bailing cockpit.
Benefit: Water runs overboard immediately, not into the bilge.
- Feature:** Large foam insulated baitwells.
Benefit: Plenty of space and protection for your bait that will last the entire day.
- Feature:** Deep interior Freeboard.
Benefit: Safe ride in any condition. Makes fighting the fish easier.
- Feature:** Heat shrink wiring.
Benefit: All wire connections are heat shrunk and corrosion protected to eliminate breakage and corrosion.
- Feature:** Wide walkarounds.
Benefit: Allow the angler to fish the entire boat from stern to bow.
- Feature:** Labeled buss-bars.
Benefit: Makes adding future equipment easy and worry free.

Performance

Pro-Line Boats advises that the performance figures found in this guide are merely an estimate of what you can expect based on our factory testing program.

Boat speeds will vary depending on weight, fuel load, number of passengers, air temperature, altitude, humidity, barometric pressure, water conditions, wind, engine tuning, horsepower (HP) variance from engine to engine, propellers and numerous other factors beyond our control.

All speeds are obtained by professional test boat drivers in optimum conditions.

Trailer Weight

Trailer weights shown in this guide are calculated using the following:
dry boat + heaviest engine offered + fuel + water + 200 lbs. gear

Sport Series

17 • 19 • 20 Bay • 21 • 21 DC
22 Bay • 23 • 23 DC • 24
24 Bay • 25 • 27 • 29 • 29 SS • 31

Pro-Line's first Sportsman was produced in 1968 and instantly became a hit with professional anglers. The 2005 line of Sports, Bays and Dual Consoles have everything your prospect could want and more.

The first thing you should point out is the spaciousness of the cockpit. By using CAD (computer assisted design) programs, every feature on the Pros are designed long before the first model is ever produced. This ensures the best placement of the necessary features while still maintaining plenty of room to fight the fish.

All fish boxes are foam insulated. Rod storage is abundant and the casting decks are large enough to allow the angler room to spread out. Foam insulated baitwells are close by and gunwale mount rod holders are strategically placed for serious fishermen.

The consoles are designed to offer plenty of storage while still allowing room enough to fish the entire boat, not just at the transom. Hardware is stainless steel and thru-bolted with backing plates and aircraft lock nuts. Grab rails are located in the proper place to ensure a safe ride even in the most precarious situations.

Wiring is color-coded and heat shrunk at every connection to ensure no corrosion or breakage. Buss-bars are placed under the console and at the transom with identification labels to take away all the guesswork of adding additional equipment.

Whether your customers want to head offshore in search of the biggest fish or just cruise the backwaters, Pro-Line has a Sport for them!

20 Bay

Specifications	
Length	20' 5"
Beam	8' 6"
Draft (Hull)	11"
Deadrise	13 deg
Fuel	60 gal
Weight - Hull	2,200 lbs
Weight - Trailer	3,300 lbs
Cockpit Area	79 sq ft
Cockpit Depth	17"
Bridge Clearance	4' 7"
w/Top	8' 0"
Max HP	200
Baitwell	18 gal

Engine Options	HP	MPH - Approx
All 25° Shafts		
Honda 135 4-Stroke	135	40 - 43
Honda 150 4-Stroke	150	45 - 48
Honda 200 4-Stroke	200	48 - 51
Mercury 115	115	39 - 42
Mercury 115 4-Stroke	115	38 - 41
Mercury 150	150	50 - 53
Mercury 150 Opti	150	49 - 52
Mercury 200	200	
Mercury 200 EFI	200	
Mercury 200 Opti	200	
Yamaha 115	115	
Yamaha 115 4-Stroke	115	
Yamaha 150	150	45 - 48
Yamaha 150 4-Stroke	150	46 - 49
Yamaha 150 HPDI	150	46 - 49
Yamaha 200 4-Stroke	200	
Yamaha 200 EFI	200	
Yamaha 200 HPDI	200	

Standard Equipment

- 12-Volt Receptacle
- Baitwell w/ Raw Water Washdown
- Bilge Pump
- Bow Handrail - Stainless Steel
- Casting Deck w/ Storage
- Center Console w/ Storage
- Cleats - 3
- Compass
- Drink Holders
- Full Instrumentation - Fuel, MPH, RPM, Temp, Trim, Volt (Determined by Engine Pkg)
- Grab Rail (Stainless Steel) - Windshield
- Gunnel Trim - Rigid Vinyl w/ Insert
- Half Dive Platform w/ Ladder
- Hatches
- Horn - Electric
- Pre-Wire for Trolling Motor (Wire Only (8 Gauge))
- Rod Holders (9) - Vertical
- Rope Locker Storage
- Seating - Leaning Post w/ Backrest & Cooler
- Steering - Hydraulic
- Storage (Lockable) - Port & Starboard
- Storage - Tackle
- Striping - Black or Blue
- Switch and Breaker Panel
- Windshield - Plexiglass

Optional Equipment

- Battery Charger
- Battery Switch - On/Off
- Bow Rail (SS Split) - Casting Deck to Transom (Port & Strbd)
- Cleats - Springline
- Cockpit Lights
- Cooler w/ Cushion - Forward Console
- Cushions - Forward Seats (Port & Strbd)
- Dive Ladder
- Graphics - Hull Color - Black, Blue, Light Blue, Yellow
- Jack Plate - Hydraulic
- Light - Spreader (Requires T-Top)
- Poling Platform
- Recirculating Baitwell Timer
- Removable Casting Deck Seat - Forward
- Shrink Wrap
- Steering - Hydraulic Tilt Upgrade
- Stereo - AM/FM CD w/ 4 Speakers
- Stereo - XM Upgrade
- Top - Bimini Top
- Top - T-Top (Canvas)
- Trim Tabs

Electronics Pkg 1

- GPS/Depth Finder/Fish Finder (All in One)
- VHF Radio

Electronics Pkg 2

- Depth Finder/Fish Finder
- GPS (Stand Alone)
- VHF Radio

Electronics Pkg 3

- GPS/Chart Plotter (Color)/Depth Finder/Fish Finder
- VHF Radio

22 Bay

Specifications	
Length	21' 11"
Beam	8' 6"
Draft (Hull)	11"
Deadrise	13 deg
Fuel	60 gal
Weight - Hull	2,500 lbs
Weight - Trailer	3,600 lbs
Cockpit Area	87 sq ft
Cockpit Depth	17"
Bridge Clearance	4' 7"
w/Top	8' 0"
Max HP	225
Baitwell	18 gal
Livewell	18 gal

Engine Options	HP	MPH - Approx
All 25° Shafts		
Honda 150 4-Stroke	150	
Honda 200 4-Stroke	200	
Honda 225 4-Stroke	225	50 - 53
Mercury 150	150	44 - 47
Mercury 150 Opti	150	
Mercury 200	200	50 - 53
Mercury 200 EFI	200	
Mercury 200 Opti	200	52 - 55
Mercury 225 4-Stroke	225	
Mercury 225 EFI	225	55 - 58
Mercury 225 Opti	225	55 - 58
Yamaha 150	150	
Yamaha 150 4-Stroke	150	
Yamaha 150 HPDI	150	
Yamaha 200 4-Stroke	200	
Yamaha 200 EFI	200	46 - 49
Yamaha 200 HPDI	200	
Yamaha 225 4-Stroke	225	

Standard Equipment

- 12-Volt Receptacle
- Baitwell w/ Raw Water Washdown
- Bilge Pump
- Bow Handrail - Split at Casting Deck
- Casting Deck w/ Storage
- Center Console w/ Storage
- Cleats - 4
- Compass
- Drink Holders
- Full Instrumentation - Fuel, MPH, RPM, Temp, Trim, Volt (Determined by Engine Pkg)
- Grab Rail (Stainless Steel) - Windshield
- Gunnel Trim - Rigid Vinyl w/ Insert
- Half Dive Platform w/ Ladder
- Hatches
- Horn - Electric
- Pre-Wire for Trolling Motor (Wire Only (8 Gauge))
- Rod Holders (9) - Vertical
- Rope Locker Storage
- Seating - Leaning Post w/ Backrest & Cooler
- Steering - Hydraulic
- Storage (Lockable) - Port & Starboard
- Storage - Tackle
- Striping - Black or Blue
- Switch and Breaker Panel
- Windshield - Plexiglass

Optional Equipment

- Battery Charger
- Battery Switch - On/Off
- Bow Rail (SS Split) - Casting Deck to Transom (Port & Strbd)
- Cleats - Springline
- Cockpit Lights
- Cooler w/ Cushion - Forward Console
- Cushions - Forward Seats (Port & Strbd)
- Dive Ladder
- Graphics - Hull Color - Black, Blue, Light Blue, Yellow
- Jack Plate - Hydraulic
- Light - Spreader (Requires T-Top)
- Poling Platform
- Recirculating Baitwell Timer
- Removable Casting Deck Seat - Fwd or Aft
- Shrink Wrap
- Steering - Hydraulic Tilt Upgrade
- Stereo - AM/FM CD w/ 4 Speakers
- Stereo - XM Upgrade
- Top - Bimini Top
- Top - T-Top (Canvas)
- Trim Tabs

Electronics Pkg 1

- GPS/Depth Finder/Fish Finder (All in One)
- VHF Radio

Electronics Pkg 2

- Depth Finder/Fish Finder
- GPS (Stand Alone)
- VHF Radio

Electronics Pkg 3

- GPS/Chart Plotter (Color)/Depth Finder/Fish Finder
- VHF Radio

24 Bay

Specifications	
Length	23' 11"
Beam	8' 6"
Draft (Hull)	11"
Deadrise	13 deg
Fuel	82 gal
Weight - Hull	2,700 lbs
Weight - Trailer	4,000 lbs
Cockpit Area	90 sq ft
Cockpit Depth	17"
Bridge Clearance	4' 7"
w/Top	8' 0"
Max HP	225
Bilge Well	18 gal
Livewell	18 gal

Engine Options	HP	MPH Approx
All 25° Shafts		
Honda 150 4-Stroke	150	
Honda 200 4-Stroke	200	45 - 48
Honda 225 4-Stroke	225	48 - 51
Mercury 150	150	
Mercury 150 Opti	150	
Mercury 200	200	50 - 53
Mercury 200 EFI	200	47 - 50
Mercury 200 Opti	200	
Mercury 225 4-Stroke	225	
Mercury 225 EFI	225	52 - 55
Mercury 225 Opti	225	52 - 55
Yamaha 150	150	
Yamaha 150 4-Stroke	150	
Yamaha 150 HPDI	150	
Yamaha 200 4-Stroke	200	
Yamaha 200 EFI	200	
Yamaha 200 HPDI	200	
Yamaha 225 4-Stroke	225	47 - 50

- Standard Equipment**
- 12-Volt Receptacle
 - Bilge Well w/Raw Water Washdown
 - Bilge Pump
 - Bow Handrail - Split at Casting Deck
 - Casting Deck w/Storage
 - Center Console w/Storage
 - Cleats - 4
 - Compass
 - Drink Holders
 - Full Instrumentation - Fuel, MPH, RPM, Temp, Trim, Volt (Determined by Engine Pkg)
 - Grab Rail (Stainless Steel) - Windshield
 - Gunnel Trim - Rigid Vinyl w/ Insert
 - Half Dive Platform w/Ladder
 - Hatches
 - Horn - Electric
 - Pre-Wire for Trolling Motor (Wire Only (8 Gauge))
 - Rod Holders (9) - Vertical
 - Rope Locker Storage
 - Seating - Leaning Post w/Backrest & Cooler
 - Steering - Hydraulic
 - Storage (Lockable) - Port & Starboard
 - Storage - Tackle
 - Striping - Black or Blue
 - Switch and Breaker Panel
 - Windshield - Plexiglass

- Optional Equipment**
- Battery Charger
 - Battery Switch - On/Off
 - Bow Rail (SS Split) - Casting Deck to Transom (Port & Starboard)
 - Cleats - Springline
 - Cockpit Lights
 - Cooler w/Cushion - Forward Console
 - Cushions - Forward Seats (Port & Starboard)
 - Dive Ladder
 - Graphics - Hull Color - Black, Blue, Light Blue, Yellow
 - Jack Plate - Hydraulic
 - Light - Spreader (Requires T-Top)
 - Poling Platform
 - Racirculating Bilge Well Timer
 - Removable Casting Deck Seat - Fwd or Aft
 - Seating - Leaning Post w/Bilge Well
 - Seating - Leaning Post w/Storage
 - Shrink Wrap
 - Steering - Hydraulic Tilt Upgrade
 - Stereo - AM/FM CD w/4 Speakers
 - Stereo - XM Upgrade
 - Top - Bimini Top
 - Top - T-Top (Canvas)
 - Trim Tabs

- Electronics Pkg 1**
- GPS/Depth Finder/Fish Finder (All in One)
 - VHF Radio

- Electronics Pkg 2**
- Depth Finder/Fish Finder
 - GPS (Stand Alone)
 - VHF Radio

- Electronics Pkg 3**
- GPS/Chart Plotter (Color)/Depth Finder/Fish Finder
 - VHF Radio

21 Dual Console

Specifications	
Length	20' 6"
Beam	8' 2"
Draft (Hull)	15"
Deadrise	19 deg
Fuel	70 gal
Weight - Hull	2,500 lbs
Weight - Trailer	3,700 lbs
Cockpit Area	87 sq ft
Cockpit Depth	22"
Bridge Clearance	6' 2"
Max HP	200
Bilge Well	9.75 gal
Fishbox	9.75 gal

Engine Options	HP	MPH Approx
All 25° Shafts		
Honda 135 4-Stroke	135	34 - 37
Honda 150 4-Stroke	150	39 - 42
Honda 200 4-Stroke	200	43 - 46
Mercury 150	150	40 - 43
Mercury 150 Opti	150	42 - 45
Mercury 200	200	47 - 50
Mercury 200 EFI	200	47 - 50
Mercury 200 Opti	200	47 - 50
Yamaha 150	150	39 - 42
Yamaha 150 4-Stroke	150	41 - 44
Yamaha 150 HPDI	150	
Yamaha 200 4-Stroke	200	40 - 43
Yamaha 200 EFI	200	42 - 45
Yamaha 200 HPDI	200	42 - 45

- Standard Equipment**
- Bilge Well w/Raw Water Washdown
 - Bilge Pump
 - Bow Handrail - Stainless Steel
 - Cleats - 6
 - Compass
 - Console - Dual w/Storage
 - Drink Holders
 - Glove Box w/Lock
 - Gunnel Trim - Rigid Vinyl w/ Insert
 - Half Dive Platform w/Ladder
 - Horn - Electric
 - Instrumentation - Fuel, MPH, RPM (Determined by Engine Pkg)
 - Rod Holders - 1 Pair
 - Rod Racks - Cockpit (6) Horizontal
 - Rope Locker Storage
 - Seating - Aft Jump (2 Molded)
 - Seating - Bow
 - Seating - Captains Chairs
 - Steering - No Feedback
 - Striping - Black or Blue
 - Switch and Breaker Panel
 - Top - Bimini Top
 - Windshield - Tempered Glass w/Pass-Thru

- Optional Equipment**
- Battery Switch for Dual Batteries
 - Bow Cushion
 - Graphics - Hull Color - Black, Blue, Light Blue, Yellow
 - Shrink Wrap
 - Steering - Hydraulic
 - Steering - Hydraulic Tilt Upgrade
 - Stereo - AM/FM CD w/4 Speakers
 - Stereo - XM Upgrade

- Convenience Pkg**
- 12-Volt Receptacle
 - Cockpit Bolsters w/Jump Seat Backrest
 - Cockpit Lights
 - Rod Holders (1 Pair)

- Electronics Pkg 1**
- GPS/Depth Finder/Fish Finder (All in One)
 - VHF Radio

- Electronics Pkg 2**
- Depth Finder/Fish Finder
 - GPS (Stand Alone)
 - VHF Radio

- Electronics Pkg 3**
- GPS/Chart Plotter (Color)/Depth Finder/Fish Finder
 - VHF Radio

23 Dual Console

Specifications	
Length	22' 5"
Beam	8' 2"
Draft (Hull)	15"
Deadrise	19 deg
Fuel	90 gal
Weight - Hull	1,900 lbs
Weight - Trailer	3,200 lbs
Cockpit Area	92 sq ft
Cockpit Depth	22"
Bridge Clearance	6' 2"
Max HP	225
Bilge Well	9.75 gal
Fishbox	9.75 gal

Engine Options	HP	MPH - Approx
All 25" Shafts		
Honda 150 4-Stroke	150	
Honda 200 4-Stroke	200	43 - 46
Honda 225 4-Stroke	225	45 - 48
Mercury 150	150	39 - 42
Mercury 150 Opti	150	
Mercury 200	200	43 - 46
Mercury 200 EFI	200	43 - 46
Mercury 200 Opti	200	44 - 47
Mercury 225 4-Stroke	225	45 - 48
Mercury 225 EFI	225	48 - 51
Mercury 225 Opti	225	48 - 51
Yamaha 150	150	
Yamaha 150 4-Stroke	150	39 - 42
Yamaha 150 HPDI	150	
Yamaha 200 4-Stroke	200	41 - 44
Yamaha 200 EFI	200	40 - 43
Yamaha 200 HPDI	200	45 - 48
Yamaha 225 4-Stroke	225	

Standard Equipment

- Bilge Well w/ Raw Water Washdown
- Bilge Pump
- Bow Handrail - Stainless Steel
- Cleats - 6
- Compass
- Console - Dual w/ Storage
- Drink Holders
- Glove Box w/ Lock
- Gunnel Trim - Rigid Vinyl w/ Insert
- Half Dive Platform w/ Ladder
- Horn - Electric
- Instrumentation - Fuel, MPH, RPM (Determined by Engine Pkg)
- Rod Holders - 1 Pair
- Rod Racks - Cockpit (8) Horizontal
- Rope Locker Storage
- Seating - Aft Jump (2 Molded)
- Seating - Bow
- Seating - Captains Chairs
- Steering - Hydraulic
- Striping - Black or Blue
- Switch and Breaker Panel
- Top - Bimini Top
- Windshield - Tempered Glass w/ Pass-Thru

Optional Equipment

- Battery Switch for Dual Batteries
- Bow Cushion
- Graphics - Hull Color - Black, Blue, Light Blue, Yellow
- Shrink Wrap
- Steering - Hydraulic Tilt Upgrade
- Stereo - AM/FM CD w/ 4 Speakers
- Stereo - XM Upgrade

Convenience Pkg

- 12-Volt Receptacle
- Cockpit Bolsters w/ Jump Seat Backrest
- Cockpit Lights
- Rod Holders (1 Pair)

Electronics Pkg 1

- GPS/Depth Finder/Fish Finder (All in One)
- VHF Radio

Electronics Pkg 2

- Depth Finder/Fish Finder
- GPS (Stand Alone)
- VHF Radio

Electronics Pkg 3

- GPS/Chart Plotter (Color)/Depth Finder/Fish Finder
- VHF Radio

17 Sport

Specifications	
Length	17' 4"
Beam	7' 8"
Draft (Hull)	12"
Deadrise	19 deg
Fuel	40 gal
Weight - Hull	1,700 lbs
Weight - Trailer	2,400 lbs
Cockpit Area	50 sq ft
Cockpit Depth	18"
Bridge Clearance	4' 9"
Max HP	115
Bilge Well	12 gal

Engine Options	HP	MPH - Approx
All 20" Shafts		
Honda 90 4-Stroke	90	
Mercury 90	90	37 - 40
Mercury 90 4-Stroke	90	
Mercury 90 Opti	90	
Mercury 115	115	41 - 44
Mercury 115 Opti	115	
Yamaha 90	90	
Yamaha 90 4-Stroke	90	
Yamaha 115	115	40 - 43

Standard Equipment

- Bilge Well
- Bilge Pump
- Bow Handrail - Stainless Steel
- Casting Deck w/ Storage
- Cleats - 4
- Compass
- Drink Holders
- Gunnel Trim - Rigid Vinyl w/ Insert
- Half Dive Platform w/ Ladder
- Horn - Electric
- Instrumentation - Fuel, RPM, Volt
- Rod Holders - 1 Pair
- Rod Holders on Console - (4) Vertical
- Seating - Cooler w/ Flip Flop Backrest
- Steering - No Feedback
- Striping - Black or Blue
- Switch and Breaker Panel
- Windshield - Plexiglass

Optional Equipment

- Seating - Jump Seat Cushions w/ Grabrails
- Seating - Leaning Post w/ Backrest & Cooler
- Shrink Wrap
- Top - Bimini Top

19 Sport

Specifications	
Length	19' 2"
Beam	7' 9"
Draft (Hull)	12"
Deadrise	19 deg
Fuel	50 gal
Weight - Hull	2,000 lbs
Weight - Trailer	2,900 lbs
Cockpit Area	54 sq ft
Cockpit Depth	22"
Bridge Clearance	4' 8"
Max HP	150
Baitwell	13 gal

Engine Options	HP	MPH - Approx
All 20" Shafts		
Honda 135 4-Stroke	135	37 - 40
Honda 150 4-Stroke	150	39 - 42
Mercury 115	115	34 - 37
Mercury 115 4-Stroke	115	32 - 35
Mercury 115 Opti	115	
Mercury 150	150	45 - 48
Mercury 150 Opti	150	46 - 49
Yamaha 115	115	
Yamaha 115 4-Stroke	115	
Yamaha 150	150	
Yamaha 150 4-Stroke	150	
Yamaha 150 HPDI	150	

Standard Equipment

- Baitwell w/Row Water Washdown
- Bilge Pump
- Bow Handrail - Stainless Steel
- Bow Pulpit w/Anchor Roller
- Casting Deck - Insulated Fish Box/Storage Box
- Center Console w/Forward Cooler Seat
- Center Console w/Storage
- Cleats - 5
- Compass
- Dive Platform - Integrated w/Ladder
- Drink Holders
- Glove Box w/Lock
- Grab Rail (Stainless Steel) - Windshield
- Gunnel Trim - Rigid Vinyl w/Insert
- Horn - Electric
- Instrumentation - Fuel, MPH, RPM (Determined by Engine Pkg)
- Rod Holders - 1 Pair
- Rod Racks - Cockpit (4) Horizontal
- Rope Locker Storage
- Seating - Cooler w/Flip Flop Backrest
- Steering - No Feedback
- Striping - Black or Blue
- Switch and Breaker Panel
- Top - Bimini Top
- Windshield - Plexiglass

Optional Equipment

- Battery Switch - On/Off
- Bow Cushion
- Center Console w/Enclosed Head (Porta-Potti)
- Lights - Spreader (Requires T-Top)
- Seating - Leaning Post w/Backrest & Cooler
- Shrink Wrap
- Steering - Hydraulic
- Steering - Hydraulic Tilt Upgrade
- Stereo - AM/FM CD w/4 Speakers
- Stereo - XM Upgrade
- Top - T-Top (Canvas) w/Storage Box

Electronics Pkg 1

- GPS/Depth Finder/Fish Finder (All In One)
- VHF Radio

Electronics Pkg 2

- Depth Finder/Fish Finder
- GPS (Stand Alone)
- VHF Radio

Electronics Pkg 3

- GPS/Chart Plotter(Color)/Depth Finder/Fish Finder
- VHF Radio

21 Sport

Specifications	
Length	21' 6"
Beam	8' 5"
Draft (Hull)	15"
Deadrise	19 deg
Fuel	70 gal
Weight - Hull	2,600 lbs
Weight - Trailer	3,700 lbs
Cockpit Area	81 sq ft
Cockpit Depth	22"
Bridge Clearance	5' 10"
w/Top	8' 0"
Max HP	200
Baitwell	25 gal
Fishbox	18 gal

Engine Options	HP	MPH - Approx
All 25" Shafts		
Honda 135 4-Stroke	135	34 - 37
Honda 150 4-Stroke	150	39 - 42
Honda 200 4-Stroke	200	43 - 46
Mercury 150	150	40 - 43
Mercury 150 Opti	150	42 - 45
Mercury 200	200	47 - 50
Mercury 200 EFI	200	47 - 50
Mercury 200 Opti	200	47 - 50
Yamaha 150	150	39 - 42
Yamaha 150 4-Stroke	150	41 - 44
Yamaha 150 HPDI	150	
Yamaha 200 4-Stroke	200	40 - 43
Yamaha 200 EFI	200	42 - 45
Yamaha 200 HPDI	200	42 - 45

Standard Equipment

- Baitwell w/Row Water Washdown
- Bilge Pump
- Bow Handrail - Stainless Steel
- Bow Pulpit w/Anchor Roller
- Casting Deck - Insulated Fish Box/Storage Box
- Center Console w/Enclosed Head (Porta-Potti)
- Cleats - 7
- Compass
- Drink Holders
- Glove Box w/Lock
- Grab Rail (Stainless Steel) - Windshield
- Gunnel Trim - Rigid Vinyl w/Insert
- Half Dive Platform w/Ladder
- Horn - Electric
- Instrumentation - Fuel, MPH, RPM (Determined by Engine Pkg)
- Rod Holders - 1 Pair
- Rod Racks - Cockpit (6) Horizontal
- Rope Locker Storage
- Seating - Aft Jump (2 Molded)
- Seating - Leaning Post Baitwell
- Steering - No Feedback
- Storage - Floor
- Striping - Black or Blue
- Switch and Breaker Panel
- Top - Bimini Top
- Windshield - Plexiglass

Optional Equipment

- Battery Switch for Dual Batteries
- Bow Cushion
- Graphics - Hull Color - Black, Blue, Light Blue, Yellow
- Leaning Post Backrest
- Lights - Spreader (Requires T-Top)
- Seating - Seat w/Baitwell & Backrest (In Lieu of Leaning Post Baitwell)
- Shrink Wrap
- Steering - Hydraulic
- Steering - Hydraulic Tilt Upgrade
- Stereo - AM/FM CD w/4 Speakers
- Stereo - XM Upgrade
- Top - T-Top (Rigid or Canvas) w/Storage Box

Convenience Pkg

- 12-Volt Receptacle
- Cockpit Bolsters w/Jump Seat Backrest
- Cockpit Lights
- Rod Holders (1 Pair)

Electronics Pkg 1

- GPS/Depth Finder/Fish Finder (All In One)
- VHF Radio

Electronics Pkg 2

- Depth Finder/Fish Finder
- GPS (Stand Alone)
- VHF Radio

Electronics Pkg 3

- GPS/Chart Plotter(Color)/Depth Finder/Fish Finder
- VHF Radio

Tournament Pkg

- Battery Switch for Dual Batteries
- Convenience Pkg
- Lights - Spreader
- Top - T-Top (Rigid) w/Storage Box

23 Sport

Specifications	
Length	23' 7"
Beam	8' 5"
Draft (Hull)	15"
Deadrise	19 deg
Fuel	90 gal
Weight - Hull	3,000 lbs
Weight - Trailer	4,200 lbs
Cockpit Area	92 sq ft
Cockpit Depth	27"
Bridge Clearance	5' 10"
w/Top	8' 0"
Max HP	225
Baitwell	25 gal
Casting Deck Box	27 gal

Standard Equipment

- Baitwell w/Raw Water Washdown
- Bilge Pump
- Bow Handrail - Stainless Steel
- Bow Pulpit w/Anchor Roller
- Casting Deck - Insulated Fish Box/Storage Box
- Center Console w/Enclosed Head (Porta-Potti)
- Cleats - 7
- Compass
- Drink Holders
- Glove Box w/Lock
- Grab Rail (Stainless Steel) - Windshield
- Gunnel Trim - Rigid Vinyl w/ Insert
- Half Dive Platform w/Ladder
- Horn - Electric
- Instrumentation - Fuel, MPH, RPM (Determined by Engine Pkg)
- Rod Holders - 1 Pair
- Rod Racks - Cockpit (8) Horizontal
- Rope Locker Storage
- Seating - Aft Jump (2 Molded)
- Seating - Leaning Post Baitwell
- Steering - Hydraulic
- Storage - Floor
- Striping - Black or Blue
- Switch and Breaker Panel
- Top - Bimini Top
- Windshield - Plexiglass

Engine Options	HP	MPH - Approx
All 25° Shafts		
Honda 150 4-Stroke	150	
Honda 200 4-Stroke	200	43 - 46
Honda 225 4-Stroke	225	45 - 48
Mercury 150	150	39 - 42
Mercury 150 Opti	150	
Mercury 200	200	43 - 46
Mercury 200 EFI	200	43 - 46
Mercury 200 Opti	200	44 - 47
Mercury 225 4-Stroke	225	44 - 47
Mercury 225 EFI	225	48 - 51
Mercury 225 Opti	225	48 - 51
Yamaha 150	150	
Yamaha 150 4-Stroke	150	
Yamaha 150 HPDI	150	
Yamaha 200 4-Stroke	200	
Yamaha 200 EFI	200	41 - 44
Yamaha 200 HPDI	200	44 - 47
Yamaha 225 4-Stroke	225	

Optional Equipment

- Battery Switch for Dual Batteries
- Bow Cushion
- Graphics - Hull Color - Black, Blue, Light Blue, Yellow
- Leaning Post Backrest
- Lights - Spreader (Requires T-Top)
- Seating - Seat w/Baitwell & Backrest (In Lieu of Leaning Post Baitwell)
- Shrink Wrap
- Steering - Hydraulic TR Upgrade
- Stereo - AM/FM CD w/4 Speakers
- Stereo - XM Upgrade
- Top - T-Top (Rigid or Canvas) w/Storage Box

Convenience Pkg

- 12-Volt Receptacle
- Cockpit Bolsters w/Jump Seat Backrest
- Cockpit Lights
- Rod Holders (1 Pair)

Electronics Pkg 1

- GPS/Depth Finder/Fish Finder (All In One)
- VHF Radio

Electronics Pkg 2

- Depth Finder/Fish Finder
- GPS (Stand Alone)
- VHF Radio

Electronics Pkg 3

- GPS/Chart Plotter(Color)/Depth Finder/Fish Finder
- VHF Radio

Tournament Pkg

- Battery Switch for Dual Batteries
- Convenience Pkg
- Lights - Spreader
- Top - T-Top (Rigid) w/Storage Box

24 Sport

Specifications	
Length	24' 5"
Beam	8' 6"
Draft (Hull)	18"
Deadrise	22 deg
Fuel	140 gal
Weight - Hull	3,400 lbs
Weight - Trailer	5,500 lbs
Cockpit Area	80 sq ft
Cockpit Depth	27"
Bridge Clearance	6' 7"
w/Top	7' 9"
Max HP	300
Baitwell	25 gal
Fishbox (Forward)	70 gal
Fishbox	32 gal

Standard Equipment

- Baitwell w/Raw Water Washdown
- Bilge Pump
- Bow Handrail - Stainless Steel
- Bow Pulpit w/Anchor Roller
- Casting Deck w/Storage
- Center Console w/Enclosed Head (Porta-Potti)
- Cleats - 7
- Compass
- Dive Platform - Integrated w/Ladder
- Drink Holders
- Electronics Box w/Lock
- Fish Boxes w/Macerator
- Full Instrumentation - Fuel, MPH, RPM, Temp, Trim, Volt (Determined by Engine Pkg)
- Gunnel Trim - Rigid Vinyl w/ Insert
- Hawse Pipes
- Horn - Electric
- Rod Holders - 1 Pair
- Rod Racks - Cockpit (8) Horizontal
- Rope Locker Storage
- Seating - Leaning Post Baitwell
- Steering - Hydraulic
- Storage - Floor
- Striping - Black or Blue
- Switch and Breaker Panel
- Top - Bimini Top
- Transom Door
- Windshield - Plexiglass

Engine Options	HP	MPH - Approx
25° Shafts for Twin/30° for Single		
Honda 225 4-Stroke	225	40 - 43
Mercury 225 4-Stroke	225	41 - 44
Mercury 225 EFI	225	49 - 52
Mercury 225 Opti	225	47 - 50
Mercury 225 Verado	225	
Mercury 250 EFI	250	47 - 50
Mercury 250 Verado	250	40 - 43
Mercury Twin 150	300	46 - 49
Mercury Twin 150 Opti	300	46 - 49
Yamaha 225 4-Stroke	225	
Yamaha 250 HPDI	250	45 - 48
Yamaha 300 HPDI	300	
Yamaha Twin 150 HPDI	300	

Optional Equipment

- Battery Switch for Dual Batteries
- Bow Cushion
- Dive Ladder (Single Engine Only)
- Electronic Throttle & Shift Controls - Single
- Electronic Throttle & Shift Controls - Twin
- Graphics - Hull Color - Black, Blue, Light Blue, Yellow
- Leaning Post Backrest
- Light - Remote Spot (Requires T-Top)
- Lights - Spreader (Requires T-Top)
- Outriggers (Requires T-Top)
- Seating - Rear Bench (Removable)
- Shrink Wrap
- Steering - Hydraulic Tilt Upgrade
- Stereo - AM/FM CD w/4 Speakers
- Stereo - XM Upgrade
- Top - T-Top (Rigid) w/Storage Box
- Trim Tabs
- Windlass w/Rope & Chain

Convenience Pkg

- 12-Volt Receptacle
- Cockpit Bolsters
- Cockpit Lights
- Rod Holders (1 Pair)

Electronics Pkg 1

- GPS/Depth Finder/Fish Finder (All In One)
- VHF Radio

Electronics Pkg 2

- Depth Finder/Fish Finder
- GPS (Stand Alone)
- VHF Radio

Electronics Pkg 3

- GPS/Chart Plotter(Color)/Depth Finder/Fish Finder
- VHF Radio

Tournament Pkg

- Battery Switch for Dual Batteries
- Convenience Pkg
- Freshwater Cockpit Shower
- Lights - Spreader
- Top - T-Top (Rigid) w/Storage Box
- Trim Tabs

25 Sport

Specifications	
Length	25' 5"
Beam	8' 6"
Draft (Hull)	14"
Deadrise	19 deg
Fuel	138 gal
Weight - Hull	4,700 lbs
Weight - Trailer	6,900 lbs
Cockpit Area	104 sq ft
Cockpit Depth	29"
Bridge Clearance	6' 9"
w/Top	8' 1"
Max HP	300
Baitwell	15 gal
Opt LP Baitwell	35 gal
Fishbox	40 gal
Console Cooler	16 gal
Fresh Water	15 gal

Standard Equipment

- 12-Volt Receptacle
- Baitwell w/ Raw Water Washdown
- Bilge Pump
- Bow Handrail - Stainless Steel
- Bow Pulpit w/ Anchor Roller
- Bracket - Single +2
- Casting Deck - Insulated Fish Box/Storage Box
- Casting Deck w/ Storage
- Center Console w/ Enclosed Head (Porta-Potti)
- Cleats - 7
- Cockpit Shower
- Compass
- Dive Platform - Full w/ Ladder
- Drink Holders
- Electronics Box w/ Lock
- Fish Boxes - Insulated
- Full Instrumentation - Fuel, MPH, RPM, Temp, Trim, Volt (Determined by Engine Pkg)
- Gunnel Trim - Rigid Vinyl w/ Insert
- Hatches
- Horn - Electric
- Rod Holders - 2 Pair
- Rod Reels - Cockpit (6) Horizontal
- Rope Locker Storage
- Seating - Leaning Post w/ Rod Holders & Cooler
- Seating - Transom
- Steering - Hydraulic
- Storage - Floor
- Storage - Tackle
- Striping - Black or Blue
- Switch and Breaker Panel
- Top - Bimini Top
- Transom Door
- Trim Tabs
- Windshield - Plexiglass

18

Engine Options	HP	MPH - Approx
All 25" Shafts		
Honda 225 4-Stroke	225	39 - 42
Honda Twin 135 4-Stroke	270	38 - 41
Honda Twin 150 4-Stroke	300	45 - 48
Mercury 225 4-Stroke	225	40 - 43
Mercury 225 EFI	225	44 - 47
Mercury 225 Opti	225	43 - 46
Mercury 225 Verado	225	
Mercury 250 EFI	250	46 - 49
Mercury 250 Verado	250	
Mercury Twin 150	300	46 - 49
Mercury Twin 150 Opti	300	49 - 52
Yamaha 225 4-Stroke	225	40 - 43
Yamaha 250 HPDI	250	41 - 44
Yamaha 300 HPDI	300	
Yamaha Twin 150 4-Stroke	300	46 - 49
Yamaha Twin 150 HPDI	300	

Optional Equipment

- Battery Switch for Dual Batteries
 - Bow Cushion
 - Bracket - Twin +2
 - Cockpit Bolsters
 - Cockpit Lights
 - Dive Ladder
 - Electronic Throttle & Shift Controls - Single
 - Electronic Throttle & Shift Controls - Twin
 - Graphics - Hull Color - Black, Blue, Light Blue, Yellow
 - Head w/ Dockside Discharge
 - Leaning Post Backrest
 - Light - Remote Spot (Requires T-Top)
 - Lights - Spreader (Requires T-Top)
 - Outriggers (Requires T-Top)
 - Seating - Leaning Post/Baitwell w/ Rod Holders (4)
 - Shrink Wrap
 - Steering - Hydraulic Tilt Upgrade
 - Stereo - AM/FM CD w/ 4 Speakers
 - Stereo - XM Upgrade
 - Top - T-Top (Rigid) w/ Storage Box
 - Windless w/ Rope & Chain
- Electronics Pkg 1**
- GPS/Depth Finder/Fish Finder (All in One)
 - VHF Radio
- Electronics Pkg 2**
- Depth Finder/Fish Finder
 - GPS (Stand Alone)
 - VHF Radio
- Electronics Pkg 3**
- GPS/Chart Plotter (Color)/Depth Finder/Fish Finder
 - VHF Radio
- Tournament Pkg**
- Battery Switch for Dual Batteries
 - Cockpit Bolsters
 - Cockpit Lights
 - Lights - Spreader
 - Top - T-Top (Rigid) w/ Storage Box

27 Sport

Specifications	
Length	27' 0"
Beam	8' 6"
Draft (Hull)	16"
Deadrise	19 deg
Fuel	170 gal
Weight - Hull	4,400 lbs
Weight - Trailer	7,200 lbs
Cockpit Area	91 sq ft
Cockpit Depth	28"
Bridge Clearance	6' 9"
w/Top	8' 6"
Max HP	400
Baitwell	25 gal
Opt LP Baitwell	35 gal
Fishbox (2)	45 gal
Console Cooler	18 gal
Fresh Water	15 gal

Standard Equipment

- 12-Volt Receptacle
- Baitwell w/ Raw Water Washdown
- Bilge Pump
- Bow Handrail - Stainless Steel
- Bow Pulpit w/ Anchor Roller
- Casting Deck w/ Storage
- Center Console w/ Enclosed Head (Porta-Potti)
- Cleats - 7
- Cockpit Shower
- Compass
- Dive Platform - Integrated w/ Ladder
- Drink Holders
- Electronics Box w/ Lock
- Fish Boxes w/ Macerator
- Full Instrumentation - Fuel, MPH, RPM, Temp, Trim, Volt (Determined by Engine Pkg)
- Gunnel Trim - Rigid Vinyl w/ Insert
- Hatches
- Hawse Pipes
- Horn - Electric
- Rod Holders - 2 Pair
- Rod Reels - Cockpit (6) Horizontal
- Rope Locker Storage
- Seating - Leaning Post w/ Rod Holders & Cooler
- Seating - Transom
- Steering - Hydraulic
- Storage - Floor
- Storage - Tackle
- Striping - Black or Blue
- Switch and Breaker Panel
- Top - Bimini Top
- Transom Door
- Trim Tabs
- Windshield - Plexiglass

Optional Equipment

- Battery Switch for Dual Batteries
- Bow Cushion
- Cockpit Bolsters
- Cockpit Lights
- Dive Ladder

19

Engine Options	HP	MPH - Approx
25" Shafts for Twin 30" for Single		
Honda 225 4-Stroke	225	37 - 40
Honda Twin 135 4-Stroke	270	37 - 40
Honda Twin 150 4-Stroke	300	41 - 44
Honda Twin 200 4-Stroke	400	48 - 51
Mercury 225 4-Stroke	225	38 - 41
Mercury 225 EFI	225	43 - 46
Mercury 225 Opti	225	44 - 47
Mercury 225 Verado	225	
Mercury 250 EFI	250	42 - 45
Mercury 250 Verado	250	
Mercury Twin 150	300	45 - 48
Mercury Twin 150 Opti	300	45 - 48
Mercury Twin 200	400	51 - 54
Mercury Twin 200 EFI	400	53 - 56
Mercury Twin 200 Opti	400	
Mercury Twin 200 Verado	400	
Yamaha 225 4-Stroke	225	
Yamaha 250 HPDI	250	
Yamaha 300 HPDI	300	
Yamaha Twin 150 4-Stroke	300	
Yamaha Twin 150 HPDI	300	
Yamaha Twin 200 HPDI	400	47 - 50

Optional Equipment

- Electronic Throttle & Shift Controls - Single
 - Electronic Throttle & Shift Controls - Twin
 - Graphics - Hull Color - Black, Blue, Light Blue, Yellow
 - Head - Electric w/ Macerator, Holding Tank w/ Pump-Out
 - Head w/ Dockside Discharge
 - Leaning Post Backrest
 - Light - Remote Spot (Requires T-Top)
 - Lights - Spreader (Requires T-Top)
 - Outriggers (Requires T-Top)
 - Seating - Leaning Post/Baitwell w/ Rod Holders (4)
 - Shrink Wrap
 - Steering - Hydraulic Tilt Upgrade
 - Stereo - AM/FM CD w/ 4 Speakers
 - Stereo - XM Upgrade
 - Top - T-Top (Rigid) w/ Storage Box
 - Windlass w/ Rope & Chain
- Electronics Pkg 1**
- GPS/Depth Finder/Fish Finder (All in One)
 - VHF Radio
- Electronics Pkg 2**
- Depth Finder/Fish Finder
 - GPS (Stand Alone)
 - VHF Radio
- Electronics Pkg 3**
- GPS/Chart Plotter (Color)/Depth Finder/Fish Finder
 - VHF Radio
- Tournament Pkg**
- Battery Switch for Dual Batteries
 - Cockpit Bolsters
 - Cockpit Lights
 - Lights - Spreader
 - Top - T-Top (Rigid) w/ Storage Box

29 Sport

Specifications	
Length	28' 1"
Beam	9' 10"
Draft (Hull)	22"
Deadrise	19 deg
Fuel	200 gal
Weight - Hull	5,200 lbs
Weight - Trailer	8,200 lbs
Cockpit Area	105 sq ft
Cockpit Depth	28"
Bridge Clearance	7' 1"
w/Top	8' 2"
Max HP	500
Baitwell	35 gal
Fishbox (2)	50 gal
Fresh Water	15 gal

Engine Options	HP	MPH - Approx
All 25° Shafts		
Honda Tw in 200 4-Stroke	400	44 - 47
Honda Tw in 225 4-Stroke	450	47 - 50
Mercury Tw in 200 EFI	400	
Mercury Tw in 200 Opti	400	49 - 52
Mercury Tw in 200 Verado	400	
Mercury Tw in 225 4-Stroke	450	47 - 50
Mercury Tw in 225 EFI	450	54 - 57
Mercury Tw in 225 Opti	450	54 - 57
Mercury Tw in 225 Verado	450	
Mercury Tw in 250 EFI	500	
Mercury Tw in 250 Verado	500	
Yamaha Tw in 200 4-Stroke	400	
Yamaha Tw in 200 HPDI	400	
Yamaha Tw in 225 4-Stroke	450	
Yamaha Tw in 250 HPDI	500	

Standard Equipment

- 12-Volt Receptacle
- Baitwell w/Raw Water Washdown
- Battery Switch for Dual Batteries
- Bilge Pumps (2) - 1 Forward, 1 Aft
- Bow Handrail - Stainless Steel
- Bow Pulpit w/Anchor Roller
- Casting Deck w/Storage
- Center Console w/Enclosed Head (Porta-Potti)
- Cleats - 7
- Cockpit Bolsters
- Cockpit Lights
- Cockpit Shower
- Compass
- Dive Platform - Integrated w/Ladder
- Drink Holders
- Electronics Box w/Lock
- Fish Boxes w/Macerator
- Full Instrumentation - Fuel, MPH, RPM, Temp, Trim, Volt (Determined by Engine Pkg)
- Gunnel Trim - Rigid Vinyl w/Insert
- Hatches
- Hawse Pipes
- Horn - Electric
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (4) Horizontal
- Rope Locker Storage
- Seating - Forward Console w/Cushion
- Seating - Leaning Post / Baitstation w/Rod Holders
- Seating - Transom
- Steering - Hydraulic w/Tilt
- Storage - Floor
- Storage - Tackle
- Striping - Black or Blue
- Switch and Breaker Panel
- Transom Door
- Trim Tabs
- Windshield - Plexiglass

Optional Equipment

- Battery Charger
- Dive Ladder
- Electronic Throttle & Shift Controls - Tw in
- Graphics - Hull Color - Black, Blue, Light Blue, Yellow
- Head - Electric w/Macerator, Holding Tank w/Pump-Out
- Head w/Dockside Discharge
- Leaning Post Backrest
- Light - Remote Spot (Requires T-Top)
- Lights - Spreader (Requires T-Top)
- Outriggers (Requires T-Top)
- Shrink Wrap
- Stereo - AM/FM CD w/4 Speakers
- Stereo - XM Upgrade
- Top - Bimini Top
- Top - T-Top (Rigid) w/Storage Box
- Windlass w/Rope & Chain

Electronics Pkg 1

- GPS/Depth Finder/Fish Finder (All in One)
- VHF Radio

Electronics Pkg 2

- Depth Finder/Fish Finder
- GPS (Stand Alone)
- VHF Radio

Electronics Pkg 3

- GPS/Chart Plotter(Color)/Depth Finder/Fish Finder
- VHF Radio

29 Super Sport

Specifications	
Length	28' 7"
Beam	9' 0"
Draft (Hull)	21"
Deadrise	22 deg
Fuel	192 gal
Weight - Hull	5,300 lbs
Weight - Trailer	8,300 lbs
Cockpit Area	101 sq ft
Cockpit Depth	30"
Bridge Clearance	7' 7"
w/Top	8' 10"
Max HP	600
Baitwell	45 gal
Fishbox (2)	15 gal
Fishbox	113 gal
Fresh Water	15 gal

Engine Options	HP	MPH - Approx
All 30° Shafts		
Honda Tw in 225 4-Stroke	450	52 - 55
Mercury Tw in 225 4-Stroke	450	52 - 55
Mercury Tw in 225 EFI	450	
Mercury Tw in 225 Opti	450	56 - 59
Mercury Tw in 225 Verado	450	
Mercury Tw in 250 EFI	500	
Mercury Tw in 250 Verado	500	58 - 61
Yamaha Tw in 225 4-Stroke	450	54 - 57
Yamaha Tw in 250 HPDI	500	55 - 58

Standard Equipment

- 12-Volt Receptacle
- Anchor Roller
- Baitwell w/Raw Water Washdown
- Battery Switch for Dual Batteries
- Bilge Pump
- Bow Handrail - Stainless Steel
- Casting Deck - Insulated Fish Box/Storage Box
- Center Console w/Enclosed Head (Porta-Potti)
- Cleats - 7
- Cockpit Bolsters
- Cockpit Lights
- Cockpit Shower
- Compass
- Dive Platform - Integrated w/Ladder
- Drink Holders
- Electronics Box w/Lock
- Fish Boxes w/Macerator
- Full Instrumentation - Fuel, MPH, RPM, Temp, Trim, Volt (Determined by Engine Pkg)
- Gunnel Trim - Rigid Vinyl w/Insert
- Hatches
- Horn - Electric
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (4) Horizontal
- Rope Locker Storage
- Seating - Leaning Post / Baitstation w/Rod Holders
- Seating - Transom
- Steering - Hydraulic w/Tilt
- Storage - Tackle
- Striping - Black or Blue
- Switch and Breaker Panel
- Transom Door
- Trim Tabs
- Windshield - Plexiglass

Optional Equipment

- Battery Charger
- Dive Ladder
- Electronic Throttle & Shift Controls - Tw in
- Graphics - Hull Color - Black, Blue, Light Blue, Yellow
- Head - Electric w/Macerator, Holding Tank w/Pump-Out
- Head w/Dockside Discharge
- Leaning Post Backrest
- Light - Remote Spot (Requires T-Top)
- Lights - Spreader (Requires T-Top)
- Outriggers (Requires T-Top)
- Seating - Double Drop-Out w/Cooler
- Seating - Dual Command w/Cooler
- Shrink Wrap
- Stereo - AM/FM CD w/4 Speakers
- Stereo - XM Upgrade
- Top - Bimini Top
- Top - T-Top (Rigid) w/Storage Box
- Windlass w/Rope & Chain

Electronics Pkg 1

- GPS/Depth Finder/Fish Finder (All in One)
- VHF Radio

Electronics Pkg 2

- Depth Finder/Fish Finder
- GPS (Stand Alone)
- VHF Radio

Electronics Pkg 3

- GPS/Chart Plotter(Color)/Depth Finder/Fish Finder
- VHF Radio

31 Sport

Specifications	
Length	32' 6"
Beam	10' 10"
Draft (Hull)	22"
Deadrise	19 deg
Fuel	300 gal
Weight - Hull	7,000 lbs
Weight - Trailer	10,900 lbs
Cockpit Area	145 sq ft
Cockpit Depth	30"
Bridge Clearance	7' 0"
w/Top	8' 3"
Max HP	600
Baitwell	50 gal
Fishbox (2)	90 gal
Fresh Water	39 gal

Engine Options	HP	MPH - Approx
All 30" Shafts		
Honda Twin 225 4-Stroke	450	45 - 48
Mercury Twin 225 4-Stroke	450	45 - 48
Mercury Twin 225 EFI	450	49 - 52
Mercury Twin 225 Opti	450	47 - 50
Mercury Twin 225 Verado	450	
Mercury Twin 250 EFI	500	
Mercury Twin 250 Verado	500	
Yamaha Twin 225 4-Stroke	450	45 - 48
Yamaha Twin 250 HPDI	500	

Walk Series

21 • 23 • 24 • 25
27 • 29 • 31 • 34

The new 2005 line of Pro-Line cabin boats are truly phenomenal. Demand for these fishing machines has been outstanding and, with the addition of new interior fabrics and many model updates, the line offers more than any of the competition.

When presenting Pro-Line Walks, be sure to get your prospects into the boat. Point out the deep interior freeboard, the placement of all the necessary fishing equipment, the deep wide walkarounds, collapsible hinges on the floor hatches, thru-bolted stainless steel hardware with backing plates and aircraft lock nuts, large cleats, molded bow pulpits and more.

Inside the cabins, your customers will find the most spacious and accommodating interiors of any on the market. Fabrics are made of high-grade stain-resistant materials. Hardware down below is second to none and the models with enclosed heads give your prospects plenty of room to make even the largest of anglers comfortable. Storage is abundant and headliners are made of premium foam backed materials for ease of maintenance.

Every Pro-Line model comes with a complete set of weather resistant rocker switches and breakers. Wiring is color-coded and every connection is heat shrunk to ensure no corrosion or breakage. Pro-Line even goes as far as labeling the buss-bars to make adding future equipment as easy as 1-2-3!

The hulls are all built with rough water capabilities in mind. Boasting deep vee hulls with reversed chines, the ride is stable, dry and feels like a much bigger boat.

If your prospects are looking for a true cabin boat with the amenities that no other offers, then a Pro-Line Walk or Express is the boat for them!

Standard Equipment

- 12-Volt Receptacle
- Bait Prep Station w/Built-In Tackle Box, Icebox & Freshwater Sink
- Baitwell w/Raw Water Washdown
- Battery Switch for Dual Batteries
- Bilge Pumps (2) - 1 Forward, 1 Aft
- Bow Handrail - Stainless Steel
- Bow Pulpit w/Anchor Roller
- Cabin - Enclosed in Console w/Berth, Head & Freshwater Sink
- Cabin Cushions(s)
- Casting Deck w/Storage
- Center Console w/Enclosed Head (Porta-Potti)
- Cleats - 7
- Cockpit Bolsters
- Cockpit Lights
- Cockpit Shower Freshwater in Transom Sink
- Compass
- Dive Platform - Integrated w/Ladder
- Drink Holders
- Electronics Box w/Lock
- Fish Boxes w/Macerator
- Full Instrumentation - Fuel, MPH, RPM, Temp, Trim, Volt (Determined by Engine Pkg)
- Gunnel Trim - Rigid Vinyl w/Insert
- Hatches
- Hawse Pipes
- Horn - Electric
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (4) Horizontal
- Rope Locker Storage
- Seating - Forward Console w/Cushion
- Seating - Transom
- Steering - Hydraulic w/Tilt
- Storage - Floor
- Striping - Black or Blue
- Switch and Breaker Panel
- Transom Door
- Transom Panel - Breakers & Battery Switches
- Trim Tabs
- Windshield - Plexiglass

Optional Equipment

- Battery Charger
- Dive Ladder
- Electronic Throttle & Shift Controls - Twin
- Graphics - Hull Color - Black, Blue, Light Blue, Yellow
- Head - Electric w/Macerator, Holding Tank w/Pump-Out
- Head w/Dockside Discharge
- Light - Remote Spot (Requires T-Top)
- Lights - Spreader (Requires T-Top)
- Outriggers (Requires T-Top)
- Shrink Wrap
- Stereo - AM/FM CD w/4 Speakers w/Remote
- Stereo - XM Upgrade
- Top - Bimini Top
- Top - T-Top (Canvas)
- Windlass w/Rope & Chain

Electronics Pkg 1

- GPS/Depth Finder/Fish Finder (All in One)
- VHF Radio

Electronics Pkg 2

- Depth Finder/Fish Finder
- GPS (Stand Alone)
- VHF Radio

Electronics Pkg 3

- GPS/Chart Plotter(Color)/Depth Finder/Fish Finder
- VHF Radio

21 Walk

Specifications	
Length	21' 8"
Beam	8' 5"
Draft (Hull)	15"
Deadrise	19 deg
Fuel	70 gal
Weight - Hull	2,500 lbs
Weight - Trailer	3,800 lbs
Cockpit Area	47 sq ft
Cockpit Depth	22"
Bridge Clearance	5' 10"
w/Top	8' 0"
Max HP	200
Baitwell	27 gal
Fishbox	27 gal

Engine Options	HP	MPH - Approx
All 25° Shafts		
Honda 135 4-Stroke	135	
Honda 150 4-Stroke	150	40 - 43
Honda 200 4-Stroke	200	
Mercury 150	150	41 - 44
Mercury 150 Opti	150	41 - 44
Mercury 200	200	45 - 48
Mercury 200 EFI	200	
Mercury 200 Opti	200	47 - 50
Yamaha 150	150	40 - 43
Yamaha 150 4-Stroke	150	40 - 43
Yamaha 150 HPDI	150	
Yamaha 200 4-Stroke	200	
Yamaha 200 EFI	200	44 - 47
Yamaha 200 HPDI	200	

Standard Equipment

- Baitwell w/ Raw Water Washdown
- Bilge Pump
- Bow Handrail - Stainless Steel
- Bow Pulpit w/ Anchor Roller
- Cabin Cushion(s)
- Cabin Cushion(s)
- Cabin Door - Poly
- Cabin Hatch
- Cabin Portholes
- Cleats - 7
- Compass
- Drink Holders
- Gunnel Trim - Rigid Vinyl w/ Insert
- Half Dive Platform w/ Ladder
- Horn - Electric
- Instrumentation - Fuel, MPH, RPM (Determined by Engine Pkg)
- Porta-Potti w/ Filler Board
- Rod Holders - 1 Pair
- Rod Racks - Cockpit (6) Horizontal
- Rope Locker Storage
- Seating - Aft Jump (2 Molded)
- Seating - Captains Chairs
- Steering - No Feedback
- Striping - Black or Blue
- Switch and Breaker Panel
- Top - Bimini Top
- Windshield - Tempered Glass

Optional Equipment

- Battery Switch for Dual Batteries
- Curtain Package (Bimini Top)
- Curtain Package (Hard Top)
- Graphics - Hull Color - Black, Blue, Light Blue, Yellow
- Lights - Spreader (Requires Hard Top)
- Shrink Wrap
- Steering - Hydraulic
- Steering - Hydraulic Tilt Upgrade
- Stereo - AM/FM CD w/ 4 Speakers w/ Remote
- Stereo - XM Upgrade
- Top - Hard Top w/ Storage Box

Convenience Pkg

- 12-Volt Receptacle
- Cockpit Bolsters w/ Jump Seat Backrest
- Cockpit Lights
- Rod Holders (1 Pair)

Electronics Pkg 1

- GPS/Depth Finder/Fish Finder (All In One)
- VHF Radio

Electronics Pkg 2

- Depth Finder/Fish Finder
- GPS (Stand Alone)
- VHF Radio

Electronics Pkg 3

- GPS/Chart Plotter(Color)/Depth Finder/Fish Finder
- VHF Radio

Tournament Pkg

- Battery Switch for Dual Batteries
- Convenience Pkg
- Lights - Spreader
- Top - Hard Top w/ Storage Box

23 Walk

Specifications	
Length	23' 7"
Beam	8' 5"
Draft (Hull)	16"
Deadrise	19 deg
Fuel	90 gal
Weight - Hull	3,100 lbs
Weight - Trailer	4,500 lbs
Cockpit Area	58 sq ft
Cockpit Depth	27"
Bridge Clearance	5' 10"
w/Top	8' 0"
Max HP	225
Baitwell	27 gal
Casting Deck Box	27 gal

Engine Options	HP	MPH - Approx
All 25° Shafts		
Honda 150 4-Stroke	150	
Honda 200 4-Stroke	200	43 - 46
Honda 225 4-Stroke	225	45 - 48
Mercury 150	150	39 - 42
Mercury 150 Opti	150	39 - 42
Mercury 200	200	43 - 46
Mercury 200 EFI	200	43 - 46
Mercury 200 Opti	200	44 - 47
Mercury 225 4-Stroke	225	45 - 48
Mercury 225 EFI	225	48 - 51
Mercury 225 Opti	225	48 - 51
Yamaha 150	150	37 - 40
Yamaha 150 4-Stroke	150	
Yamaha 150 HPDI	150	
Yamaha 200 4-Stroke	200	
Yamaha 200 EFI	200	41 - 44
Yamaha 200 HPDI	200	42 - 45
Yamaha 225 4-Stroke	225	

Standard Equipment

- Baitwell w/ Raw Water Washdown
- Bilge Pump
- Bow Handrail - Stainless Steel
- Bow Pulpit w/ Anchor Roller
- Cabin Cushion(s)
- Cabin Door - Poly
- Cabin Hatch
- Cabin Portholes
- Cleats - 7
- Compass
- Drink Holders
- Gunnel Trim - Rigid Vinyl w/ Insert
- Half Dive Platform w/ Ladder
- Horn - Electric
- Instrumentation - Fuel, MPH, RPM (Determined by Engine Pkg)
- Porta-Potti w/ Filler Board
- Rod Holders - 1 Pair
- Rod Racks - Cockpit (6) Horizontal
- Rope Locker Storage
- Seating - Aft Jump (2 Molded)
- Seating - Captains Chairs
- Steering - Hydraulic
- Striping - Black or Blue
- Switch and Breaker Panel
- Top - Bimini Top
- Windshield - Tempered Glass

Optional Equipment

- Battery Switch for Dual Batteries
- Curtain Package (Bimini Top)
- Curtain Package (Hard Top)
- Graphics - Hull Color - Black, Blue, Light Blue, Yellow
- Lights - Spreader (Requires Hard Top)
- Shrink Wrap
- Steering - Hydraulic Tilt Upgrade
- Stereo - AM/FM CD w/ 4 Speakers w/ Remote
- Stereo - XM Upgrade
- Top - Hard Top w/ Storage Box

Convenience Pkg

- 12-Volt Receptacle
- Cockpit Bolsters w/ Jump Seat Backrest
- Cockpit Lights
- Rod Holders (1 Pair)

Electronics Pkg 1

- GPS/Depth Finder/Fish Finder (All In One)
- VHF Radio

Electronics Pkg 2

- Depth Finder/Fish Finder
- GPS (Stand Alone)
- VHF Radio

Electronics Pkg 3

- GPS/Chart Plotter(Color)/Depth Finder/Fish Finder
- VHF Radio

Tournament Pkg

- Battery Switch for Dual Batteries
- Convenience Pkg
- Lights - Spreader
- Top - Hard Top w/ Storage Box

24 Walk

Specifications	
Length	24' 5"
Beam	8' 6"
Draft (Hull)	18"
Deadrise	22 deg
Fuel	140 gal
Weight - Hull	3,700 lbs
Weight - Trailer	5,900 lbs
Cockpit Area	49 sq ft
Cockpit Depth	27"
Bridge Clearance	6' 0"
w/Top	8' 1"
Max HP	300
Bilge Well	15 gal
Fishbox (2)	20 gal
Fresh Water	6 gal

Engine Options	HP	MPH - Approx
25" Shafts for Tw in 30" for Single		
Honda 225 4-Stroke	225	40 - 43
Mercury 225 4-Stroke	225	42 - 45
Mercury 225 EFI	225	49 - 52
Mercury 225 Opti	225	47 - 50
Mercury 225 Verado	225	
Mercury 250 EFI	250	47 - 50
Mercury 250 Verado	250	
Mercury Tw in 150	300	46 - 49
Mercury Tw in 150 Opti	300	46 - 49
Yamaha 225 4-Stroke	225	
Yamaha 250 HPDI	250	46 - 49
Yamaha 300 HPDI	300	
Yamaha Tw in 150 HPDI	300	

Optional Equipment

- Battery Switch for Dual Batteries
- Curtain Package (Bimini Top)
- Curtain Package (Hard Top)
- Dive Ladder (Single Engine Only)
- Electronic Throttle & Shift Controls - Single
- Electronic Throttle & Shift Controls - Tw in
- Graphics - Hull Color - Black, Blue, Light Blue, Yellow
- Light - Remote Spot (Requires Hard Top)
- Lights - Spreader (Requires Hard Top)
- Outriggers (Requires Hard Top)
- Seating - Rear Bench (Removable)
- Shrink Wrap
- Steering - Hydraulic Tilt Upgrade
- Stereo - AM/FM CD w/4 Speakers w/Remote
- Stereo - XM Upgrade
- Top - Hard Top w/Storage Box
- Trim Tabs
- Windlass w/Rope & Chain
- Windshield Wiper - Port and/or Starboard

Convenience Pkg

- 12-Volt Receptacle
- Cockpit Bolsters
- Cockpit Lights
- Rod Holders (1 Pair)

Electronics Pkg 1

- GPS/Depth Finder/Fish Finder (All in One)
- VHF Radio

Electronics Pkg 2

- Depth Finder/Fish Finder
- GPS (Stand Alone)
- VHF Radio

Electronics Pkg 3

- GPS/Chart Plotter(Color)/Depth Finder/Fish Finder
- VHF Radio

Tournament Pkg

- Battery Switch for Dual Batteries
- Convenience Pkg
- Freshwater Cockpit Shower
- Lights - Spreader
- Top - Hard Top w/Storage Box
- Trim Tabs

25 Walk

Specifications	
Length	25' 5"
Beam	8' 6"
Draft (Hull)	14"
Deadrise	19 deg
Fuel	138 gal
Weight - Hull	4,200 lbs
Weight - Trailer	6,400 lbs
Cockpit Area	60 sq ft
Cockpit Depth	28"
Bridge Clearance	5' 8"
w/Top	8' 4"
Max HP	300
Bilge Well	15 gal
Fishbox	30 gal
Fresh Water	6 gal

Standard Equipment

- 12-Volt Receptacle
- Bilge Well w/Raw Water Washdown
- Bilge Pumps (2) - 1 Forward, 1 Aft
- Bow Handrail - Stainless Steel
- Bow Seat w/Cushion
- Bracket - Single +2
- Cabin Bow Storage w/Mirrorad Door
- Cabin Cushion(s)
- Cabin Door - Acrylic
- Cabin Hatch
- Cabin Lights
- Cabin Porches
- Cabin Sink - Fresh Water
- Cabin Table w/Filter Cushion
- Cabin V-Berth Storage
- Ceats - 7
- Cockpit Shower
- Compass
- Dive Platform - Full w/Ladder
- Drink Holders
- Fish Boxes - Insulated
- Full Instrumentation - Fuel, MPH, RPM, Temp, Trim, Volt (Determined by Engine Pkg)
- Galley w/Butane Stove
- Gunnel Trim - Rigid Vinyl w/Insert
- Hatches
- Horn - Electric
- Porta-Potti w/Filter Board
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (8) Horizontal
- Rope Locker Storage
- Seating - Captains Chairs
- Seating - Transom
- Steering - Hydraulic
- Storage - Tackle
- Striping - Black or Blue
- Switch and Breaker Panel
- Top - Bimini Top
- Transom Door
- Trim Tabs
- Windshield - Tempered Glass w/Vent

Engine Options	HP	MPH - Approx
All 25" Shafts		
Honda 225 4-Stroke	225	39 - 42
Honda Tw in 135 4-Stroke	270	38 - 41
Honda Tw in 150 4-Stroke	300	42 - 45
Mercury 225 4-Stroke	225	39 - 42
Mercury 225 EFI	225	44 - 47
Mercury 225 Opti	225	43 - 46
Mercury 225 Verado	225	
Mercury 250 EFI	250	46 - 49
Mercury 250 Verado	250	
Mercury Tw in 150	300	46 - 49
Mercury Tw in 150 Opti	300	49 - 52
Yamaha 225 4-Stroke	225	
Yamaha 250 HPDI	250	
Yamaha 300 HPDI	300	
Yamaha Tw in 150 4-Stroke	300	44 - 47
Yamaha Tw in 150 HPDI	300	

Optional Equipment

- Battery Switch for Dual Batteries
- Bracket - Tw in +2
- Cockpit Bolsters
- Cockpit Lights
- Curtain Package (Bimini Top)
- Curtain Package (Hard Top)
- Cushion - Cabin Aft Filler
- Dive Ladder
- Electronic Throttle & Shift Controls - Single
- Electronic Throttle & Shift Controls - Tw in
- Graphics - Hull Color - Black, Blue, Light Blue, Yellow
- Head w/Dockside Discharge
- Light - Remote Spot (Requires Hard Top)
- Lights - Spreader (Requires Hard Top)
- Outriggers (Requires Hard Top)
- Shrink Wrap
- Steering - Hydraulic Tilt Upgrade
- Stereo - AM/FM CD w/4 Speakers w/Remote
- Stereo - XM Upgrade
- Top - Hard Top w/Storage Box
- Windlass w/Rope & Chain
- Windshield Wiper - Port and/or Starboard

Electronics Pkg 1

- GPS/Depth Finder/Fish Finder (All in One)
- VHF Radio

Electronics Pkg 2

- Depth Finder/Fish Finder
- GPS (Stand Alone)
- VHF Radio

Electronics Pkg 3

- GPS/Chart Plotter(Color)/Depth Finder/Fish Finder
- VHF Radio

Tournament Pkg

- Battery Switch for Dual Batteries
- Cockpit Bolsters
- Cockpit Lights
- Lights - Spreader
- Top - Hard Top w/Storage Box

27 Walk

Specifications	
Length	27' 0"
Beam	8' 6"
Draft (Hull)	17"
Deadrise	19 deg
Fuel	165 gal
Weight - Hull	5,700 lbs
Weight - Trailer	8,400 lbs
Cockpit Area	45 sq ft
Cockpit Depth	28"
Bridge Clearance	6' 11"
w/Top	8' 6"
Max HP	400
Baitwell	18 gal
Fishbox (2)	50 gal
Fresh Water	15 gal

Engine Options	HP	MPH Approx
25" Shafts for Twin/30" for Single		
Honda 225 4-Stroke	225	37 - 40
Honda Tw in 135 4-Stroke	270	37 - 40
Honda Tw in 150 4-Stroke	300	
Honda Tw in 200 4-Stroke	400	48 - 51
Merc 350 Mag MPI B3	300	42 - 45
Merc 5.7L B3	250	40 - 43
Merc 6.2L MPI B3	320	44 - 47
Mercury 225 4-Stroke	225	37 - 40
Mercury 225 EFI	225	43 - 46
Mercury 225 Opti	225	44 - 47
Mercury 225 Verado	225	
Mercury 250 EFI	250	42 - 45
Mercury 250 Verado	250	
Mercury Tw in 150	300	45 - 48
Mercury Tw in 150 Opti	300	45 - 48
Mercury Tw in 200	400	51 - 54
Mercury Tw in 200 EFI	400	53 - 56
Mercury Tw in 200 Opti	400	
Mercury Tw in 200 Verado	400	
Yamaha 225 4-Stroke	225	
Yamaha 250 HPDI	250	
Yamaha 300 HPDI	300	40 - 43
Yamaha Tw in 150 4-Stroke	300	
Yamaha Tw in 150 HPDI	300	
Yamaha Tw in 200 HPDI	400	46 - 49

Standard Equipment

- 12-Volt Receptacle
- Baitwell w/Raw Water Washdown
- Bilge Pumps (2) - 1 Forward, 1 Aft
- Bow Handrail - Stainless Steel
- Bow Pulpit w/Anchor Roller
- Cabin Bow Storage w/Mirrored Door
- Cabin Curtains
- Cabin Cushion(s)
- Cabin Door - Acrylic
- Cabin Hatch
- Cabin Lights
- Cabin Portholes
- Cabin Sink - Fresh Water
- Cabin Table w/Filler Cushion
- Cabin V-Berth Storage
- Carbon Monoxide Detector (VO Only)
- Cleats - 7
- Cockpit Shower
- Compass
- Dive Platform - Integrated w/Ladder
- Drink Holders
- Fish Boxes w/Macerator

Standard Equipment

- Full Galley w/Butane Stove & Icebox
- Full Instrumentation - Fuel, MPH, RPM, Temp, Trim, Volt (Determined by Engine Pkg)
- Glove Box w/Lock
- Gunnel Trim - Rigid Vinyl w/Insert
- Hatches
- Hawse Pipes
- Head w/Stand Up Shower, Sink & Porta-Potti
- Horn - Electric
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (6) Horizontal
- Rope Locker Storage
- Seating - Captains Chairs
- Seating - Transom
- Steering - Hydraulic
- Storage - Tackle
- Striping - Black or Blue
- Switch and Breaker Panel
- Top - Bimini Top
- Transom Door
- Trim Tabs
- Windshield - Tempered Glass w/Vent

27 Walk

Optional Equipment

- Air Conditioner w/Heater (Requires Weekender Pkg)
- Battery Switch for Dual Batteries
- Cockpit Bolsters
- Cockpit Lights
- Curtain Package (Bimini Top)
- Curtain Package (Hard Top)
- Cushion - Cabin Aft Filler
- Dive Ladder
- Electronic Throttle & Shift Controls - Single
- Electronic Throttle & Shift Controls - Twin
- Graphics - Hull Color - Black, Blue, Light Blue, Yellow
- Head - Electric w/Macerator, Holding Tank w/Pump-Out
- Head w/Dockside Discharge
- Light - Remote Spot (Requires Hard Top)
- Lights - Spreader (Requires Hard Top)
- Outriggers (Requires Hard Top)
- Shrink Wrap
- Steering - Hydraulic Tilt Upgrade
- Stereo - AM/FM CD w/4 Speakers w/Remote
- Stereo - XM Upgrade
- Top - Hard Top w/Storage Box
- Windlass w/Rope & Chain
- Windshield Wiper - Port and/or Starboard

Optional Equipment

- Electronics Pkg 1**
 - GPS/Depth Finder/Fish Finder (All in One)
 - VHF Radio
- Electronics Pkg 2**
 - Depth Finder/Fish Finder
 - GPS (Stand Alone)
 - VHF Radio
- Electronics Pkg 3**
 - GPS/Chart Plotter (Color)/Depth Finder/Fish Finder
 - VHF Radio
- Tournament Pkg**
 - Battery Switch for Dual Batteries
 - Cockpit Bolsters
 - Cockpit Lights
 - Lights - Spreader
 - Top - Hard Top w/Storage Box
- Weekender Pkg**
 - 110v Outlets - GFI Protected
 - Battery Charger
 - Bonding System
 - Electrical Distribution Panel
 - Galvanic Isolator
 - Refrigerator
 - Shore Power w/Cord
 - Stereo - AM/FM CD w/4 Speakers w/Remote
 - Stove - Alcohol/Electric

29 Walk

Specifications	
Length	29' 1"
Beam	9' 10"
Draft (Hull)	21"
Deadrise	19 deg
Fuel	200 gal
Weight - Hull	5,900 lbs
Weight - Trailer	9,000 lbs
Cockpit Area	65 sq ft
Cockpit Depth	26"
Bridge Clearance	7' 9"
w/Top	9' 7"
Max HP	500
Baitwell	35 gal
Fishbox (2)	50 gal
Fresh Water	30 gal

Engine Options	HP	MPH - Approx
All 25° Shafts		
Honda Tw in 200 4-Stroke	400	44 - 47
Honda Tw in 225 4-Stroke	450	47 - 50
Mercury Tw in 200 EFI	400	
Mercury Tw in 200 Opti	400	49 - 52
Mercury Tw in 200 Verado	400	
Mercury Tw in 225 4-Stroke	450	46 - 49
Mercury Tw in 225 EFI	450	54 - 57
Mercury Tw in 225 Opti	450	54 - 57
Mercury Tw in 225 Verado	450	
Mercury Tw in 250 EFI	500	51 - 54
Mercury Tw in 250 Verado	500	
Yamaha Tw in 200 4-Stroke	400	
Yamaha Tw in 200 HPDI	400	
Yamaha Tw in 225 4-Stroke	450	
Yamaha Tw in 250 HPDI	500	

Standard Equipment

- 110v Outlets - GFI Protected
- 12-Volt Receptacle
- Baitwell w/Raw Water Washdown
- Battery Charger
- Battery Switches
- Bilge Pumps (3) - 1 Forward, 2 Aft
- Bonding System
- Bow Handrail - Stainless Steel
- Bow Pulpit w/Anchor Roller
- Cabin Bow Storage w/Mirrored Door
- Cabin Curtains & Pillows
- Cabin Cushion(s)
- Cabin Door - Acrylic
- Cabin Hatch
- Cabin Lights
- Cabin Portholes
- Cabin Table w/Filler Cushion
- Cabin V-Berth Storage
- City Water Hook-Up
- Seats - 7
- Cockpit Bolsters
- Cockpit Lights
- Cockpit Shower
- Compass
- Dive Platform - Integrated w/Ladder
- Drink Holders

Standard Equipment

- Electrical Distribution Panel
- Fish Boxes w/Macerator
- Fresh Water w/Pull Out Shower
- Full Galley w/Butane Stove & Icebox
- Full Instrumentation - Fuel, MPH, RPM, Temp, Trim, Volt (Determined by Engine Pkg)
- Galvanic Isolator
- Glove Box w/Lock
- Gunnel Trim - Rigid Vinyl w/Insert
- Hatches
- Hawse Pipes
- Head w/Stand Up Shower, Sink & Porta-Potti
- Horn - Electric
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (4) Horizontal
- Rope Locker Storage
- Seating - Captains Chairs
- Seating - Transom
- Shore Power w/Cord
- Steering - Hydraulic w/Tilt
- Storage - Tackle
- Striping - Black or Blue
- Transom Panel - Breakers & Battery Switches
- Trim Tabs
- Windshield - Tempered Glass w/Vent
- Wood Grain Cabinetry

29 Walk

Optional Equipment

- Air Conditioner w/Heater
- Curtain Package (Bimini Top)
- Curtain Package (Hard Top)
- Dive Ladder
- Electronic Throttle & Shift Controls - Tw in
- Graphics - Hull Color - Black, Blue, Light Blue, Yellow
- Head - Electric w/Macerator, Holding Tank w/Pump-Out
- Head w/Dockside Discharge
- Light - Remote Spot (Requires Hard Top)
- Lights - Spreader (Requires Hard Top)
- Microwave (In Lieu of Stove)
- Outriggers (Requires Hard Top)
- Shrink Wrap
- Stereo - AM/FM CD w/4 Speakers w/Remote
- Stereo - XM Upgrade
- Teak Cabin Floor
- Top - Bimini Top
- Top - Hard Top w/Storage Box
- Windless w/Rope & Chain
- Windshield Wiper - Port and/or Starboard

Optional Equipment

- Electronics Pkg 1
 - GPS/Depth Finder/Fish Finder (All In One)
 - VHF Radio
- Electronics Pkg 2
 - Depth Finder/Fish Finder
 - GPS (Stand Alone)
 - VHF Radio
- Electronics Pkg 3
 - GPS/Chart Plotter (Color)/Depth Finder/Fish Finder
 - VHF Radio
- Weekender Pkg
 - Refrigerator
 - Stereo - AM/FM CD w/4 Speakers w/Remote
 - Stove - Alcohol/Electric

31 Walk

Specifications	
Length	32' 6"
Beam	10' 10"
Draft (Hull)	22"
Deadrise	19 deg
Fuel	300 gal
Weight - Hull	7,800 lbs
Weight - Trailer	11,400 lbs
Cockpit Area	84 sq ft
Cockpit Depth	30"
Bridge Clearance	7' 1"
w/Top	9' 6"
Max HP	600
Baitwell	45 gal
Fishbox (2)	50 gal
Fresh Water	39 gal

Engine Options	HP	MPH - Approx
All 30" Shafts		
Honda Tw in 225 4-Stroke	450	45 - 48
Mercury Tw in 225 4-Stroke	450	44 - 47
Mercury Tw in 225 EFI	450	49 - 52
Mercury Tw in 225 Opti	450	47 - 50
Mercury Tw in 225 Verado	450	
Mercury Tw in 250 EFI	500	
Mercury Tw in 250 Verado	500	
Yamaha Tw in 225 4-Stroke	450	
Yamaha Tw in 250 HPDI	500	

Standard Equipment

- 110v Outlets - GFI Protected
- 12-Volt Receptacle
- Baitwell w/Raw Water Washdown
- Battery Charger
- Battery Switches
- Bilge Pumps (2) - 1 Forward, 1 Aft
- Bonding System
- Bow Handrail - Stainless Steel
- Bow Pulpit w/Anchor Roller
- Bow Seat w/Cushion
- Cabin Bow Storage w/Mirrorad Door
- Cabin Curtains & Pillows
- Cabin Cushion(s)
- Cabin Door - Acrylic
- Cabin Hatch
- Cabin Lights
- Cabin Portholes
- Cabin Table w/Filler Cushion
- Cabin V-Berth Storage
- City Water Hook-Up
- Closets - 7
- Cockpit Bolsters
- Cockpit Lights
- Cockpit Seat w/Cushion
- Cockpit Shower
- Compass
- Dive Platform - Integrated w/Ladder
- Drink Holders
- Electrical Distribution Panel
- Fish Boxes w/Macerator

Standard Equipment

- Fresh Water w/Pull Out Shower
- Full Galley w/Butane Stove & Icebox
- Full Instrumentation - Fuel, MPH, RPM, Temp, Trim, Volt (Determined by Engine Pkg)
- Gelvanic Isolator
- Glove Box w/Lock
- Gunnel Trim - Rigid Vinyl w/Insert
- Hatches
- Hawse Pipe
- Head w/Stand Up Shower, Sink & Porta-Potti
- Horn - Electric
- Mid-Cabin Berth w/Privacy Curtain
- Mid-Cabin Window w/Screen & Curtain
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (4) Horizontal
- Rope Locker Storage
- Seating - Helm (Adjustable)
- Seating - Transom
- Shore Power w/Cord
- Steering - Hydraulic w/Tilt
- Storage - Tackle
- Striping - Black or Blue
- Switch and Breaker Panel
- Transom Door
- Transom Panel - Breakers & Battery Switches
- Trim Tabs
- Windshield - Tempered Glass w/Vent & Actuator
- Wood Grain Cabinetry

31 Walk

Optional Equipment

- Air Conditioner w/Hester
- Curtain Package (Bimini Top)
- Curtain Package (Hard Top)
- Dive Ladder
- Electronic Throttle & Shift Controls - Tw in
- Generator (Gas) w/Carbon Monoxide Detector
- Graphics - Hull Color - Black, Blue, Light Blue, Yellow
- Head - Electric w/Macerator, Holding Tank w/Pump-Out
- Head w/Dockside Discharge
- Light - Remote Spot (Requires Hard Top)
- Lights - Spreader (Requires Hard Top)
- Microwave
- Outriggers (Requires Hard Top)
- Shrink Wrap
- Stereo - AM/FM CD w/4 Speakers w/Remote
- Stereo - XM Upgrade
- Teak Cabin Floor
- Top - Bimini Top
- Top - Hard Top w/Storage Box
- Water Heater
- Windlass w/Rope & Chain
- Windshield Wiper - Port and/or Starboard

Optional Equipment

- Electronics Pkg 1**
 - GPS/Depth Finder/Fish Finder (All in One)
 - VHF Radio
- Electronics Pkg 2**
 - Depth Finder/Fish Finder
 - GPS (Stand Alone)
 - VHF Radio
- Electronics Pkg 3**
 - GPS/Chart Plotter(Color)/Depth Finder/Fish Finder
 - VHF Radio
- Weekender Pkg**
 - Refrigerator
 - Stereo - AM/FM CD w/4 Speakers w/Remote
 - Stove - Alcohol/Electric

34 Walk

Specifications	
Length	33' 8"
Beam	11' 0"
Draft (Hull)	25"
Deadrise	19 deg
Fuel	285 gal
Weight - Hull	9,900 lbs
Weight - Trailer	13,500 lbs
Cockpit Area	75 sq ft
Cockpit Depth	26"
Bridge Clearance	8' 0"
w/Top	10' 7"
Max HP	600
Baitwell	50 gal
Fishbox (2)	50 gal
Fresh Water	39 gal

Standard Equipment

- 110v Outlets - GFI Protected
- 12-Volt Receptacle
- Baitwell w/Raw Water Washdown
- Battery Charger
- Battery Switches - Starboard Cockpit Util Cab
- Bilge Pumps (2) - 1 Forward, 1 Aft
- Bonding System
- Bow Handrail - Stainless Steel
- Bow Pulpit w/Anchor Roller
- Bow Seat w/Cushion
- Cabin Bow Storage w/Mirrored Door
- Cabin Curtains & Pillows
- Cabin Cushion(s)
- Cabin Door - Acrylic
- Cabin Hatch
- Cabin Lights
- Cabin Portholes
- City Water Hook-Up
- Cleats - 7
- Cockpit Bolsters
- Cockpit Lights
- Compass
- Dinette w/Storage - Bunk Conversion
- Dive Platform - Integrated w/Ladder
- Drink Holders
- Electrical Distribution Panel
- Fish Boxes w/Macerator
- Fresh Water w/Pull Out Shower - Hot & Cold
- Full Galley - Refrigerator & Alcohol/Electric Stove

Engine Options	HP	MPH - Approx
All 30" Shafts		
Honda Twin 225 4-Stroke	450	42 - 45
Mercury Twin 225 4-Stroke	450	42 - 45
Mercury Twin 225 EFI	450	
Mercury Twin 225 Opti	450	44 - 47
Mercury Twin 225 Verado	450	
Mercury Twin 250 EFI	500	
Mercury Twin 250 Verado	500	
Yamaha Twin 225 4-Stroke	450	42 - 45
Yamaha Twin 250 HPDI	500	

Standard Equipment

- Full Instrumentation - Fuel, MPH, RPM, Temp, Trim, Volt (Determined by Engine Pkg)
- Galvanic Isolator
- Gunnel Trim - Rigid Vinyl w/Insert
- Hanging Locker - Cedar Lined
- Hatches
- Head - Electric w/Macerator, Holding Tank w/Pump-Out
- Head w/Stand Up Shower & Sink
- Horn - Electric
- Mid-Cabin Berth w/Privacy Curtain
- Rod Holders - 2 Pair
- Rod Racks - Lockable
- Rope Locker Storage
- Seating - Command Seat
- Seating - Lounge w/Bolster
- Seating - Transom
- Shore Power w/Cord
- Steering - Hydraulic w/Tilt
- Striping - Black or Blue
- Switch and Breaker Panel
- Tackle Station w/Sink, Cabinet & Tackle Box
- Transom Door
- Trim Tabs
- Water Heater
- Windlass w/Rope & Chain
- Windshield - Tempered Glass w/Vent
- Windshield Wiper - Starboard
- Wood Grain Cabinetry

34 Walk

Optional Equipment

- Air Conditioner w/Heater
- Coffee Maker
- Curtain Package (Hard Top)
- Dive Ladder
- Electronic Throttle & Shift Controls - Twin
- Electronic Throttle & Shift Controls - Twin (Dual Station)
- Generator (Gas) w/Carbon Monoxide Detector
- Graphics - Hull Color - Black, Blue, Light Blue, Yellow
- Ice Maker
- Light - Remote Spot (Requires Hard Top)
- Lights - Spreader (Requires Hard Top)
- Microwave
- Outriggers (Requires Hard Top)
- Shrink Wrap
- Stereo - AM/FM CD w/4 Speakers w/Remote
- Stereo - CD Changer
- Stereo - XM Upgrade
- Teak Cabin Floor
- Television (Flat screen) w/DVD Player
- Top - Hard Top w/Storage Box
- Top - Tower - Controls for Dual Station (Determined by Engine Package)
- Top - Tower w/Hard Top (Does Not Include Dual Station Controls)
- Windshield Wiper - Port and/or Starboard

Electronics Pkg 3

- GPS/Chart Plotter (Color/Depth Finder/Fish Finder)
- VHF Radio

Weekender Pkg

- Coffee Maker
- Ice Maker - Cockpit
- Microwave

Express Series

29 • 31 • 32 • 33 • 35

The Pro-Line Expresses were built for the family that loves to fish and fish hard, yet wants to entertain and have fun onboard as well.

The Expresses use the same high quality construction as the rest of the line, including the finest in fabrics and vinyls that are designed to handle wear and tear. Below deck there is ample storage space for a weekend trip with room for overnighting.

The major features in the 29 and 31 Expresses can be seen in the above deck, open air galley. Countertop, stove refrigerator/ice box and storage allow for easy entertainment to be served up for all. Seating wraps around the galley and opens into the cockpit for even more room.

The 32 and 33 Expresses boast large amounts of space for fishing, entertaining, overnighting and more. Designed for a large family or a large group of fishermen, the Express line gives you room to roam.

For the customer looking for a boat with a dual personality, they'll find it in one of our Express models for 2005.

Specifications	
Length	29' 1"
Beam	9' 10"
Draft (Hull)	21"
Deadrise	19 deg
Fuel	200 gal
Weight - Hull	5,900 lbs
Weight - Trailer	9,000 lbs
Cockpit Area	80 sq ft
Cockpit Depth	28"
Bridge Clearance	7' 3"
w/Top	9' 7"
Max HP	500
Battw ell	35 gal
Fishbox (2)	50 gal
Fresh Water	30 gal

Engine Options		MPH - Approx
All 25° Shafts		
Honda Tw in 200 4-Stroke	400	44 - 47
Honda Tw in 225 4-Stroke	450	47 - 50
Mercury Tw in 200 EFI	400	
Mercury Tw in 200 Opti	400	49 - 52
Mercury Tw in 200 Verado	400	
Mercury Tw in 225 4-Stroke	450	46 - 49
Mercury Tw in 225 EFI	450	54 - 57
Mercury Tw in 225 Opti	450	54 - 57
Mercury Tw in 225 Verado	450	
Mercury Tw in 250 EFI	500	
Mercury Tw in 250 Verado	500	
Yamaha Tw in 200 4-Stroke	400	
Yamaha Tw in 200 HPDI	400	
Yamaha Tw in 225 4-Stroke	450	
Yamaha Tw in 250 HPDI	500	

Standard Equipment

- 110v Outlets - GFI Protected
- 12-Volt Receptacle
- Battw ell w/Row Water Washdown
- Battery Charger
- Battery Switches
- Bilge Pumps (2) - 1 Forward, 1 Aft
- Bonding System
- Bow Handrail - Stainless Steel
- Bow Pulpit w/Anchor Roller
- Cabin Bow Storage w/Mirrored Door
- Cabin Curtains & Pillows
- Cabin Cushion(s)
- Cabin Door - Acrylic
- Cabin Hatch
- Cabin Lights
- Cabin Portholes
- Cabin Table w/Filler Cushion
- Cabin V-Berth Storage
- City Water Hook-Up
- Cleats - 7
- Cockpit Bolsters
- Cockpit Lights
- Cockpit Shower
- Compass
- Dive Platform - Integrated w/Ladder
- Drink Holders
- Electrical Distribution Panel

Standard Equipment

- Fish Boxes w/Macerator
- Fresh Water w/Full Out Shower
- Full Galley w/Butane Stove & Icebox
- Full Instrumentation - Fuel, MPH, RPM, Temp, Trim, Volt (Determined by Engine Pkg)
- Galvanic Isolator
- Glove Box w/Lock
- Gunnel Trim - Rigid Vinyl w/Insert
- Hatches
- Hawse Pipes
- Horn - Electric
- Porta-Potti w/Filler Board
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (4) Horizontal
- Rope Locker Storage
- Seating - Captain Chair at Helm
- Seating - Cockpit Lounge w/Bolster
- Seating - Transom
- Shore Power w/Cord
- Steering - Hydraulic w/Tilt
- Storage - Tackle
- Striping - Black or Blue
- Transom Door
- Transom Panel - Breakers & Battery Switches
- Trim Tabs
- Windshield - Tempered Glass w/Vent

Optional Equipment

- Air Conditioner w/Heater
- Curtain Package (Cabin)
- Dive Ladder
- Electronic Throttle & Shift Controls - Twin
- Graphics - Hull Color - Black, Blue, Light Blue, Yellow
- Head - Electric w/Macerator, Holding Tank w/Pump-Out
- Head w/Dockside Discharge
- Ice Maker
- Light - Remote Spot (Requires Cabin Top)
- Lights - Spreader (Requires Cabin Top)
- Outriggers (Requires Cabin Top)
- Refrigerator
- Shrink Wrap
- Stereo - AM/FM CD w/4 Speakers w/Remote
- Stereo - XM Upgrade
- Teak Cabin Floor
- Top - Cabin w/Electronics Box
- Water Heater
- Windlass w/Rope & Chain
- Windshield Wiper - Port and/or Starboard

Electronics Pkg 1

- GPS/Depth Finder/Fish Finder (All In One)
- VHF Radio

Electronics Pkg 2

- Depth Finder/Fish Finder
- GPS (Stand Alone)
- VHF Radio

Electronics Pkg 3

- GPS/Chart Plotter(Color)/Depth Finder/Fish Finder
- VHF Radio

31 Express

Specifications	
Length	32' 6"
Beam	10' 10"
Draft (Hull)	22"
Deadrise	19 deg
Fuel	312 gal
Weight - Hull	8,200 lbs
Weight - Trailer	12,000 lbs
Cockpit Area	102 sq ft
Cockpit Depth	30"
Bridge Clearance w/Top	7' 1"
Max HP	600
Baitwell	50 gal
Fishbox (2)	110 gal
Fresh Water	30 gal

Engine Options	HP	MPH Approx
All 30" Shafts		
Honda Tw in 225 4-Stroke	450	45 - 48
Mercury Tw in 225 4-Stroke	450	45 - 48
Mercury Tw in 225 EFI	450	49 - 52
Mercury Tw in 225 Opti	450	47 - 50
Mercury Tw in 225 Verado	450	
Mercury Tw in 250 EFI	500	50 - 53
Mercury Tw in 250 Verado	500	
Yamaha Tw in 225 4-Stroke	450	
Yamaha Tw in 250 HPDI	500	

Standard Equipment

- 110v Outlets - GFI Protected
- 12-Volt Receptacle
- Baitwell w/Raw Water Washdown
- Battery Charger
- Battery Switches
- Bilge Pumps (2) - 1 Forward, 1 Aft
- Bonding System
- Bow Handrail - Stainless Steel
- Bow Pulpit w/Anchor Roller
- Cabin Bow Storage w/Mirrored Door
- Cabin Curtains & Pillows
- Cabin Cushion(s)
- Cabin Door - Acrylic
- Cabin Hatch
- Cabin Lights
- Cabin Portholes
- Cabin Table w/Filler Cushion
- Cabin V-Berth Storage
- City Water Hook-Up
- Cleats - 7
- Cockpit Bolsters
- Cockpit Lights
- Cockpit Shower
- Compass
- Dive Platform - Integrated w/Ladder
- Drink Holders
- Electrical Distribution Panel

Standard Equipment

- Fish Boxes w/Macerator
- Fresh Water w/Pull Out Shower
- Full Galley w/Butane Stove & Icebox
- Full Instrumentation - Fuel, MPH, RPM, Temp, Trim, Volt (Determined by Engine Pkg)
- Galvanic Isolator
- Glove Box w/Lock
- Gunnel Trim - Rigid Vinyl w/Insert
- Hatches
- Hawse Pipes
- Head w/Stand Up Shower, Sink & Porta-Potti
- Horn - Electric
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (4) Horizontal
- Rope Locker Storage
- Seating - Captain Chair at Helm
- Seating - Cockpit Lounge w/Storage
- Seating - Transom
- Shore Power w/Cord
- Steering - Hydraulic w/Tilt
- Storage - Tackle
- Striping - Black or Blue
- Transom Door
- Transom Panel - Breakers & Battery Switches
- Trim Tabs
- Windshield - Tempered Glass w/Vent & Actuator

31 Express

Optional Equipment

- Air Conditioner w/Heater
- Curtain Package (Calcutta)
- Dive Ladder
- Electronic Throttle & Shift Controls - Twin
- Generator (Gas) w/Carbon Monoxide Detector
- Graphics - Hull Color - Black, Blue, Light Blue, Yellow
- Head - Electric w/Macerator, Holding Tank w/Pump-Out
- Head w/Dockside Discharge
- Ice Maker (In Lieu of Tackle Box)
- Light - Remote Spot (Requires Calcutta Top)
- Lights - Spreader (Requires Calcutta Top)
- Outriggers (Requires Calcutta Top)
- Refrigerator
- Shrink Wrap
- Stereo - AM/FM CD w/4 Speakers w/Remote
- Stereo - XM Upgrade
- Teak Cabin Floor
- Top - Calcutta w/Electronics Box
- Water Heater
- Windlass w/Rope & Chain
- Windshield Wiper - Port and/or Starboard

Electronics Pkg 1

- GPS/Depth Finder/Fish Finder (All in One)
- VHF Radio

Electronics Pkg 2

- Depth Finder/Fish Finder
- GPS (Stand Alone)
- VHF Radio

Electronics Pkg 3

- GPS/Chart Plotter(Color)/Depth Finder/Fish Finder
- VHF Radio

32 Express

Dimensions	
Length	32' 4"
Beam	10' 10"
Draft (Hull)	23"
Deadrise	22 deg
Fuel	300 gal
Weight - Hull Est	9,900 lbs
Weight - Trailer Est	13,700 lbs
Cockpit Area	81 sq ft
Cockpit Depth	29"
Bridge Clearance	8' 3"
w/Hard Top	10' 0"
Max HP	600
Bilge Well	35 gal
Fishbox (2)	125 gal
Fresh Water	39 gal

Standard Equipment

- 110v Outlets - GFI Protected
- 12-Volt Receptacle
- Bilge Well w/Raw Water Washdown
- Battery Charger
- Battery Switch for Dual Batteries
- Bilge Pumps (3) - 1 Forward, 2 Aft
- Bonding System
- Bow Handrail - Stainless Steel
- Bow Pulpit w/Anchor Roller
- Cabin Curtains & Pillows
- Cabin Cushion(s)
- Cabin Door - Acrylic
- Cabin Hatch
- Cabin Lights
- Cabin Portholes
- Cabin Table w/Filter Cushion
- City Water Hook-Up
- Cleats - 7
- Cockpit Bolsters
- Cockpit Lights
- Compass
- Dive Platform - Integrated w/Ladder
- Drink Holders
- Electrical Distribution Panel
- Fish Boxes w/Macerator
- Fresh Water w/Pull Out Shower - Hot & Cold
- Full Galley - Refrigerator, Microwave & Alcohol/Electric Stove
- Full Instrumentation - Fuel, MPH, RPM, Temp, Trim, Volt (Determined by Engine Pkg)

Engine Options		HP	Approx
All 30" Shafts			
Honda Tw in 225 4-Stroke	450	39 - 42	
Mercury Tw in 225 4-Stroke	450		
Mercury Tw in 225 EFI	450		
Mercury Tw in 225 Opti	450		
Mercury Tw in 225 Verado	450		
Mercury Tw in 250 EFI	500		
Mercury Tw in 250 Verado	500		
Yamaha Tw in 225 4-Stroke	450		
Yamaha Tw in 250 HPDI	500		

Optional Equipment

- Galvanic Isolator
- Gunnel Trim - Rigid Vinyl w/ Inset
- Hatches
- Head - Hot & Cold Shower and Sink(w/Storage)
- Head - Vacuum Flush w/Overboard Discharge
- Horn - Electric
- Mid-Cabin Berth w/Privacy Curtain
- Mid-Cabin Window w/Screen & Curtain
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (4) Horizontal
- Rope Locker Storage
- Seating - Command Seat
- Seating - Lounge w/Bolster
- Seating - Transom (Fold Away)
- Shore Power w/Cords
- Steering - Hydraulic w/Tilt
- Storage - Tackle
- Striping - Black or Blue
- Switch and Breaker Panel
- Transom Door
- Trim Tabs
- Water Heater
- Windlass w/Rope & Chain
- Windshield - Tempered Glass w/Vent
- Windshield Wiper - Starboard
- Wood Grain Cabinetry

32 Express

Optional Equipment

- Air Conditioner w/Heater
- Curtain Package (Hard Top)
- Dive Ladder
- Electronic Throttle & Shift Controls - Twin
- Generator (Gas) w/Carbon Monoxide Detector
- Graphics - Hull Color - Black, Blue, Light Blue, Yellow
- Light - Remote Spot (Requires Hard Top)
- Lights - Spreader (Requires Hard Top)
- Outriggers (Requires Hard Top)
- Shrink Wrap
- Stereo - AM/FM CD w/4 Speakers w/Remote
- Stereo - CD Changer
- Stereo - XM Upgrade
- Teak Cabin Floor
- Television (Flatcreen) w/DVD Player
- Top - Hard Top w/Storage Box
- Windshield Wiper - Port and/or Starboard

Electronics Pkg 1

- GPS/Depth Finder/Fish Finder (All in One)
- VHF Radio

Electronics Pkg 2

- Depth Finder/Fish Finder
- GPS (Stand Alone)
- VHF Radio

Electronics Pkg 3

- GPS/Chart Plotter(Color)/Depth Finder/Fish Finder
- VHF Radio

33 Express

Length	33' 0"
Beam	12' 6"
Draft (Hull)	41"
Deadrise	19 deg
Fuel	300 gal
Weight - Hull	11,200 lbs
Weight - Trailer	16,500 lbs
Cockpit Area	115 sq ft
Cockpit Depth	25"
Bridge Clearance	
w/Tower	15' 3"
Max HP	740
Baitwell	35 gal
Fishbox (2)	75 gal
Fresh Water	40 gal

Standard Equipment

- 110v Outlets - GFI Protected
- Baitwell w/ Raw Water Washdown
- Battery Charger
- Bilge Pumps (3) - Auto/Manual
- Bow Handrail - Stainless Steel
- Bow Pulpit w/ Anchor Roller
- Cabin Floor - Teak & Holly
- Cabin Lights
- Cabin Portholes
- Carbon Monoxide Detector
- City Water Hook-Up
- Cleats - 6
- Cockpit Lights
- Compass
- Dash - Full Instrumentation
- Dinette w/Storage - Bunk Conversion
- Drink Holders
- Engine Alarm
- Fish Box w/ Macerator
- Forward Berth
- Full Galley - Stove, Refrigerator, Microwave, Coffee Maker
- Grab Rails - Stainless Steel
- Gunnel Trim - Rigid Vinyl w/ Inert
- Hatches
- Head - Hot & Cold Shower and Sink(w/Storage)
- Head - Vacuum Flush w/Overboard Discharge
- Horn - Electric (Dual Trumpet)
- Hour Meter
- Sea Strainers
- Seating - Helm (Adjustable)
- Shore Power w/ Cords
- Steering - Hydraulic w/ Till
- Stereo - AM/FM CD w/ 5 Speakers and Remote
- Storage - Tackle
- Switch and Breaker Panel
- Television w/ DVD Player
- Top - Hard Top w/Storage
- Trim Tabs
- Water & Waste Tank Indicator

Engine Options	HP	MPH - Approx
Yanmar Twin 315	630	36 - 39

Standard Equipment

- Water Heater
- Windless
- Windshield - Tempered Glass w/ Vent & Actuator
- Windshield Wiper - Starboard

Optional Equipment

- Air Conditioner w/ Heater
- Cockpit Carpet
- Cockpit Cover
- Compass - Digital
- Curtain Package (Tower/Hard T-Top)
- Cushion - Baitwell/Freezer
- Dive Platform w/ Ladder
- Electronic Throttle & Shift Controls - Twin
- Electronic Throttle & Shift Controls - Twin (Dual Station)
- Freezer - Baitstation
- Generator (Diesel)
- Graphics - Hull Color - Black, Blue, Light Blue, Yellow
- Gray Water System
- Light - Remote Spot
- Lights - Spreader (Requires Hard Top)
- Oil Change Pump
- Outriggers (Requires Hard Top)
- Outriggers (Requires Tower)
- Shaft Seals (Dripless)
- Shrink Wrap
- Stereo - AM/FM/CD w/ CD Changer, Amplifier & Remote
- Stereo - XM Upgrade
- Top - Tower w/ Dual Station
- Water Filter
- Windshield Wiper - Port

Electronics Pkg 3

- GPS/Chart Plotter(Color)/Depth Finder/Fish Finder
- VHF Radio

Electronics Pkg 4

- 4kw Raydome Antenna
- Auto Pilot
- GPS/Chart Plotter(Color)/Depth Finder/Fish Finder
- VHF Radio

Electronics Pkg 5

- 10" Color Display Monitor
- Electronics Pkg 4
- Open Array Radar Antenna

35 Express

Specifications	
Length	36' 0"
Beam	12' 6"
Draft (Hull)	25"
Deadrise	19 deg
Fuel	300 gal
Weight - Hull Est	11,200 lbs
Weight - Trailer Est	16,700 lbs
Cockpit Area	115 sq ft
Cockpit Depth	25"
Bridge Clearance	10' 2"
w/Tower	15' 3"
Max HP	750
Baitwell	35 gal
Fishbox (2)	50 gal
Fresh Water	40 gal

Standard Equipment

- 110v Outlets - GFI Protected
- 12-Volt Receptacle
- Baitwell w/ Raw Water Washdown
- Battery Charger
- Battery Switch for Dual Batteries
- Bilge Pumps (3) - Auto/Manual
- Bonding System
- Bow Handrail - Stainless Steel
- Bow Pulpit w/ Anchor Roller
- Bracket - Twin +2
- Cabin Curtains & Pillows
- Cabin Cushion(s)
- Cabin Door - Acrylic
- Cabin Floor - Teak & Holly
- Cabin Hatch
- Cabin Lights
- Cabin Portholes
- City Water Hook-Up
- Cleats - 7
- Cockpit Bolsters
- Cockpit Lights
- Compass
- Dinette w/Storage - Bunk Conversion
- Dive Platform w/ Ladder
- Drink Holders
- Electrical Distribution Panel
- Fish Box
- Forward Berth
- Full Galley - Refrigerator, Microwave, Alcohol/Electric Stove and Coffee Maker
- Full Instrumentation - Fuel, MPH, RPM, Temp, Trim, Volt (Determined by Engine Pkg)
- Galvanic Isolator
- Grab Rails - Stainless Steel
- Gunnel Trim - Rigid Vinyl w/ Inert
- Hatches
- Head - Hot & Cold Shower and Sink(w/Storage)
- Head - Vacuum Flush w/Overboard Discharge
- Horn - Electric
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (Horizontal)

Engine Options	HP	MPH - Approx
All 30" Shafts		
Mercury Twin 250 Opt	500	
Mercury Twin 250 Verado	500	41 - 44
Yamaha Twin 250 HPDI	500	

Standard Equipment

- Rope Locker Storage
- Seating - Command Seat
- Seating - Lounge w/ Bolster
- Shore Power w/ Cords
- Steering - Hydraulic w/ Till
- Storage - Tackle
- Striping - Black or Blue
- Switch and Breaker Panel
- Television (FlatScreen) w/ DVD Player
- Top - Hard Top w/Storage Box
- Trim Tabs
- Water Heater
- Water Tank Indicator
- Windless w/ Rope & Chain
- Windshield - Tempered Glass w/ Vent & Actuator
- Windshield Wiper - Starboard
- Wood Grain Cabinetry

Optional Equipment

- Air Conditioner w/ Heater
- Cabin Upgrade - Mahogany
- Curtain Package (Tower/Hard T-Top)
- Electronic Throttle & Shift Controls - Twin
- Electronic Throttle & Shift Controls - Twin (Dual Station)
- Generator (Gas) w/ Carbon Monoxide Detector
- Graphics - Hull Color - Black, Blue, Light Blue, Yellow
- Light - Remote Spot
- Lights - Spreader (Requires Hard Top)
- Outriggers (Requires Hard Top)
- Shrink Wrap
- Stereo - AM/FM CD w/ 4 Speakers w/ Remote
- Stereo - CD Changer
- Stereo - XM Upgrade
- Top - Tower (Does Not Include Dual Station Controls)
- Top - Tower - Controls for Dual Station (Determined by Engine Package)
- Windshield Wiper - Port

Electronics Pkg 3

- GPS/Chart Plotter(Color)/Depth Finder/Fish Finder
- VHF Radio

