
BUILT BY FISHERMEN FOR FISHERMEN



DAN ATWOOD

My father and I started
Pro-Line over 37 years ago
with the idea of building
the very best fishing boats
on the water. Never in our
wildest dreams could we
have envisioned being
where we are today...
America's #1 choice of fishing boats. We hope that
you'll enjoy your new ProLine as much as we enjoy
building them for you.

In 1968, when Pro-Line launched its first boat in the tranquil waters off Crystal River, Florida, little did anyone know that 38 years later they would dominate the fishing boat market as the number one manufacturer of fish boats in its class. Our motto "Built By Fishermen for Fishermen" is a powerful testament to the mission of delivering the finest fleet of fishing machines representing quality, value and fishability.

Today Pro-Line Boats builds 23 models from 17 to 35 feet, virtually covering all aspects of the fishboat market. The Sport and Super Sport models are reputed to be some of the finest center console fishing machines around, offering an unmatched combination of performance and fighting space with ergonomic fishing features. The Walk models consistently set new industry standards for affordability, room and comfort. The Bay boats offer backwater fishability with deepwater construction. The Dual-Console models meet the needs of the crossover angler who, when not fishing, enjoys diving, skiing, and other water related activities. Pro-Line's new Express series has taken the traditional Sportfishing boat to a new level of design, functionality, and live aboard amenities.

When it comes to safety, Pro-Line puts you and your family first. All Pro-Line Boats exceed NMMA (National Marine Manufacturers Association), U.S. Coast Guard and European CE standards. They're built using the highest quality components available today and utilize a wood-free construction process called F.I.S.T, Fiberglass Integrated Structural Technology. Pro-Line's are built to withstand the rigors of bluewater conditions and they also have some of the best resale value in the market.

Pro-Line has been recognized many times over, winning numerous awards for their designs and quality. In fact, Pro-Line Boats is the proud recipient of 4 consecutive NMMA Awards for Excellence in Customer Satisfaction for Fiberglass Outboard Boats. And while Pro-Line has grown to be a large manufacturer, you will discover that they've never forgotten their hometown roots. When you own a Pro-Line, you become a part of the Pro-Line family.

So if you're looking for a boat that meets the needs of today's fisherman and his family, take a close look at Pro-Line. Climb aboard, look around, open the hatches, sit in the captain's seat and put our boats to the test. When it come to quality, value, innovation and fishability, feature for feature nobody beats a Pro-Line. After all, they're built by fishermen... just for you.

At Pro-Line, we know what you expect from a day on the water - enjoyment. That's why we build every boat with your enjoyment and safety in mind. Each Pro-Line built utilizes a combination of new advances in marine technology and all we've learned in our 38 year history.

All 2006 models feature Pro-Line's FIST construction. FIST, Fiberglass Integrated Structural Technology, is a superior boat building process that utilizes a fiberglass integrated stringer system, high-density foam and composite coring in place of wood. The result is a hull that's stronger with superior structural integrity. FIST also adds rigidity, eliminating wooden stringers. Plus, all hull compartments are filled with flotation foam adding strength, sound dampening and safety. It's the highest standard for the construction of rugged fishing boats on the water today. A proud, safety conscious partner of NMMA, Pro-Line far exceeds industry construction standards and requirements.

All models are constructed of multiple layers of hand laid, bi-axial, tri-axial and woven roving fiberglass, high-grade resins and additional hi-tech materials. All Pro-Lines feature premium gelcoat for improved shine and fade resistance. New and improved gunnel molding has been added for increased protection. All external upholstery is top grade, 32-oz, UV stable, colorfast low maintenance vinyl. All cushions are fabricated with corrosion and rot-free materials. All hardware is made from marine-grade stainless steel. The hull and deck are bonded together both chemically and mechanically, and all hardware is thru-bolted with backing plates and aircraft locking nuts.


With more than 32 quality control system and safety checks, Pro-Line makes sure everything is operational so your first day on the water is everything you expect it to be.

Pro-Line boats are built to exceed NMMA, U.S. Coast Guard and European CE standards. That's why we can offer a 10-year, non-prorated and transferrable hull warranty standard on every boat. So when it comes to resale, safety, dependability and quality, Pro-Line Boats delivers.









EXPRESS LINE-UP













BEN BRANCH

I love my Pro-Line. After a long week at the office, I look forward to a little R&R on the weekends with my Pro-Line. Its' provided my family and I with hours of fun and memories to last a lifetime.











- Baitwell w/Raw Water Washdown Battery Management System w/Remote
- Cabin Curtains, Cushions & Pillows City Water Hook-Up Cockpit Lights
- Dinette w/Storage Dive Platform- Integrated w/Ladder Drink Holders Fish Boxes w/Macerator Full Galley- Refrigerator, Microwave, Electric Stove & Coffee Maker Full Instrumentation Hard Top w/Rod holders & Spreader Lights Head w/Fresh Water Shower & Sink Mid Berth Shore Power w/Cord Stereo- AM/FM CD Television- Flat Screen w/DVD Player Trim Tabs Water Heater Windlass w/Rope & Chain










LOA
BEAM
DRAFT
DEADRISE
FUEL
WEIGHT-HULL
WEIGHT-TRAILER
COCKPIT AREA
COCKPIT DEPTH
BRIDGE CLEARANCE
WITH TOWER
MAX HP
BAITWELL
FISHBOX
FRESH WATER

35'6" (10.82m) 12'6" (3.81m) 25" (0.63m) 19° 320 Gal. (1211L) 1,200 lbs. (5020kg) 15,000 lbs. (6840kg) 115 sq.ft. (35m²) 25" (0.64m) 10'2" (3.10m) 15'3" (4.65m) 900 (671.4kw) 45 Gal. (170.3L) (2) 125 Gal. (473.0L) 60 Gal. (227.1L)











- Baitwell w/Raw Water Washdown Battery Charger Cabin Floor- Teak & Holly
- Carbon Monoxide Detector City Water Hook-Up Cockpit Lights Dinette w/Storage- Bunk Conversion • Drink Holders • Engine Alarm • Fish Boxes w/Macerator • Full Galley- Refrigerator, Microwave, Stove & Coffee Maker • Full Instrumentation • Head w/Fresh Water Shower & Sink • Trim Tabs • Shore Power w/Cord • Stereo- AM/FM CD • Television- Flat Screen w/DVD Player • Water Heater Windlass w/Rope & Chain










LOA BEAM DRAFT DEADRISE **FUEL** WEIGHT-HULL WEIGHT-TRAILER COCKPIT AREA COCKPIT DEPTH BRIDGE CLEARANCE WITH TOP MAX HP BAITWELL **FISHBOX FRESH WATER**

33'0" (10.06m) 12'6" (3.81m) 41" (1.04m) 300 Gal. (1135.9L) 11,200 lbs. (5080kg) 16,500 lbs. (7484kg) 115 sq.ft. (10.68m²) 25" (0.64m)

15'3" (4.65m) 740 (753kw) 35 Gal. (132.5L) (2) 75 Gal. (284.0L) 40 Gal. (151.4L)











Baitwell w/Raw Water Washdown
 Battery Charger
 Cabin Curtains, Cushions
 Pillows
 Cabin Table w/Filler Cushion
 City Water Hook-Up
 Cockpit Lights
 Dive Platform- Integrated w/Ladder
 Drink Holders
 Electrical Distribution Panel
 Fish Boxes w/Macerator
 Full Galley- Refrigerator, Microwave, Alcohol/Electric
 Stove
 Full Instrumentation
 Head w/Fresh Water Pull Out Shower
 Sink
 Trim Tabs
 Shore Power w/Cords
 Water Heater
 Windlass
 W/Rope
 Chain








LOA
BEAM
DRAFT
DEADRISE
FUEL
WEIGHT-HULL
WEIGHT-TRAILER
COCKPIT AREA
COCKPIT DEPTH
BRIDGE CLEARANCE
WITH TOP
MAX HP
BAITWELL
FISHBOX
FRESH WATER

32'4" (9.85m) 10'10" (3.3m) 23" (0.58m) 22° 300 Gal. (1135.3L) 9,500 lbs. (4309kg) 13,400 lbs. (6078kg) 81 sq.ft. (7.53m²) 29" (0.74m) 8'3" (2.51m) 10'0" (3.05m) 600 (447.6kw) 35 Gal. (132.5L) (2) 125 Gal. (473.0L) 39 Gal. (147.5L)











- Baitwell w/Raw Water Washdown Battery Charger Cabin Curtains, Cushions & Pillows Cabin Table w/Filler Cushion City Water Hook-Up Cockpit Lights
- Dive Platform- Integrated w/Ladder Drink Holders Electrical Distribution Panel
- Fish Boxes w/Macerator Galley- Refrigerator, Sink & Alcohol/Electric Stove Full Instrumentation Head w/Fresh Water Pull Out Shower & Sink Trim Tabs Shore Power w/Cord










LOA
BEAM
DRAFT
DEADRISE
FUEL
WEIGHT-HULL
WEIGHT-TRAILER
COCKPIT AREA
COCKPIT DEPTH
BRIDGE CLEARANCE
WITH TOP
MAX HP
BAITWELL
FISHBOX
FRESH WATER

29'4" (8.94m) 9'8" (2.95m) 22" (0.56m) 22° 200 Gal. (757.2L) 7,500 lbs. (3402kg) 10,000 lbs. (4536kg) 41 sq.ft. (12.5m²) 28" (0.71m) 8'3" (2.51m) 10'0" (3.05m) 500 (372.85kw) 35 Gal. (132.5L) (2) 125 Gal. (473.0L) 30 Gal. (113.6L)











- Baitwell w/Raw Water Washdown Bilge Pumps, Forward & Aft Bow Pulpit w/Anchor Roller Cabin Bow Storage w/Mirrored Door Cabin Cushions Cabin Sink
- Cabin V-Berth Storage Cockpit Shower Cabin Sink Compass Dive Platform Full w/Ladder Drink Holders Galley w/Butane Stove Gunnel Rod Racks
- Full Instrumentation Porta-Potti w/Filler Board Rod Holders Rope Locker
- Top- Bimini Transom Door Trim Tabs Windshield- Tempered Glass w/Vent








LOA
BEAM
DRAFT
DEADRISE
FUEL
WEIGHT-HULL
WEIGHT-TRAILER
COCKPIT AREA
COCKPIT DEPTH
BRIDGE CLEARANCE
WITH TOP
MAX HP
BAITWELL
FISHBOX
FRESH WATER

25'5" (7.75m) 8'6" (2.59m) 14" (0.36m) 19° 138 Gal. (522.5L) 4,200 lbs. (1905kg) 6,400 lbs. (2903kg) 60 sq.ft. (5.57m²) 28" (0.71m) 5'8" (1.73m) 8'4" (2.54m) 300 (223.71kw) 15 Gal. (56.8L) 30 Gal. (113.6L) 6 Gal. (22.7L)









- Baitwell w/Raw Water Washdown Bilge Pump Bow Pulpit w/Anchor Roller
- Cabin Cushions Cabin Sink Cabin Lights Compass Dive Platform Integrated w/Ladder Drink Holders Gunnel Rod Racks Full Instrumentation
- Porta-Potti w/Filler Cushion Rod Holders Rope Locker Transom Door
- Top- Bimini Windshield- Tempered Glass








LOA
BEAM
DRAFT
DEADRISE
FUEL
WEIGHT-HULL
WEIGHT-TRAILER
COCKPIT AREA
COCKPIT DEPTH
BRIDGE CLEARANCE
WITH TOP
MAX HP
BAITWELL
FISHBOX
FRESH WATER

24'5" (7.44m) 8'6" (2.59m) 18" (0.46m) 22° 140 Gal. (530.1L) 3,700 lbs. (1678kg) 5,900 lbs. (2676kg) 49 sq.ft. (4.55m²) 27" (0.69m) 6'0" (1.83m) 8'1" (2.46m) 300 (223.71kw) 15 Gal. (56.8L) (2) 20 Gal. (75.7L) 6 Gal. (22.7L)







- Baitwell w/Raw Water Washdown Bilge Pump Bow Pulpit w/Anchor Roller
- Cabin Cushions Compass Dive Platform- Half w/Ladder Drink Holders
- Gunnel Rod Racks Porta-Potti w/Filler Cushion Rod Holders Rope Locker
- Top- Bimini Windshield- Tempered Glass








LOA
BEAM
DRAFT
DEADRISE
FUEL
WEIGHT-HULL
WEIGHT-TRAILER
COCKPIT AREA
COCKPIT DEPTH
BRIDGE CLEARANCE
WITH TOP
MAX HP
BAITWELL
FISHBOX
FRESH WATER (opt.)

23'7" (7.086m) 8'5" (2.51m) 16" (0.41m) 19° 90 Gal. (340.8L) 3,100 lbs. (1406kg) 4,500 lbs. (2041kg) 58 sq.ft. (5.39m²) 27" (0.69m) 5'10" (1.78m) 8'0" (2.44m) 225 (167.78kw) 27 Gal. (102.2L) 27 Gal. (102.2L) 6 Gal. (22.8L)







- Baitwell w/Raw Water Washdown Bilge Pump Bow Pulpit w/Anchor Roller
- Cabin Cushions Compass Dive Platform- Half w/Ladder Drink Holders
- Gunnel Rod Racks Porta-Potti w/Filler Cushion Rod Holders Rope Locker
- Top- Bimini Windshield- Tempered Glass








LOA
BEAM
DRAFT
DEADRISE
FUEL
WEIGHT-HULL
WEIGHT-TRAILER
COCKPIT AREA
COCKPIT DEPTH
BRIDGE CLEARANCE
WITH TOP
MAX HP
BAITWELL
FISHBOX
FRESH WATER (opt.)

21'8" (6.64m) 8'5" (2.51m) 15" (0.38m) 19" 70 Gal. (265.0L) 2,500 lbs. (1134kg) 3,800 lbs. (1724kg) 47 sq.ft. (4.37m²) 22" (0.56m) 5'10" (1.78m) 8'0" (2.44m) 200 (149.14kw) 27 Gal. (102.2L) 27 Gal. (102.2L) 6 Gal. (22.8L)












29 SUPER SPORT

MERCURY

26 SUPER SPORT

24 SUPER SPORT



I'm in charge of in-water tests at Pro-Line. I also fish whenever I get the chance. I've been around boats my entire life and I can honestly say that I don't think there's a better built boat on the water today.





29 SUPER SPORT









• Baitwell w/Raw Water Washdown • Battery Switch for Dual Batteries • Bilge Pump • Bow Hand Rail • Bow Pulpit w/Anchor Roller • Center Console w/Enclosed Head- Porta-Potti • Cockpit Bolsters, Lights & Shower • Compass • Dive Platform-Integrated w/Ladder • Drink Holders • Electronics Box w/Lock • Fish Boxes w/Macerator- Forward & Aft • Full Instrumentation • Rod Holders • Rod Racks • Rope Locker Storage • Seating- Aluminum Leaning Post w/Rod Holders, Storage & Cooler • Switch & Breaker Panel • Transom Door • Trim Tabs










LOA
BEAM
DRAFT
DEADRISE
FUEL
WEIGHT-HULL
WEIGHT-TRAILER
COCKPIT AREA
COCKPIT DEPTH
BRIDGE CLEARANCE
WITH TOP
MAX HP
BAITWELL
FISHBOX
FISHBOX
FRESH WATER

28'7" (8.71m) 9'0" (2.74m) 21" (0.53m) 22° 192 Gal. (726.6L) 5,300 lbs. (2404kg) 8,300 lbs. (3765kg) 101 sq.ft. (9.38m²)) 30" (0.76m) 7'7" (2.31m) 8'10" (2.69m) 600 (447.42kw) 45 Gal. (170.4L) (2) 15 Gal. (56.8L) 113 Gal. (514.2L) 15 Gal. (58.6L)



24&26 SUPER SPORT



24 SUPER SPORT

- Baitwell w/Raw Water Washdown Bilge Pump
- Bow Hand Rail Bow Pulpit w/Anchor Roller Center Console w/Enclosed Head- Porta-Potti Compass
- Dive Platform- Integrated w/Ladder Drink Holders
- Electronics Box w/Lock Fish Boxes w/Macerator
- Full Instrumentation Rod Holders Rod Racks
- Rope Locker Storage
 Seating- Aluminum Leaning
 Post w/Back Rest, Rod Holders
 Cooler
 Switch

& Breaker Panel • Transom Door



26 SUPER SPORT






LOA
BEAM
DRAFT
DEADRISE
FUEL
WEIGHT-HULL
WEIGHT-TRAILER
COCKPIT AREA
COCKPIT DEPTH
BRIDGE CLEARANCE
WITH TOP
MAX HP
BAITWELL
BAITWELL
BAITWELL (opt.)
FISHBOX
FISHBOX FWD

24 SUPER SPORT 24'5" (7.44m) 8'6" (2.59m) 18" (0.46m) 22° 140 Gal. (530.1L) 3,400 lbs. (1542kg) 5,500 lbs. (2495kg) 80 sq.ft. (7.43m²) 27" (0.69m) 6'7" (2.01m) 7'9" (2.36m) 300 (223.71kw) 20 Gal. (76L) 25 Gal. (94.6L) 32 Gal. (121.2L) 70 Gal. (265.0L)

26'5" (8.05m) 8'6" (2.59m) 21" (0.53m) 22° 156 Gal. (590.3L) 4,200 lbs. (1905kg) 6,300 lbs. (2857kg) 92 sq.ft. (8.56m²) 27" (0.69m) 6'7" (2.01m) 7'4" (2.23m) 450 (335.7kw) 20 Gal. (76L) 25 Gal. (94.6L) (2) 74 Gal. (280.0L) (2) 50 Gal. (189.2L)

26 SUPER SPORT







31 SPORT



29 SPORT



25 SPORT



23 SPORT




21 SPORT



19 SPORT



17 SPORT



I'm the production manager at Pro-Line Boats. It's my job to ensure your boat is built to exceed your expectations. I also own a Pro-Line. I feel it's the safest, most reliable boat on the water today.





29&31 SPORT



29 SPORT

- Baitwell w/Raw Water Washdown Battery Switch for Dual Batteries • Bilge Pumps
- Bow Hand Rail
 Bow Pulpit w/Anchor Roller
- (31S) Center Console w/Cabin & Berth w/Head & Fresh Water Sink (29S) Center Console w/Enclosed Head- Porta-Potti
- Cockpit Bolsters, Lights & Fresh Water
 Shower Compass Dive Platform- Integrated
 w/Ladder Drink Holders Electronics Box
 w/Lock Fish Boxes w/Macerator Full
 Instrumentation Rod Holders Rod Racks
- Rope Locker Storage (31S) Seating- Bench w/Bait Prep Station • (29S) Aluminum Leaning Post w/Rod Holders, Storage & Cooler • Switch & Breaker Panel • Transom Door • Trim Tabs

(All details-31 SPORT)








31 SPORT

LOA
BEAM
DRAFT
DEADRISE
FUEL
WEIGHT-HULL
WEIGHT-TRAILER
COCKPIT AREA
COCKPIT DEPTH
BRIDGE CLEARANCE
WITH TOP
MAX HP
BAITWELL (opt.)
FISHBOX
FRESH WATER

29'1" (8.86m)
9'10" (3.0m)
22" (0.56m)
19°
200 Gal. (757.2L)
5,200 lbs. (2359kg)
8,200 lbs. (3719kg)
105 sq.ft. (9.75m²)
26" (0.66m)
7'1" (2.16m)
8'2" (2.49m)
500 (372.85kw)
35 Gal. (132.5L)
(2) 50 Gal. (189.3L)

29 SPORT

31 SPORT
32'6" (9.91m)
10'10" (3.30m)
22" (0.56m)
19"
300 Gal. (1135.9L)
7,000 lbs. (3175kg)
10,900 lbs. (4944kg)
145 sq.ft. (13.47m²)
30" (0.76m)
7'0" (2.13m)
8'3" (2.51m)
600 (447.42kw)
50 Gal. (189.3L)
(2) 90 Gal. (340.8L)
39 Gal. (147.7L)



25 SPORT





- Baitwell w/Raw Water Washdown Bilge Pump Bow Hand Rail Bow Pulpit w/Anchor Roller Center Console w/Enclosed Head- Porta-Potti Compass
- Dive Platform- Full w/Ladder Drink Holders Electronics Box w/Lock
- Fish Boxes- Insulated w/Over board Drain Full Instrumentation Rod Holders
- Rod Racks Rope Locker Storage Seating- Aluminum Leaning Post w/Rod Holders, Storage & Cooler Switch & Breaker Panel Transom Door Top- Bimini
- Trim Tabs








LOA
BEAM
DRAFT
DEADRISE
FUEL
WEIGHT-HULL
WEIGHT-TRAILER
COCKPIT AREA
COCKPIT DEPTH
BRIDGE CLEARANCE
WITH TOP
MAX HP
BAITWELL
FISHBOX
FRESH WATER

25'5" (7.75m) 8'6" (2.59m) 14" (0.36m) 19° 138 Gal. (545.2L) 4,700 lbs. (2132kg) 6,900 lbs. (3130kg) 104 sq.ft. (9.66m²) 29" (0.74m) 6'9" (2.06m) 8'1" (2.46m) 300 (223.71kw) 15 Gal. (56.8L) 40 Gal. (151.4L) 15 Gal. (56.8L)



23 SPORT





• Baitwell w/Raw Water Washdown • Bilge Pump • Bow Hand Rail • Bow Pulpit w/Anchor Roller • Center Console w/Enclosed Head- Porta-Potti • Compass

• Dive Platform- Half w/Ladder • Drink Holders • Fish Boxes- Insulated

• Rod Holders • Rod Racks • Rope Locker Storage • Seating- Leaning Post w/Baitwell, Storage • Switch & Breaker Panel • Top- Bimini








LOA
BEAM
DRAFT
DEADRISE
FUEL
WEIGHT-HULL
WEIGHT-TRAILER
COCKPIT AREA
COCKPIT DEPTH
BRIDGE CLEARANCE
WITH TOP
MAX HP
BAITWELL
FISHBOX

23'7" (7.086m) 8'5" (2.51m) 15" (0.38m) 19° 90 Gal. (340.8L) 3,000 lbs. (1361kg) 4,200 lbs. (1905kg) 92 sq.ft. (8.55m²) 27" (0.69m) 5'10" (1.78m) 8'0" (2.44m) 225 (167.78kw) 25 Gal. (94.63L) 27 Gal. (102.2L)



21 SPORT





- Baitwell w/Raw Water Washdown Bilge Pump Bow Hand Rail Bow Pulpit w/Anchor Roller Center Console w/Enclosed Head- Porta-Potti Compass
- Dive Platform- Half w/Ladder Drink Holders Fish Boxes- Insulated
- Rod Holders Rod Racks Rope Locker Storage Seating- Leaning Post w/Baitwell, Storage Switch & Breaker Panel Top- Bimini








LOA
BEAM
DRAFT
DEADRISE
FUEL
WEIGHT-HULL
WEIGHT-TRAILER
COCKPIT AREA
COCKPIT DEPTH
BRIDGE CLEARANCE
WITH TOP
MAX HP
BAITWELL
FISHBOX

21'8" (6.64m) 8'5" (2.50m) 15" (0.38m) 19° 70 Gal. (265.0L) 2,600 lbs. (1174kg) 3,700 lbs. (1678kg) 81 sq.ft. (7.53m²) 22" (0.56m) 5'10" (1.78m) 8'0" (2.44m) 200 (149.14kw) 25 Gal. (94.63L) 18 Gal. (68.2L)



17&19 SPORT



17 SPORT

- (19S) Bow Pulpit w/Anchor Roller Baitwell
- (19S) Raw Water Washdown Bilge Pump Bow Hand Rail • Center Console w/Forward Seat • Compass
- (19S) Dive Platform- Integrated w/Ladder (17S) Dive Platform- Half w/Ladder Drink Holders Fish Boxes
- Rod Holders Seating- Cooler w/Flip Flop Back Rest
- Switch & Breaker Panel (19S) Top- Bimini



19 SPORT

(All details-17 SPORT)








LOA
BEAM
DRAFT
DEADRISE
FUEL
WEIGHT-HULL
WEIGHT-TRAILER
COCKPIT AREA
COCKPIT DEPTH
BRIDGE CLEARANCE
MAX HP
BAITWELL

17 SPORT
17'4" (5.28m)
7'8" (2.33m)
12" (0.30m)
19°
40 Gal. (151.4L)
1,700 lbs. (771kg)
2,400 lbs. (1081kg)
50 sq.ft. (4.64m²)
18" (0.46m)
4'9" (1.44m)
115 (87.4kw)
12 Gal. (45.4L)

19'2" (5.84m)
7'9" (2.36m)
12" (0.30m)
19°
50 Gal. (189.3L)
2,000 lbs. (907kg)
2,900 lbs. (1315kg)
54 sq.ft. (5.02m²)
22" (0.56m)
4'8" (1.42m)
150 (111.86kw)
13 Gal. (49.2L)

19 SPORT



BAY LINE-UP



22 BAY



20 BAY





DEADRISE WEIGHT-HULL WEIGHT-TRAILER COCKPIT AREA COCKPIT DEPTH **BRIDGE CLEARANCE** WITH TOP

LOA

BEAM

DRAFT

FUEL

MAX HP

BAITWELL

LIVEWELL

BAITWELL (opt.)

20'5" (6.22m) 8'6" (2.59m) 11" (0.28m) 60 Gal. (227.2L) 2,200 lbs. (998kg) 3,300 lbs. (1497kg) 79 sq.ft. (7.34m²) 17" (0.43m) 4'7" (1.40m) 8'0" (2.44m) 200 (149.14kw) 18 Gal. (65.2L)

20 BAY

22 BAY

21'11" (6.68m) 8'6" (2.59m) 11" (0.28m) 60 Gal. (227.2L) 2,500 lbs. (1134kg) 3,600 lbs. (1633kg) 87 sq.ft. (8.08m²) 17" (0.43m) 4'7" (1.40m) 8'0" (2.44m) 225 (167.78kw) 18 Gal. (65.2L)


18 Gal. (65.2L)

24 BAY

23'11" (7.29m) 8'6" (2.59m) 11" (0.28m) 82 Gal. (310.5L) 2,700 lbs. (1225kg) 4,000 lbs. (1814kg) 90 sq.ft. (8.36m²) 17" (0.43m) 4'7" (1.40m) 8'0" (2.44m) 225 (167.78kw) 18 Gal. (65.2L) 25 Gal. (94.6L) 18 Gal. (65.2L)



• Baitwell w/Raw Water Washdown • Bilge Pump • Bow Hand Rail- Split at Casting Deck • Casting Deck w/Storage • Center Console w/Storage • Compass • Dive Platform- Half w/Ladder • Drink Holders • Rod Holders • Rope Locker Storage • Seating- Leaning Post Back Rest & Cooler • Steering- Hydraulic • Switch & Breaker Panel • Windshield w/Stainless Steel Grab Rail



DUAL CONSOLE LINE-UP



21 DUAL CONSOLE

- Baitwell w/Raw Water Washdown Bilge Pump Bow Hand Rail
- Console Dual w/Storage Compass Dive Platform- Half w/Ladder
- Drink Holders Rod Holders Rod Racks Rope Locker Storage
- Seating- Captains Chairs, Aft Jump Seats- Molded Switch & Breaker Panel • Top- Bimini



23 DUAL CONSOLE









LOA BEAM DRAFT DEADRISE **FUEL** WEIGHT-HULL WEIGHT-TRAILER **COCKPIT AREA COCKPIT DEPTH BRIDGE CLEARANCE** MAX HP BAITWELL **FISHBOX**


20'6" (6.12m) 8'5" (2.50m) 15" (0.38m) 19° 70 Gal. (265.0L) 2,500 lbs. (1134kg) 3,700 lbs. (1678kg) 87 sq.ft. (8.08m²) 22" (0.56m) 6'2" (1.88m) 200 (149.14kw) 9.75 Gal. (36.9L) 9.75 Gal. (36.9L)

21 DUAL CONSOLE 23 DUAL CONSOLE 22'5" (6.83m) 8'5" (2.50m) 15" (0.38m) 19° 90 Gal. (340.8L) 3,050 lbs. (1384kg) 4,000 lbs. (1814kg) 92 sq.ft. (8.55m²) 22" (0.56m) 6'2" (1.88m) 225 (167.78kw) 9.75 Gal. (36.9L) 9.75 Gal. (36.9L)



GRAPHIC OPTIONS





FABRIC OPTIONS

21W thru 25 W - White, Blue, Light Blue Hulls 21W thru 25 W - White, Black, Yellow Hulls





28 EX, 31 S, 32 EX, 35 EX



Optional with any Wide Beam





OPITO	N	5						/	//	/	/	/	/	/	//	/ -/	//	/	/	//	//	/	/	/	/	/	//	//	//	/	/	/	/	/	/	/	/	//	////
						/	/	/	//	//	4	/	//	/3		/	//	//	//	//	/	/	//	//		//	8620	/	2	Mollow	/	/	/	ariwell.		/	/	/	
OPTIONS	Aire	Battondillog	Batte Char W H.	Batto Swifer Caler	Bow Swiles On Or	Bow Cushion for Dus.	Cabin 1885	Cabin Floor Spirit, C.	Cabi Floor Cak Casting Dear	Coller Cor - Walan Kito Fran	Con Spie W Coppeniale	Coch Boyenine Cosed U	Cocke Lights Head (P.	Cooler Show	Curain Cushi Fresh	Cushin Packan For Water	Cushing Baimen Con	Diving Cabin Afreezer	Dive Lade Corward Ciller	Electron mu veats Por	Freezer Throm Leader Sirba	Tuel Can Ballston & Shin	Good S. D. Von.	Grantor Mala State - 42	Hear is Him Merun, 4 st. in i	Head Electri Color	Head Work Black	Jack Diverby de Disco	Leaning - Hyd Dischage	Lights Post Baunic d'ac	Lini Rocking Rest IR.	Mantes mole co l'aduirec	O O O O O O O O O	Port gers of Requires Ham	Reci Plate duices	Remcwating Harage T. Fop)	Sealing Ballwell Ton or Ton	Seating - Doubling Domer	19 - Diane Drop Seat W. Cooler
17 Sport																			S																				
19 Sport			0		0				() 8				0					S			1	0							(0 0								
20 Bay		0	0			0				0)	0		0			(0	S					0				0			C			0	0	0			
21 DC				0	0					5									S			1	0	0											-				
21 Sport				0	0				5	3 8				0					S			1	0	0					0	(0 0		0						
21 Walk				0						8	3		0		0				S			1	0	0							C)							
22 Bay		0	0			0				0)	0		0			(0 0	S					0				0			C)		0	0	0			
23 DC				0	0					8									S				0	0															
23 Sport				0	0				1	5 8				0					S			1	0	0					0	(0 0)	0						
23 Walk				0						5			0		0				S			1	0	0							0								
24 Bay		0	0			0				0)	0		0			(0 0	S					0				0			0)		0	0	0			
24 Super Sport				0	0				1	3 8	5							0	S					0					0	(0 0		0				0	0	
24 Walk				0						5					0			0	S					0						(0 0)	0						
25 Sport				0	0				9	5 5		0	S					0						0		0			0	(0 0)	0				0	0	
25 Walk				0						5					0		0	0	S					0		0				(0 0		0						
26 Super Sport				0	0				1	5 8		-	100					0	CO CONTRACTOR					0		0			0	(0 0)	0				0	0	
28 Express	0	S		S			0	0		5					0			0	S				0	0		S	0			(0 0) (0 0						
29 Sport		0	110000	S					1	SS								0						0		0			0	(0 0)	0				0	0	
29 Super Sport		0		S		18.25				SS	S	S	S					0						0					0		0 0		0				0	0	
31 Sport		0		S						SS		4 200						0	S					0		0				-	0 0		0						
32 Express	0	S		S		1	0	0		5					0			0					0	0		S	S			(0 0) ;	5 0						
33 Express I/B	0	S		S			S	-		5	-	S				0			0		0		0			S	S						s 0						
35 Express	0	S	1500	S		91389	0	S	0		SS			7000	0	3757			S			0		0		S	S	200	10000		0 8		5 0		1000		2000	-	



1																																					
FROLIM		mil	Lean Sear	Scaring Leaning Possing W	Leaning Post Wacker Grabial	Scally Leaning OS W Barker Cool	Laning Post W. Ra Hold Gold	Sealth Rear Por / Jan 16 C Stores & Ch.	Seal Bond Estimeth Station of & Coole	of Orin Bathwell of Rod H. Rod H.	Thanks 1 & Back " noters noters	And auth Power	AM FIN CO III UNI STANGE	Store - AM THOOM & Speake I'd W. Verz.	Celevision of the state of the	ini (Flatiner Faciage	and Top (Sep) W. O.	Top: 100 Page:	" Imer		Caller		Opy:	I THE WAR	Recent 665	Col Seal Com	Lin Backer Convenience	Batto ders Com Converse Play	Swift Pair Entence nee Di	Bolsh for Dromen Plans	Lights Town Batter PH	reshillence of Tournamentes Tou	Secost Town Ply Sumano	Apreado Shamen	THE TAND W. TOWNER. TO.	Pos (Rigid) (Pos (Plument)	Chonics Pounding Store Box 140 mm Pho
OPTIONS CONT.	Seati	Sealin	Seating	Seating	Cating	Seating	Searing	Seating	Sharis	Serin	Sychin	Stereo	Stere	Stove	Televis,	18.00	100 H	10p . 10p	Trim	Waler	Windlas	Nindsh	Opr	12.10	Cockoii	Samp	Rodin	Batto	Cock	Cocko	Conve	resh	SIMO	0 2	17.00	Elect.	2415
17 Sport	0	0													(0																					
19 Sport		0	-							0	0		0			S	0		0						250											A	
20 Bay		S							-	S			0			0	0		0								-									A	
21 DC								0			0 0		0			S	-								•	•										A	
21 Sport				,	5			0			0 0		0			S	0											•			•		•			A	
21 Walk										0 0			0			SC			0						•		-	•			•		•	•		A	
22 Bay		S									0 0		0			0	0		0								-									A :	
23 DC										S			0			S	-							-					00000							A	
23 Sport				3	3			0			0 0		0			S	0											•			•		•	•	•	A	
23 Walk) (0			SC								•	•	•		•		1	•	•	• •	•		A	
24 Bay		S)			1			0 0	1	0			0	0		0																	A	
24 Super Sport			S	()		0			-	0 0		0			S	0		0		0			•	•			•					•	•			
24 Walk							0			S	-	-	0	0		SC			0			0						•			•	•	•	•		A	
25 Sport				S	(0 0					0 0		0			S	0		S		0							•	•	•			•		1	A	
25 Walk									100		0 0		0			SC	133		S			0						•	•	•		1	•	•		A	
26 Super Sport			S	0	(0	S			S			0			S	0		S		0							•	•	•			•			A	
28 Express							S				-		0		0	C			S	0	0	S														A	
29 Sport				S		0 0					S		0			0	0		S		0															A	
29 Super Sport				S	(0 0)	0			0	0		S		0															A	
31 Sport		-)	0			0	0		S		0															A	
32 Express							S				S				0	0			S	S	S	S															
33 Express I/B											SS				S	S		0			S																
35 Express							S			SS	SS	0 8	0		S	18	5	0	S	S	S	S									-					A	1

0 = Option S = Standard

Convenience Package: 12-Volt Receptacle, Cockpit Bolsters, Jump Seat Backrest, Cockpit Lights, Rod Holders (1Pair)

Tournament Package: Battery Switch for Dual Batteries, Cockpit Bolsters, Cockpit Lights, Convenience Pkg., Freshwater Cockpit Shower, Lights - Spreader, Top - Hard Top w/ Storage Box, Top - T-Top (Rigid) w/ Storage Box, Trim Tabs

Electronics Packages Available on 19' - 35' Models

P.O. Box 1348 Crystal River, FL 34423-1348 www.prolineboats.com (800) 344-1281

While we endeavor to be as accurate as possible, certain changes in standard equipment, options and the like may have occurred which would not be included in the catalog. All weights and fuel capacities are estimates and could/will vary with each vessel and with each application. In all cases, consult your local Pro-Line dealer for the most current information.