



2008 PIG

23 Bay

Revised: 1/13/2014 9:18:53 AM

SPECIFICATIONS

Length	23' 0"
Beam	8' 6"
Draft (Hull)	11"
Deadrise	15 deg
Fuel	80 gal
Weight - Hull	3,450 lbs
Weight - Trailer	4,705 lbs
Cockpit Area	85 sq ft
Cockpit Depth	20"
Bridge Clearance	5' 0"
w/Top	7' 9"
Max HP	300
Baitwell - Port Aft	38 gal
Fishbox	98 gal

ENGINE SELECTION MODEL MPH

ENGINE SELECTION	MODEL	MPH
Evinrude	200 E-Tec (200 ci)	
	225 E-Tec	48 - 50
	250 E-Tec	
Honda	200 4-Stroke	45 - 47
	225 4-Stroke	47 - 49
Mercury	200 Opti	
	225 Opti	
	225 Pro XS Opti	
	250 Pro XS Opti	52 - 54
	200 Verado - 6cyl	
	225 Verado	
250 Verado	52 - 54	
300 Verado	55 - 57	
Suzuki	200 4-Stroke	
	225 4-Stroke	48 - 50
	250 4-Stroke	52 - 54
	300 4-Stroke	54 - 56

All 25" Shafts

STANDARD EQUIPMENT

12-Volt Receptacle
Baitwell w/Raw Water Washdown & Light (Port Aft)
Bilge Pump
Boarding Ladder
Center Console w/Storage
Cleats - 5
Cockpit Lights
Compass
Drink Holders - Stainless Steel
Gauges (Analog) - Fuel, MPH, RPM, Trim, Volt (Digital - Suzuki 300 & Verados)
Grab Rail (Stainless Steel) - Windshield
Gunnel Trim - Rigid Vinyl w/ SS Insert
Horn - Electric
Pull Wire for Trolling Motor
Rod Holders - 1 Pair
Rod Holders (6) - Vertical
Rod Storage (Lockable) - Port
Rope Locker Storage
Seating - Forward Console w/Cushion & Storage
Seating - Leaning Post w/Backrest & Cooler
Steering - Hydraulic (Verado - Power)
Striping - Black or Blue
Switch and Breaker Panel
Windshield

OPTIONAL EQUIPMENT

Baitwell (10 gal) - Console (Plumbed from Port Aft)
Baitwell (38 gal) & Light - Starboard Aft
Battery Charger - 2 Bank
Battery Charger - 3 Bank
Battery Switch - On/Off
Battery Switch for Dual Batteries
Casting Platform
Gauges - Digital BRP
Gauges - Digital Honda
Gauges - Digital Mercury
Gauges - Digital Suzuki
Graphics - Hull Sides - Onyx Black, Deep Blue, Shiraz, Glory Blue
Graphics - Whole Hull - Onyx Black, Deep Blue, Shiraz, Glory Blue
Jack Plate - Hydraulic
Lights - Spreader (Requires T-Top)
Power Pole (Requires Jack Plate)
Recirculating Baitwell Timer
Rod Holders - 1 Pair
Rod Storage (Lockable) - Starboard
Seating - Aluminum Leaning Post w/Rod Holders, Storage & Cooler
Seating - Rear Transom
Seating - Removable Casting Deck - Forward or Aft
Shrink Wrap
Steering - Power Assist (Std w/Verado)
Steering - Tilt Upgrade
Stereo - AM/FM/CD w/4 Speakers
Stereo - XM Upgrade
Top - Bimini Top
Top - T-Top (Canvas)
Trim Tabs w/Indicators
Trolling Motor - Great White SW109 Hand/Bow Digital 60" 36 Volt w/3 Bank Charger
Trolling Motor - Great White SW82 Hand/Bow Digital 60" 24 Volt w/2 Bank Charger
Trolling Motor Wiring w/Breaker & Plug (24V or 36V)

Electronics Pkg 1

Garmin GPSMap 440s
VHF Radio - Icom

Electronics Pkg 2

Garmin 400C Fishfinder
Garmin GPSMap 440
VHF Radio - Icom

Electronics Pkg 3

Garmin GPSMap 4208
VHF Radio - Icom
* Optional XM Weather

Tournament Pkg

Baitwell (10 gal) - Console (Plumbed from Port Aft)
Baitwell (38 gal) & Light - Starboard Aft
Battery Switch for Dual Batteries
Rod Holders - 1 Pair
Seating - Aluminum Leaning Post w/Rod Holders, Storage & Cooler
Trim Tabs w/Indicators



2008 PIG

23 Bay XS

Revised: 1/13/2014 9:18:53 AM

SPECIFICATIONS

Length	23' 0"
Beam	8' 6"
Draft (Hull)	11"
Deadrise	15 deg
Fuel	80 gal
Weight - Hull	3,450 lbs
Weight - Trailer	4,705 lbs
Cockpit Area	85 sq ft
Cockpit Depth	20"
Bridge Clearance	5' 0"
w/Top	7' 9"
Max HP	300
Baitwell - Port Aft	38 gal
Baitwell - Stbd Aft	38 gal
Baitwell - Console	10 gal
Fishbox	98 gal

ENGINE SELECTION	MODEL	MPH
Evinrude	225 E-Tec	48 - 50
	250 E-Tec	
Honda	225 4-Stroke	47 - 49
Mercury	225 Opti	
	225 Pro XS Opti	
	250 Pro XS Opti	52 - 54
	225 Verado	
	250 Verado	52 - 54
	300 Verado	55 - 57
Suzuki	225 4-Stroke	
	250 4-Stroke	
	300 4-Stroke	

All 25" Shafts

STANDARD EQUIPMENT

12-Volt Receptacle
Baitwell & Light - Port Aft
Baitwell (10 gal) - Console (Plumbed from Port Aft)
Baitwell (38 gal) & Light - Starboard Aft
Battery Charger - 2 Bank
Battery Switch for Dual Batteries
Bilge Pump
Boarding Ladder
Center Console w/Storage
Cleats - 5
Cockpit Lights
Compass
Drink Holders - Stainless Steel
Gauges - Digital
Grab Rail (SS - Powder Coated) - Windshield
Graphics - Whole Hull - Onyx Black, Deep Blue, Shiraz, Glory Blue
Gunnel Trim - Rigid Vinyl w/ SS Insert
Horn - Electric
Jack Plate - Hydraulic
Raw Water Washdown
Recirculating Baitwell Timers (2)
Rod Holders - 2 Pair
Rod Holders (6) - Vertical (Stainless Steel)
Rod Storage (Lockable) - Port
Rope Locker Storage
Seating - Aluminum Leaning Post w/Rod Holders, Storage & Cooler (Powder Coated)
Seating - Forward Console w/Cushion & Storage
Seating - Transom
Steering - Hydraulic Tilt (Verado - Power)
Switch and Breaker Panel
Trim Tabs w/Indicators
Trolling Motor Wiring w/Breaker & Plug (24V or 36V)
Windshield

OPTIONAL EQUIPMENT

Casting Platform (Powder Coated)
Lights - Spreader (Requires T-Top)
Power Pole
Rod Storage (Lockable) - Starboard
Seating - Removable Casting Deck - Forward or Aft
Shrink Wrap
Steering - Power Assist (Std w/Verado)
Stereo - AM/FM/CD w/4 Speakers
Stereo - XM Upgrade
Top - Bimini Top
Top - T-Top - Canvas (Powder Coated)
Trolling Motor - Great White SW109 Hand/Bow Digital 60" 36 Volt w/3 Bank Charger
Trolling Motor - Great White SW82 Hand/Bow Digital 60" 24 Volt w/2 Bank Charger

Electronics Pkg 1

Garmin GPSMap 440s
VHF Radio - Icom

Electronics Pkg 2

Garmin 400C Fishfinder
Garmin GPSMap 440
VHF Radio - Icom

Electronics Pkg 3

Garmin GPSMap 4208
VHF Radio - Icom
* Optional XM Weather



2008 PIG

20 Express

Revised: 1/13/2014 9:18:53 AM

SPECIFICATIONS

Length	20' 6"
Beam	8' 5"
Draft (Hull)	15"
Deadrise	19 deg
Fuel	70 gal
Weight - Hull	2,750 lbs
Weight - Trailer	3,950 lbs
Cockpit Area	47 sq ft
Cockpit Depth	22"
Bridge Clearance	5' 10"
w/Top	8' 5"
Max HP	200
Baitwell	27 gal
Fishbox	27 gal

ENGINE SELECTION MODEL MPH

Evinrude	150 E-Tec	
Honda	135 4-Stroke	36 - 38
	150 4-Stroke	40 - 42
Mercury	150 Opti	
	150 Verado	40 - 42
Suzuki	140 4-Stroke	36 - 38
	150 4-Stroke	41 - 43

All 25" Shafts

STANDARD EQUIPMENT

Baitwell w/Raw Water Washdown & Light
Bilge Pump
Bow Handrail - Stainless Steel
Bow Pulpit w/Anchor Roller
Cabin Cushion(s)
Cabin Door - Poly
Cabin Hatch
Cabin Interior - Geometric Spice or Cosmic Caribbean
Cabin Portholes
Cleats - 7
Compass
Drink Holders - Stainless Steel
Gauges (Analog) - Fuel, MPH, RPM, Trim, Volt (Digital - Verado)
Gunnel Trim - Rigid Vinyl w/ SS Insert
Half Dive Platform w/Ladder
Horn - Electric
Rod Holders - 1 Pair
Rod Racks - Cockpit (6) Horizontal
Rope Locker Storage
Seating - Aft Jump (2 Molded)
Seating - Captains Chairs
Steering - Hydraulic
Striping - Black or Blue
Switch and Breaker Panel
Windshield - Tempered Glass

OPTIONAL EQUIPMENT

Curtain Package (Bimini Top)
Curtain Package (Hard Top)
Lights - Spreader (Requires Hard Top)
Shrink Wrap
Top - Bimini Top
Top - Hard Top w/Storage Box
Convenience Pkg
12-Volt Receptacle
Cockpit Bolsters w/Jump Seat Backrest
Cockpit Lights
Head - Porta-Potti w/Filler Board
Rod Holders (1 Pair)



2008 PIG

23 Express

Revised: 1/13/2014 9:18:53 AM

SPECIFICATIONS

Length	23' 0"
Beam	8' 6"
Draft (Hull)	17"
Deadrise	20 deg
Fuel	125 gal
Weight - Hull	3,900 lbs
Weight - Trailer	6,510 lbs
Cockpit Area	52 sq ft
Cockpit Depth	25"
Bridge Clearance	6' 6"
w/Top	9' 0"
Max HP	300
Baitwell	18 gal
Fishbox (2)	80 gal
Fresh Water (Opt)	10 gal

ENGINE SELECTION MODEL MPH

	MODEL	MPH
Evinrude	200 E-Tec (200 ci)	39 - 41
	225 E-Tec	43 - 45
	250 E-Tec	44 - 46
	Twin 115 E-Tec	
Honda	200 4-Stroke	39 - 41
	225 4-Stroke	44 - 46
	Twin 135 4-Stroke	
Mercury	200 Opti	41 - 43
	225 Opti	43 - 45
	200 Verado - 6cyl	39 - 41
	225 Verado	42 - 44
	250 Verado	45 - 47
	300 Verado	
	Twin 135 Opti	
Twin 135 Verado		
Suzuki	200 4-Stroke	39 - 41
	225 4-Stroke	42 - 44
	250 4-Stroke	43 - 45
	300 4-Stroke	
	Twin 115 4-Stroke	
	Twin 140 4-Stroke	

All 25" Shafts

STANDARD EQUIPMENT

Anchor Roller
Baitwell w/Raw Water Washdown & Light
Bilge Pump
Bow Handrail - Stainless Steel
Cabin Cushion(s)
Cabin Door - Poly
Cabin Hatch
Cabin Interior - Geometric Spice or Cosmic Caribbean
Cabin Lights
Cabin Portholes
Cleats - 7
Compass
Dive Platform - Integrated w/Ladder
Drink Holders - Stainless Steel
Fish Boxes w/Macerator
Gauges (Analog) - Fuel, MPH, RPM, Trim, Volt (Digital - Suzuki 300 & Verados)
Gunnel Trim - Rigid Vinyl w/ SS Insert
Horn - Electric
Porta-Potti w/Filler Board
Rod Holders - 1 Pair
Rod Racks - Cockpit (6) Horizontal
Rope Locker Storage
Seating - Captains Chairs
Steering - Hydraulic (Single Verado - Power)
Storage - Under Captains Chairs
Striping - Black or Blue
Switch and Breaker Panel
Transom Door
Windshield - Tempered Glass

OPTIONAL EQUIPMENT

Air Conditioner
Battery Switch for Dual Batteries
Cabin Filler Board w/Cushion
Cabin Sink & Cockpit Shower - Fresh Water (10 gal)
Cabin Table w/Filler Cushion
Curtain Package (Bimini Top)
Curtain Package (ITS Hard Top)
Gauges - Digital BRP
Gauges - Digital Honda
Gauges - Digital Mercury
Gauges - Digital Suzuki
Graphics - Hull Sides - Onyx Black, Deep Blue, Shiraz, Glory Blue
Graphics - Whole Hull - Onyx Black, Deep Blue, Shiraz, Glory Blue
Light - Remote Spot (Requires Hard Top)
Lights - Spreader (Requires Hard Top)
Seating - Folding Rear Bench
Seating - Helm Bench w/Storage & Folding Bench
Shrink Wrap
Steering - Tilt Upgrade
Stereo - AM/FM/CD w/4 Speakers w/Remote
Stereo - XM Upgrade
Stove - Single Burner Butane
Top - Bimini Top
Top - ITS Hard Top w/Storage Box
Top - ITS Hard Top w/Storage Box & Outriggers
Trim Tabs
Trim Tab Indicators (Requires Trim Tabs)

Convenience Pkg

12-Volt Receptacle
Cockpit Bolsters
Cockpit Lights
Rod Holders (1 Pair)

Electronics Pkg 1

Garmin GPSMap 440s
VHF Radio - Icom

Electronics Pkg 2

Garmin 400C Fishfinder
Garmin GPSMap 440
VHF Radio - Icom

Electronics Pkg 3

Garmin GPSMap 4208
VHF Radio - Icom
* Optional XM Weather
* Optional 1kw In-Hull Transducer

Tournament Pkg

Battery Switch for Dual Batteries
Convenience Pkg
Lights - Spreader
Top - ITS Hard Top w/Storage Box

Tournament Pkg w/Outrigger

Battery Switch for Dual Batteries
Convenience Pkg
Lights - Spreader
Top - ITS Hard Top w/Storage Box



2008 PIG

23 XP

Revised: 1/13/2014 9:18:53 AM

SPECIFICATIONS

Length	23' 0"
Beam	8' 6"
Draft (Hull)	17"
Deadrise	20 deg
Fuel	125 gal
Weight - Hull	3,900 lbs
Weight - Trailer	6,410 lbs
Cockpit Area	52 sq ft
Cockpit Depth	25"
Bridge Clearance	8' 4"
Max HP	300
Baitwell	18 gal
Fishbox (2)	80 gal
Fresh Water (Opt)	10 gal

ENGINE SELECTION MODEL MPH

ENGINE SELECTION	MODEL	MPH
Evinrude	200 E-Tec (200 ci)	
	225 E-Tec	
	250 E-Tec	43 - 45
	Twin 115 E-Tec	
Honda	200 4-Stroke	39 - 41
	225 4-Stroke	41 - 43
	Twin 135 4-Stroke	
Mercury	200 Opti	
	225 Opti	
	200 Verado - 6cyl	40 - 42
	225 Verado	
	250 Verado	
	300 Verado	
	Twin 135 Opti	
Twin 135 Verado		
Suzuki	200 4-Stroke	39 - 41
	225 4-Stroke	41 - 43
	250 4-Stroke	44 - 46
	300 4-Stroke	
	Twin 115 4-Stroke	
	Twin 140 4-Stroke	

All 25" Shafts

STANDARD EQUIPMENT

Anchor Roller
Baitwell w/Raw Water Washdown & Light
Bilge Pump
Bow Handrail - Stainless Steel
Cabin Cushion(s)
Cabin Door - Poly
Cabin Hatch
Cabin Interior - Geometric Spice or Cosmic Caribbean
Cabin Lights
Cabin Portholes
Cleats - 7
Compass
Dive Platform - Integrated w/Ladder
Drink Holders - Stainless Steel
Fish Boxes w/Macerator
Gauges (Analog) - Fuel, MPH, RPM, Trim, Volt (Digital - Suzuki 300 & Verados)
Gunnel Trim - Rigid Vinyl w/ SS Insert
Horn - Electric
Porta-Potti w/Filler Board
Rod Holders - 1 Pair
Rod Racks - Cockpit (6) Horizontal
Rope Locker Storage
Seating - Captains Chairs
Steering - Hydraulic (Single Verado - Power)
Storage - Under Captains Chairs
Striping - Black or Blue
Switch and Breaker Panel
Top - Hard Top
Transom Door
Windshield - Tempered Glass

OPTIONAL EQUIPMENT

Air Conditioner
Battery Switch for Dual Batteries
Cabin Filler Board w/Cushion
Cabin Sink & Cockpit Shower - Fresh Water (10 gal)
Cabin Table w/Filler Cushion
Curtain - Aft Enclosure
Gauges - Digital BRP
Gauges - Digital Honda
Gauges - Digital Mercury
Gauges - Digital Suzuki
Graphics - Hull Sides - Onyx Black, Deep Blue, Shiraz, Glory Blue
Graphics - Whole Hull - Onyx Black, Deep Blue, Shiraz, Glory Blue
Light - Remote Spot
Light - Spreader
Seating - Folding Rear Bench
Seating - Helm Bench w/Storage & Folding Bench
Shrink Wrap
Steering - Tilt Upgrade
Stereo - AM/FM/CD w/4 Speakers w/Remote
Stereo - XM Upgrade
Stove - Single Burner Butane
Trim Tabs
Trim Tab Indicators (Requires Trim Tabs)
Windshield Wiper - Port and/or Starboard

Convenience Pkg

12-Volt Receptacle
Cockpit Bolsters
Cockpit Lights
Rod Holders (1 Pair)

Electronics Pkg 1

Garmin GPSMap 440s
VHF Radio - Icom

Electronics Pkg 2

Garmin 400C Fishfinder
Garmin GPSMap 440
VHF Radio - Icom

Electronics Pkg 3

Garmin GPSMap 4208
VHF Radio - Icom

* Optional XM Weather

* Optional 1kw In-Hull Transducer



2008 PIG

26 Express

Revised: 1/13/2014 9:18:53 AM

SPECIFICATIONS

Length	26' 4"
Beam	8' 6"
Draft (Hull)	18"
Deadrise	22 deg
Fuel	200 gal
Weight - Hull	5,380 lbs
Weight - Trailer	8,340 lbs
Cockpit Area	58 sq ft
Cockpit Depth	27"
Bridge Clearance	6' 8"
w/Top	9' 0"
Max HP	450
Baitwell	20 gal
Fishbox (2)	74 gal
Fresh Water	15 gal

ENGINE SELECTION MODEL MPH

ENGINE SELECTION	MODEL	MPH
Evinrude	250 E-Tec	
	Twin 150 E-Tec	
	Twin 200 E-Tec (200 ci)	
	Twin 225 E-Tec	
Honda	Twin 150 4-Stroke	44 - 46
	Twin 200 4-Stroke	
	Twin 225 4-Stroke	53 - 55
Mercury	250 Verado	
	300 Verado	
	Twin 150 Opti	
	Twin 150 Verado	44 - 46
	Twin 200 Opti	
	Twin 225 Opti	
	Twin 200 Verado - 6cyl	
Suzuki	250 4-Stroke	
	300 4-Stroke	44 - 46
	Twin 150 4-Stroke	46 - 48
	Twin 200 4-Stroke	53 - 55
Twin 225 4-Stroke		

25" Shafts for Twin/30" for Single

STANDARD EQUIPMENT

12-Volt Receptacle
Baitwell w/Raw Water Washdown & Light
Bilge Pumps (2) - 1 Forward, 1 Aft
Bow Handrail - Stainless Steel
Bow Pulpit w/Anchor Roller
Cabin Cushion(s)
Cabin Door - Poly
Cabin Hatch
Cabin Interior - Geometric Spice or Cosmic Caribbean
Cabin Lights
Cabin Portholes
Cabin Sink - Fresh Water
Cabin Table w/Filler Cushion
Cleats - 7
Cockpit Shower - Cold
Compass
Dive Platform - Integrated w/Ladder
Drink Holders - Stainless Steel
Fire Extinguisher Holder
Fish Boxes w/Macerator Pump-Out
Galley w/Butane Stove
Gauges - Digital
Gunnel Trim - Rigid Vinyl w/ SS Insert
Head - Porta-Potti
Horn - Electric
Rod Holders - 2 Pair
Rod Racks - Cockpit (8) Horizontal
Rope Locker Storage
Seating - Captains Chairs
Seating - Folding Rear Bench
Steering - Hydraulic (Verado - Power)
Storage - Tackle
Storage - Under Captains Chairs
Striping - Black or Blue
Switch and Breaker Panel
Transom Door
Trim Tabs
Windshield - Tempered Glass

OPTIONAL EQUIPMENT

Air Conditioner
Battery Switch for Dual Batteries
Cockpit Bolsters
Cockpit Lights
Curtain Package (Bimini Top)
Curtain Package (ITS Hard Top)
Dive Ladder (Single Engine Only)
Graphics - Hull Sides - Onyx Black, Deep Blue, Shiraz, Glory Blue
Graphics - Whole Hull - Onyx Black, Deep Blue, Shiraz, Glory Blue
Head - Porta-Potti w/Dockside Discharge
Light - Remote Spot (Requires Hard Top)
Lights - Spreader (Requires Hard Top)
Seating - Helm Bench w/Storage & Folding Bench
Shrink Wrap
Steering - Tilt Upgrade
Stereo - AM/FM/CD w/4 Speakers w/Remote
Stereo - XM Upgrade
Top - Bimini Top
Top - ITS Hard Top w/Storage Box
Top - ITS Hard Top w/Storage Box & Outriggers
Trim Tab Indicators
Windlass w/Rope & Chain
Electronics Pkg 2
Garmin 400C Fishfinder
Garmin GPSMap 440
VHF Radio - Icom
Electronics Pkg 3
Garmin GPSMap 4208
VHF Radio - Icom
* Optional XM Weather
* Optional 1kw In-Hull Transducer
Tournament Pkg
Battery Switch for Dual Batteries
Cockpit Bolsters
Cockpit Lights
Lights - Spreader
Top - ITS Hard Top w/Storage Box
Tournament Pkg w/Outrigger
Battery Switch for Dual Batteries
Cockpit Bolsters
Cockpit Lights
Lights - Spreader
Top - ITS Hard Top w/Storage Box



2008 PIG

26 XP

Revised: 1/13/2014 9:18:53 AM

SPECIFICATIONS

Length	26' 4"
Beam	8' 6"
Draft (Hull)	18"
Deadrise	22 deg
Fuel	200 gal
Weight - Hull	5,380 lbs
Weight - Trailer	8,240 lbs
Cockpit Area	58 sq ft
Cockpit Depth	27"
Bridge Clearance	9' 0"
Max HP	450
Baitwell	20 gal
Fishbox (2)	74 gal
Fresh Water	15 gal

ENGINE SELECTION MODEL MPH

ENGINE SELECTION	MODEL	MPH
Evinrude	250 E-Tec	
	Twin 150 E-Tec	
	Twin 200 E-Tec (200 ci)	
	Twin 225 E-Tec	
Honda	Twin 150 4-Stroke	
	Twin 200 4-Stroke	47 - 49
	Twin 225 4-Stroke	53 - 55
Mercury	250 Verado	
	300 Verado	44 - 46
	Twin 150 Opti	
	Twin 150 Verado	47 - 49
	Twin 200 Opti	
	Twin 225 Opti	
	Twin 200 Verado - 6cyl	
Twin 225 Verado		
Suzuki	250 4-Stroke	
	300 4-Stroke	
	Twin 150 4-Stroke	46 - 48
	Twin 200 4-Stroke	52 - 54
Twin 225 4-Stroke	55 - 57	

25" Shafts for Twin/30" for Single

STANDARD EQUIPMENT

12-Volt Receptacle
Baitwell w/Raw Water Washdown & Light
Bilge Pumps (2) - 1 Forward, 1 Aft
Bow Handrail - Stainless Steel
Bow Pulpit w/Anchor Roller
Cabin Cushion(s)
Cabin Door - Poly
Cabin Hatch
Cabin Interior - Geometric Spice or Cosmic Caribbean
Cabin Lights
Cabin Portholes
Cabin Sink - Fresh Water
Cabin Table w/Filler Cushion
Cleats - 7
Cockpit Shower - Cold
Compass
Dive Platform - Integrated w/Ladder
Drink Holders - Stainless Steel
Fire Extinguisher Holder
Fish Boxes w/Macerator Pump-Out
Galley w/Butane Stove
Gauges - Digital
Gunnel Trim - Rigid Vinyl w/ SS Insert
Head - Porta-Potti
Horn - Electric
Rod Holders - 2 Pair
Rod Racks - Cockpit (8) Horizontal
Rope Locker Storage
Seating - Captains Chairs
Seating - Folding Rear Bench
Steering - Hydraulic (Verado - Power)
Storage - Tackle
Storage - Under Captains Chairs
Striping - Black or Blue
Switch and Breaker Panel
Top - Hard Top
Transom Door
Trim Tabs
Windshield - Tempered Glass

OPTIONAL EQUIPMENT

Air Conditioner
Battery Switch for Dual Batteries
Cockpit Bolsters
Cockpit Lights
Curtain - Aft Enclosure
Dive Ladder (Single Engine Only)
Graphics - Hull Sides - Onyx Black, Deep Blue, Shiraz, Glory Blue
Graphics - Whole Hull - Onyx Black, Deep Blue, Shiraz, Glory Blue
Head - Porta-Potti w/Dockside Discharge
Light - Remote Spot
Light - Spreader
Seating - Helm Bench w/Storage & Folding Bench
Shrink Wrap
Steering - Tilt Upgrade
Stereo - AM/FM/CD w/4 Speakers w/Remote
Stereo - XM Upgrade
Trim Tab Indicators
Windlass w/Rope & Chain
Windshield Wiper - Port and/or Starboard
Electronics Pkg 2
Garmin 400C Fishfinder
Garmin GPSMap 440
VHF Radio - Icom
Electronics Pkg 3
Garmin GPSMap 4208
VHF Radio - Icom
* Optional XM Weather
* Optional 1kw In-Hull Transducer



2008 PIG

29 Express

Revised: 1/13/2014 9:18:53 AM

SPECIFICATIONS

Length	29' 4"
Beam	9' 8"
Draft (Hull)	22"
Deadrise	22 deg
Fuel	200 gal
Weight - Hull Est	7,500 lbs
Weight - Trailer Est	10,000 lbs
Cockpit Area	63 sq ft
Cockpit Depth	28"
Bridge Clearance	8' 3"
w/Hard Top	10' 0"
Max HP	600
Baitwell	35 gal
Fishbox (2)	125 gal
Fresh Water	39 gal

ENGINE SELECTION MODEL MPH

Brand	Model	HP	MPH
Evinrude	Twin 225 E-Tec	225	47 - 49
	Twin 250 E-Tec	250	49 - 51
Honda	Twin 225 4-Stroke	225	45 - 47
Mercury	Twin 225 Opti	225	
	Twin 225 Verado	225	45 - 47
	Twin 250 Verado	250	49 - 51
	Twin 300 Verado	300	
Suzuki	Twin 225 4-Stroke	225	47 - 49
	Twin 250 4-Stroke	250	48 - 50
	Twin 300 4-Stroke	300	51 - 53

All 30" Shafts

STANDARD EQUIPMENT

110v Outlets - GFI Protected
12-Volt Receptacle
Baitwell w/Raw Water Washdown & Light
Battery Charger
Battery Switch for Dual Batteries
Bilge Pump (1) w/High Water Alarm (Aft)
Bilge Pumps (2) - Auto-Manual (1 Fwd, 1 Aft)
Bonding System
Bow Handrail - Stainless Steel
Bow Pulpit w/Anchor Roller
Cabin Curtains & Pillows
Cabin Cushion(s)
Cabin Door - Acrylic
Cabin Hatch
Cabin Interior - Geometric Spice or Cosmic Caribbean
Cabin Lights
Cabin Portholes
Cabin Table w/Filler Cushion
City Water Hook-Up
Cleats - 6
Cockpit Bolsters
Cockpit Lights
Compass
Dive Platform - Integrated w/Ladder
Drink Holders - Stainless Steel
Electrical Distribution Panel
Fire Extinguisher Holder
Fish Boxes w/Macerator
Fresh Water w/Pull Out Shower - Cold
Galley - Refrigerator & Alcohol/Electric Stove
Galvanic Isolator
Gauges - Digital
Gunnel Trim - Rigid Vinyl w/ SS Insert
Head - Vacuum Flush w/Holding Tank & Dockside Discharge
Head - w/Shower & Sink (w/Storage)
Horn - Electric
Mid-Cabin Berth w/Privacy Curtain
Mid-Cabin Window w/Screen & Curtain
Rod Holders - 2 Pair
Rod Racks - Cockpit (4) Horizontal
Rope Locker Storage
Seating - Helm (Adjustable)
Seating - Port (Adjustable)
Seating - Transom (Fold Away)
Shore Power w/Cord (30 Amp)
Steering - Hydraulic w/Tilt (Verado - Power)
Storage - Tackle
Striping - Black or Blue
Switch and Breaker Panel
Transom Door
Trim Tabs
Windshield - Tempered Glass w/Vent
Windshield Wiper - Starboard & Port

OPTIONAL EQUIPMENT

Air Conditioner w/Heater
Bow Thruster
Cabin Floor - Teak & Holly
Cabin Floor - Woodgrain (Laminated)
Curtain Package (Hard Top)
Dive Ladder
Electronic Throttle & Shift Controls (Twin)
Generator (Gas) 5.0 kw w/Carbon Monoxide Detector & Auto Shut Off
Graphics - Hull Sides - Onyx Black, Deep Blue, Shiraz, Glory Blue
Graphics - Whole Hull - Onyx Black, Deep Blue, Shiraz, Glory Blue
Head - Overboard Discharge
Light - Remote Spot (Requires Hard Top)
Lights - Spreader (Requires Hard Top)
Lights - Underwater (1 Pair)
Microwave
Seating - Port Lounge w/Storage
Shrink Wrap
Steering - Power Assist (Std w/Verado)
Stereo - AM/FM/CD w/4 Speakers w/Remote
Stereo - AM/FM/CD w/Upgraded Speakers, Woofer & Amplifier
Stereo - XM Upgrade
Television (Flatscreen) w/DVD Player
Top - Hard Top w/Storage Box
Top - Hard Top w/Storage Box & Outriggers
Trim Tab Indicators
Water Heater
Windlass - Foot Switch (Requires Windlass)
Windlass w/Rope & Chain
Electronics Pkg 2
Garmin 400C Fishfinder
Garmin GPSMap 440
VHF Radio - Icom
Electronics Pkg 3
Garmin GPSMap 4208
VHF Radio - Icom
* Optional XM Weather
* Optional 1kw In-Hull Transducer
Electronics Pkg 4
Garmin GPSMap 5208
VHF Radio - Icom
XM Weather
* Optional 1kw In-Hull Transducer
* Optional 2nd Garmin GPSMap 5208
Electronics Pkg 5
Garmin GMR 24 Radar
Garmin GPSMap 5212
VHF Radio - Icom
XM Weather
* Optional 1kw In-Hull Transducer
* Optional 2nd Garmin GPSMap 5212



2008 PIG

32 Express

Revised: 1/13/2014 9:18:53 AM

SPECIFICATIONS

Length	32' 4"
Beam	10' 10"
Draft (Hull)	23"
Deadrise	22 deg
Fuel	300 gal
Weight - Hull	9,500 lbs
Weight - Trailer	13,400 lbs
Cockpit Area	81 sq ft
Cockpit Depth	29"
Bridge Clearance	8' 3"
w/Hard Top	10' 0"
Max HP	600
Baitwell	25 gal
Fishbox (2)	125 gal
Fresh Water	39 gal

ENGINE SELECTION MODEL MPH

Brand	Model	HP	MPH
Evinrude	Twin 225 E-Tec		
	Twin 250 E-Tec		45 - 47
Honda	Twin 225 4-Stroke		39 - 41
Mercury	Twin 225 Opti		44 - 46
	Twin 225 Verado		43 - 45
	Twin 250 Verado		47 - 49
	Twin 300 Verado		49 - 51
Suzuki	Twin 225 4-Stroke		40 - 42
	Twin 250 4-Stroke		45 - 47
	Twin 300 4-Stroke		50 - 52

All 30" Shafts

STANDARD EQUIPMENT

110v Outlets - GFI Protected
12-Volt Receptacle
Baitwell w/Raw Water Washdown & Light
Battery Charger
Battery Switch for Dual Batteries
Bilge Pump (1) w/High Water Alarm (Aft)
Bilge Pumps (2) - Auto-Manual (1 Fwd, 1 Aft)
Bonding System
Bow Handrail - Stainless Steel
Bow Pulpit w/Anchor Roller
Cabin Curtains & Pillows
Cabin Cushion(s)
Cabin Door - Acrylic
Cabin Hatch
Cabin Interior - Geometric Spice or Cosmic Caribbean
Cabin Lights
Cabin Portholes
Cabin Table w/Slider Cushion
City Water Hook-Up
Cleats - 7
Cockpit Bolsters
Cockpit Lights
Compass
Dive Platform - Integrated w/Ladder
Drink Holders - Stainless Steel
Electrical Distribution Panel
Fire Extinguisher Holder
Fish Boxes w/Macerator
Fresh Water w/Pull Out Shower - Hot & Cold
Full Galley - Refrigerator, Microwave & Alcohol/Electric Stove
Galvanic Isolator
Gauges - Digital
Gunnel Trim - Rigid Vinyl w/ SS Insert
Head - Hot & Cold Shower & Sink (w/Storage)
Head - Vacuum Flush w/Overboard & Dockside Discharge
Horn - Electric
Mid-Cabin Berth w/Privacy Curtain
Mid-Cabin Window w/Screen & Curtain
Rod Holders - 2 Pair
Rod Racks - Cockpit (4) Horizontal
Rope Locker Storage
Seating - Command Seat
Seating - Lounge w/Bolster
Seating - Transom (Fold Away)
Shore Power w/Cord (30 Amp)
Steering - Hydraulic w/Tilt (Verado - Power)
Storage - Tackle
Striping - Black or Blue
Switch and Breaker Panel
Transom Door
Trim Tabs
Water Heater
Windlass w/Rope & Chain
Windshield - Tempered Glass w/Vent
Windshield Wiper - Starboard & Port

OPTIONAL EQUIPMENT

Air Conditioner w/Heater
Bow Thruster
Cabin Floor - Woodgrain (Laminated)
Cabin Floor & Steps - Teak & Holly
Curtain Package (Hard Top)
Dive Ladder
Electronic Throttle & Shift Controls (Twin)
Generator (Gas) 5.0 kw w/Carbon Monoxide Detector & Auto Shut Off
Graphics - Hull Sides - Onyx Black, Deep Blue, Shiraz, Glory Blue
Graphics - Whole Hull - Onyx Black, Deep Blue, Shiraz, Glory Blue
Light - Remote Spot (Requires Hard Top)
Lights - Spreader (Requires Hard Top)
Lights - Underwater (1 Pair)
Shrink Wrap
Steering - Power Assist (Std w/Verado)
Stereo - AM/FM/CD w/4 Speakers w/Remote
Stereo - AM/FM/CD w/Upgraded Speakers, Woofer & Amplifier
Stereo - XM Upgrade
Television (Flatscreen) w/DVD Player
Top - Hard Top w/Storage Box
Top - Hard Top w/Storage Box & Outriggers
Trim Tab Indicators
Windlass - Foot Switch
Electronics Pkg 2
Garmin 400C Fishfinder
Garmin GPSMap 440
VHF Radio - Icom
Electronics Pkg 3
Garmin GPSMap 4208
VHF Radio - Icom
* Optional XM Weather
* Optional 1kw In-Hull Transducer
Electronics Pkg 4
Garmin GPSMap 5208
VHF Radio - Icom
XM Weather
* Optional 1kw In-Hull Transducer
* Optional 2nd Garmin GPSMap 5208
Electronics Pkg 5
Garmin GMR 24 Radar
Garmin GPSMap 5212
VHF Radio - Icom
XM Weather
* Optional 1kw In-Hull Transducer
* Optional 2nd Garmin GPSMap 5212



2008 PIG

35 Express

Revised: 1/13/2014 9:18:53 AM

SPECIFICATIONS

Length	35' 6"
Beam	12' 6"
Draft (Hull)	25"
Deadrise	19 deg
Fuel	320 gal
Weight - Hull	11,200 lbs
Weight - Trailer	15,000 lbs
Cockpit Area	115 sq ft
Cockpit Depth	25"
Bridge Clearance	10' 2"
w/Tower	15' 3"
Max HP	900
Baitwell	45 gal
Fishbox (2)	125 gal
Fresh Water	60 gal

ENGINE SELECTION MODEL MPH

Brand	Model	HP	MPH
Evinrude	Twin 250 E-Tec		
	Triple 225 E-Tec		51 - 53
	Triple 250 E-Tec		
Honda	Triple 225 4-Stroke		46 - 48
Mercury	Twin 250 Verado		38 - 40
	Twin 300 Verado		45 - 47
	Triple 225 Verado		
	Triple 250 Verado		48 - 50
	Triple 300 Verado		50 - 52
Suzuki	Twin 250 4-Stroke		40 - 42
	Twin 300 4-Stroke		45 - 47
	Triple 225 4-Stroke		
	Triple 250 4-Stroke		
	Triple 300 4-Stroke		

Twin 30", Triple 25"/30"/25" Shafts

STANDARD EQUIPMENT

- 110v Outlets - GFI Protected
- 12-Volt Receptacles
- Baitwell w/Raw Water Washdown & Light
- Battery Charger
- Battery Management System w/Remote
- Bilge Pump (1) w/High Water Alarm (Aft)
- Bilge Pumps (2) - Auto-Manual (1 Fwd, 1 Aft)
- Bonding System
- Bow Handrail - Stainless Steel
- Bow Pulpit w/Anchor Roller
- Cabin Curtains & Pillows
- Cabin Cushion(s)
- Cabin Door - Acrylic
- Cabin Floor & Steps - Teak & Holly
- Cabin Hatches (2)
- Cabin Interior - Cinnamon Leaves
- Cabin Interior - Wood
- Cabin Lights
- Cabin Portholes
- City Water Hook-Up
- Cleats - 7
- Cockpit Bolsters
- Cockpit Lights
- Compass
- Dinette w/Storage
- Dive Platform - Integrated w/Ladder
- Drink Holders - Stainless Steel
- Electrical Distribution Panel
- Fire Extinguisher Holder
- Fish Boxes w/Macerator
- Forward Berth
- Full Galley - Refrigerator, Microwave & Electric Stove
- Galvanic Isolator
- Gauges - Digital
- Grab Rails - Stainless Steel
- Gunnel Trim - Rigid Vinyl w/ SS Insert
- Head - Hot & Cold Shower & Sink (w/Storage)
- Head - Vacuum Flush w/Overboard & Dockside Discharge
- Horn - Electric
- Mid-Cabin Berth w/Privacy Curtain
- Rod Holders - 7
- Rod Racks - Cockpit (Horizontal)
- Rope Locker Storage
- Seating - Command Seat
- Seating - Lounge w/Bolster & Storage (Port)
- Seating - Rear Facing (Port)
- Seating - Transom (Fold Away)
- Shore Power w/Cord (50 Amp)
- Steering - Hydraulic w/Tilt (Verado - Power)
- Stereo - AM/FM/CD w/4 Speakers w/Remote
- Storage - Cockpit (33 Cubic Ft.- Lockable)
- Storage - Tackle
- Striping - Black or Blue
- Switch and Breaker Panel
- Television (Flatscreen) w/DVD Player
- Top - Hard Top w/Lighting, Hatches, Rod Holders (4) & Spreader Lights
- Trim Tabs w/Indicators
- Water Heater
- Water Tank Indicator
- Windlass w/Rope & Chain
- Windshield - Tempered Glass w/Vent & Actuator
- Windshield Wiper - Starboard & Port

OPTIONAL EQUIPMENT

- Air Conditioner w/Heater
- Bow Thruster
- Curtain Package (Tower/Hard Top)
- Electronic Throttle & Shift Controls (Twin)
- Fuel Tank Upgrade to 425 gal (In Lieu of Storage)
- Generator (Gas) 7.0 kw w/Carbon Monoxide Detector & Auto Shut Off
- Graphics - Hull Sides - Onyx Black, Deep Blue, Shiraz, Glory Blue
- Graphics - Whole Hull - Onyx Black, Deep Blue, Shiraz, Glory Blue
- Light - Remote Spot
- Lights - Docking
- Lights - Underwater (1 Pair)
- Outriggers - Hard Top
- Shrink Wrap
- Steering - Power Assist (Twin)
- Stereo - AM/FM/CD w/Upgraded Speakers, Woofer & Amplifier
- Stereo - XM Upgrade
- Top - Tower (Requires Triple Verado or Suzuki 300)
- Top - Tower w/Outriggers (Requires Triple Verado or Suzuki 300)
- Windlass - Foot Switch

Electronics Pkg 4

- Garmin GPSMap 5208
- VHF Radio - Icom
- XM Weather
- * Optional 1kw In-Hull Transducer
- * Optional 2nd Garmin GPSMap 5208

Electronics Pkg 5

- Garmin GMR 24 Radar
- Garmin GPSMap 5212
- VHF Radio - Icom
- XM Weather
- * Optional 1kw In-Hull Transducer
- * Optional 2nd Garmin GPSMap 5212



2008 PIG

17 Sport

Revised: 1/13/2014 9:18:54 AM

SPECIFICATIONS

Length	17' 4"
Beam	7' 8"
Draft (Hull)	12"
Deadrise	19 deg
Fuel	40 gal
Weight - Hull	1,700 lbs
Weight - Trailer	2,400 lbs
Cockpit Area	50 sq ft
Cockpit Depth	18"
Bridge Clearance	4' 9"
Max HP	115
Baitwell	12 gal

ENGINE SELECTION MODEL MPH

Evinrude	90 E-Tec	33 - 35
Honda	90 4-Stroke	33 - 35
Mercury	90 Opti	36 - 38
	90 4-Stroke	33 - 35
Suzuki	90 4-Stroke	34 - 36

All 20" Shafts

STANDARD EQUIPMENT

Baitwell
Bilge Pump
Bow Handrail - Stainless Steel
Casting Deck w/Storage
Cleats - 4
Compass
Drink Holders
Gauges (Analog) - Fuel, RPM, Volt
Gunnel Trim - Rigid Vinyl w/ Insert
Half Dive Platform w/Ladder
Horn - Electric
Rod Holders - 1 Pair
Rod Holders on Console - (4) Vertical
Seating - Cooler w/Flip Flop Backrest
Seating - Forward Console w/Cushion & Backrest
Steering - No Feedback
Striping - Black or Blue
Switch and Breaker Panel
Windshield

OPTIONAL EQUIPMENT

Seating - Aluminum Leaning Post w/Backrest & Cooler
Seating - Jump Seat Cushions w/Grabrails
Seating - Pedestal (2)
Shrink Wrap
Top - Bimini Top



2008 PIG

20 Sport

Revised: 1/13/2014 9:18:54 AM

SPECIFICATIONS

Length	20' 6"
Beam	8' 5"
Draft (Hull)	15"
Deadrise	19 deg
Fuel	70 gal
Weight - Hull	2,600 lbs
Weight - Trailer	3,700 lbs
Cockpit Area	81 sq ft
Cockpit Depth	24"
Bridge Clearance	5' 10"
w/Top	8' 0"
Max HP	200
Baitwell	18 gal
Fishbox	25 gal

ENGINE SELECTION	MODEL	MPH
Evinrude	150 E-Tec	41 - 43
Honda	135 4-Stroke	36 - 38
	150 4-Stroke	38 - 40
Mercury	150 Opti	41 - 43
	150 Verado	38 - 40
Suzuki	140 4-Stroke	36 - 38
	150 4-Stroke	41 - 43

All 25" Shafts

STANDARD EQUIPMENT

Baitwell w/Raw Water Washdown & Light
Bilge Pump
Bow Handrail - Stainless Steel (Low Profile)
Casting Deck - Insulated Fish Box/Storage Box
Center Console w/Enclosed Head
Cleats - 6
Compass
Drink Holders - Stainless Steel
Gauges (Analog) - Fuel, MPH, RPM, Trim, Volt (Digital - Verado)
Glove Box w/Lock
Grab Rail (Stainless Steel) - Windshield
Gunnel Trim - Rigid Vinyl w/ SS Insert
Half Dive Platform w/Ladder
Horn - Electric
Rod Holders - 1 Pair
Rod Racks - Cockpit (6) Horizontal
Rope Locker Storage
Seating - Aft Jump (2 Molded)
Seating - Aluminum Leaning Post
Steering - Hydraulic
Storage - Floor
Striping - Black or Blue
Switch and Breaker Panel
Windshield

OPTIONAL EQUIPMENT

Cooler w/Cushion & Backrest - Forward Console
Lights - Spreader (Requires T-Top)
Seating - Aluminum Leaning Post w/Backrest & Rod Holders
Seating - Flip Up Forward Console Seat
Shrink Wrap
Top - Bimini Top
Top - T-Top (Rigid) w/Storage Box

Convenience Pkg

12-Volt Receptacle
Cockpit Bolsters w/Jump Seat Backrest
Cockpit Lights
Head - Porta-Potti (Inside Console)
Rod Holders (1 Pair)



2008 PIG

23 Dual Console

Revised: 1/13/2014 9:18:54 AM

SPECIFICATIONS

Length	23' 0"
Beam	8' 6"
Draft (Hull)	17"
Deadrise	20 deg
Fuel	125 gal
Weight - Hull	3,920 lbs
Weight - Trailer	5,975 lbs
Cockpit Area	65 sq ft
Cockpit Depth	25"
Bridge Clearance	5' 11"
w/Arch	7' 11"
Max HP	300
Baitwell	18 gal
Fishbox(2)	60 gal
Head Headroom	4' 0"

ENGINE SELECTION MODEL MPH

ENGINE SELECTION	MODEL	MPH
Evinrude	200 E-Tec (200 ci)	
	225 E-Tec	46 - 48
	250 E-Tec	
Twin	115 E-Tec	
Honda	200 4-Stroke	40 - 42
	225 4-Stroke	42 - 44
	Twin 135 4-Stroke	
Mercury	200 Opti	42 - 44
	225 Opti	
	200 Verado - 6cyl	41 - 43
	225 Verado	44 - 46
	250 Verado	
	300 Verado	
	Twin 135 Opti	
Twin 135 Verado		
Suzuki	200 4-Stroke	40 - 42
	225 4-Stroke	43 - 45
	250 4-Stroke	45 - 47
	300 4-Stroke	48 - 50
	Twin 115 4-Stroke	
	Twin 140 4-Stroke	

All 25" Shafts

STANDARD EQUIPMENT

Baitwell w/Raw Water Washdown & Light
Bilge Pump
Bow Handrail - Stainless Steel (Low Profile)
Cleats - 6
Compass
Console - Dual w/Head & Storage
Dive Platform - Integrated w/Ladder
Drink Holders - Stainless Steel
Gauges (Analog) - Fuel, MPH, RPM, Trim, Volt (Digital - Suzuki 300 & Verados)
Glove Box w/Lock
Gunnel Trim - Rigid Vinyl w/ SS Insert
Horn - Electric
Porta-Potti (Inside Port Console)
Rod Holders - 1 Pair
Rod Racks - Cockpit (6) Horizontal
Rope Locker Storage
Seating - Bow
Seating - Captains Chairs
Steering - Hydraulic (Single Verado - Power)
Storage - Floor
Striping - Black or Blue
Switch and Breaker Panel
Transom Door
Windshield - Tempered Glass w/Pass-Thru & Curtain

OPTIONAL EQUIPMENT

Anchor Roller w/Cleat
Battery Switch for Dual Batteries
Bow Cushions w/Bolsters
Cockpit Shower - Cold (10 gal)
Curtain Package (Bimini Top)
Gauges - Digital BRP
Gauges - Digital Honda
Gauges - Digital Mercury
Gauges - Digital Suzuki
Graphics - Hull Sides - Onyx Black, Deep Blue, Shiraz, Glory Blue
Graphics - Whole Hull - Onyx Black, Deep Blue, Shiraz, Glory Blue
Seating - Back to Back (Port and/or Starboard)
Seating - Folding Rear Bench
Seating - Lounge (Port and/or Starboard)
Shrink Wrap
Ski Pylon
Steering - Tilt Upgrade
Stereo - AM/FM/CD w/4 Speakers
Stereo - XM Upgrade
Top - Arch
Top - Bimini Top
Trim Tabs
Trim Tab Indicators (Requires Trim Tabs)

Convenience Pkg

12-Volt Receptacle
Cockpit Bolsters
Cockpit Lights
Rod Holders (1 Pair)

Electronics Pkg 1

Garmin GPSMap 440s
VHF Radio - Icom

Electronics Pkg 2

Garmin 400C Fishfinder
Garmin GPSMap 440
VHF Radio - Icom

Electronics Pkg 3

Garmin GPSMap 4208
VHF Radio - Icom
* Optional XM Weather
* Optional 1kw In-Hull Transducer



2008 PIG

23 Sport

Revised: 1/13/2014 9:18:54 AM

SPECIFICATIONS

Length	23' 0"
Beam	8' 6"
Draft (Hull)	17"
Deadrise	20 deg
Fuel	125 gal
Weight - Hull	3,540 lbs
Weight - Trailer	5,560 lbs
Cockpit Area	86 sq ft
Cockpit Depth	25"
Bridge Clearance	6' 8"
w/Top	9' 8"
Max HP	300
Baitwell	18 gal
Fishbox (2)	60 gal

ENGINE SELECTION	MODEL	MPH
Evinrude	200 E-Tec (200 ci)	42 - 44
	225 E-Tec	44 - 46
	250 E-Tec	46 - 48
	Twin 115 E-Tec	
Honda	200 4-Stroke	40 - 42
	225 4-Stroke	41 - 43
	Twin 135 4-Stroke	41 - 43
Mercury	200 Opti	42 - 44
	225 Opti	45 - 47
	200 Verado - 6cyl	41 - 43
	225 Verado	42 - 44
	250 Verado	47 - 49
	300 Verado	
	Twin 135 Opti	
Twin 135 Verado		
Suzuki	200 4-Stroke	40 - 42
	225 4-Stroke	42 - 44
	250 4-Stroke	45 - 47
	300 4-Stroke	49 - 51
	Twin 115 4-Stroke	43 - 45
	Twin 140 4-Stroke	45 - 47

All 25" Shafts

STANDARD EQUIPMENT

Baitwell w/Raw Water Washdown & Light
Bilge Pump
Bow Handrail - Stainless Steel (Low Profile)
Casting Deck - Insulated Fish Box/Storage Box
Center Console w/Enclosed Head
Cleats - 6
Compass
Dive Platform - Integrated w/Ladder
Drink Holders - Stainless Steel
Gauges (Analog) - Fuel, MPH, RPM, Trim, Volt (Digital - Suzuki 300 & Verados)
Glove Box
Grab Rail (Stainless Steel) - Windshield
Gunnel Trim - Rigid Vinyl w/ SS Insert
Horn - Electric
Rod Holders - 1 Pair
Rod Racks - Cockpit (6) Horizontal
Rope Locker Storage
Seating - Aluminum Leaning Post
Seating - Forward Console w/Cushion & Storage
Steering - Hydraulic (Single Verado - Power)
Storage - Floor
Striping - Black or Blue
Switch and Breaker Panel
Transom Door
Windshield

OPTIONAL EQUIPMENT

Anchor Roller w/Cleat
Battery Switch for Dual Batteries
Bow Cushions w/Bolsters
Cockpit Shower - Cold (10 gal)
Cooler - Leaning Post
Gauges - Digital BRP
Gauges - Digital Honda
Gauges - Digital Mercury
Gauges - Digital Suzuki
Graphics - Hull Sides - Onyx Black, Deep Blue, Shiraz, Glory Blue
Graphics - Whole Hull - Onyx Black, Deep Blue, Shiraz, Glory Blue
Head - Porta-Potti (Inside Console)
Head - Porta-Potti w/Dockside Discharge
Light - Remote Spot (Requires T-Top)
Lights - Spreader (Requires T-Top)
Seating - Aluminum Leaning Post w/Backrest & Rod Holders
Seating - Fiberglass Leaning Post w/Baitwell & Backrest
Seating - Folding Rear Bench
Shrink Wrap
Steering - Tilt Upgrade
Stereo - AM/FM/CD w/4 Speakers
Stereo - XM Upgrade
Top - Bimini Top
Top - T-Top (Rigid) w/Storage Box
Top - T-Top (Rigid) w/Storage Box & Outriggers
Trim Tabs
Trim Tab Indicators (Requires Trim Tabs)

Convenience Pkg

12-Volt Receptacle
Cockpit Bolsters
Cockpit Lights
Rod Holders (1 Pair)

Electronics Pkg 1

Garmin GPSMap 440s
VHF Radio - Icom

Electronics Pkg 2

Garmin 400C Fishfinder
Garmin GPSMap 440
VHF Radio - Icom

Electronics Pkg 3

Garmin GPSMap 4208
VHF Radio - Icom
* Optional XM Weather
* Optional 1kw In-Hull Transducer

Tournament Pkg

Battery Switch for Dual Batteries
Convenience Pkg
Lights - Spreader
Top - T-Top (Rigid) w/Storage Box

Tournament Pkg w/Outrigger

Battery Switch for Dual Batteries
Convenience Pkg
Lights - Spreader
Top - T-Top (Rigid) w/Storage Box



2008 PIG

24 Super Sport

Revised: 1/13/2014 9:18:54 AM

SPECIFICATIONS

Length	24' 5"
Beam	8' 6"
Draft (Hull)	18"
Deadrise	22 deg
Fuel	140 gal
Weight - Hull	3,400 lbs
Weight - Trailer	5,500 lbs
Cockpit Area	80 sq ft
Cockpit Depth	27"
Bridge Clearance	6' 11"
w/Top	9' 1"
Max HP	300
Baitwell	20 gal
Opt LP Baitwell	25 gal
Fishbox (Forward)	70 gal
Fishbox	32 gal

ENGINE SELECTION MODEL MPH

Evinrude	225	E-Tec	44 - 46
	250	E-Tec	47 - 49
	Twin	150 E-Tec	
Honda	225	4-Stroke	40 - 42
	Twin	135 4-Stroke	
	Twin	150 4-Stroke	44 - 46
Mercury	225	Opti	44 - 46
	225	Verado	42 - 44
	250	Verado	46 - 48
	300	Verado	
	Twin	150 Opti	46 - 48
	Twin	150 Verado	45 - 47
Suzuki	225	4-Stroke	41 - 43
	250	4-Stroke	44 - 46
	Twin	140 4-Stroke	42 - 44
	Twin	150 4-Stroke	46 - 48
	300	4-Stroke	

25" Shafts for Twin/30" for Single

STANDARD EQUIPMENT

Baitwell w/Raw Water Washdown & Light
Bilge Pump
Bow Handrail - Stainless Steel
Bow Pulpit w/Anchor Roller
Casting Deck w/Storage
Center Console w/Enclosed Head (Porta-Potti)
Cleats - 7
Compass
Dive Platform - Integrated w/Ladder
Drink Holders - Stainless Steel
Fire Extinguisher Holder
Fish Boxes - Fwd w/Overboard Drain
Fish Boxes w/Macerator
Gauges - Digital
Gunnel Trim - Rigid Vinyl w/ SS Insert
Hawse Pipes
Horn - Electric
Rod Holders - 1 Pair
Rod Racks - Cockpit (8) Horizontal
Rope Locker Storage
Seating - Aluminum Leaning Post w/Backrest, Rod Holders & Cooler
Seating - Forward Console w/Cushion & Storage
Steering - Hydraulic (Verado - Power)
Storage - Floor
Striping - Black or Blue
Switch and Breaker Panel
Transom Door
Windshield

OPTIONAL EQUIPMENT

Battery Switch for Dual Batteries
Bow Cushions
Dive Ladder (Single Engine Only)
Graphics - Hull Sides - Onyx Black, Deep Blue, Shiraz, Glory Blue
Graphics - Whole Hull - Onyx Black, Deep Blue, Shiraz, Glory Blue
Head - Porta-Potti w/Dockside Discharge
Leaning Post Backrest (Requires Leaning Post Baitwell)
Light - Remote Spot (Requires T-Top)
Lights - Spreader (Requires T-Top)
Seating - Double Drop-Out w/Cooler
Seating - Dual Command w/Cooler
Seating - Folding Rear Bench
Seating - Helm Bench w/Storage & Folding Bench (N/A w/Folding Rear Bench)
Seating - Leaning Post w/Baitwell & Storage
Shrink Wrap
Steering - Tilt Upgrade
Stereo - AM/FM/CD w/4 Speakers
Stereo - XM Upgrade
Top - Bimini Top
Top - T-Top (Rigid) w/Storage Box
Top - T-Top (Rigid) w/Storage Box & Outriggers
Trim Tabs
Trim Tab Indicators (Requires Trim Tabs)
Windlass w/Rope & Chain

Convenience Pkg

12-Volt Receptacle
Cockpit Bolsters
Cockpit Lights
Rod Holders (1 Pair)

Electronics Pkg 2

Garmin 400C Fishfinder
Garmin GPSMap 440
VHF Radio - Icom

Electronics Pkg 3

Garmin GPSMap 4208
VHF Radio - Icom
* Optional XM Weather
* Optional 1kw In-Hull Transducer

Tournament Pkg

Battery Switch for Dual Batteries
Cockpit Shower - Cold
Convenience Pkg
Lights - Spreader
Top - T-Top (Rigid) w/Storage Box
Trim Tabs

Tournament Pkg w/Outrigger

Battery Switch for Dual Batteries
Cockpit Shower - Cold
Convenience Pkg
Lights - Spreader
Top - T-Top (Rigid) w/Storage Box
Trim Tabs



2008 PIG

26 Super Sport

Revised: 1/13/2014 9:18:54 AM

SPECIFICATIONS

Length	26' 4"
Beam	8' 6"
Draft (Hull)	18"
Deadrise	22 deg
Fuel	156 gal
Weight - Hull	4,400 lbs
Weight - Trailer	7,040 lbs
Cockpit Area	92 sq ft
Cockpit Depth	27"
Bridge Clearance	6' 10"
w/Top	9' 2"
Max HP	450
Baitwell	20 gal
Opt LP Baitwell	25 gal
Fishbox (2)	74 Gal
Fresh Water	15 gal

ENGINE SELECTION MODEL MPH

ENGINE SELECTION	MODEL	MPH
Evinrude	250 E-Tec	
	Twin 150 E-Tec	48 - 50
	Twin 200 E-Tec (200 ci)	
	Twin 225 E-Tec	57 - 59
Honda	Twin 150 4-Stroke	45 - 47
	Twin 200 4-Stroke	50 - 52
	Twin 225 4-Stroke	53 - 55
Mercury	250 Verado	42 - 44
	300 Verado	
	Twin 150 Opti	46 - 48
	Twin 150 Verado	43 - 45
	Twin 200 Opti	56 - 58
	Twin 225 Opti	57 - 59
	Twin 200 Verado - 4cyl	48 - 50
	Twin 200 Verado - 6cyl	51 - 53
	Twin 225 Verado	52 - 54
Suzuki	250 4-Stroke	41 - 43
	300 4-Stroke	45 - 47
	Twin 150 4-Stroke	45 - 47
	Twin 200 4-Stroke	53 - 55
	Twin 225 4-Stroke	53 - 55

25" Shafts for Twin/30" for Single

STANDARD EQUIPMENT

12-Volt Receptacle
Baitwell w/Raw Water Washdown & Light
Bilge Pumps (2) - 1 Forward, 1 Aft
Bow Handrail - Stainless Steel
Bow Pulpit w/Anchor Roller
Casting Deck w/Storage
Center Console w/Enclosed Head (Porta-Potti)
Cleats - 7
Cockpit Shower - Cold
Compass
Dive Platform - Integrated w/Ladder
Drink Holders - Stainless Steel
Fire Extinguisher Holder
Fish Boxes w/Macerator
Gauges - Digital
Gunnel Trim - Rigid Vinyl w/ SS Insert
Horn - Electric
Rod Holders - 2 Pair
Rod Racks - Cockpit (8) Horizontal
Rope Locker Storage
Seating - Aluminum Leaning Post w/Backrest, Rod Holders & Cooler
Seating - Folding Rear Bench
Seating - Forward Console w/Cushion & Storage
Steering - Hydraulic (Verado - Power)
Storage - Bow
Storage - Floor
Striping - Black or Blue
Switch and Breaker Panel
Transom Door
Trim Tabs
Windshield - Tempered Glass

OPTIONAL EQUIPMENT

Battery Switch for Dual Batteries
Bow Cushions
Cockpit Bolsters
Cockpit Lights
Dive Ladder (Single Engine Only)
Graphics - Hull Sides - Onyx Black, Deep Blue, Shiraz, Glory Blue
Graphics - Whole Hull - Onyx Black, Deep Blue, Shiraz, Glory Blue
Head - Porta-Potti w/Dockside Discharge
Leaning Post Backrest (Requires Leaning Post Baitwell)
Light - Remote Spot (Requires T-Top)
Lights - Spreader (Requires T-Top)
Seating - Double Drop-Out w/Cooler
Seating - Dual Command w/Cooler
Seating - Helm Bench w/Storage & Folding Bench
Seating - Leaning Post w/Baitwell & Storage
Seating - Leaning Post w/Tackle Station & Rod Holders
Shrink Wrap
Steering - Tilt Upgrade
Stereo - AM/FM/CD w/4 Speakers
Stereo - XM Upgrade
Top - Bimini Top
Top - T-Top (Rigid) w/Storage Box
Top - T-Top (Rigid) w/Storage Box & Outriggers
Trim Tab Indicators
Windlass w/Rope & Chain
Windshield Wiper

Electronics Pkg 2

Garmin 400C Fishfinder
Garmin GPSMap 440
VHF Radio - Icom

Electronics Pkg 3

Garmin GPSMap 4208
VHF Radio - Icom

* Optional XM Weather

* Optional 1kw In-Hull Transducer

Tournament Pkg

Battery Switch for Dual Batteries
Cockpit Bolsters
Cockpit Lights
Lights - Spreader
Top - T-Top (Rigid) w/Storage Box

Tournament Pkg w/Outrigger

Battery Switch for Dual Batteries
Cockpit Bolsters
Cockpit Lights
Lights - Spreader
Top - T-Top (Rigid) w/Storage Box



2008 PIG

29 Grand Sport

Revised: 1/13/2014 9:18:54 AM

SPECIFICATIONS

Length	29' 4"
Beam	9' 8"
Draft (Hull)	22"
Deadrise	22 deg
Fuel	240 gal
Weight - Hull Est	6,310 lbs
Weight - Trailer Est	9,530 lbs
Cockpit Area	127 sq ft
Cockpit Depth	26"
Bridge Clearance	7' 11"
w/Hard Top	10' 4"
Max HP	600
Baitwell	50 gal
Fishbox (2)	130 gal
Fresh Water	15 gal

ENGINE SELECTION MODEL MPH

ENGINE SELECTION	MODEL	MPH
Evinrude	Twin 225 E-Tec	
	Twin 250 E-Tec	50 - 52
Honda	Twin 225 4-Stroke	45 - 47
Mercury	Twin 225 Opti	
	Twin 225 Verado	49 - 51
	Twin 250 Verado	51 - 53
	Twin 300 Verado	53 - 55
Suzuki	Twin 225 4-Stroke	49 - 51
	Twin 250 4-Stroke	53 - 55
	Twin 300 4-Stroke	55 - 57

All 30" Shafts

STANDARD EQUIPMENT

12-Volt Receptacle
Baitwell w/Raw Water Washdown & Light
Battery Switch for Dual Batteries
Bilge Pumps (3) - 1 Forward, 2 Aft
Bow Handrail - Stainless Steel
Bow Pulpit w/Anchor Roller
Casting Deck w/Storage
Center Console w/Enclosed Head (Porta-Potti)
Cleats - 7
Cockpit Bolsters - Fore & Aft
Cockpit Lights
Cockpit Shower - Cold
Compass
Dive Platform - Integrated w/Ladder
Drink Holders - Stainless Steel
Fire Extinguisher Holder
Fish Boxes - Fwd w/Overboard Drain
Fish Boxes Aft w/Macerator
Gauges - Digital
Gunnel Trim - Rigid Vinyl w/ SS Insert
Horn - Electric
Rod Holders - 2 Pair
Rod Holders - 4 Transom Mounted
Rod Racks - Cockpit (4) Horizontal
Rope Locker Storage
Seating - Fiberglass w/Baitwell, Sink & Backrest
Seating - Forward Console w/Cushion & Storage
Seating - Transom (Fold Away)
Steering - Hydraulic w/Tilt (Verado - Power)
Storage - Floor
Storage - Tackle
Striping - Black or Blue
Switch and Breaker Panel
Transom Door
Trim Tabs
Windshield - Curved Glass

OPTIONAL EQUIPMENT

Battery Charger
Bow Cushions
Bow Thruster
Dive Ladder
Graphics - Hull Sides - Onyx Black, Deep Blue, Shiraz, Glory Blue
Graphics - Whole Hull - Onyx Black, Deep Blue, Shiraz, Glory Blue
Head - Electric w/Macerator, Holding Tank w/Dockside & Direct Overboard Discharge
Head - Porta-Potti w/Dockside Discharge
Head - Vacuum Flush w/Holding Tank & Direct Overboard Discharge
Light - Remote Spot (Requires T-Top)
Lights - Spreader (Requires T-Top)
Lights - Underwater (1 Pair)
Rod Rack - Inside Console (4)
Seating - Dual Command
Shrink Wrap
Stereo - AM/FM/CD w/4 Speakers
Stereo - XM Upgrade
Top - Bimini Top
Top - T-Top (Rigid) w/Storage Box
Top - T-Top (Rigid) w/Storage Box & Outriggers
Trim Tab Indicators
Windlass - Foot Switch (Requires Windlass)
Windlass w/Rope & Chain
Windshield Wiper

Electronics Pkg 2

Garmin 400C Fishfinder
Garmin GPSMap 440
VHF Radio - Icom

Electronics Pkg 3

Garmin GPSMap 4208
VHF Radio - Icom
* Optional XM Weather
* Optional 1kw In-Hull Transducer

Electronics Pkg 4

Garmin GPSMap 5208
VHF Radio - Icom
XM Weather
* Optional 1kw In-Hull Transducer
* Optional 2nd Garmin GPSMap 5208

Electronics Pkg 5

Garmin GMR 24 Radar
Garmin GPSMap 5212
VHF Radio - Icom
XM Weather
* Optional 1kw In-Hull Transducer
* Optional 2nd Garmin GPSMap 5212



2008 PIG

29 Super Sport

Revised: 1/13/2014 9:18:54 AM

SPECIFICATIONS

Length	28' 7"
Beam	9' 0"
Draft (Hull)	21"
Deadrise	22 deg
Fuel	192 gal
Weight - Hull	5,300 lbs
Weight - Trailer	8,300 lbs
Cockpit Area	101 sq ft
Cockpit Depth	30"
Bridge Clearance	7' 7"
w/Top	8' 10"
Max HP	600
Baitwell	45 gal
Fishbox (2)	15 gal
Fishbox	113 gal
Fresh Water	15 gal

ENGINE SELECTION MODEL MPH

Evinrude	Twin	225	E-Tec	
	Twin	250	E-Tec	55 - 57
Honda	Twin	225	4-Stroke	49 - 51
Mercury	Twin	225	Opti	56 - 58
	Twin	225	Verado	54 - 56
	Twin	250	Verado	58 - 60
	Twin	300	Verado	
Suzuki	Twin	225	4-Stroke	
	Twin	250	4-Stroke	57 - 59
	Twin	300	4-Stroke	61 - 63

All 30" Shafts

STANDARD EQUIPMENT

12-Volt Receptacle
Anchor Roller
Baitwell w/Raw Water Washdown & Light
Battery Switch for Dual Batteries
Bilge Pump
Bow Handrail - Stainless Steel
Casting Deck - Insulated Fish Box/Storage Box
Center Console w/Enclosed Head (Porta-Potti)
Cleats - 7
Cockpit Bolsters
Cockpit Lights
Cockpit Shower - Cold
Compass
Dive Platform - Integrated w/Ladder
Drink Holders - Stainless Steel
Electronics Box w/Lock
Fire Extinguisher Holder
Fish Boxes w/Macerator - Forward & Aft
Gauges - Digital
Gunnel Trim - Rigid Vinyl w/ SS Insert
Horn - Electric
Rod Holders - 2 Pair
Rod Racks - Cockpit (4) Horizontal
Rope Locker Storage
Seating - Aluminum Leaning Post w/Rod Holders, Storage & Cooler
Seating - Forward Console w/Cushion & Storage
Seating - Transom
Steering - Hydraulic w/Tilt (Verado - Power)
Storage - Tackle
Striping - Black or Blue
Switch and Breaker Panel
Transom Door
Trim Tabs
Windshield

OPTIONAL EQUIPMENT

Battery Charger
Dive Ladder
Graphics - Hull Sides - Onyx Black, Deep Blue, Shiraz, Glory Blue
Graphics - Whole Hull - Onyx Black, Deep Blue, Shiraz, Glory Blue
Head - Electric w/Macerator, Holding Tank w/Dockside & Direct Overboard Discharge
Head - Porta-Potti w/Dockside Discharge
Leaning Post Backrest
Light - Remote Spot (Requires T-Top)
Lights - Spreader (Requires T-Top)
Seating - Double Drop-Out w/Cooler
Seating - Dual Command w/Cooler
Seating - Helm Bench w/Storage & Folding Bench
Seating - Leaning Post w/Tackle Station & Rod Holders
Shrink Wrap
Stereo - AM/FM/CD w/4 Speakers
Stereo - XM Upgrade
Top - Bimini Top
Top - T-Top (Rigid) w/Storage Box
Top - T-Top (Rigid) w/Storage Box & Outriggers
Trim Tab Indicators
Windlass w/Rope & Chain
Electronics Pkg 2
Garmin 400C Fishfinder
Garmin GPSMap 440
VHF Radio - Icom
Electronics Pkg 3
Garmin GPSMap 4208
VHF Radio - Icom
* Optional XM Weather
* Optional 1kw In-Hull Transducer
Electronics Pkg 4
Garmin GPSMap 5208
VHF Radio - Icom
XM Weather
* Optional 1kw In-Hull Transducer
* Optional 2nd Garmin GPSMap 5208