



2013 PIG

21cc

Revised: 1/13/2014 9:41:38 AM

SPECIFICATIONS

| | |
|------------------|-----------|
| Length | 21' 8" |
| Beam | 8' 5" |
| Draft (Hull) | 17" |
| Deadrise | 20 deg |
| Fuel | 70 gal |
| Weight - Hull | 2,700 lbs |
| Weight - Trailer | 3,800 lbs |
| Cockpit Area | 86 sq ft |
| Cockpit Depth | 25" |
| Bridge Clearance | 5' 10" |
| w/ Top | 8' 0" |
| Max HP | 150 |
| Baitwell | 15 gal |
| Fishbox | 18 gal |

ENGINE SELECTION MODEL MPH

| Boat Only | |
|-----------------|--------------|
| Evinrude | 115 E-Tec |
| | 150 E-Tec |
| Mercury | 115 4-Stroke |
| | 150 Verado |
| Suzuki | 115 4-Stroke |
| | 140 4-Stroke |
| | 150 4-Stroke |

All 25" Shafts

Color Choice - White Carbon Fiber Viny

- Black Accent
- Blue Accent
- Graphite Accent

STANDARD EQUIPMENT

- 10 Year Hull Structure Warranty
- 4 Switch Panel w/ Circuit Breakers (No Fuses)
- 70 Gallon Gas Tank Under Floor, Vented Overboard
- ABYC Color Coded Wiring w/ Shrink Connections
- Baitwell - Recirculating
- Bilge Pump w/ Automatic Float Switch
- Bow Handrail - Stainless Steel
- Casting Deck w/Storage
- Center Console w/Storage
- Cleats (3) - SS Thru Bolted w/ Backing Plates
- Compass
- Composite Construction - Floors & Transom
- Drink Holders
- Fiberglass Stringer System (Foam Filled)
- Gauges (Analog) - Fuel, Tach w/ System Check
- Grab Rails - Console
- Gunnel Trim - Rigid Vinyl
- Hand Laid Knitted Fiberglass Fabric (Hull Structure)
- Horn - Electric
- NMMA Certified
- Rod Holders - 1 Pair (Gunnel Mount)
- Rod Holders on Console - (4) Vertical Thru Bolted
- Safety Engine Kill Switch
- Seating - Cooler w/ Flip Flop Backrest
- Steering - Mechanical - No Feedback
- Striping - Waterline
- Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent
- Windshield
- Windshield Grabrail

OPTIONAL EQUIPMENT

- Bimini Top
- Console (XL) w/Storage & Fwd Seat w/Baitwell
- Cooler w/Cushion - Forward Console
- Gauge - MPH
- Graphics - Hull Sides - Black
- Graphics - Hull Sides - Blue
- Graphics - Hull Sides - Charcoal
- Half Dive Platform w/Ladder
- Rod Holders - 1 Pair (Gunnel Mount)
- Seating - Leaning Post
- Seating - Leaning Post w/Backrest & Cooler
- Steering - Hydraulic
- Top - Canvas T-Top (No Box)

Comfort Pkg

- Bow Cushion
- Cockpit Bolsters
- Jump Seat Cushion - Aft Starboard
- Rod Racks - Horizontal



2013 PIG

23cc

Revised: 1/13/2014 9:41:39 AM

SPECIFICATIONS

| | |
|------------------|-----------|
| Length | 23' 0" |
| Beam | 8' 6" |
| Draft (Hull) | 15" |
| Deadrise | 19 deg |
| Fuel | 70 gal |
| Weight - Hull | 3,200 lbs |
| Weight - Trailer | TBD |
| Cockpit Area | 81 sq ft |
| Cockpit Depth | 22" |
| Bridge Clearance | 5' 10" |
| w/ Top | 8' 0" |
| Max HP | 200 |
| Baitwell | 15 gal |
| Fishbox | 18 gal |

ENGINE SELECTION MODEL MPH

| Boat Only | |
|-----------------|--------------------|
| Evinrude | 150 E-Tec |
| | 175 E-Tec |
| | 200 E-Tec (158ci) |
| Mercury | 150 Verado |
| | 175 Verado |
| | 200 Verado - 4 cyl |
| Suzuki | 150 4-Stroke |
| | 175 4-Stroke |
| | 200 4-Stroke |

All 25" Shafts

Color Choice - White Carbon Fiber Viny

- Black Accent
- Blue Accent
- Graphite Accent

STANDARD EQUIPMENT

| |
|--|
| 10 Year Hull Structure Warranty |
| 4 Switch Panel w/ Circuit Breakers (No Fuses) |
| 70 gallon gas tank under floor, vented overboard |
| ABYC Color Coded Wiring w/ Shrink Connections |
| Baitwell - Recirculating |
| Bilge Pump w/ Automatic Float Switch |
| Bow Handrail - Stainless Steel |
| Casting Deck w/Storage |
| Center Console w/Storage |
| Cleats (3) - SS Thru Bolted w/ Backing Plates |
| Compass |
| Composite Construction - Floors & Transom |
| Drink Holders |
| Fiberglass Stringer System (Foam Filled) |
| Gauges (Analog) - Fuel, Tach w/ System Check |
| Grab Rails - Console |
| Gunnel Trim - Rigid Vinyl |
| Hand Laid Knitted Fiberglass Fabric (Hull Structure) |
| Horn - Electric |
| NMMA Certified |
| Rod Holders - 1 Pair (Gunnel Mount) |
| Rod Holders on Console - (4) Vertical Thru Bolted |
| Safety Engine Kill Switch |
| Seating - Cooler w/ Flip Flop Backrest |
| Steering - Mechanical - No Feedback |
| Striping - Waterline |
| Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent |
| Windshield |
| Windshield Grabrail |

OPTIONAL EQUIPMENT

| |
|--|
| Bimini Top |
| Bow Cushion |
| Console (XL) w/Storage & Fwd Seat w/Baitwell |
| Cooler w/Cushion - Forward Console |
| Gauge - MPH |
| Graphics - Hull Sides - Black |
| Graphics - Hull Sides - Blue |
| Graphics - Hull Sides - Charcoal |
| Half Dive Platform w/Ladder |
| Jump Seat Cushion - Aft Starboard |
| Rod Holders - 1 Pair (Gunnel Mount) |
| Rod Racks - Horizontal |
| Seating - Leaning Post |
| Seating - Leaning Post w/Backrest & Cooler |
| Steering - Hydraulic |
| Top - Canvas T-Top (No Box) |

Convenience Pkg

| |
|---------------------------------|
| 12-Volt Receptacle |
| Cockpit Bolsters |
| Cockpit Lights |
| Rod Holders - 1 Additional Pair |



2013 PIG

20 Express

Revised: 1/13/2014 9:41:39 AM

SPECIFICATIONS

| | |
|------------------|-----------|
| Length | 20' 6" |
| Beam | 8' 5" |
| Draft (Hull) | 15" |
| Deadrise | 19 deg |
| Fuel | 70 gal |
| Weight - Hull | 2,750 lbs |
| Weight - Trailer | 3,950 lbs |
| Cockpit Area | 47 sq ft |
| Cockpit Depth | 22" |
| Bridge Clearance | 5' 10" |
| w/ Top | 8' 5" |
| Max HP | 200 |
| Baitwell | 11 gal |
| Fishbox | 27 gal |

ENGINE SELECTION MODEL MPH

| Boat Only | | |
|-----------------|--------------|---------|
| Evinrude | 150 E-Tec | |
| | 175 E-Tec | |
| Mercury | 150 Verado | 40 - 42 |
| | 175 Verado | |
| Suzuki | 140 4-Stroke | 36 - 38 |
| | 150 4-Stroke | 41 - 43 |
| | 175 4-Stroke | |

All 25" Shafts

Color Choice - White Carbon Fiber Viny

- Black Accent
- Blue Accent
- Graphite Accent

STANDARD EQUIPMENT

- 10 Year Hull Structure Warranty
- ABYC Color Coded Wiring w/ Shrink Connections
- Baitwell w/Raw Water Washdown & Light
- Bilge Pump
- Bow Handrail - Stainless Steel
- Bow Pulpit w/Anchor Roller
- Cabin Cushion(s)
- Cabin Door - Poly
- Cabin Hatch
- Cabin Portholes
- Cleats - 7
- Compass
- Composite Construction - Floors & Transom
- Drink Holders - Stainless Steel
- Fiberglass Stringer System (Foam Filled)
- Gauges (Analog) - Fuel, MPH, RPM, Trim, Volt
- Gunnel Trim - Rigid Vinyl
- Half Dive Platform w/Ladder
- Hand Laid Knitted Fiberglass Fabric (Hull Structure)
- Horn - Electric
- NMMA Certified
- Rod Holders - 1 Pair
- Rod Racks - Cockpit (6) Horizontal
- Rope Locker Storage
- Safety Engine Kill Switch
- Seating - Aft Jump (2 Molded)
- Seating - Captains Chairs
- Steering - Hydraulic (Verado - Power Steering Not Included)
- Striping - Waterline
- Switch and Breaker Panel
- Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent
- Windshield - Tempered Glass

OPTIONAL EQUIPMENT

- Battery Switch for Dual Batteries
- Curtain Package (Bimini Top)
- Curtain Package (Hard Top)
- Gauges - Digital BRP (Single Engine)
- Gauges - Digital Suzuki (Single Engine)
- Graphics - Hull Sides - Black
- Graphics - Hull Sides - Blue
- Graphics - Hull Sides - Charcoal
- Gunnel Insert - Stainless Steel
- Head - Porta-Potti
- Light - Remote Spot (Requires Hard Top)
- Lights - Spreader (Requires Hard Top)
- Shrink Wrap
- Steering - Tilt Upgrade
- Stereo - AM/FM w/4 Speakers & iPod Controls w/250 Song Memory
- Stereo - Sirius Upgrade
- Top - Bimini Top
- Top - Hard Top w/Storage Box
- Top - Hard Top w/Storage Box & Outriggers
- Trim Tabs
- Trim Tab Indicators

Convenience Pkg

- 12-Volt Receptacle
- Cockpit Bolsters w/Jump Seat
- Backrest
- Cockpit Lights
- Head - Porta-Potti w/Filler Board
- Rod Holders (1 Pair)

Electronics Pkg 1

- Garmin GPSMap 441
- VHF Radio - Icom

Electronics Pkg 2

- Garmin 500C Fishfinder
- Garmin GPSMap 441
- VHF Radio - Icom

Tournament Pkg

- Battery Switch for Dual Batteries
- Convenience Pkg
- Lights - Spreader
- Top - Hard Top w/Storage Box

Tournament Pkg w/Outrigger

- Battery Switch for Dual Batteries
- Convenience Pkg
- Lights - Spreader
- Top - Hard Top w/Storage Box



2013 PIG

23 Express

Revised: 1/13/2014 9:41:39 AM

SPECIFICATIONS

| | |
|-------------------|-----------|
| Length | 23' 0" |
| Beam | 8' 6" |
| Draft (Hull) | 17" |
| Deadrise | 20 deg |
| Fuel | 125 gal |
| Weight - Hull | 3,900 lbs |
| Weight - Trailer | 6,510 lbs |
| Cockpit Area | 52 sq ft |
| Cockpit Depth | 25" |
| Bridge Clearance | 6' 6" |
| w/ Top | 9' 0" |
| Max HP | 300 |
| Baitwell | 18 gal |
| Fishbox (2) | 80 gal |
| Fresh Water (Opt) | 10 gal |

ENGINE SELECTION MODEL

MPH

| Boat Only | | |
|-----------------|--------------------|---------|
| Evinrude | 200 E-Tec (200 ci) | 39 - 41 |
| | 225 E-Tec | 43 - 45 |
| | 250 E-Tec | 44 - 46 |
| | 300 E-Tec | |
| Mercury | 225 Verado | 42 - 44 |
| | 250 Verado | 45 - 47 |
| | 300 Verado | |
| Suzuki | 200 4-Stroke | 39 - 41 |
| | 225 4-Stroke | 42 - 44 |
| | 250 4-Stroke | 43 - 45 |
| | 300 4-Stroke | |

All 25" Shafts

Color Choice - White Carbon Fiber Viny

- Black Accent
- Blue Accent
- Graphite Accent

STANDARD EQUIPMENT

| |
|---|
| 10 Year Hull Structure Warranty |
| ABYC Color Coded Wiring w/ Shrink Connections |
| Anchor Roller |
| Baitwell w/Raw Water Washdown & Light |
| Bilge Pump |
| Bow Handrail - Stainless Steel |
| Cabin Cushion(s) |
| Cabin Door - Poly |
| Cabin Hatch |
| Cabin Lights |
| Cabin Portholes |
| Cleats - 7 |
| Compass |
| Composite Construction - Floors & Transom |
| Dive Platform - Integrated w/Ladder |
| Drink Holders - Stainless Steel |
| Fiberglass Stringer System (Foam Filled) |
| Fish Boxes w/Macerator |
| Gauges (Analog) - Fuel, MPH, RPM, Trim, Volt (Digital - Suzuki 300) |
| Gunnel Trim - Rigid Vinyl |
| Hand Laid Knitted Fiberglass Fabric (Hull Structure) |
| Horn - Electric |
| NMMA Certified |
| Rod Holders - 1 Pair |
| Rod Racks - Cockpit (6) Horizontal |
| Rope Locker Storage |
| Safety Engine Kill Switch |
| Seating - Captains Chairs |
| Steering - Hydraulic (Verado - Power) |
| Storage - Under Captains Chairs |
| Striping - Waterline |
| Switch and Breaker Panel |
| Transom Door |
| Trim Tabs |
| Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent |
| Windshield - Tempered Glass |

OPTIONAL EQUIPMENT

| |
|---|
| Battery Switch for Dual Batteries |
| Cabin Filler Board w/Cushion |
| Cabin Sink & Cockpit Shower - Fresh Water (10 gal) |
| Curtain Package (Bimini Top) |
| Curtain Package (ITS Hard Top) |
| Gauges - Digital BRP (Single Engine) |
| Gauges - Digital Suzuki (Single Engine) |
| Graphics - Hull Sides - Black |
| Graphics - Hull Sides - Blue |
| Graphics - Hull Sides - Charcoal |
| Gunnel Insert - Stainless Steel |
| Head - Porta-Potti |
| Head - Porta-Potti w/Dockside Discharge |
| Light - Remote Spot (Requires Hard Top) |
| Lights - Spreader (Requires Hard Top) |
| Seating - Folding Rear Bench |
| Seating - Helm Bench w/Storage & Folding Bench |
| Shrink Wrap |
| Steering - Tilt Upgrade |
| Stereo - AM/FM w/Remote, 4 Speakers & iPod Controls w/250 Song Memory |
| Stereo - Sirius Upgrade |
| Top - Bimini Top |
| Top - ITS Hard Top w/Storage Box |
| Top - ITS Hard Top w/Storage Box & Outriggers |
| Trim Tab Indicators |

Convenience Pkg

| |
|----------------------|
| 12-Volt Receptacle |
| Cockpit Bolsters |
| Cockpit Lights |
| Rod Holders (1 Pair) |

Electronics Pkg 1

| |
|-------------------|
| Garmin GPSMap 441 |
| VHF Radio - Icom |

Electronics Pkg 2

| |
|------------------------|
| Garmin 500C Fishfinder |
| Garmin GPSMap 441 |
| VHF Radio - Icom |

Tournament Pkg

| |
|-----------------------------------|
| Battery Switch for Dual Batteries |
| Convenience Pkg |
| Lights - Spreader |
| Top - ITS Hard Top w/Storage Box |

Tournament Pkg w/Outrigger

| |
|-----------------------------------|
| Battery Switch for Dual Batteries |
| Convenience Pkg |
| Lights - Spreader |
| Top - ITS Hard Top w/Storage Box |



2013 PIG

26 Express

Revised: 1/13/2014 9:41:39 AM

SPECIFICATIONS

| | |
|------------------|-----------|
| Length | 26' 4" |
| Beam | 8' 6" |
| Draft (Hull) | 18" |
| Deadrise | 22 deg |
| Fuel | 200 gal |
| Weight - Hull | 5,380 lbs |
| Weight - Trailer | 8,340 lbs |
| Cockpit Area | 58 sq ft |
| Cockpit Depth | 27" |
| Bridge Clearance | 6' 8" |
| w/ Top | 9' 0" |
| Max HP | 450 |
| Baitwell | 20 gal |
| Fishbox (2) | 74 gal |
| Fresh Water | 15 gal |

ENGINE SELECTION MODEL MPH

| Boat Only | | | | |
|-----------------|------|----------|----------------|---------|
| Evinrude | 250 | E-Tec | | |
| | 300 | E-Tec | | |
| | Twin | 150 | E-Tec | |
| | Twin | 200 | E-Tec (200 ci) | |
| | Twin | 225 | E-Tec | |
| Mercury | 250 | Verado | | |
| | 300 | Verado | | |
| | Twin | 150 | Verado | 44 - 46 |
| | Twin | 175 | Verado | |
| | Twin | 200 | Verado - 4 cyl | |
| Twin | 225 | Verado | | |
| Suzuki | 250 | 4-Stroke | | |
| | 300 | 4-Stroke | 44 - 46 | |
| | Twin | 150 | 4-Stroke | 46 - 48 |
| | Twin | 175 | 4-Stroke | |
| | Twin | 200 | 4-Stroke | 53 - 55 |
| Twin | 225 | 4-Stroke | | |

25" Shafts for Twin/30" for Single

Color Choice - White Carbon Fiber Viny

- Black Accent
- Blue Accent
- Graphite Accent

STANDARD EQUIPMENT

| |
|--|
| 10 Year Hull Structure Warranty |
| 12-Volt Receptacle |
| ABYC Color Coded Wiring w/ Shrink Connections |
| Baitwell w/Raw Water Washdown & Light |
| Bilge Pumps (2) - 1 Forward, 1 Aft |
| Bow Handrail - Stainless Steel |
| Bow Pulpit w/Anchor Roller |
| Cabin Cushion(s) |
| Cabin Door - Poly |
| Cabin Hatch |
| Cabin Lights |
| Cabin Portholes |
| Cabin Sink - Fresh Water |
| Cabin Table w/Filler Cushion |
| Cleats - 7 |
| Cockpit Shower - Cold |
| Compass |
| Composite Construction - Floors & Transom |
| Dive Platform - Integrated w/Ladder |
| Drink Holders - Stainless Steel |
| Fiberglass Stringer System (Foam Filled) |
| Fish Boxes w/Macerator Pump-Out |
| Gauges - Digital |
| Gunnel Trim - Rigid Vinyl |
| Hand Laid Knitted Fiberglass Fabric (Hull Structure) |
| Horn - Electric |
| NMMA Certified |
| Rod Holders - 2 Pair |
| Rod Racks - Cockpit (8) Horizontal |
| Rope Locker Storage |
| Safety Engine Kill Switch |
| Seating - Captains Chairs |
| Seating - Folding Rear Bench |
| Steering - Hydraulic (Verado - Power) |
| Storage - Tackle |
| Storage - Under Captains Chairs |
| Striping - Waterline |
| Switch and Breaker Panel |
| Transom Door |
| Trim Tabs |
| Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent |
| Windshield - Tempered Glass |

OPTIONAL EQUIPMENT

| |
|---|
| Battery Switch for Dual Batteries |
| Cockpit Bolsters |
| Cockpit Lights |
| Curtain Package (Bimini Top) |
| Curtain Package (ITS Hard Top) |
| Dive Ladder (Single Engine Only) |
| Graphics - Hull Sides - Black |
| Graphics - Hull Sides - Blue |
| Graphics - Hull Sides - Charcoal |
| Gunnel Insert - Stainless Steel |
| Head - Porta-Potti |
| Head - Porta-Potti w/Dockside Discharge |
| Light - Remote Spot (Requires Hard Top) |
| Lights - Spreader (Requires Hard Top) |
| Misting System - Requires Hard Top |
| Seating - Helm Bench w/Storage & Folding Bench |
| Shrink Wrap |
| Steering - Tilt Upgrade |
| Stereo - AM/FM w/Remote, 4 Speakers & iPod Controls w/250 Song Memory |
| Stereo - Sirius Upgrade |
| Top - Bimini Top |
| Top - ITS Hard Top w/Storage Box |
| Top - ITS Hard Top w/Storage Box & Outriggers |
| Trim Tab Indicators |
| Windlass w/Rope & Chain |
| Electronics Pkg 2 |
| Garmin 500C Fishfinder |
| Garmin GPSMap 441 |
| VHF Radio - Icom |
| Electronics Pkg 3 |
| Garmin GPSMap 4208 |
| VHF Radio - Icom |
| * Optional XM Weather |
| * Optional 1kw In-Hull Transducer |
| Tournament Pkg |
| Battery Switch for Dual Batteries |
| Cockpit Bolsters |
| Cockpit Lights |
| Lights - Spreader |
| Top - ITS Hard Top w/Storage Box |
| Tournament Pkg w/Outrigger |
| Battery Switch for Dual Batteries |
| Cockpit Bolsters |
| Cockpit Lights |
| Lights - Spreader |
| Top - ITS Hard Top w/Storage Box |



2013 PIG

32 Express

Revised: 1/13/2014 9:41:39 AM

SPECIFICATIONS

| | |
|------------------|------------|
| Length | 32' 4" |
| Beam | 10' 10" |
| Draft (Hull) | 23" |
| Deadrise | 22 deg |
| Fuel | 300 gal |
| Weight - Hull | 9,500 lbs |
| Weight - Trailer | 13,400 lbs |
| Cockpit Area | 81 sq ft |
| Cockpit Depth | 29" |
| Bridge Clearance | 8' 3" |
| w/ Hard Top | 10' 0" |
| Max HP | 600 |
| Baitwell | 25 gal |
| Fishbox (2) | 125 gal |
| Fresh Water | 39 gal |

ENGINE SELECTION MODEL

MPH

| Boat Only | | | | |
|-----------------|------|-----|----------|---------|
| Evinrude | Twin | 250 | E-Tec | 45 - 47 |
| | Twin | 300 | E-Tec | |
| Mercury | Twin | 250 | Verado | 47 - 49 |
| | Twin | 300 | Verado | 49 - 51 |
| Suzuki | Twin | 250 | 4-Stroke | 45 - 47 |
| | Twin | 300 | 4-Stroke | 50 - 52 |

All 30" Shafts

Color Choice - White Carbon Fiber Vinyl

- Black Accent
- Blue Accent
- Graphite Accent

STANDARD EQUIPMENT

- 10 Year Hull Structure Warranty
- 110v Outlets - GFI Protected
- 12-Volt Receptacle
- ABYC Color Coded Wiring w/ Shrink Connections
- Baitwell w/Raw Water Washdown & Light
- Battery Charger
- Battery Switch for Dual Batteries
- Bilge Pump (1) w/High Water Alarm (Aft)
- Bilge Pumps (2) - Auto-Manual (1 Fwd, 1 Aft)
- Bonding System
- Bow Handrail - Stainless Steel
- Bow Pulpit w/Anchor Roller
- Cabin Cushion(s)
- Cabin Door - Acrylic
- Cabin Hatch
- Cabin Lights
- Cabin Portholes w/ Curtains
- Cabin Table w/Filter Cushion
- City Water Hook-Up
- Cleats - 7
- Cockpit Bolsters
- Cockpit Lights
- Compass
- Composite Construction - Floors & Transom
- Dive Platform - Integrated w/Ladder
- Drink Holders - Stainless Steel
- Electrical Distribution Panel
- Fiberglass Stringer System (Foam Filled)
- Fish Boxes w/Macerator
- Fresh Water w/Pull Out Shower - Hot & Cold
- Full Galley - Refrigerator, Microwave & Alcohol/Electric Stove
- Galvanic Isolator
- Gauges - Digital
- Gunnel Trim - Rigid Vinyl w/ SS Insert
- Hand Laid Knitted Fiberglass Fabric (Hull Structure)
- Head - Hot & Cold Shower & Sink (w/Storage)
- Head - Vacuum Flush w/Overboard & Dockside Discharge
- Horn - Electric
- Mid-Cabin Berth w/Privacy Curtain
- Mid-Cabin Window w/Screen & Curtain
- NMMA Certified
- Rod Holders - 2 Pair
- Rod Racks - Cockpit (4) Horizontal
- Rope Locker Storage
- Safety Engine Kill Switch
- Seating - Command Seat
- Seating - Folding Rear Bench
- Seating - Lounge w/Bolster
- Shore Power w/Cord (30 Amp)
- Steering - Hydraulic w/Tilt (Verado - Power)
- Storage - Tackle
- Striping - Waterline
- Switch and Breaker Panel
- Transom Door
- Trim Tabs w/ Indicator
- Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent
- Water Heater
- Windlass w/Rope & Chain
- Windshield - Tempered Glass w/Vent
- Windshield Wiper - Starboard & Port

OPTIONAL EQUIPMENT

- Air Conditioner w/Heater
- Bow Thruster
- Cabin Floor - Woodgrain (Laminated)
- Cabin Floor & Steps - Teak & Holly
- Cabin Liner - Tournament w/Bunk Beds (Sleeps 6)
- Curtain Package (Hard Top)
- Dive Ladder
- Generator (Gas) 5.0 kw w/Carbon Monoxide Detector & Auto Shut Off
- Graphics - Hull Sides - Black
- Graphics - Hull Sides - Blue
- Graphics - Hull Sides - Charcoal
- Light - Remote Spot (Requires Hard Top)
- Lights - Spreader (Requires Hard Top)
- Lights - Underwater (1 Pair) Blue or Green
- Misting System - Requires Hard Top
- Shrink Wrap
- Stereo - AM/FM w/Remote, 4 Speakers & iPod Controls w/250 Song Memory
- Stereo - Sirius Upgrade
- Television (Flatscreen) w/DVD Player
- Top - Hard Top w/Storage Box
- Top - Hard Top w/Storage Box & Outriggers
- Windlass - Foot Switch

Electronics Pkg 2

- Garmin 500C Fishfinder
- Garmin GPSMap 441
- VHF Radio - Icom

Electronics Pkg 3

- Garmin GPSMap 4208
- VHF Radio - Icom

- * Optional XM Weather
- * Optional 1kw In-Hull Transducer

Electronics Pkg 4

- Garmin GPSMap 5208
- VHF Radio - Icom
- XM Weather

- * Optional 1kw In-Hull Transducer
- * Optional 2nd Garmin GPSMap 5208

Electronics Pkg 5

- Garmin GMR 24 Radar
- Garmin GPSMap 5212
- VHF Radio - Icom
- XM Weather

- * Optional 1kw In-Hull Transducer
- * Optional 2nd Garmin GPSMap 5212



2013 PIG

23 XP

Revised: 1/13/2014 9:41:39 AM

SPECIFICATIONS

| | |
|-------------------|-----------|
| Length | 23' 0" |
| Beam | 8' 6" |
| Draft (Hull) | 17" |
| Deadrise | 20 deg |
| Fuel | 125 gal |
| Weight - Hull | 3,900 lbs |
| Weight - Trailer | 6,410 lbs |
| Cockpit Area | 52 sq ft |
| Cockpit Depth | 25" |
| Bridge Clearance | 8' 4" |
| Max HP | 300 |
| Baitwell | 18 gal |
| Fishbox (2) | 80 gal |
| Fresh Water (Opt) | 10 gal |

ENGINE SELECTION MODEL MPH

| Boat Only | | |
|-----------------|--------------------|---------|
| Evinrude | 200 E-Tec (200 ci) | |
| | 225 E-Tec | |
| | 250 E-Tec | 43 - 45 |
| | 300 E-Tec | |
| Mercury | 225 Verado | |
| | 250 Verado | |
| | 300 Verado | |
| Suzuki | 200 4-Stroke | 39 - 41 |
| | 225 4-Stroke | 41 - 43 |
| | 250 4-Stroke | 44 - 46 |
| | 300 4-Stroke | |

All 25" Shafts

Color Choice - White Carbon Fiber Viny

- Black Accent
- Blue Accent
- Graphite Accent

STANDARD EQUIPMENT

- 10 Year Hull Structure Warranty
- ABYC Color Coded Wiring w/ Shrink Connections
- Anchor Roller
- Baitwell w/Raw Water Washdown & Light
- Bilge Pump
- Bow Handrail - Stainless Steel
- Cabin Cushion(s)
- Cabin Door - Poly
- Cabin Hatch
- Cabin Lights
- Cabin Portholes
- Cleats - 7
- Compass
- Composite Construction - Floors & Transom
- Dive Platform - Integrated w/Ladder
- Drink Holders - Stainless Steel
- Fiberglass Stringer System (Foam Filled)
- Fish Boxes w/Macerator
- Gauges (Analog) - Fuel, MPH, RPM, Trim, Volt (Digital - Suzuki 300)
- Gunnel Trim - Rigid Vinyl
- Hand Laid Knitted Fiberglass Fabric (Hull Structure)
- Horn - Electric
- NMMA Certified
- Rod Holders - 1 Pair
- Rod Racks - Cockpit (6) Horizontal
- Rope Locker Storage
- Safety Engine Kill Switch
- Seating - Captains Chairs
- Steering - Hydraulic (Verado - Power)
- Storage - Under Captains Chairs
- Striping - Waterline
- Switch and Breaker Panel
- Top - Hard Top
- Transom Door
- Trim Tabs
- Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent
- Windshield - Tempered Glass

OPTIONAL EQUIPMENT

- Battery Switch for Dual Batteries
- Cabin Filler Board w/Cushion
- Cabin Sink & Cockpit Shower - Fresh Water (10 gal)
- Curtain - Aft Enclosure
- Gauges - Digital BRP (Single Engine)
- Gauges - Digital Suzuki (Single Engine)
- Graphics - Hull Sides - Black
- Graphics - Hull Sides - Blue
- Graphics - Hull Sides - Charcoal
- Gunnel Insert - Stainless Steel
- Head - Porta-Potti
- Light - Remote Spot
- Light - Spreader
- Seating - Folding Rear Bench
- Seating - Helm Bench w/Storage & Folding Bench
- Shrink Wrap
- Steering - Tilt Upgrade
- Stereo - AM/FM w/Remote, 4 Speakers & iPod Controls w/250 Song Memory
- Stereo - Sirius Upgrade
- Trim Tab Indicators
- Windshield Wiper - Port
- Windshield Wiper - Starboard

Convenience Pkg

- 12-Volt Receptacle
- Cockpit Bolsters
- Cockpit Lights
- Rod Holders (1 Pair)

Electronics Pkg 1

- Garmin GPSMap 441
- VHF Radio - Icom

Electronics Pkg 2

- Garmin 500C Fishfinder
- Garmin GPSMap 441
- VHF Radio - Icom



2013 PIG

26 XP

Revised: 1/13/2014 9:41:39 AM

SPECIFICATIONS

| | |
|------------------|-----------|
| Length | 26' 4" |
| Beam | 8' 6" |
| Draft (Hull) | 18" |
| Deadrise | 22 deg |
| Fuel | 200 gal |
| Weight - Hull | 5,380 lbs |
| Weight - Trailer | 8,240 lbs |
| Cockpit Area | 58 sq ft |
| Cockpit Depth | 27" |
| Bridge Clearance | 9' 0" |
| Max HP | 450 |
| Baitwell | 20 gal |
| Fishbox (2) | 74 gal |
| Fresh Water | 15 gal |

ENGINE SELECTION MODEL MPH

| Boat Only | | | |
|-----------------|----------|----------------|---------|
| Evinrude | 250 | E-Tec | |
| | 300 | E-Tec | |
| | Twin 150 | E-Tec | |
| | Twin 200 | E-Tec (200 ci) | |
| | Twin 225 | E-Tec | |
| Mercury | 250 | Verado | |
| | 300 | Verado | |
| | Twin 150 | Verado | 47 - 49 |
| | Twin 175 | Verado | |
| | Twin 200 | Verado - 4 cyl | |
| Twin 225 | Verado | | |
| Suzuki | 250 | 4-Stroke | |
| | 300 | 4-Stroke | |
| | Twin 150 | 4-Stroke | 46 - 48 |
| | Twin 175 | 4-Stroke | |
| | Twin 200 | 4-Stroke | 52 - 54 |
| Twin 225 | 4-Stroke | 55 - 57 | |

25" Shafts for Twin/30" for Single

Color Choice - White Carbon Fiber Viny

- Black Accent
- Blue Accent
- Graphite Accent

STANDARD EQUIPMENT

| |
|--|
| 10 Year Hull Structure Warranty |
| 12-Volt Receptacle |
| ABYC Color Coded Wiring w/ Shrink Connections |
| Baitwell w/Raw Water Washdown & Light |
| Bilge Pumps (2) - 1 Forward, 1 Aft |
| Bow Handrail - Stainless Steel |
| Bow Pulpit w/Anchor Roller |
| Cabin Cushion(s) |
| Cabin Door - Poly |
| Cabin Hatch |
| Cabin Lights |
| Cabin Portholes |
| Cabin Sink - Fresh Water |
| Cabin Table w/Filler Cushion |
| Cleats - 7 |
| Cockpit Shower - Cold |
| Compass |
| Composite Construction - Floors & Transom |
| Dive Platform - Integrated w/Ladder |
| Drink Holders - Stainless Steel |
| Fiberglass Stringer System (Foam Filled) |
| Fish Boxes w/Macerator Pump-Out |
| Gauges - Digital |
| Gunnel Trim - Rigid Vinyl |
| Hand Laid Knitted Fiberglass Fabric (Hull Structure) |
| Horn - Electric |
| NMMA Certified |
| Rod Holders - 2 Pair |
| Rod Racks - Cockpit (8) Horizontal |
| Rope Locker Storage |
| Safety Engine Kill Switch |
| Seating - Captains Chairs |
| Seating - Folding Rear Bench |
| Steering - Hydraulic (Verado - Power) |
| Storage - Tackle |
| Storage - Under Captains Chairs |
| Striping - Waterline |
| Switch and Breaker Panel |
| Top - Hard Top |
| Transom Door |
| Trim Tabs |
| Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent |
| Windshield - Tempered Glass |

OPTIONAL EQUIPMENT

| |
|---|
| Battery Switch for Dual Batteries |
| Cockpit Bolsters |
| Cockpit Lights |
| Curtain - Aft Enclosure |
| Dive Ladder (Single Engine Only) |
| Graphics - Hull Sides - Black |
| Graphics - Hull Sides - Blue |
| Graphics - Hull Sides - Charcoal |
| Gunnel Insert - Stainless Steel |
| Head - Porta-Potti |
| Head - Porta-Potti w/Dockside Discharge |
| Light - Remote Spot |
| Light - Spreader |
| Misting System |
| Seating - Helm Bench w/Storage & Folding Bench |
| Shrink Wrap |
| Steering - Tilt Upgrade |
| Stereo - AM/FM w/Remote, 4 Speakers & iPod Controls w/250 Song Memory |
| Stereo - Sirius Upgrade |
| Trim Tab Indicators |
| Windlass w/Rope & Chain |
| Windshield Wiper - Port |
| Windshield Wiper - Starboard |

Electronics Pkg 2

- Garmin 500C Fishfinder
- Garmin GPSMap 441
- VHF Radio - Icom

Electronics Pkg 3

- Garmin GPSMap 4208
- VHF Radio - Icom
- * Optional XM Weather
- * Optional 1kw In-Hull Transducer



2013 PIG

32 Express Cruiser

Revised: 1/13/2014 9:41:39 AM

SPECIFICATIONS

| | |
|---------------------|------------|
| Length | 32' 4" |
| Beam | 10' 10" |
| Draft (Hull) | 23" |
| Deadrise | 22 deg |
| Fuel | 300 gal |
| Weight - Hull | 11,500 lbs |
| Weight - Trailer | 15,400 lbs |
| Cockpit Area | 61 sq ft |
| Cockpit Depth | 29" |
| Bridge Clearance | 9' 10" |
| Max HP | 600 |
| Baitwell | 20 gal |
| Fishbox (2) | 125 gal |
| Fresh Water | 39 gal |
| Headroom - Cabin | 6' 7" |
| Headroom - Helm | 6' 8" |
| Ice Maker (Per Day) | 23 lbs |
| Water Heater | 6 gal |

ENGINE SELECTION MODEL

MPH

Boat Only

| | | | |
|-----------------|------|-----|----------|
| Evinrude | Twin | 250 | E-Tec |
| | Twin | 300 | E-Tec |
| Mercury | Twin | 250 | Verado |
| | Twin | 300 | Verado |
| Suzuki | Twin | 250 | 4-Stroke |
| | Twin | 300 | 4-Stroke |

All 30" Shafts

Color Choice - White Carbon Fiber Vinyl

- Black Accent
- Blue Accent
- Graphite Accent

STANDARD EQUIPMENT

10 Year Hull Structure Warranty
 110v Outlets - GFI Protected
 12-Volt Receptacle
 ABYC Color Coded Wiring w/ Shrink Connections
 Baitwell w/Raw Water Washdown & Light
 Battery Charger
 Battery Switch for Dual Batteries
 Bilge Pump (1) w/High Water Alarm (Aft)
 Bilge Pumps (2) - Auto-Manual (1 Midship, 1 Aft)
 Bonding System
 Bow Handrail - Stainless Steel
 Bow Pulpit w/Anchor Roller
 Cabin Cushion(s)
 Cabin Door - Acrylic
 Cabin Hatches (2)
 Cabin Lights
 Cabin Portholes w/ Curtains
 Cabin Table w/Filter Cushion
 City Water Hook-Up
 Cleats - 7
 Cockpit Bolsters
 Cockpit Lights
 Compass
 Composite Construction - Floors & Transom
 Dive Platform - Integrated w/Ladder
 Drink Holders - Stainless Steel
 Electrical Distribution Panel
 Fiberglass Stringer System (Foam Filled)
 Fish Boxes w/Macerator Pump-Out
 Fresh Water w/Pull Out Shower - Cold
 Full Galley - Refrigerator, Microwave & Alcohol/Electric Stove
 Galvanic Isolator
 Gauges - Digital
 Grab Rails - Stainless Steel
 Gunnel Trim - Rigid Vinyl w/ SS Insert
 Hand Laid Knitted Fiberglass Fabric (Hull Structure)
 Head - Hot & Cold Shower & Sink (w/Storage)
 Head - Vacuum Flush w/Overboard & Dockside Discharge
 Horn - Electric
 Mid-Cabin Berth w/Privacy Curtain
 NMMA Certified
 Rod Holders - 2 Pair
 Rod Holders - 4 Transom Mounted
 Rod Racks - Cockpit (4) Horizontal
 Rope Locker Storage
 Safety Engine Kill Switch
 Seating - Command Seat
 Seating - Folding Rear Bench
 Seating - Lounge w/Bolster & Storage (Port)
 Shore Power w/Cord (30 Amp)
 Steering - Hydraulic w/Tilt (Verado - Power)
 Storage - Tackle
 Striping - Waterline
 Switch and Breaker Panel
 Top - Hard Top w/Lighting, Hatches, Rod Holders (4 Vertical) & Curtain Wall (Aft)
 Transom Door
 Trim Tabs w/ Indicator
 Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent
 Water Heater
 Windlass w/Rope & Chain
 Windshield - Tempered Glass w/Opening Side Vents & Powered Center Vent
 Windshield Wiper - Starboard & Port

OPTIONAL EQUIPMENT

Air Conditioner w/Heater & Windshield Defroster
 Baitwell & Light , Port Side (In Lieu of Sink)
 Bow Thruster
 Cabin Floor - Teak & Holly
 Cabin Floor - Woodgrain (Laminated)
 Cabin Liner - Tournament w/Bunk Beds (Sleeps 6)
 Curtain - Aft Enclosure
 Dive Ladder
 Generator (Gas) 5.0 kw w/Carbon Monoxide Detector & Auto Shut Off
 Graphics - Hull Sides - Black
 Graphics - Hull Sides - Blue
 Graphics - Hull Sides - Charcoal
 Ice Maker
 Light - Remote Spot
 Lights - Spreader
 Lights - Underwater (1 Pair) Blue or Green
 Misting System
 Outriggers
 Seating - Helm Bench
 Shrink Wrap
 Steering - Power Assist
 Stereo - AM/FM w/Remote, 6 Speakers & iPod Controls w/250 Song Memory
 Stereo - Sirius Upgrade
 Television (Flatscreen) w/DVD Player
 Top - Full Aft Wall (Hard) w/Swing Open Door & Sliding Windows
 Windlass - Foot Switch

Electronics Pkg 2

Garmin 500C Fishfinder
 Garmin GPSMap 441
 VHF Radio - Icom

Electronics Pkg 3

Garmin GPSMap 4208
 VHF Radio - Icom

- * Optional XM Weather
- * Optional 1kw In-Hull Transducer

Electronics Pkg 4

Garmin GPSMap 5208
 VHF Radio - Icom
 XM Weather

- * Optional 1kw In-Hull Transducer
- * Optional 2nd Garmin GPSMap 5208

Electronics Pkg 5

Garmin GMR 24 Radar
 Garmin GPSMap 5212
 VHF Radio - Icom
 XM Weather

- * Optional 1kw In-Hull Transducer
- * Optional 2nd Garmin GPSMap 5212



2013 PIG

20 Sport

Revised: 1/13/2014 9:41:39 AM

SPECIFICATIONS

| | |
|------------------|-----------|
| Length | 20' 6" |
| Beam | 8' 5" |
| Draft (Hull) | 15" |
| Deadrise | 19 deg |
| Fuel | 70 gal |
| Weight - Hull | 2,600 lbs |
| Weight - Trailer | 3,700 lbs |
| Cockpit Area | 81 sq ft |
| Cockpit Depth | 24" |
| Bridge Clearance | 5' 10" |
| w/ Top | 8' 0" |
| Max HP | 200 |
| Baitwell | 18 gal |
| Fishbox | 25 gal |

ENGINE SELECTION MODEL MPH

| Boat Only | | |
|-----------------|--------------|---------|
| Evinrude | 150 E-Tec | 41 - 43 |
| | 175 E-Tec | 41 - 43 |
| Mercury | 150 Verado | 38 - 40 |
| | 175 Verado | |
| Suzuki | 140 4-Stroke | 36 - 38 |
| | 150 4-Stroke | 41 - 43 |
| | 175 4-Stroke | 41 - 43 |

All 25" Shafts

Color Choice - White Carbon Fiber Viny

- Black Accent
- Blue Accent
- Graphite Accent

STANDARD EQUIPMENT

- 10 Year Hull Structure Warranty
- ABYC Color Coded Wiring w/ Shrink Connections
- Baitwell w/Raw Water Washdown & Light
- Bilge Pump
- Bow Handrail - Stainless Steel (Low Profile)
- Casting Deck - Insulated Fish Box/Storage Box
- Center Console w/Enclosed Head
- Cleats - 6
- Compass
- Composite Construction - Floors & Transom
- Drink Holders - Stainless Steel
- Fiberglass Stringer System (Foam Filled)
- Gauges (Analog) - Fuel, MPH, RPM, Trim, Volt
- Glove Box w/Lock
- Grab Rail (Stainless Steel) - Windshield
- Gunnel Trim - Rigid Vinyl
- Half Dive Platform w/Ladder
- Hand Laid Knitted Fiberglass Fabric (Hull Structure)
- Horn - Electric
- NMMA Certified
- Rod Holders - 1 Pair
- Rod Racks - Cockpit (6) Horizontal
- Rope Locker Storage
- Safety Engine Kill Switch
- Seating - Aft Jump (2 Molded)
- Seating - Aluminum Leaning Post
- Steering - Hydraulic (Verado - Power Steering Not Included)
- Storage - Floor
- Striping - Waterline
- Switch and Breaker Panel
- Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent
- Windshield

OPTIONAL EQUIPMENT

- Anchor Roller w/Cleat
- Battery Switch for Dual Batteries
- Bow Cushions w/Bolsters
- Cooler - Leaning Post
- Cooler w/Cushion & Backrest - Forward Console
- Gauges - Digital BRP (Single Engine)
- Gauges - Digital Suzuki (Single Engine)
- Graphics - Hull Sides - Black
- Graphics - Hull Sides - Blue
- Graphics - Hull Sides - Charcoal
- Gunnel Insert - Stainless Steel
- Head - Porta-Potti w/Dockside Discharge
- Light - Remote Spot (Requires T-Top)
- Lights - Spreader (Requires T-Top)
- Seating - Aluminum Leaning Post w/Backrest & Rod Holders
- Seating - Flip Up Forward Console
- Shrink Wrap
- Steering - Tilt Upgrade
- Stereo - AM/FM w/4 Speakers & iPod Controls w/250 Song Memory
- Stereo - Sirius Upgrade
- Top - Bimini Top
- Top - T-Top (Rigid) w/Storage Box
- Top - T-Top (Rigid) w/Storage Box & Outriggers
- Trim Tabs
- Trim Tab Indicators

Convenience Pkg

- 12-Volt Receptacle
- Cockpit Bolsters
- Cockpit Lights
- Head - Porta-Potti (Inside Console)
- Rod Holders - 1 Additional Pair

Electronics Pkg 1

- Garmin GPSMap 441
- VHF Radio - Icom

Electronics Pkg 2

- Garmin 500C Fishfinder
- Garmin GPSMap 441
- VHF Radio - Icom

Tournament Pkg

- Battery Switch for Dual Batteries
- Convenience Pkg
- Lights - Spreader
- Top - T-Top (Rigid) w/Storage Box

Tournament Pkg w/Outrigger

- Battery Switch for Dual Batteries
- Convenience Pkg
- Lights - Spreader
- Top - T-Top (Rigid) w/Storage Box



2013 PIG

23 Dual Console

Revised: 1/13/2014 9:41:39 AM

SPECIFICATIONS

| | |
|------------------|-----------|
| Length | 23' 0" |
| Beam | 8' 6" |
| Draft (Hull) | 17" |
| Deadrise | 20 deg |
| Fuel | 125 gal |
| Weight - Hull | 3,920 lbs |
| Weight - Trailer | 5,975 lbs |
| Cockpit Area | 65 sq ft |
| Cockpit Depth | 25" |
| Bridge Clearance | 5' 11" |
| Max HP | 300 |
| Baitwell | 18 gal |
| Fishbox (2) | 60 gal |
| Head Headroom | 4' 0" |

| ENGINE SELECTION | MODEL | MPH |
|------------------|--------------------|---------|
| Boat Only | | |
| Evinrude | 200 E-Tec (200 ci) | 46 - 48 |
| | 225 E-Tec | |
| | 250 E-Tec | |
| | 300 E-Tec | |
| Mercury | 225 Verado | 44 - 46 |
| | 250 Verado | |
| | 300 Verado | |
| Suzuki | 200 4-Stroke | 40 - 42 |
| | 225 4-Stroke | |
| | 250 4-Stroke | |
| | 300 4-Stroke | |

All 25" Shafts

Color Choice - White Carbon Fiber Viny

- Black Accent
- Blue Accent
- Graphite Accent

STANDARD EQUIPMENT

- 10 Year Hull Structure Warranty
- ABYC Color Coded Wiring w/ Shrink Connections
- Anchor Roller
- Baitwell w/Raw Water Washdown & Light
- Bilge Pump
- Bow Handrail - Stainless Steel (Low Profile)
- Cleats - 6
- Compass
- Composite Construction - Floors & Transom
- Console - Dual w/Head & Storage Compartments
- Dive Platform - Integrated w/Ladder
- Drink Holders - Stainless Steel
- Fiberglass Stringer System (Foam Filled)
- Gauges (Analog) - Fuel, MPH, RPM, Trim, Volt (Digital - Suzuki 300)
- Glove Box w/Lock
- Gunnel Trim - Rigid Vinyl
- Hand Laid Knitted Fiberglass Fabric (Hull Structure)
- Horn - Electric
- NMMA Certified
- Rod Holders - 1 Pair
- Rod Racks - Cockpit (6) Horizontal
- Rope Locker Storage
- Safety Engine Kill Switch
- Seating - Bow
- Seating - Captains Chairs
- Steering - Hydraulic (Verado - Power)
- Storage - Floor
- Striping - Waterline
- Switch and Breaker Panel
- Transom Door
- Trim Tabs
- Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent
- Windshield - Tempered Glass w/Pass-Thru & Curtain

OPTIONAL EQUIPMENT

- Battery Switch for Dual Batteries
 - Bow Cushions w/Bolsters
 - Cockpit Shower - Cold (10 gal)
 - Curtain Package (Bimini Top)
 - Gauges - Digital BRP (Single Engine)
 - Gauges - Digital Suzuki (Single Engine)
 - Graphics - Hull Sides - Black
 - Graphics - Hull Sides - Blue
 - Graphics - Hull Sides - Charcoal
 - Gunnel Insert - Stainless Steel
 - Head - Porta-Potti (Inside Console)
 - Seating - Back to Back (Port)
 - Seating - Back to Back (Starboard)
 - Seating - Folding Rear Bench
 - Seating - Lounge (Port)
 - Seating - Lounge (Starboard)
 - Shrink Wrap
 - Steering - Tilt Upgrade
 - Stereo - AM/FM w/4 Speakers & iPod
 - Controls w/250 Song Memory
 - Stereo - Sirius Upgrade
 - Top - Bimini Top
 - Trim Tab Indicators
- #### Convenience Pkg
- 12-Volt Receptacle
 - Cockpit Bolsters
 - Cockpit Lights
 - Rod Holders (1 Pair)
- #### Electronics Pkg 1
- Garmin GPSMap 441
 - VHF Radio - Icom
- #### Electronics Pkg 2
- Garmin 500C Fishfinder
 - Garmin GPSMap 441
 - VHF Radio - Icom



2013 PIG

23 Sport

Revised: 1/13/2014 9:41:39 AM

SPECIFICATIONS

| | |
|------------------|-----------|
| Length | 23' 0" |
| Beam | 8' 6" |
| Draft (Hull) | 17" |
| Deadrise | 20 deg |
| Fuel | 125 gal |
| Weight - Hull | 3,540 lbs |
| Weight - Trailer | 5,560 lbs |
| Cockpit Area | 86 sq ft |
| Cockpit Depth | 25" |
| Bridge Clearance | 6' 8" |
| w/ Top | 9' 8" |
| Max HP | 300 |
| Baitwell | 18 gal |
| Fishbox (2) | 60 gal |

ENGINE SELECTION MODEL MPH

| Boat Only | | |
|-----------------|--------------------|---------|
| Evinrude | 200 E-Tec (200 ci) | 42 - 44 |
| | 225 E-Tec | 44 - 46 |
| | 250 E-Tec | 46 - 48 |
| | 300 E-Tec | |
| | Twin 115 E-Tec | |
| Twin 150 E-Tec | | |
| Mercury | 225 Verado | 42 - 44 |
| | 250 Verado | 47 - 49 |
| | 300 Verado | |
| | Twin 150 Verado | |
| Suzuki | 200 4-Stroke | 40 - 42 |
| | 225 4-Stroke | 42 - 44 |
| | 250 4-Stroke | 45 - 47 |
| | 300 4-Stroke | 49 - 51 |
| | Twin 140 4-Stroke | 45 - 47 |
| | Twin 150 4-Stroke | |

All 25" Shafts

Color Choice - White Carbon Fiber Viny

- Black Accent
- Blue Accent
- Graphite Accent

STANDARD EQUIPMENT

- 10 Year Hull Structure Warranty
- ABYC Color Coded Wiring w/ Shrink Connections
- Anchor Roller
- Baitwell w/Raw Water Washdown & Light
- Bilge Pump
- Bow Handrail - Stainless Steel (Low Profile)
- Casting Deck - Insulated Fish Box/Storage Box
- Center Console w/Enclosed Head
- Cleats - 6
- Compass
- Composite Construction - Floors & Transom
- Dive Platform - Integrated w/Ladder
- Drink Holders - Stainless Steel
- Fiberglass Stringer System (Foam Filled)
- Gauges (Analog) - Fuel, MPH, RPM, Trim, Volt (Digital - Suzuki 300)
- Glove Box
- Grab Rail (Stainless Steel) - Windshield
- Gunnel Trim - Rigid Vinyl
- Hand Laid Knitted Fiberglass Fabric (Hull Structure)
- Horn - Electric
- NMMA Certified
- Rod Holders - 1 Pair
- Rod Racks - Cockpit (6) Horizontal
- Rope Locker Storage
- Safety Engine Kill Switch
- Seating - Aluminum Leaning Post
- Seating - Forward Console w/Cushion & Storage
- Steering - Hydraulic (Verado - Power)
- Storage - Floor
- Striping - Waterline
- Switch and Breaker Panel
- Transom Door
- Trim Tabs
- Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent
- Windshield

OPTIONAL EQUIPMENT

- Battery Switch for Dual Batteries
- Bow Cushions w/Bolsters
- Cockpit Shower - Cold (10 gal)
- Cooler - Leaning Post
- Gauges - Digital BRP (Single Engine)
- Gauges - Digital Suzuki (Single Engine)
- Graphics - Hull Sides - Black
- Graphics - Hull Sides - Blue
- Graphics - Hull Sides - Charcoal
- Gunnel Insert - Stainless Steel
- Head - Porta-Potti (Inside Console)
- Head - Porta-Potti w/Dockside Discharge
- Light - Remote Spot (Requires T-Top)
- Lights - Spreader (Requires T-Top)
- Seating - Aluminum Leaning Post w/Backrest & Rod Holders
- Seating - Folding Rear Bench
- Shrink Wrap
- Steering - Tilt Upgrade
- Stereo - AM/FM w/4 Speakers & iPod Controls w/250 Song Memory
- Stereo - Sirius Upgrade
- Top - Bimini Top
- Top - T-Top (Rigid) w/Storage Box
- Top - T-Top (Rigid) w/Storage Box & Outriggers
- Trim Tab Indicators

Convenience Pkg

- 12-Volt Receptacle
- Cockpit Bolsters
- Cockpit Lights
- Rod Holders (1 Pair)

Electronics Pkg 1

- Garmin GPSMap 441
- VHF Radio - Icom

Electronics Pkg 2

- Garmin 500C Fishfinder
- Garmin GPSMap 441
- VHF Radio - Icom

Tournament Pkg

- Battery Switch for Dual Batteries
- Convenience Pkg
- Lights - Spreader
- Top - T-Top (Rigid) w/Storage Box

Tournament Pkg w/Outrigger

- Battery Switch for Dual Batteries
- Convenience Pkg
- Lights - Spreader
- Top - T-Top (Rigid) w/Storage Box



2013 PIG

26 Super Sport

Revised: 1/13/2014 9:41:39 AM

SPECIFICATIONS

| | |
|------------------|-----------|
| Length | 26' 4" |
| Beam | 8' 6" |
| Draft (Hull) | 18" |
| Deadrise | 22 deg |
| Fuel | 156 gal |
| Weight - Hull | 4,400 lbs |
| Weight - Trailer | 7,040 lbs |
| Cockpit Area | 92 sq ft |
| Cockpit Depth | 27" |
| Bridge Clearance | 6' 10" |
| w/ Top | 9' 2" |
| Max HP | 450 |
| Baitwell | 20 gal |
| Opt LP Baitwell | 25 gal |
| Fishbox (2) | 74 Gal |
| Fresh Water | 15 gal |

ENGINE SELECTION MODEL

MPH

| Boat Only | | | | |
|-----------------|------|----------|----------------|---------|
| Evinrude | 250 | E-Tec | | |
| | 300 | E-Tec | | |
| | Twin | 150 | E-Tec | 48 - 50 |
| | Twin | 200 | E-Tec (200 ci) | |
| | Twin | 225 | E-Tec | 57 - 59 |
| Mercury | 250 | Verado | 42 - 44 | |
| | 300 | Verado | | |
| | Twin | 150 | Verado | 43 - 45 |
| | Twin | 175 | Verado | |
| | Twin | 200 | Verado - 4 cyl | |
| Twin | 225 | Verado | 52 - 54 | |
| Suzuki | 250 | 4-Stroke | 41 - 43 | |
| | 300 | 4-Stroke | 45 - 47 | |
| | Twin | 150 | 4-Stroke | 45 - 47 |
| | Twin | 175 | 4-Stroke | |
| | Twin | 200 | 4-Stroke | 53 - 55 |
| | Twin | 225 | 4-Stroke | 53 - 55 |

25" Shafts for Twin/30" for Single

Color Choice - White Carbon Fiber Viny

- Black Accent
- Blue Accent
- Graphite Accent

STANDARD EQUIPMENT

| |
|--|
| 10 Year Hull Structure Warranty |
| 12-Volt Receptacle |
| ABYC Color Coded Wiring w/ Shrink Connections |
| Baitwell w/Raw Water Washdown & Light |
| Bilge Pumps (2) - 1 Forward, 1 Aft |
| Bow Handrail - Stainless Steel |
| Bow Pulpit w/Anchor Roller |
| Casting Deck w/Storage |
| Center Console w/Enclosed Head |
| Cleats - 7 |
| Cockpit Shower - Cold |
| Compass |
| Composite Construction - Floors & Transom |
| Dive Platform - Integrated w/Ladder |
| Drink Holders - Stainless Steel |
| Fiberglass Stringer System (Foam Filled) |
| Fish Boxes w/Macerator |
| Gauges - Digital |
| Gunnel Trim - Rigid Vinyl |
| Hand Laid Knitted Fiberglass Fabric (Hull Structure) |
| Horn - Electric |
| NMMA Certified |
| Rod Holders - 2 Pair |
| Rod Racks - Cockpit (8) Horizontal |
| Rope Locker Storage |
| Safety Engine Kill Switch |
| Seating - Aluminum Leaning Post w/Backrest, Rod Holders & Cooler |
| Seating - Folding Rear Bench |
| Seating - Forward Console w/Cushion & Storage |
| Steering - Hydraulic (Verado - Power) |
| Storage - Bow |
| Storage - Floor |
| Striping - Waterline |
| Switch and Breaker Panel |
| Transom Door |
| Trim Tabs |
| Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent |
| Windshield - Tempered Glass |

OPTIONAL EQUIPMENT

| |
|---|
| Battery Switch for Dual Batteries |
| Bow Cushions |
| Cockpit Bolsters |
| Cockpit Lights |
| Dive Ladder (Single Engine Only) |
| Graphics - Hull Sides - Black |
| Graphics - Hull Sides - Blue |
| Graphics - Hull Sides - Charcoal |
| Gunnel Insert - Stainless Steel |
| Head - Porta-Potti |
| Head - Porta-Potti w/Dockside Discharge |
| Light - Remote Spot (Requires T-Top) |
| Lights - Spreader (Requires T-Top) |
| Misting System - Requires T-Top |
| Seating - Double Drop-Out w/Cooler |
| Shrink Wrap |
| Steering - Tilt Upgrade |
| Stereo - AM/FM w/4 Speakers & iPod Controls w/250 Song Memory |
| Stereo - Sirius Upgrade |
| Top - Bimini Top |
| Top - T-Top (Rigid) w/Storage Box |
| Top - T-Top (Rigid) w/Storage Box & Outriggers |
| Trim Tab Indicators |
| Windlass w/Rope & Chain |

Electronics Pkg 2

| |
|------------------------|
| Garmin 500C Fishfinder |
| Garmin GPSMap 441 |
| VHF Radio - Icom |

Electronics Pkg 3

| |
|--------------------|
| Garmin GPSMap 4208 |
| VHF Radio - Icom |

* Optional XM Weather

* Optional 1kw In-Hull Transducer

Tournament Pkg

| |
|-----------------------------------|
| Battery Switch for Dual Batteries |
| Cockpit Bolsters |
| Cockpit Lights |
| Lights - Spreader |
| Top - T-Top (Rigid) w/Storage Box |

Tournament Pkg w/Outrigger

| |
|-----------------------------------|
| Battery Switch for Dual Batteries |
| Cockpit Bolsters |
| Cockpit Lights |
| Lights - Spreader |
| Top - T-Top (Rigid) w/Storage Box |



2013 PIG

29 Grand Sport

Revised: 1/13/2014 9:41:39 AM

SPECIFICATIONS

| | |
|----------------------|-----------|
| Length | 29' 4" |
| Beam | 9' 8" |
| Draft (Hull) | 22" |
| Deadrise | 22 deg |
| Fuel | 240 gal |
| Weight - Hull Est | 6,310 lbs |
| Weight - Trailer Est | 9,530 lbs |
| Cockpit Area | 127 sq ft |
| Cockpit Depth | 26" |
| Bridge Clearance | 7' 11" |
| w/ Hard Top | 10' 4" |
| Max HP | 600 |
| Baitwell | 50 gal |
| Fishbox (2) | 130 gal |
| Fresh Water | 15 gal |

ENGINE SELECTION MODEL

MPH

| Boat Only | | | | |
|-----------------|------|-----|----------|---------|
| Evinrude | Twin | 250 | E-Tec | 50 - 52 |
| | Twin | 300 | E-Tec | |
| Mercury | Twin | 250 | Verado | 51 - 53 |
| | Twin | 300 | Verado | 53 - 55 |
| Suzuki | Twin | 250 | 4-Stroke | 53 - 55 |
| | Twin | 300 | 4-Stroke | 55 - 57 |

All 30" Shafts

Color Choice - White Carbon Fiber Vinyl

- Black Accent
- Blue Accent
- Graphite Accent

STANDARD EQUIPMENT

| |
|--|
| 10 Year Hull Structure Warranty |
| 12-Volt Receptacle |
| ABYC Color Coded Wiring w/ Shrink Connections |
| Baitwell w/Raw Water Washdown & Light |
| Battery Switch for Dual Batteries |
| Bilge Pumps (3) - 1 Forward, 2 Aft |
| Bow Handrail - Stainless Steel |
| Bow Pulpit w/Anchor Roller |
| Casting Deck w/Storage |
| Center Console w/Enclosed Head (Porta-Potti) |
| Cleats - 7 |
| Cockpit Bolsters - Fore & Aft |
| Cockpit Lights |
| Cockpit Shower - Cold |
| Compass |
| Composite Construction - Floors & Transom |
| Dive Platform - Integrated w/Ladder |
| Drink Holders - Stainless Steel |
| Fiberglass Stringer System (Foam Filled) |
| Fish Boxes - Fwd w/Overboard Drain |
| Fish Boxes Aft w/Macerator |
| Gauges - Digital |
| Gunnel Trim - Rigid Vinyl w/ SS Insert |
| Hand Laid Knitted Fiberglass Fabric (Hull Structure) |
| Horn - Electric |
| NMMA Certified |
| Rod Holders - 2 Pair |
| Rod Holders - 4 Transom Mounted |
| Rod Racks - Cockpit (4) Horizontal |
| Rope Locker Storage |
| Safety Engine Kill Switch |
| Seating - Fiberglass w/Baitwell, Sink & Backrest |
| Seating - Folding Rear Bench |
| Seating - Forward Console w/Cushion & Storage |
| Steering - Hydraulic w/Tilt (Verado - Power) |
| Storage - Floor |
| Storage - Tackle |
| Striping - Waterline |
| Switch and Breaker Panel |
| Transom Door |
| Trim Tabs w/ Indicator |
| Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent |
| Windshield - Curved Glass |

OPTIONAL EQUIPMENT

| |
|---|
| Battery Charger - 2 Bank |
| Bow Cushions |
| Bow Thruster |
| Dive Ladder |
| Graphics - Hull Sides - Black |
| Graphics - Hull Sides - Blue |
| Graphics - Hull Sides - Charcoal |
| Head - Electric w/Macerator, Holding Tank w/Dockside & Direct Overboard Discharge |
| Head - Porta-Potti w/Dockside Discharge |
| Head - Vacuum Flush w/Holding Tank & Direct Overboard Discharge |
| Light - Remote Spot (Requires T-Top) |
| Lights - Spreader (Requires T-Top) |
| Lights - Underwater (1 Pair) Blue or Green |
| Misting System - Requires T-Top |
| Rod Rack - Inside Console (4) |
| Seating - Dual Command |
| Shrink Wrap |
| Stereo - AM/FM w/4 Speakers & iPod Controls w/250 Song Memory |
| Stereo - Sirius Upgrade |
| Top - Bimini Top |
| Top - T-Top (Rigid) w/Storage Box |
| Top - T-Top (Rigid) w/Storage Box & Outriggers |
| Windlass - Foot Switch (Requires Windlass) |
| Windlass w/Rope & Chain |
| Windshield Wiper |
| Electronics Pkg 2 |
| Garmin 500C Fishfinder |
| Garmin GPSMap 441 |
| VHF Radio - Icom |
| Electronics Pkg 3 |
| Garmin GPSMap 4208 |
| VHF Radio - Icom |
| * Optional XM Weather |
| * Optional 1kw In-Hull Transducer |
| Electronics Pkg 4 |
| Garmin GPSMap 5208 |
| VHF Radio - Icom |
| XM Weather |
| * Optional 1kw In-Hull Transducer |
| * Optional 2nd Garmin GPSMap 5208 |
| Electronics Pkg 5 |
| Garmin GMR 24 Radar |
| Garmin GPSMap 5212 |
| VHF Radio - Icom |
| XM Weather |
| * Optional 1kw In-Hull Transducer |
| * Optional 2nd Garmin GPSMap 5212 |