



PRO LINE

PROLINEBOATS.COM • 800.344.1281

32 EXPRESS



SPECS

- Length . . . 32' 4"
- Beam . . . 10' 10"
- Draft (Hull) . . . 23"
- Deadrise . . . 22 deg
- Fuel . . . 289 gal
- Weight - Hull . . . 9,500 lbs
- Weight - Trailer . . . 13,400 lbs
- Cockpit Area . . . 81 sq ft
- Cockpit Depth . . . 29"
- Bridge Clearance . . . 8' 3"
- w/ Hard Top . . . 10' 0"
- Max HP . . . 600
- Baitwell . . . 25 gal
- Fishbox (2) . . . 125 gal
- Fresh Water . . . 39 gal

PRO LINE

prolineboats.com • 800.344.1281



While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

32 EXPRESS



STANDARD EQUIPMENT

10 Year Hull Structure Warranty
110v Outlets - GFI Protected
12-Volt Receptacle
ABYC Color Coded Wiring w/ Shrink Connections
Baitwell w/Raw Water Washdown & Light
Battery Charger
Battery Switch for Dual Batteries
Bilge Pump (1) w/High Water Alarm (Aft)
Bilge Pumps (2) - Auto-Manual (1 Fwd, 1 Aft)
Bonding System
Bow Handrail - Stainless Steel
Bow Pulpit w/Anchor Roller
Cabin Cushion(s)
Cabin Door - Acrylic
Cabin Hatch
Cabin Lights
Cabin Portholes w/ Curtains
Cabin Table w/Filler Cushion
City Water Hook-Up
Cleats - 7
Cockpit Bolsters
Cockpit Lights
Compass
Composite Construction - Floors & Transom
Dive Platform - Integrated w/Ladder
Drink Holders - Stainless Steel
Electrical Distribution Panel
Fiberglass Stringer System (Foam Filled)
Fish Boxes w/Macerator
Fresh Water w/Pull Out Shower - Hot & Cold
Full Galley - Refrigerator, Microwave & Alcohol/Electric Stove
Galvanic Isolator
Gauges - Digital
Gunnel Trim - Rigid Vinyl w/ SS Insert
Hand Laid Knitted Fiberglass Fabric (Hull Structure)
Head - Hot & Cold Shower & Sink (w/Storage)
Head - Vacuum Flush w/Overboard & Dockside Discharge
Horn - Electric
Mid-Cabin Berth w/Privacy Curtain
Mid-Cabin Window w/Screen & Curtain
NMMA Certified
Rod Holders - 2 Pair
Rod Racks - Cockpit (4) Horizontal

Rope Locker Storage
Safety Engine Kill Switch
Seating - Command Seat
Seating - Folding Rear Bench
Seating - Lounge w/Bolster
Shore Power w/Cord (30 Amp)
Steering - Hydraulic w/Tilt (Verado - Power)
Storage - Tackle
Striping - Waterline
Switch and Breaker Panel
Transom Door
Trim Tabs w/ Indicator
Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent
Water Heater
Windlass w/Rope & Chain
Windshield - Tempered Glass w/Vent
Windshield Wiper - Starboard & Port

PRO LINE
prolineboats.com • 800.344.1281



While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

32 EXPRESS

ENGINES

Mercury	Twin 250 Verado Twin 300 Verado
Suzuki	Twin 250 4-Stroke Twin 300 4-Stroke

OPTIONS

Air Conditioner w/Heater
Bow Thruster
Cabin Floor - Woodgrain (Laminated)
Cabin Floor & Steps - Teak & Holly
Cabin Liner - Tournament w/Bunk Beds (Sleeps 6)
Curtain Package (Hard Top)
Dive Ladder
Generator (Gas) 5.0 kw w/Carbon Monoxide Detector & Auto Shut Off
Graphics - Hull Sides - Black
Graphics - Hull Sides - Blue
Graphics - Hull Sides - Charcoal
Light - Remote Spot (Requires Hard Top)
Lights - Spreader (Requires Hard Top)
Lights - Underwater (1 Pair) Blue or Green
Misting System - Requires Hard Top
Shrink Wrap
Stereo - AM/FM w/Remote, 4 Speakers & iPod Controls w/250 Song Memory
Stereo - Sirius Upgrade
Television (Flatscreen) w/DVD Player
Top - Hard Top w/Storage Box
Top - Hard Top w/Storage Box & Outriggers
Windlass - Foot Switch

OPTION PACKAGES

Electronics Pkg 2
Garmin 500C Fishfinder
Garmin GPSMap 441
VHF Radio - Icom

Electronics Pkg 3
Garmin GPSMap 4208
VHF Radio - Icom
* Optional XM Weather
* Optional 1kw In-Hull Transducer

Electronics Pkg 4
Garmin GPSMap 5208
VHF Radio - Icom
XM Weather
* Optional 1kw In-Hull Transducer
* Optional 2nd Garmin GPSMap 5208

Electronics Pkg 5
Garmin GMR 24 Radar
Garmin GPSMap 5212
VHF Radio - Icom
XM Weather
* Optional 1kw In-Hull Transducer
* Optional 2nd Garmin GPSMap 5212



PRO LINE

prolineboats.com • 800.344.1281

While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

32 XP



SPECS

Length . . . 32' 4"
Beam . . . 10' 10"
Draft (Hull) . . . 23"
Deadrise . . . 22 deg
Fuel . . . 289 gal
Weight - Hull . . . 11,500 lbs

Weight - Trailer . . . 15,400 lbs
Cockpit Area . . . 61 sq ft
Cockpit Depth . . . 29"
Bridge Clearance . . . 9' 10"
Max HP . . . 600
Baitwell . . . 20 gal

Fishbox (2) . . . 125 gal
Fresh Water . . . 39 gal
Headroom - Cabin . . . 6' 7"
Headroom - Helm . . . 6' 8"
Ice Maker (Per Day) . . . 23 lbs
Water Heater . . . 6 gal



prolineboats.com • 800.344.1281



While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

32 XP



STANDARD EQUIPMENT

10 Year Hull Structure Warranty
110v Outlets - GFI Protected
12-Volt Receptacle
ABYC Color Coded Wiring w/ Shrink Connections
Baitwell w/Raw Water Washdown & Light
Battery Charger
Battery Switch for Dual Batteries
Bilge Pump (1) w/High Water Alarm (Aft)
Bilge Pumps (2) - Auto-Manual (1 Midship, 1 Aft)
Bonding System
Bow Handrail - Stainless Steel
Bow Pulpit w/Anchor Roller
Cabin Cushion(s)
Cabin Door - Acrylic
Cabin Hatches (2)
Cabin Lights
Cabin Portholes w/ Curtains
Cabin Table w/Filler Cushion
City Water Hook-Up
Cleats - 7
Cockpit Bolsters
Cockpit Lights
Compass
Composite Construction - Floors & Transom
Dive Platform - Integrated w/Ladder
Drink Holders - Stainless Steel
Electrical Distribution Panel
Fiberglass Stringer System (Foam Filled)
Fish Boxes w/Macerator Pump-Out
Fresh Water w/Pull Out Shower - Cold
Full Galley - Refrigerator, Microwave & Alcohol/Electric Stove
Galvanic Isolator
Gauges - Digital
Grab Rails - Stainless Steel
Gunnel Trim - Rigid Vinyl w/ SS Insert
Hand Laid Knitted Fiberglass Fabric (Hull Structure)
Head - Hot & Cold Shower & Sink (w/Storage)
Head - Vacuum Flush w/Overboard & Dockside Discharge
Horn - Electric
Mid-Cabin Berth w/Privacy Curtain
NMMA Certified
Rod Holders - 2 Pair
Rod Holders - 4 Transom Mounted

Rod Racks - Cockpit (4) Horizontal
Rope Locker Storage
Safety Engine Kill Switch
Seating - Command Seat
Seating - Folding Rear Bench
Seating - Lounge w/Bolster & Storage (Port)
Shore Power w/Cord (30 Amp)
Steering - Hydraulic w/Tilt (Verado - Power)
Storage - Tackle
Striping - Waterline
Switch and Breaker Panel
Top - Hard Top w/Lighting, Hatches, Rod Holders (4 Vertical) & Curtain Wall (Aft)
Transom Door
Trim Tabs w/ Indicator
Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent
Water Heater
Windlass w/Rope & Chain
Windshield - Tempered Glass w/Opening Side Vents & Powered Center Vent
Windshield Wiper - Starboard & Port

PRO LINE
prolineboats.com • 800.344.1281



While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

32 XP

ENGINES

Mercury	Twin 250 Verado Twin 300 Verado
Suzuki	Twin 250 4-Stroke Twin 300 4-Stroke

OPTIONS

Air Conditioner (16k BTU) - Cabin Unit
Air Conditioner (16k BTU) - Cabin Unit (220 Volt)
Air Conditioner (18k BTU) w/Heater & Windshield Defroster
Air Conditioner (18k BTU) w/Heater & Windshield Defroster (220 Volt)
Baitwell & Light , Port Side (In Lieu of Sink)
Bow Thruster
Cabin Floor - Teak & Holly
Cabin Floor - Woodgrain (Laminated)
Cabin Liner - Tournament w/Bunk Beds (Sleeps 6)
Curtain - Aft Enclosure
Dive Ladder
Generator (Gas) 4.0 kw w/Carbon Monoxide Detector & Auto Shut Off (220 Volt)
Generator (Gas) 5.0 kw w/Carbon Monoxide Detector & Auto Shut Off
Graphics - Hull Sides - Black
Graphics - Hull Sides - Blue
Graphics - Hull Sides - Charcoal
Ice Maker
Light - Remote Spot
Lights - Spreader
Lights - Underwater (1 Pair) Blue or Green
Misting System
Outriggers
Seating - Helm Bench
Shore Power w/Cord - 220 Volt Upgrade
Shrink Wrap
Steering - Power Assist
Stereo - AM/FM w/Remote, 4 Speakers & iPod Controls w/250 Song Memory
Stereo - Sirius Upgrade
Television (Flatscreen) w/DVD Player
Top - Full Aft Wall (Hard) w/Swing Open Door & Sliding Windows
Windlass - Foot Switch

OPTION PACKAGES

Electronics Pkg 2

Garmin 500C Fishfinder
Garmin GPSMap 441
VHF Radio - Icom

Electronics Pkg 3

Garmin GPSMap 4208
VHF Radio - Icom
* Optional XM Weather
* Optional 1kw In-Hull Transducer

Electronics Pkg 4

Garmin GPSMap 5208
VHF Radio - Icom
XM Weather
* Optional 1kw In-Hull Transducer
* Optional 2nd Garmin GPSMap 5208

Electronics Pkg 5

Garmin GMR 24 Radar
Garmin GPSMap 5212
VHF Radio - Icom
XM Weather
* Optional 1kw In-Hull Transducer
* Optional 2nd Garmin GPSMap 5212



prolineboats.com • 800.344.1281

While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

26 EXPRESS

SPECS

Length . . . 26' 4"
Beam . . . 8' 6"
Draft (Hull) . . . 18"
Deadrise . . . 22 deg
Fuel . . . 187 gal
Weight - Hull . . . 5,380 lbs
Weight - Trailer . . . 8,340 lbs
Cockpit Area . . . 58 sq ft
Cockpit Depth . . . 27"
Bridge Clearance . . . 6' 8"
w/ Top . . . 9' 0"
Max HP . . . 450
Baitwell . . . 20 gal
Fishbox (2) . . . 74 gal
Fresh Water . . . 15 gal



PRO LINE

prolineboats.com • 800.344.1281



While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

26 EXPRESS



STANDARD EQUIPMENT

10 Year Hull Structure Warranty
12-Volt Receptacle
ABYC Color Coded Wiring w/ Shrink Connections
Baitwell w/Raw Water Washdown & Light
Bilge Pumps (2) - 1 Forward, 1 Aft
Bow Handrail - Stainless Steel
Bow Pulpit w/Anchor Roller
Cabin Cushion(s)
Cabin Door - Poly
Cabin Hatch
Cabin Lights
Cabin Portholes
Cabin Sink - Fresh Water
Cabin Table w/Filler Cushion
Cleats - 7
Cockpit Shower - Cold
Compass
Composite Construction - Floors & Transom
Dive Platform - Integrated w/Ladder
Drink Holders - Stainless Steel
Fiberglass Stringer System (Foam Filled)
Fish Boxes w/Macerator Pump-Out
Gauges - Digital
Gunnel Trim - Rigid Vinyl
Hand Laid Knitted Fiberglass Fabric (Hull Structure)
Horn - Electric
NMMA Certified
Rod Holders - 2 Pair
Rod Racks - Cockpit (8) Horizontal
Rope Locker Storage
Safety Engine Kill Switch
Seating - Captains Chairs
Seating - Folding Rear Bench
Steering - Hydraulic (Verado - Power)
Storage - Tackle
Storage - Under Captains Chairs
Striping - Waterline
Switch and Breaker Panel
Transom Door
Trim Tabs
Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent
Windshield - Tempered Glass

ENGINES

Mercury 250 Verado
 300 Verado
 Twin 150 Verado
 Twin 175 Verado
 Twin 200 Verado - 4 cyl
 Twin 225 Verado

Suzuki 250 4-Stroke
 300 4-Stroke
 Twin 150 4-Stroke
 Twin 175 4-Stroke
 Twin 200 4-Stroke
 Twin 225 4-Stroke

OPTIONS

Battery Switch for Dual Batteries
Cockpit Bolsters
Cockpit Lights
Curtain Package (Bimini Top)
Curtain Package (ITS Hard Top)
Dive Ladder (Single Engine Only)
Graphics - Hull Sides - Black
Graphics - Hull Sides - Blue
Graphics - Hull Sides - Charcoal
Gunnel Insert - Stainless Steel
Head - Porta-Potti
Head - Porta-Potti w/Dockside Discharge
Light - Remote Spot (Requires Hard Top)
Lights - Spreader (Requires Hard Top)
Misting System - Requires Hard Top
Seating - Helm Bench w/Storage & Folding Bench
Shrink Wrap
Steering - Tilt Upgrade
Stereo - AM/FM w/4 Speakers & iPod Controls w/250 Song Memory
Stereo - Sirius Upgrade
Top - Bimini Top
Top - ITS Hard Top w/Storage Box
Top - ITS Hard Top w/Storage Box & Outriggers
Trim Tab Indicators
Windlass w/Rope & Chain

OPTION PACKAGES

Electronics Pkg 2
 Garmin 500C Fishfinder
 Garmin GPSMap 44i
 VHF Radio - Icom

Electronics Pkg 3
 Garmin GPSMap 4208
 VHF Radio - Icom
 * Optional XM Weather
 * Optional 1kw In-Hull Transducer

Tournament Pkg
 Battery Switch for Dual Batteries
 Cockpit Bolsters
 Cockpit Lights
 Lights - Spreader
 Top - ITS Hard Top w/Storage Box

Tournament Pkg w/Outriggers
 Battery Switch for Dual Batteries
 Cockpit Bolsters
 Cockpit Lights
 Lights - Spreader
 Top - ITS Hard Top w/Storage Box

While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.



prolineboats.com • 800.344.1281

26 XP



SPECS

Length . . . 26' 4"
Beam . . . 8' 6"
Draft (Hull) . . . 18"
Deadrise . . . 22 deg
Fuel . . . 187 gal
Weight - Hull . . . 5,380 lbs
Weight - Trailer . . . 8,240 lbs
Cockpit Area . . . 58 sq ft
Cockpit Depth . . . 27"
Bridge Clearance . . . 9' 0"
Max HP . . . 450
Baitwell . . . 20 gal
Fishbox (2) . . . 74 gal
Fresh Water . . . 15 gal



PRO LINE

prolineboats.com • 800.344.1281



While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

26 XP

STANDARD EQUIPMENT

10 Year Hull Structure Warranty
12-Volt Receptacle
ABYC Color Coded Wiring w/ Shrink Connections
Baitwell w/Raw Water Washdown & Light
Bilge Pumps (2) - 1 Forward, 1 Aft
Bow Handrail - Stainless Steel
Bow Pulpit w/Anchor Roller
Cabin Cushion(s)
Cabin Door - Poly
Cabin Hatch
Cabin Lights
Cabin Portholes
Cabin Sink - Fresh Water
Cabin Table w/Filler Cushion
Cleats - 7
Cockpit Shower - Cold
Compass
Composite Construction - Floors & Transom
Dive Platform - Integrated w/Ladder
Drink Holders - Stainless Steel
Fiberglass Stringer System (Foam Filled)
Fish Boxes w/Macerator Pump-Out
Gauges - Digital
Gunnel Trim - Rigid Vinyl
Hand Laid Knitted Fiberglass Fabric (Hull Structure)
Horn - Electric
NMMA Certified
Rod Holders - 2 Pair
Rod Racks - Cockpit (8) Horizontal
Rope Locker Storage
Safety Engine Kill Switch
Seating - Captains Chairs
Seating - Folding Rear Bench
Steering - Hydraulic (Verado - Power)
Storage - Tackle
Storage - Under Captains Chairs
Striping - Waterline
Switch and Breaker Panel
Top - Hard Top
Transom Door
Trim Tabs
Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent
Windshield - Tempered Glass

ENGINES

Mercury	250 Verado
	300 Verado
	Twin 150 Verado
	Twin 175 Verado
	Twin 200 Verado - 4 cyl
	Twin 225 Verado
Suzuki	250 4-Stroke
	300 4-Stroke
	Twin 150 4-Stroke
	Twin 175 4-Stroke
	Twin 200 4-Stroke
	Twin 225 4-Stroke

OPTIONS

Battery Switch for Dual Batteries
Cockpit Bolsters
Cockpit Lights
Curtain - Aft Enclosure
Dive Ladder (Single Engine Only)
Graphics - Hull Sides - Black
Graphics - Hull Sides - Blue
Graphics - Hull Sides - Charcoal
Gunnel Insert - Stainless Steel
Head - Porta-Potti
Head - Porta-Potti w/Dockside Discharge
Light - Remote Spot
Light - Spreader
Misting System
Seating - Helm Bench w/Storage & Folding Bench
Shrink Wrap
Steering - Tilt Upgrade
Stereo - AM/FM w/4 Speakers & iPod Controls w/250 Song Memory
Stereo - Sirius Upgrade
Trim Tab Indicators
Windlass w/Rope & Chain
Windshield Wiper - Port
Windshield Wiper - Starboard

OPTION PACKAGES

Electronics Pkg 2
Garmin 500C Fishfinder
Garmin GPSMap 441
VHF Radio - Icom

Electronics Pkg 3
Garmin GPSMap 4208
VHF Radio - Icom
* Optional XM Weather
* Optional 1kw In-Hull Transducer



PRO LINE

prolineboats.com • 800.344.1281

While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

23 EXPRESS



SPECS

- Length . . . 23' 0"
- Beam . . . 8' 6"
- Draft (Hull) . . . 17"
- Deadrise . . . 20 deg
- Fuel . . . 118 gal
- Weight - Hull . . . 3,900 lbs
- Weight - Trailer . . . 6,510 lbs
- Cockpit Area . . . 52 sq ft
- Cockpit Depth . . . 25"
- Bridge Clearance . . . 6' 6"
- w/ Top . . . 9' 0"
- Max HP . . . 300
- Baitwell . . . 18 gal
- Fishbox (2) . . . 80 gal
- Fresh Water (Opt) . . . 10 gal



prolineboats.com • 800.344.1281



While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

23 EXPRESS



STANDARD EQUIPMENT

10 Year Hull Structure Warranty
ABYC Color Coded Wiring w/ Shrink Connections
Anchor Roller
Baitwell w/Raw Water Washdown & Light
Bilge Pump
Bow Handrail - Stainless Steel
Cabin Cushion(s)
Cabin Door - Poly
Cabin Hatch
Cabin Lights
Cabin Portholes
Cleats - 7
Compass
Composite Construction - Floors & Transom
Dive Platform - Integrated w/Ladder
Drink Holders - Stainless Steel
Fiberglass Stringer System (Foam Filled)
Fish Boxes w/Macerator
Gauges (Analog) - Fuel, MPH, RPM, Trim, Volt (Digital - Suzuki 300)
Gunnel Trim - Rigid Vinyl
Hand Laid Knitted Fiberglass Fabric (Hull Structure)
Horn - Electric
NMMA Certified
Rod Holders - 1 Pair
Rod Racks - Cockpit (6) Horizontal
Rope Locker Storage
Safety Engine Kill Switch
Seating - Captains Chairs
Steering - Hydraulic (Verado - Power)
Storage - Under Captains Chairs
Striping - Waterline
Switch and Breaker Panel
Transom Door
Trim Tabs
Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent
Windshield - Tempered Glass

ENGINES

Mercury	225 Verado
	250 Verado
	300 Verado
Suzuki	200 4-Stroke
	225 4-Stroke
	250 4-Stroke
	300 4-Stroke

OPTIONS

Battery Switch for Dual Batteries
Cabin Filler Board w/Cushion
Cabin Sink & Cockpit Shower - Fresh Water (10 gal)
Curtain Package (Bimini Top)
Curtain Package (ITS Hard Top)
Graphics - Hull Sides - Black
Graphics - Hull Sides - Blue
Graphics - Hull Sides - Charcoal
Gunnel Insert - Stainless Steel
Head - Porta-Potti
Head - Porta-Potti w/Dockside Discharge
Light - Remote Spot (Requires Hard Top)
Lights - Spreader (Requires Hard Top)
Seating - Folding Rear Bench
Seating - Helm Bench w/Storage & Folding Bench
Shrink Wrap
Steering - Tilt Upgrade
Stereo - AM/FM w/4 Speakers & iPod Controls w/250 Song Memory
Stereo - Sirius Upgrade
Top - Bimini Top
Top - ITS Hard Top w/Storage Box
Top - ITS Hard Top w/Storage Box & Outriggers
Trim Tab Indicators

OPTION PACKAGES

Convenience Pkg
12-Volt Receptacle
Cockpit Bolsters
Cockpit Lights
Rod Holders (1 Pair)

Electronics Pkg 1
Garmin GPSMap 441
VHF Radio - Icom

Electronics Pkg 2
Garmin 500C Fishfinder
Garmin GPSMap 441
VHF Radio - Icom

Tournament Pkg
Battery Switch for Dual Batteries
Convenience Pkg
Lights - Spreader
Top - ITS Hard Top w/Storage Box

Tournament Pkg w/Outriggers
Battery Switch for Dual Batteries
Convenience Pkg
Lights - Spreader
Top - ITS Hard Top w/Storage Box



While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

23 XP



SPECS

- Length . . . 23' 0"
- Beam . . . 8' 6"
- Draft (Hull) . . . 17"
- Deadrise . . . 20 deg
- Fuel . . . 118 gal
- Weight - Hull . . . 3,900 lbs
- Weight - Trailer . . . 6,510 lbs
- Cockpit Area . . . 52 sq ft
- Cockpit Depth . . . 25"
- Bridge Clearance . . . 6' 6"
- w/ Top . . . 9' 0"
- Max HP . . . 300
- Baitwell . . . 18 gal
- Fishbox (2) . . . 80 gal
- Fresh Water (Opt) . . . 10 gal



PRO-LINE
prolineboats.com • 800.344.1281



While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

23 XP



STANDARD EQUIPMENT

10 Year Hull Structure Warranty
ABYC Color Coded Wiring w/ Shrink Connections
Anchor Roller
Baitwell w/Raw Water Washdown & Light
Bilge Pump
Bow Handrail - Stainless Steel
Cabin Cushion(s)
Cabin Door - Poly
Cabin Hatch
Cabin Lights
Cabin Portholes
Cleats - 7
Compass
Composite Construction - Floors & Transom
Dive Platform - Integrated w/Ladder
Drink Holders - Stainless Steel
Fiberglass Stringer System (Foam Filled)
Fish Boxes w/Macerator
Gauges (Analog) - Fuel, MPH, RPM, Trim, Volt (Digital - Suzuki 300)
Gunnel Trim - Rigid Vinyl
Hand Laid Knitted Fiberglass Fabric (Hull Structure)
Horn - Electric
NMMA Certified
Rod Holders - 1 Pair
Rod Racks - Cockpit (6) Horizontal
Rope Locker Storage
Safety Engine Kill Switch
Seating - Captains Chairs
Steering - Hydraulic (Verado - Power)
Storage - Under Captains Chairs
Striping - Waterline
Switch and Breaker Panel
Top - Hard Top
Transom Door
Trim Tabs
Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent
Windshield - Tempered Glass

ENGINES

Mercury	225 Verado
	250 Verado
	300 Verado
Suzuki	200 4-Stroke
	225 4-Stroke
	250 4-Stroke
	300 4-Stroke

OPTIONS

Battery Switch for Dual Batteries
Cabin Filler Board w/Cushion
Cabin Sink & Cockpit Shower - Fresh Water (10 gal)
Curtain - Aft Enclosure
Graphics - Hull Sides - Black
Graphics - Hull Sides - Blue
Graphics - Hull Sides - Charcoal
Gunnel Insert - Stainless Steel
Head - Porta-Potti
Light - Remote Spot
Light - Spreader
Seating - Folding Rear Bench
Seating - Helm Bench w/Storage & Folding Bench
Shrink Wrap
Steering - Tilt Upgrade
Stereo - AM/FM w/4 Speakers & iPod Controls w/250 Song Memory
Stereo - Sirius Upgrade
Trim Tab Indicators
Windshield Wiper - Port
Windshield Wiper - Starboard

OPTION PACKAGES

Convenience Pkg
12-Volt Receptacle
Cockpit Bolsters
Cockpit Lights
Rod Holders (1 Pair)

Electronics Pkg 1
Garmin GPSMap 44i
VHF Radio - Icom

Electronics Pkg 2
Garmin 500C Fishfinder
Garmin GPSMap 44i
VHF Radio - Icom


prolineboats.com • 800.344.1281

While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

20 EXPRESS

SPECS

Length . . . 23' 0"
Beam . . . 8' 6"
Draft (Hull) . . . 17"
Deadrise . . . 20 deg
Fuel . . . 118 gal
Weight - Hull . . . 3,900 lbs
Weight - Trailer . . . 6,510 lbs
Cockpit Area . . . 52 sq ft
Cockpit Depth . . . 25"
Bridge Clearance . . . 6' 6"
w/ Top . . . 9' 0"
Max HP . . . 300
Baitwell . . . 18 gal
Fishbox (2) . . . 80 gal
Fresh Water (Opt) . . . 10 gal



PRO LINE
prolineboats.com • 800.344.1281



While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

20 EXPRESS



STANDARD EQUIPMENT

10 Year Hull Structure Warranty
ABYC Color Coded Wiring w/ Shrink Connections
Baitwell w/Raw Water Washdown & Light
Bilge Pump
Bow Handrail - Stainless Steel
Bow Pulpit w/Anchor Roller
Cabin Cushion(s)
Cabin Door - Poly
Cabin Hatch
Cabin Portholes
Cleats - 7
Compass
Composite Construction - Floors & Transom
Drink Holders - Stainless Steel
Fiberglass Stringer System (Foam Filled)
Gauges (Analog) - Fuel, MPH, RPM, Trim, Volt
Gunnel Trim - Rigid Vinyl
Half Dive Platform w/Ladder
Hand Laid Knitted Fiberglass Fabric (Hull Structure)
Horn - Electric
NMMA Certified
Rod Holders - 1 Pair
Rod Racks - Cockpit (6) Horizontal
Rope Locker Storage
Safety Engine Kill Switch
Seating - Aft Jump (2 Molded)
Seating - Captains Chairs
Steering - Hydraulic (Verado - Power Steering Not Included)
Striping - Waterline
Switch and Breaker Panel
Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent
Windshield - Tempered Glass

ENGINES

Mercury	150 Verado
	175 Verado
Suzuki	140 4-Stroke
	150 4-Stroke
	175 4-Stroke



prolineboats.com • 800.344.1281

OPTIONS

Battery Switch for Dual Batteries
Curtain Package (Bimini Top)
Curtain Package (Hard Top)
Graphics - Hull Sides - Black
Graphics - Hull Sides - Blue
Graphics - Hull Sides - Charcoal
Gunnel Insert - Stainless Steel
Head - Porta-Potti
Light - Remote Spot (Requires Hard Top)
Lights - Spreader (Requires Hard Top)
Shrink Wrap
Steering - Tilt Upgrade
Stereo - AM/FM w/4 Speakers & iPod Controls w/250 Song Memory
Stereo - Sirius Upgrade
Top - Bimini Top
Top - Hard Top w/Storage Box
Top - Hard Top w/Storage Box & Outriggers
Trim Tabs
Trim Tab Indicators

OPTION PACKAGES

Convenience Pkg
12-Volt Receptacle
Cockpit Bolsters
Cockpit Lights
Rod Holders (1 Pair)

Electronics Pkg 1
Garmin GPSMap 441
VHF Radio - Icom

Electronics Pkg 2
Garmin 500C Fishfinder
Garmin GPSMap 441
VHF Radio - Icom

Tournament Pkg
Battery Switch for Dual Batteries
Convenience Pkg
Lights - Spreader
Top - ITS Hard Top w/Storage Box

Tournament Pkg w/Outriggers
Battery Switch for Dual Batteries
Convenience Pkg
Lights - Spreader
Top - ITS Hard Top w/Storage Box

35 SUPER SPORT



SPECS

Length . . . 33' 4"
Beam . . . 9' 2"
Draft (Hull) . . . 23"
Deadrise . . . 22 deg
Fuel . . . 295 gal
Weight - Hull . . . 8,000 lbs
Weight - Trailer . . . TBD

Cockpit Area . . . 112 sq ft
Cockpit Depth . . . 27"
Bridge Clearance . . . 7' 7" est
w/ Top . . . 8' 10" est
Max HP . . . 700

Baitwell . . . 44 gal
Baitwell (Opt) . . . 27 gal
Fishbox . . . 113 gal
Fishbox (2) . . . 15 gal
Fresh Water . . . 15 gal

PRO LINE
prolineboats.com • 800.344.1281



While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

35 SUPER SPORT



STANDARD EQUIPMENT

12-Volt Receptacle
Anchor Roller
Baitwell w/Raw Water Washdown & Light
Battery Charger - 3 Bank
Battery Switch for Dual Batteries
Battery Switch for House Battery
Bilge Pumps (2)
Bow Bolsters - Port & Starboard
Bow Handrail - Low Profile
Cleats - 6
Cockpit Bolsters - Port, Starboard & Transom
Cockpit Lights
Cockpit Shower - Cold
Compass
Dive Platform - Integrated w/Ladder
Drink Holders - Stainless Steel
Fish Boxes Fwd (3) w/Macerator
Gauges - Digital
Gunnel Trim - Rigid Vinyl w/ SS Insert
Head - Porta-Potti (Inside Console)
Horn - Electric
Rod Holders - 2 Pair Gunnel Mount
Rod Racks - Cockpit (6) Horizontal
Rope Locker Storage
Seating - Aluminum Leaning Post w/Backrest, Rod Holders & Cooler
Seating - Forward Console w/Cushion & Storage
Seating - Transom
Steering - Hydraulic w/Tilt (Verado - Power)
Step Bottom Hull
Storage - Floor (Port & Starboard)
Striping - Black or Blue Waterline
Switch and Breaker Panel
Transom Door
Trim Tabs
Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent
Windlass w/Rope & Chain
Windshield

ENGINES

Mercury	Twin 250 Verado Twin 300 Verado
Suzuki	Twin 250 AP DTS Twin 300 AP DTS



prolineboats.com • 800.344.1281

OPTIONS

Baitwell - Fiberglass w/ Cushion (Midship)
Dive Ladder
Graphics - Hull Sides - Black
Graphics - Hull Sides - Blue
Graphics - Hull Sides - Charcoal
Head - Electric w/Macerator, Holding Tank w/Dockside & Direct Overboard Discharge
Head - Porta-Potti w/Dockside Discharge
Light - Remote Spot (Requires T-Top)
Lights - Docking
Lights - Spreader (Requires T-Top)
Lights - Underwater (1 Pair) Blue or Green
Misting System - Requires T-Top
Outriggers (Requires T-Top)
Rod Holders - 1 Pair Gunnel Mount
Seating - Double Drop-Out w/Cooler
Shrink Wrap
Stereo - AM/FM w/4 Speakers & iPod Controls w/250 Song Memory
Stereo - Sirius Upgrade
Top - T-Top (Rigid) w/Storage Box & Rod Holders
Trim Tab Indicators
Windlass - Foot Switch

OPTION PACKAGES

Electronics Pkg 2

Garmin 500C Fishfinder
Garmin GPSMap 441
VHF Radio - Icom

Electronics Pkg 3

Garmin GPSMap 4208
VHF Radio - Icom
* Optional XM Weather
* Optional 1kw In-Hull Transducer

Electronics Pkg 4

Garmin GPSMap 5208
VHF Radio - Icom
XM Weather
* Optional 1kw In-Hull Transducer
* Optional 2nd Garmin GPSMap 5208

Electronics Pkg 5

Garmin GMR 24 Radar
Garmin GPSMap 5212
VHF Radio - Icom
XM Weather
* Optional 1kw In-Hull Transducer
* Optional 2nd Garmin GPSMap 5212

While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

29 GRAND SPORT

SPECS

Length . . . 29' 4"

Beam . . . 9' 8"

Draft (Hull) . . . 22"

Deadrise . . . 22 deg

Fuel . . . 230 gal

Weight - Hull Est . . . 6,310 lbs

Weight - Trailer Est . . . 9,530 lbs

Cockpit Area . . . 127 sq ft

Cockpit Depth . . . 26"

Bridge Clearance . . . 7' 11"

w/ Hard Top . . . 10' 4"

Max HP . . . 600

Baitwell . . . 50 gal

Fishbox (2) . . . 130 gal

Fresh Water . . . 15 gal



PRO LINE

prolineboats.com • 800.344.1281



While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

29 GRAND SPORT



STANDARD EQUIPMENT

10 Year Hull Structure Warranty
12-Volt Receptacle
ABYC Color Coded Wiring w/ Shrink Connections
Baitwell w/Raw Water Washdown & Light
Battery Switch for Dual Batteries
Bilge Pumps (3) - 1 Forward, 2 Aft
Bow Handrail - Stainless Steel
Bow Pulpit w/Anchor Roller
Casting Deck w/Storage
Center Console w/Enclosed Head (Porta-Potti)
Cleats - 7
Cockpit Bolsters - Fore & Aft
Cockpit Lights
Cockpit Shower - Cold
Compass
Composite Construction - Floors & Transom
Dive Platform - Integrated w/Ladder
Drink Holders - Stainless Steel
Fiberglass Stringer System (Foam Filled)
Fish Boxes - Fwd w/Overboard Drain
Fish Boxes Aft w/Macerator
Gauges - Digital
Gunnel Trim - Rigid Vinyl w/ SS Insert
Hand Laid Knitted Fiberglass Fabric (Hull Structure)
Horn - Electric
NMMA Certified
Rod Holders - 2 Pair
Rod Holders - 4 Transom Mounted
Rod Racks - Cockpit (4) Horizontal
Rope Locker Storage
Safety Engine Kill Switch
Seating - Fiberglass w/Baitwell, Sink & Backrest
Seating - Folding Rear Bench
Seating - Forward Console w/Cushion & Storage
Steering - Hydraulic w/Tilt (Verado - Power)
Storage - Floor
Storage - Tackle
Striping - Waterline
Switch and Breaker Panel
Transom Door
Trim Tabs w/ Indicator
Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent
Windshield - Curved Glass

ENGINES

Mercury Twin 250 Verado
 Twin 300 Verado

Suzuki Twin 250 4-Stroke
 Twin 300 4-Stroke

OPTIONS

Battery Charger - 2 Bank
Bow Cushions
Bow Thruster
Dive Ladder
Graphics - Hull Sides - Black
Graphics - Hull Sides - Blue
Graphics - Hull Sides - Charcoal
Head - Electric w/Macerator, Holding Tank w/Dockside & Direct
Overboard Discharge
Head - Porta-Potti w/Dockside Discharge
Head - Vacuum Flush w/Holding Tank & Direct Overboard
Discharge
Light - Remote Spot (Requires T-Top)
Lights - Spreader (Requires T-Top)
Lights - Underwater (1 Pair) Blue or Green
Misting System - Requires T-Top
Rod Rack - Inside Console (4)
Seating - Dual Command
Shrink Wrap
Stereo - AM/FM w/4 Speakers & iPod Controls w/250 Song
Memory
Stereo - Sirius Upgrade
Top - Bimini Top
Top - T-Top (Rigid) w/Storage Box
Top - T-Top (Rigid) w/Storage Box & Outriggers
Windlass - Foot Switch (Requires Windlass)
Windlass w/Rope & Chain
Windshield Wiper

OPTION PACKAGES

Electronics Pkg 2

Garmin 500C Fishfinder
Garmin GPSMap 44 I
VHF Radio - Icom

Electronics Pkg 3

Garmin GPSMap 4208
VHF Radio - Icom
* Optional XM Weather
* Optional 1kw In-Hull Transducer

Electronics Pkg 4

Garmin GPSMap 5208
VHF Radio - Icom
XM Weather
* Optional 1kw In-Hull Transducer
* Optional 2nd Garmin GPSMap 5208

Electronics Pkg 5

Garmin GMR 24 Radar
Garmin GPSMap 5212
VHF Radio - Icom
XM Weather
* Optional 1kw In-Hull Transducer
* Optional 2nd Garmin GPSMap 5212



prolineboats.com • 800.344.1281

While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

26 SUPER SPORT

SPECS

Length . . . 26' 4"
Beam . . . 8' 6"
Draft (Hull) . . . 18"
Deadrise . . . 22 deg
Fuel . . . 149 gal
Weight - Hull . . . 4,400 lbs
Weight - Trailer . . . 7,040 lbs
Cockpit Area . . . 92 sq ft
Cockpit Depth . . . 27"
Bridge Clearance . . . 6' 10"
w/ Top . . . 9' 2"
Max HP . . . 450
Opt LP Baitwell . . . 25 gal
Baitwell . . . 20 gal
Fishbox (2) . . . 74 Gal
Fresh Water . . . 15 gal



PRO-LINE
prolineboats.com • 800.344.1281



While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

26 SUPER SPORT



STANDARD EQUIPMENT

10 Year Hull Structure Warranty
12-Volt Receptacle
ABYC Color Coded Wiring w/ Shrink Connections
Baitwell w/Raw Water Washdown & Light
Bilge Pumps (2) - 1 Forward, 1 Aft
Bow Handrail - Stainless Steel
Bow Pulpit w/Anchor Roller
Casting Deck w/Storage
Center Console w/Enclosed Head
Cleats - 7
Cockpit Shower - Cold
Compass
Composite Construction - Floors & Transom
Dive Platform - Integrated w/Ladder
Drink Holders - Stainless Steel
Fiberglass Stringer System (Foam Filled)
Fish Boxes w/Macerator
Gauges - Digital
Gunnel Trim - Rigid Vinyl
Hand Laid Knitted Fiberglass Fabric (Hull Structure)
Horn - Electric
NMMA Certified
Rod Holders - 2 Pair
Rod Racks - Cockpit (8) Horizontal
Rope Locker Storage
Safety Engine Kill Switch
Seating - Aluminum Leaning Post w/Backrest, Rod Holders & Cooler
Seating - Folding Rear Bench
Seating - Forward Console w/Cushion & Storage
Steering - Hydraulic (Verado - Power)
Storage - Bow
Storage - Floor
Striping - Waterline
Switch and Breaker Panel
Transom Door
Trim Tabs
Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent
Windshield - Tempered Glass

ENGINES

Mercury	250 Verado
	300 Verado
	Twin 150 Verado
	Twin 175 Verado
	Twin 200 Verado - 4 cyl
	Twin 225 Verado
Suzuki	250 4-Stroke
	300 4-Stroke
	Twin 150 4-Stroke
	Twin 175 4-Stroke
	Twin 200 4-Stroke
	Twin 225 4-Stroke

OPTIONS

Battery Switch for Dual Batteries
Bow Cushions
Cockpit Bolsters
Cockpit Lights
Dive Ladder (Single Engine Only)
Graphics - Hull Sides - Black
Graphics - Hull Sides - Blue
Graphics - Hull Sides - Charcoal
Gunnel Insert - Stainless Steel
Head - Porta-Potti
Head - Porta-Potti w/Dockside Discharge
Light - Remote Spot (Requires T-Top)
Lights - Spreader (Requires T-Top)
Misting System - Requires T-Top
Seating - Double Drop-Out w/Cooler
Shrink Wrap
Steering - Tilt Upgrade
Stereo - AM/FM w/4 Speakers & iPod Controls w/250 Song Memory
Stereo - Sirius Upgrade
Top - Bimini Top
Top - T-Top (Rigid) w/Storage Box
Top - T-Top (Rigid) w/Storage Box & Outriggers
Trim Tab Indicators
Windlass w/Rope & Chain

OPTION PACKAGES

Electronics Pkg 2
Garmin 500C Fishfinder
Garmin GPSMap 441
VHF Radio - Icom

Electronics Pkg 3
Garmin GPSMap 4208
VHF Radio - Icom
* Optional XM Weather
* Optional 1kw In-Hull Transducer

Tournament Pkg
Battery Switch for Dual Batteries
Cockpit Bolsters
Cockpit Lights
Lights - Spreader
Top - T-Top (Rigid) w/Storage Box

Tournament Pkg w/Outriggers
Battery Switch for Dual Batteries
Cockpit Bolsters
Cockpit Lights
Lights - Spreader
Top - T-Top (Rigid) w/Storage Box



prolineboats.com • 800.344.1281

While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

23 SPORT

SPECS

Length . . . 23' 0"

Beam . . . 8' 6"

Draft (Hull) . . . 17"

Deadrise . . . 20 deg

Fuel . . . 118 gal

Weight - Hull . . . 3,540 lbs

Weight - Trailer . . . 5,560 lbs

Cockpit Area . . . 86 sq ft

Cockpit Depth . . . 25"

Bridge Clearance . . . 6' 8"

w/ Top . . . 9' 8"

Max HP . . . 300

Baitwell . . . 18 gal

Fishbox (2) . . . 60 gal



While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

23 SPORT



STANDARD EQUIPMENT

10 Year Hull Structure Warranty
ABYC Color Coded Wiring w/ Shrink Connections
Anchor Roller
Baitwell w/Raw Water Washdown & Light
Bilge Pump
Bow Handrail - Stainless Steel (Low Profile)
Casting Deck - Insulated Fish Box/Storage Box
Center Console w/Enclosed Head
Cleats - 6
Compass
Composite Construction - Floors & Transom
Dive Platform - Integrated w/Ladder
Drink Holders - Stainless Steel
Fiberglass Stringer System (Foam Filled)
Gauges (Analog) - Fuel, MPH, RPM, Trim, Volt (Digital - Suzuki 300)
Glove Box
Grab Rail (Stainless Steel) - Windshield
Gunnel Trim - Rigid Vinyl
Hand Laid Knitted Fiberglass Fabric (Hull Structure)
Horn - Electric
NMMA Certified
Rod Holders - 1 Pair
Rod Racks - Cockpit (6) Horizontal
Rope Locker Storage
Safety Engine Kill Switch
Seating - Aluminum Leaning Post
Seating - Forward Console w/Cushion & Storage
Steering - Hydraulic (Verado - Power)
Storage - Floor
Striping - Waterline
Switch and Breaker Panel
Transom Door
Trim Tabs
Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent
Windshield

ENGINES

Mercury	225 Verado
	250 Verado
	300 Verado
	Twin 150 Verado
Suzuki	200 4-Stroke
	225 4-Stroke
	250 4-Stroke
	300 4-Stroke
	Twin 140 4-Stroke
	Twin 150 4-Stroke



prolineboats.com • 800.344.1281

OPTIONS

Battery Switch for Dual Batteries (Std w/ Hemingway)
Bow Cushions w/Bolsters
Cockpit Shower - Cold (10 gal)
Cooler - Leaning Post
Graphics - Hull Sides - Black (NA w/ Hemingway)
Graphics - Hull Sides - Blue (NA w/ Hemingway)
Graphics - Hull Sides - Charcoal (NA w/ Hemingway)
Gunnel Insert - Stainless Steel (Std w/ Hemingway)
Head - Porta-Potti (Inside Console) (Std w/ Hemingway)
Head - Porta-Potti w/Dockside Discharge (NA w/ Hemingway)
Light - Remote Spot (Requires T-Top)
Lights - Spreader (Requires T-Top) (Std w/ Hemingway Pkg)
Outriggers
Seating - Aluminum Leaning Post w/Backrest & Rod Holders (Std w/ Hemingway)
Seating - Folding Rear Bench (Std w/ Hemingway)
Shrink Wrap
Steering - Tilt Upgrade (Std w/ Hemingway)
Stereo - AM/FM w/4 Speakers & iPod Controls w/250 Song Memory (Std w/ Hemingway)
Stereo - Sirius Upgrade
Top - Bimini Top (NA w/ Hemingway)
Top - T-Top (Rigid) w/Storage Box & Outriggers
Top - T-Top (Rigid) w/Storage Box (Std w/ Hemingway)
Trim Tab Indicators

OPTION PACKAGES

Convenience Pkg (NA w/ Hemingway) 12-Volt Receptacle Cockpit Bolsters Cockpit Lights Rod Holders (1 Pair)	Hemingway Pkg (Requires 300 Verado) 12 Volt Receptacle Battery Switch for Dual Batteries Cockpit Bolsters Custom Hullside Wrap – Hemingway Extra Rod Holders (2) – T-Top Angled Out Gunnel Insert – Stainless Steel Head – Porta Potti in Console Lights – Spreader Powdercoat Pkg. – Flat Black (Bow Rail, T-Top, & Seat) Rod Holders (2 pr) in Gunnels Seating – Aluminum Leaning Post w/Backrest & Rod Holders Seating – Folding Rear Bench Steering – Verado Tilt Upgrade Stereo – AM/FM w/4 Speakers & Ipod Controls T-Top (Rigid) w/Storage Box Upgraded Vinyl Package
Electronics Pkg 1 Garmin GPSMap 44i VHF Radio - Icom	
Electronics Pkg 2 Garmin 500C Fishfinder Garmin GPSMap 44i VHF Radio - Icom	
Tournament Pkg (NA w/ Hemingway) Battery Switch for Dual Batteries Convenience Pkg Lights - Spreader Top - T-Top (Rigid) w/Storage Box	
Tournament Pkg w/Outriggers (NA w/ Hemingway) Battery Switch for Dual Batteries Convenience Pkg Lights - Spreader Top - T-Top (Rigid) w/Storage Box	

While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

20 SPORT

SPECS

Length . . . 20' 6"

Beam . . . 8' 5"

Draft (Hull) . . . 15"

Deadrise . . . 19 deg

Fuel . . . 68 gal

Weight - Hull . . . 2,600 lbs

Weight - Trailer . . . 3,700 lbs

Cockpit Area . . . 81 sq ft

Cockpit Depth . . . 24"

Bridge Clearance . . . 5' 10"

w/ Top . . . 8' 0"

Max HP . . . 200

Baitwell . . . 18 gal

Fishbox . . . 25 gal



PRO LINE

prolineboats.com • 800.344.1281



While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

20 SPORT



STANDARD EQUIPMENT

10 Year Hull Structure Warranty
ABYC Color Coded Wiring w/ Shrink Connections
Baitwell w/Raw Water Washdown & Light
Bilge Pump
Bow Handrail - Stainless Steel (Low Profile)
Casting Deck - Insulated Fish Box/Storage Box
Center Console w/Enclosed Head
Cleats - 6
Compass
Composite Construction - Floors & Transom
Drink Holders - Stainless Steel
Fiberglass Stringer System (Foam Filled)
Gauges (Analog) - Fuel, MPH, RPM, Trim, Volt
Glove Box w/Lock
Grab Rail (Stainless Steel) - Windshield
Gunnel Trim - Rigid Vinyl
Half Dive Platform w/Ladder
Hand Laid Knitted Fiberglass Fabric (Hull Structure)
Horn - Electric
NMMA Certified
Rod Holders - 1 Pair
Rod Racks - Cockpit (6) Horizontal
Rope Locker Storage
Safety Engine Kill Switch
Seating - Aft Jump (2 Molded)
Seating - Aluminum Leaning Post
Steering - Hydraulic (Verado - Power Steering Not Included)
Storage - Floor
Striping - Waterline
Switch and Breaker Panel
Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent
Windshield

ENGINES

Mercury	150 Verado
	175 Verado
Suzuki	140 4-Stroke
	150 4-Stroke
	175 4-Stroke



prolineboats.com • 800.344.1281

OPTIONS

Anchor Roller w/Cleat
Battery Switch for Dual Batteries
Bow Cushions w/Bolsters
Cooler - Leaning Post
Cooler w/Cushion & Backrest - Forward Console
Graphics - Hull Sides - Black
Graphics - Hull Sides - Blue
Graphics - Hull Sides - Charcoal
Gunnel Insert - Stainless Steel
Head - Porta-Potti w/Dockside Discharge
Light - Remote Spot (Requires T-Top)
Lights - Spreader (Requires T-Top)
Seating - Aluminum Leaning Post w/Backrest & Rod Holders
Seating - Flip Up Forward Console
Shrink Wrap
Steering - Tilt Upgrade
Stereo - AM/FM w/4 Speakers & iPod Controls w/250 Song Memory
Stereo - Sirius Upgrade
Top - Bimini Top
Top - T-Top (Rigid) w/Storage Box
Top - T-Top (Rigid) w/Storage Box & Outriggers
Trim Tabs
Trim Tab Indicators

OPTION PACKAGES

Convenience Pkg
12-Volt Receptacle
Cockpit Bolsters
Cockpit Lights
Head - Porta-Potti (Inside Console)
Rod Holders - 1 Additional Pair

Electronics Pkg 1
Garmin GPSMap 441
VHF Radio - Icom

Electronics Pkg 2
Garmin 500C Fishfinder
Garmin GPSMap 441
VHF Radio - Icom

Tournament Pkg
Battery Switch for Dual Batteries
Convenience Pkg
Lights - Spreader
Top - T-Top (Rigid) w/Storage Box

Tournament Pkg w/Outriggers
Battery Switch for Dual Batteries
Convenience Pkg
Lights - Spreader
Top - T-Top (Rigid) w/Storage Box

While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

23 DUAL CONSOLE

SPECS

Length . . . 23' 0"

Beam . . . 8' 6"

Draft (Hull) . . . 17"

Deadrise . . . 20 deg

Fuel . . . 118 gal

Weight - Hull . . . 3,920 lbs

Weight - Trailer . . . 5,975 lbs

Cockpit Area . . . 65 sq ft

Cockpit Depth . . . 25"

Bridge Clearance . . . 5' 11"

Max HP . . . 300

Baitwell . . . 18 gal

Fishbox (2) . . . 60 gal

Head Headroom . . . 4' 0"



PRO-LINE
prolineboats.com • 800.344.1281



While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

23 DUAL CONSOLE



STANDARD EQUIPMENT

10 Year Hull Structure Warranty
ABYC Color Coded Wiring w/ Shrink Connections
Anchor Roller
Baitwell w/Raw Water Washdown & Light
Bilge Pump
Bow Handrail - Stainless Steel (Low Profile)
Cleats - 6
Compass
Composite Construction - Floors & Transom
Console - Dual w/Head & Storage Compartments
Dive Platform - Integrated w/Ladder
Drink Holders - Stainless Steel
Fiberglass Stringer System (Foam Filled)
Gauges (Analog) - Fuel, MPH, RPM, Trim, Volt (Digital - Suzuki 300)
Glove Box w/Lock
Gunnel Trim - Rigid Vinyl
Hand Laid Knitted Fiberglass Fabric (Hull Structure)
Horn - Electric
NMMA Certified
Rod Holders - 1 Pair
Rod Racks - Cockpit (6) Horizontal
Rope Locker Storage
Safety Engine Kill Switch
Seating - Bow
Seating - Captains Chairs
Steering - Hydraulic (Verado - Power)
Storage - Floor
Striping - Waterline
Switch and Breaker Panel
Transom Door
Trim Tabs
Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent
Windshield - Tempered Glass w/Pass-Thru & Curtain

ENGINES

Mercury	225 Verado
	250 Verado
	300 Verado
Suzuki	200 4-Stroke
	225 4-Stroke
	250 4-Stroke
	300 4-Stroke

OPTIONS

Battery Switch for Dual Batteries
Bow Cushions w/Bolsters
Cockpit Shower - Cold (10 gal)
Curtain Package (Bimini Top)
Graphics - Hull Sides - Black
Graphics - Hull Sides - Blue
Graphics - Hull Sides - Charcoal
Gunnel Insert - Stainless Steel
Head - Porta-Potti (Inside Console)
Seating - Back to Back (Port)
Seating - Back to Back (Starboard)
Seating - Folding Rear Bench
Seating - Lounge (Port)
Seating - Lounge (Starboard)
Shrink Wrap
Steering - Tilt Upgrade
Stereo - AM/FM w/4 Speakers & iPod Controls w/250 Song Memory
Stereo - Sirius Upgrade
Top - Bimini Top
Trim Tab Indicators

OPTION PACKAGES

Convenience Pkg

12-Volt Receptacle
Cockpit Bolsters
Cockpit Lights
Rod Holders (1 Pair)

Electronics Pkg 1

Garmin GPSMap 44i
VHF Radio - Icom

Electronics Pkg 2

Garmin 500C Fishfinder
Garmin GPSMap 44i
VHF Radio - Icom



prolineboats.com • 800.344.1281

While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

23 CLASSIC

SPECS

Length . . . 23' 0"

Beam . . . 8' 6"

Draft (Hull) . . . 15"

Deadrise . . . 19 deg

Fuel . . . 68 gal

Weight - Hull . . . 3,200 lbs

Weight - Trailer . . . TBD

Cockpit Area . . . 81 sq ft

Cockpit Depth . . . 22"

Bridge Clearance . . . 5' 10"

w/ Top . . . 8' 0"

Max HP . . . 200

Baitwell . . . 15 gal

Fishbox . . . 18 gal



PRO-LINE
prolineboats.com • 800.344.1281



While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

23 CLASSIC



STANDARD EQUIPMENT

10 Year Hull Structure Warranty
4 Switch Panel w/ Circuit Breakers (No Fuses) (Baitwell, Bilge, Horn, Nav Lights)
70 gallon gas tank under floor, vented overboard
ABYC Color Coded Wiring w/ Shrink Connections
Baitwell - Recirculating
Bilge Pump w/ Automatic Float Switch
Bow Handrail - Stainless Steel
Casting Deck w/Storage
Center Console w/Storage
Cleats (3) - SS Thru Bolted w/ Backing Plates
Compass
Composite Construction - Floors & Transom
Drink Holders
Fiberglass Stringer System (Foam Filled)
Gauges (Analog) - Fuel, Tach w/ System Check
Grab Rails - Console
Gunnel Trim - Rigid Vinyl
Hand Laid Knitted Fiberglass Fabric (Hull Structure)
Horn - Electric
NMMA Certified
Rod Holders - 1 Pair (Gunnel Mount)
Rod Holders on Console - (4) Vertical Thru Bolted
Safety Engine Kill Switch
Seating - Cooler w/ Flip Flop Backrest
Steering - Mechanical - No Feedback
Stripping - Waterline
Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent
Windshield
Windshield Grabrail

ENGINES

Mercury	150 Verado
	175 Verado
	200 Verado - 4 cyl
Suzuki	150 4-Stroke
	175 4-Stroke
	200 4-Stroke

OPTIONS

Bimini Top
Bow Cushion
Console (XL) w/Storage & Fwd Seat w/Baitwell
Cooler w/Cushion - Forward Console
Gauge - MPH
Graphics - Hull Sides - Black
Graphics - Hull Sides - Blue
Graphics - Hull Sides - Charcoal
Half Dive Platform w/Ladder
Jump Seat Cushion - Aft Starboard
Rod Holders - 1 Pair (Gunnel Mount)
Rod Racks - Horizontal
Seating - Leaning Post
Seating - Leaning Post w/Backrest & Cooler
Steering - Hydraulic
Top - Canvas T-Top (No Box)

OPTION PACKAGES

Comfort Pkg
Bow Cushion
Cockpit Bolsters
Jump Seat Cushion - Aft Starboard

Convenience Pkg
12-Volt Receptacle
Cockpit Lights
Rod Holders - 1 Additional Pair
Rod Racks - Horizontal



prolineboats.com • 800.344.1281

While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

21 CLASSIC



SPECS

Length . . . 21' 8"
Beam . . . 8' 5"
Draft (Hull) . . . 17"
Deadrise . . . 20 deg
Fuel . . . 68 gal
Weight - Hull . . . 2,700 lbs
Weight - Trailer . . . 3,800 lbs

Cockpit Area . . . 86 sq ft
Cockpit Depth . . . 25"
Bridge Clearance . . . 5' 10"
w/ Top . . . 8' 0"
Max HP . . . 150
Baitwell . . . 15 gal
Fishbox . . . 18 gal



prolineboats.com • 800.344.1281



While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.

21 CLASSIC



STANDARD EQUIPMENT

10 Year Hull Structure Warranty
4 Switch Panel w/ Circuit Breakers (No Fuses) (Baitwell, Bilge, Horn, Nav Lights)
70 Gallon Gas Tank Under Floor, Vented Overboard
ABYC Color Coded Wiring w/ Shrink Connections
Baitwell - Recirculating
Bilge Pump w/ Automatic Float Switch
Bow Handrail - Stainless Steel
Casting Deck w/Storage
Center Console w/Storage
Cleats (3) - SS Thru Bolted w/ Backing Plates
Compass
Composite Construction - Floors & Transom
Drink Holders
Fiberglass Stringer System (Foam Filled)
Gauges (Analog) - Fuel, Tach w/ System Check
Grab Rails - Console
Gunnel Trim - Rigid Vinyl
Hand Laid Knitted Fiberglass Fabric (Hull Structure)
Horn - Electric
NMMA Certified
Rod Holders - 1 Pair (Gunnel Mount)
Rod Holders on Console - (4) Vertical Thru Bolted
Safety Engine Kill Switch
Seating - Cooler w/ Flip Flop Backrest
Steering - Mechanical - No Feedback
Striping - Waterline
Vinyl - White Carbon Fiber w/ Black, Blue or Graphite Accent
Windshield
Windshield Grabrail

ENGINES

Mercury	115 4-Stroke 150 Verado
Suzuki	115 4-Stroke 140 4-Stroke 150 4-Stroke

OPTIONS

Bimini Top
Console (XL) w/Storage & Fwd Seat w/Baitwell
Cooler w/Cushion - Forward Console
Gauge - MPH
Graphics - Hull Sides - Black
Graphics - Hull Sides - Blue
Graphics - Hull Sides - Charcoal
Half Dive Platform w/Ladder
Rod Holders - 1 Pair (Gunnel Mount)
Seating - Leaning Post
Seating - Leaning Post w/Backrest & Cooler
Steering - Hydraulic
Top - Canvas T-Top (No Box)

OPTION PACKAGES

Comfort Pkg
Bow Cushion
Cockpit Bolsters
Jump Seat Cushion - Aft Starboard

Convenience Pkg
12-Volt Receptacle
Cockpit Lights
Rod Holders - 1 Additional Pair
Rod Racks - Horizontal



prolineboats.com • 800.344.1281

While we endeavor to be as accurate as possible, certain changes in standard and optional equipment may occur. Also, specifications and performance figures are estimated and may vary with each vessel, application and conditions.